### **SAFETY DATA SHEETS**

## This SDS packet was issued with item:

071718691

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

071718659 071718907 071718915 071718923

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

071718733 071718741

### Material Safety Data Sheet

May be used to comply with OSHA's Hazard Communication Standard, 25 CFR 1910.1200. Standard must be consulted for specific requirements.

### U.S. Department of Labor

Occupational Safety and Health Administration (Non-Mandatory Form) Form Approved OMB No. 1218–0072



IDENTITY (As Used on Label and List) Dycal Base		Note: Blank spaces are not permitted, if any item is not applicable, or no information is available, the space must be marked to indicate that.			
Section I					
Manufacturer's Name  Caulk/Dentsply  Address (Number, Street, City, State, and ZIP Code)  Lakeview C Clarke Avenues  Milford, DE 19963-0359		Emergency Telephone Number  (202) 422-4511  Telephone Number for Information (302) 422-4511  Date Prepared  1/13/27  Signature of Preparer (optional)			
Section II — Hazardous Ingredie	nts/Identity Information	1			
Hazardous Components (Specific Chemical	I Identity: Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits Recommended	% (optional
Zinc Oxide			5 mg/m <sup>3</sup> TWA		
Section III — Physical/Chemical Boiling Point		Specific Gravity	/ (H <sub>2</sub> O = 1)		
Vapor Pressure (mm Hg.)	N.A.	Melting Point			1.98
Vapor Fressure (mm Fig.)	N.A.				N.E.
Vapor Density (AIR = 1)	N.A.	Evaporation Ra (Butyl Acetate			N.A.
Solubility in Water Not soluble					
Appearance and Odor Tan paste with charac		wintergree	en		
Section IV — Fire and Explosion	1 Hazard Data	15		T. 21 T	1151
Flash Point (Method Used) N.A.		Flammable Lin	N.A.	Y.A.	UEL
Extinguishing Media Carbon dioxide, Halon Special Fire Fighting Procedures None Unusual Fire and Explosion Hazards	1 -				
None					

(Reproduce locally)

OSHA 174, Sept. 1985

Section V	Reactivity Data			
Stability	Unstable		Conditions to Avoid	
	Stable	х	None	
Incompatibility (	(Materials to Avoid)	_ <u> </u>	HOITE	
Not	ne			
Hazardous Deco	mposition or Byprodu	CTS		
Hazardous Polymenzation	May Occur		Conditions to Avoid	
,	Will Not Occur	Х	None	
Section VI -	- Health Hazard	ــــــــــــــــــــــــــــــــــــــ	<del></del>	
Route(s) of Entry		авол?	Şkin?	Ingestion?
Health Hazards /	(Acute and Chronic)	o rsk	Yes in irritation (redness). Ay	Possibly Poid prolonged or repeated
sk:	in contact.			
Carcinogenicity:	NTP No		IARC Monographs No	? OSHA Regulated?
Signs and Symp	noms of Exposure Minor sk	in 1	rritation (redness)	
Medical Conditio				
	veted by Exposure			
	in irritatio			
Emergency and √a:	sh thoroughl	y wi	th soap and water if prolon	nged contact is made.
			ists please consult a phys	
Section VII -	- Precautions fo	or Sa	e Handling and Use	
	en in Case Material I			* · · · · · · · · · · · · · · · · · · ·
Wi	<u>pe up with c</u>	lean	cloth or paper towel. Scri	ub area with alcohol.
_				
Waste Disposal	Method proved landf	411		
	brosed raudi	<u> </u>	<del></del>	
Precautions to B	Se Taken in Handling	and S	vina	
Sto	ore at room	cemp	erature. Avoid storage abo	ve 50°C (122°F)
Other Precaunor				
No	ne		<del></del>	<del></del>
	<del></del>			
	- Control Meas	ures	<del></del>	
	ection (Specify Type) cal exhaust			
Ventilation	Local Exhaust Yes		Specia	v
Local	Yes Mechanical (General		Other	N.A.
exhaust	Nechanica (General N. A	•	Other	11. A.
Protective Glove	_		Eye Protection	
	bber gloves Clothing or Equipme	nt -	Safet	v Shield
Ra	bber apron			<del></del>
Work/Hygienic F	ractices hands with	soar	and water. Avoid excessiv	e contact with skin.
			Page 2	* USGPO. 1988-491-529/45771

N.A. Data does not apply to this product.

N.E. Value has not been established for this product.

Obtained by Global Safety Management, www.globalsafetynet.com, (877) 683-7460

Printing date 25.09.2007

Revision: 25.09.2007

#### 1 Identification of substance:

- · Product details:
- · Trade name: Dycal Base
- · Application: Base paste
- · Application of the substance / the preparation Material for pulp capping
- · Manufacturer/Supplier:

DENTSPLY DeTrey GmbH

De-Trey-Str. 1 D-78467 Konstanz GERMANY

Tel.: +49-7531-583-0 Fax: +49-7531-583-104

- · Further information obtainable from:
- Departement Analytical Research / Research & Development for technical information
- Departement Marketing & Sales for distribution of the safety data sheets
- · Information in case of emergency: +49-7531-583-0

### 2 Hazards identification

· Hazard description:

Xi Irritant

N Dangerous for the environment

· Information concerning to particular hazards to man and environment

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

R 36/38 Irritating to eyes and skin.

R 51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

· Classification system

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

#### 3 Composition/information on ingredients

- · Chemical characterization
- · Description: Mixture of substances listed below with nonhazardous additions.

Dangerous compone	nts:		
CAS: 73240-13-8	1,3- Butylenglykoldisalicylat	Xi: R 36/38	25-50%
CAS: 1314-13-2 EINECS: 215-222-5	zinc oxide	N; R 50/53	2.5-10%

· Additional information For the wording of the listed risk phrases refer to section 16.

### 4 First aid measures

- · After inhalation Void
- · After skin contact Immediately wash with water and soap and rinse thoroughly.
- · After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing If symptoms persist consult doctor.

### 5 Fire fighting measures

· Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

(Contd. on page 2)

Printing date 25.09.2007 Revision: 25.09.2007

Trade name: Dycal Base

(Contd. of page 1)

· Special hazards caused by the substance, its products of combustion or resulting gases:

Formation of toxic gases is possible during heating or in case of fire.

· Protective equipment: Wear self-contained respiratory protective device

#### 6 Accidental release measures

· Person-related safety precautions: Not required.

· Measures for environmental protection:

Inform respective authorities in case of seepage into water course or sewage system.

· Measures for cleaning/collecting:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

#### 7 Handling and storage

- · Handling Product is intended for dental use only.
- · Information for safe handling: Observe normal care for working with chemicals.
- · Information about fire and explosion protection: No special measures required.
- ·Storage
- · Requirements to be met by storerooms and receptacles: Store only in the original receptacle,
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.

#### 8 Exposure controls and personal protection gear

- · Additional information about design of technical facilities: No further data; see item 7.
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · Personal protective equipment
- · General protective and hygienic measures

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- · Respiratory protection: Not required.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye protection: Safety glasses
- · Body protection: Protective work clothing.

GB -

(Contd. on page 3)

Printing date 25.09.2007

Trade name: Dycal Base

Revision: 25.09.2007

(Contd. of page 2)

General Information		
Form:	Pasty	
Colour: Odour:	Dark Characteristic	
Change in condition Melting point/Melting range: Boiling point/Boiling range:		
Flash point:	Not applicable	
Self-igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Density at 20°C:	1.98 g/cm³	
Solubility in / Miscibility with Water:	Not miscible or difficult to mix	

#### 10 Stability and reactivity

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Dangerous reactions No dangerous reactions known
- · Dangerous decomposition products: No dangerous decomposition products known

#### 11 Toxicological information

- · Acute toxicity:
- · LD/LC50 values relevant for classification:

1314-13-2 zinc oxide

Oral LD50 >5000 mg/kg (rat)

- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

Irritani

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

#### 12 Ecological information:

- · Ecotoxical effects:
- · Remark: Toxic for fish
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

GB

(Contd. on page 4)

Printing date 25.09.2007 Revision: 25.09.2007

Trade name: Dycal Base

(Contd. of page 3)

#### 13 Disposal considerations

- · Product:
- Recommendation



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

#### 14 Transport information

- · Land transport ADR/RID (cross-border)
- · ADR/RID class:
- · Maritime transport IMDG:
- · IMDG Class:
- · Marine pollutant: No
- · Air transport ICAO-TI and IATA-DGR:
- · ICAO/IATA Class: -

#### 15 Regulations

· Labelling according to EU guidelines:

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials

· Code letter and hazard designation of product:





Xi Irritani

N Dangerous for the environment

· Risk phrases:

36/38 Irritating to eyes and skin.

51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Safety phrases:

- 23 Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).
- 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
- 28 After contact with skin, wash immediately with plenty of water.
- 37 Wear suitable gloves.
- 57 Use appropriate container to avoid environmental contamination.
- 60 This material and its container must be disposed of as hazardous waste.
- · National regulations
- · Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

#### 16 Other information:

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 5)

GB-

Printing date 25.09.2007 Revision: 25.09.2007

Trade name: Dycal Base

(Contd. of page 4)

The attached safety data sheet covers the dangers and measures to be taken when large quantities of material are released, for example due to accidents during transport or storage by the dealer. For quantities of material typically used in clinical practice, information necessary for safe use and storage of the product is given in the DFU.

Relevant R-phrases
36/38 Irritating to eyes and skin.
50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

- · Department issuing MSDS: Analytical Research
- · Contact: HotLine for urgent technical support: +49-7531-583-333

GB