SAFETY DATA SHEETS

This SDS packet was issued with item:

070173500

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

070134163 070134171 070172916 070172924 070172932 070172940 070172957 070172981 070173476 070173484 070173492 070173518 070173542

Product Name : P500 SDS No.:SI -018 Page 1/5

P700

MATERIAL SAFETY DATA SHEET

Date of Issue: September 1, 2009

SDS No.: SI-018 Version: 001



1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY

This product is a writing instrument to be recognized as Article.

1.1. Identification of the substance or preparation

Product name : P500

P700

Product code : P500-B/R/L/G/V

P700-B/R/L/G/V

1.2. Use of the preparation : Ink for writing instrument

1.3. Company identification e-mail addres

Name of manufacture /supplier : PILOT Corporation Of America

Address : 3855 Regent Blvd., Jacksonville, FL 32224

Telephone number : 904-645-9999

Working hours (from 08.30am to 04.30pm)

Facsimile number : 904-996-2974

2. HAZARDS IDENTIFICATION

Physical /Chemical hazards : Not applicable

Environmental hazards : Not applicable

Effect of exposure : Not applicable

Symptom of exposure

Inhalation : Intentional exposure to ink vapors may cause respiratory irritation.

Ingestion : May cause upset stomach.

Skin contact : Ink contact with skin may cause irritation, swelling, or redness.

It is not expected to cause an allergic skin reaction.

Eye contact : Ink contact with eye may be mildly irritating.

Product Name : P500 SDS No.:SI -018 Page 2/5

P700

3. COMPOSITION / INFORMATION ON INGREDIENTS

For ink unless otherwise specified

| Ingredients | CAS Number | EINECS Number | Weight % | Component |
|--------------------------|------------|---------------|----------|------------|
| Ethylene glycol | 107-21-1 | 203-473-3 | 8.4 | Black |
| Carbon black | 1333-86-4 | 215-609-9 | 5.8 | Black |
| C.I.Pigment blue 15:3 | 147-14-8 | 205-685-1 | 0.2-8.0 | Blue/Green |
| Coppper phthalocyaninato | | | | |
| C.I.Pigment green 7 | 1328-53-6 | 215-524-7 | 7.8 | Green |
| Phenol | 108-95-2 | 203-632-7 | 0.2-0.4 | All Colors |

4. FIRST AID MEASURES

Inhalation : Remove subject to ventilated fresh air. Consult physician if necessary.

Ingestion : Refer for medical attention.

Skin contact : Wash the affected area under tepid running water using a mild soap.

And refer for medical attention if irritation continues.

Eye contact : Gently rinse the affected eyes with clean water for at least 15 minutes.

And refer for medical attention if irritation continues.

First aid facilities : Ensure eyewash and water service are available.

Medical attention

Local contamination

: In case of skin or eye contamination treat as under First Aid Measures.

Systemic poisoning

: There is no specific antidote. Treat symptoms.

5. FIRE-FIGHTING MEASURES

5.1. Suitable extinguishing media : Not classed as flammable.

In case of fire, use water spray, foam, dry chemical powder or carbon dioxide.

5.2. Extinguishing media which shall not be used for : None

safety

5.3. Special exposure hazards arising from the CO₂, CO, NO_x, and SO_x are produced after

substance or preparation itself, combustion combustion.

products

5.4. Special protective equipment for fire-figters : Not required

5.5. Additional information : None

Product Name : P500 SDS No.:SI -018 Page 3/5

P700

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions : Use proper ventilation. Use eye and skin protection.

6.2. Environmental precautions : Keeping away from drains, surface-and ground-water and

soil, possible need to alert the neighbourhood.

6.3. Methods for cleaning up : Absorb spill with material (cloth or paper), then place in

chemical waste containers.

6.4 .Additional information : None

7. HANDLING AND STORAGE

7.1. Handling : Avoid rough handling or dropping.

7.1.1. Protective measures : Not required in normal use.

7.1.2. Measures to prevent aerosol and dust generation : Not required in normal use. 7.1.3. Measures required to protect the environment : Not required in normal use.

7.1.4. Specific requirements or handling rules : None

7.1.5. Precautions against fire and explosion : Not required in normal use.

7.2. Storage : Store in a dry, cool, well-ventilated location.

7.3. Specific use(s) : Not use it except the ink for writing instruments.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1. Exposure limit values : No data

8.1.1. Occupational exposure controls : Not available 8.1.2. Biological limit values : Not available

8.1.3. DNEL and PNEC-value(s) as applicable : No data

8.2. Exposure controls

8.2.1. Occupational exposure controls

a) Respiratory protection : Not required

b) Hand protectionc) Eye protectionWear suitable gloves.Wear eye protection.

d) Skin protection : Wear suitable protective clothing.

8.2.2. Environmental exposure controls

ACGIH TLV-TWA Ethylene glycol : 50ppm

Phenol : 5ppm

9. PHYSICAL AND CHEMICAL PROPERTIES

For ink unless otherwise specified

9.1. General information

Appearance : Viscosity liquid

[Color] Black, Red, Blue, Green, Violet

Odor : Slight characteristic

9.2. Important health, safety and environmental information

pH : 6.5-9.5

Boiling point / boiling range : About 100 degrees Celsius

Obtained by Global Safety Management, Inc. -Tel: 1-813-435-5161 - www.globalsafetynet.com

Product Name : P500 SDS No.:SI -018 Page 4/5

P700

Flash point : Boils without flashing

Flammability (solid, gas) : None
Explosive properties : None
Oxidizing properties : None
Vapor pressure : No data

Relative density : 1.05-1.09 (at 20 degrees Celsius)

Solubility : Not applicable

Water solubility : Soluble

Partition coefficient: n-octanol / water : Not available

Viscosity : 900-1900 mPa— s (at 20 degrees Celsius, 3.84s⁻

1)

Vapor density : No data
Evaporation rate : No data

9.3. Other information : None

10. STABILITY AND REACTIVITY

10.1. Conditions to avoid10.2. Materials to avoidThis material is stable.

10.3. Hazardous decomposition products : No data

11. TOXICOLOGICAL INFORMATION

For ink unless otherwise specified

11.1. Toxicokinetics, metabolism and distribution : No data

11.2. Acute effects (acute toxicity, irritation and corrosivity)

: Acute toxicity Ethylene glycol LD₅₀ 8540ml/kg(rat)

Phenol LD₅₀ 317 mg/kg(rat)

11.3. Sensitization : No data
11.4. Repeated dose toxicity : No data

11.5. CMR (carcinogenity, mutagenicity, and toxicity for reproduction)

carcinogenicity Carbon black IARC Group 2B

12. ECOLOGICAL INFORMATION

12.1. Ecotoxicity : No data
12.2. Mobility : No data
12.3. Persistence and degradability : No data
12.4. Bioaccumulative potential : No data
12.5. Results of PBT assessment : No data
12.6. Other adverse effects : None

13. DISPOSAL CONSIDERATIONS

- Follow all regulations in your country.
- Not hazardous waste.

Product Name : P500 SDS No.:SI -018 Page 5/5

P700

14. TRANSPORT INFORMATION

14.1. UN number: Not applicable14.2. Class: Not applicable14.3. Proper shipping name: Not applicable14.4. Packing group: Not applicable14.5. Marine pollutant: Not applicable14.6. Other applicable information: None

15. REGULATORY INFORMATION

— Follow all regulations in your country.

16. OTHER INFORMATION

The information here is given in good faith, but no warranty, express or implied, is made. Final determination of suitability of any material is the sole responsibility of the user.

End of SDS