## **SAFETY DATA SHEETS**

## This SDS packet was issued with item:

073851433

N/A

Material Safety Data Sheet May be used to comply with

Administration

Freeport, NY 11520

OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be

U.S. Department of Labor Occupational Safety and Health

(Non-Mandatory Form) Form Approved OMB No. 1218-0072

consulted for specific requirements.	OMB 140. 1218 0012
IDENTITY (As Used on Label and List) Gel-White Bleaching Material	NOTE: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.

## Section I Manufacturer's Name **Emergency Telephone Number** (800) 645-1226 **Temrex Corporation** Address (Number, Street, City, State, and ZIP Code) Telephone Number for Information (516) 868-6221 112 Albany Avenue **Date Prepared** January 24, 2011 P.O. Box 182 Signature of Preparer (optional)

	(-)) OCUA PEI	Other Limits ACGIH TLV		
	ific Chemical Identity: Common Name	(s)) OSHA PEL	ACGIN ILV	
Recommended %(option	ial)			
Carbamide Peroxide	e – an oxidizing agent			
pl	I Share de dede			
Section III - Physical/Chemica Boiling Point	al Characteristics	Specific Gravity (H2O = 1)		
182°C at 20 mm	n Hg	ca 1.25		
Vapor Pressure (mm Hg.)		Melting Point		
0.33 Po at 50	°C	N/A		
Vapor Density (AIR = 1) N/A		Evaporation Rate (Butyl Acetate = 1) N/A		
Solubility in Water	-			
A POPULATION AND A POPU	Substantially solub	le.		
Appearance and Odor	Light, clear gel; odor	loss		
Section IV – Fire and Explosion	70 //	1033.		
Flash Point (Method Used) 199°C closed cup	Flammable Limits N/A	LEL N/A	UEL N/A	
Extinguishing Media	70			
Special Fire Fighting Procedu	Water; CO2, Foan	n.		
Special Fire Fighting Procedu	None			
(Compared to the property of the control of the con	tana uda			
Unusual Fire and Explosion H	None			
	None			

Page 1

Section V - Reactiv	ity Data				
Stability	Unstable	Unstable Conditions to Avoid			
		1	Prolonged exposure to temperatures above 30°C.		
	Stable				
		X			
Incompatibility (M	aterials to Avoid)				
			Ikaline substances.		
Hazardous Decom	position or Byproduct				
(tanandaria			e, when exposed to high temperatures.		
Hazardous Polymerization	May Occur	Conditions to Avoid			
Polymenzation	Will Not Occur				
	Will Not Occur	x			
Section VI - Health	Hazard Data	, A			
Route(s) of Entry:		nhalation	? Skin?	Ingestion?	
				Bessioni	
Health Hazards (Ad	cute and Chronic)				
			None known.		
Carcinogenicity:	NTP?		IARC Monographs?	OSHA Regulated?	
	N/A		N/A	N/A	
Signs and Symptor			membranes upon prolonged exposure.		
	s Generally Aggravate		None known.		
<b>Emergency and Fir</b>	st Aid Procedures				
Inhalatio	n: N/A E	yes: Imn	nediately flush with copious amounts of	water.	
			rbance in vision occurs.		
	utions for Safe Handl				
Steps to Be Taken	in Case Material is Re				
		amounts	of water. Dispose wash waters into sew	er.	
Waste Disposal M	ethod				
Procautions to Be	Taken in Handling an	d Storing			
riecautions to be			nperatures. Avoid exposure to heat.		
Other Precautions		vateu ter	inperactures. Avoid exposure to near		
other ricoductions			None		
Section VIII - Cont	rol Measures				
	ction (Specify Type)				
			Not required.		
Venthilation	Local Exhaust		Special		
		N/A		N/A	
	Mechanical (Gene	eral)	Other		
		N/A		N/A	
<b>Protective Gloves</b>			Eye Protection		
No	ot required if handled	with cau	tion. Recommende	ed with large quantities.	
Other Protective	Clothing or Equipment	t			
			See Above.		
Work/Hygienic Pr	actices				
			Routine.		

Page 2

\* U.S.G.P.O.: 1966 - 491 -

529/45775