

## **SAFETY DATA SHEETS**

**This SDS packet was issued with item:**

073710951

**The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).**

273032366




# MATERIAL SAFETY DATA SHEET

## 1. Product and Company Identification

**Product Name** IMS Daily Clean  
**CAS #** Mixture  
**Product use** Cleaner  
**Manufacturer** Hu-Friedy Mfg. Co., LLC  
3232 N. Rockwell  
Chicago, IL 60618-5982 US  
Phone: 773.975.6100  
Fax: 773.868.3599  
Emergency Phone: 1-800-535-5053  
Outside US: 001-352-323-3500

LEGEND HMIS/NFPA	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

Health	2
Flammability	0
Personal Protection	X



## 2. Hazards Identification

### Emergency overview

**WARNING**  
CAUSES EYE IRRITATION. CAUSES SKIN IRRITATION.  
Corrosive to aluminum.

### Potential short term health effects

<b>Routes of exposure</b>	Eye, Skin contact, Skin absorption, Inhalation, Ingestion.
<b>Eyes</b>	May cause severe irritation or chemical burns.
<b>Skin</b>	Causes irritation. May be absorbed through the skin.
<b>Inhalation</b>	Excessive intentional inhalation may cause respiratory tract irritation and central nervous system effects (headache, dizziness).
<b>Ingestion</b>	Harmful if swallowed. May cause stomach distress, nausea or vomiting.
<b>Target organs</b>	Eyes. Respiratory system. Skin.
<b>Chronic effects</b>	Prolonged or repeated exposure to dilutions can cause drying, defatting and dermatitis.
<b>Signs and symptoms</b>	The product may cause burns to eyes, skin and mucous membranes.
<b>OSHA Regulatory Status</b>	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.
<b>Potential environmental effects</b>	See section 12.

## 3. Composition / Information on Ingredients

Ingredient(s)	CAS #	Percent
Urea	57-13-6	7 - 13
Sodium tripolyphosphate	7758-29-4	30 - 60
Sodium carbonate	497-19-8	15 - 40
Amides, coco, N,N-bis(hydroxyethyl)	68603-42-9	1 - 5

## 4. First Aid Measures

### First aid procedures

<b>Eye contact</b>	Immediately flush with cool water. Remove contact lenses, if applicable, and continue flushing for 15 minutes. Obtain medical attention immediately.
<b>Skin contact</b>	Brush away excess of dry material. Immediately flush with cool water for 15 minutes while removing contaminated clothing and shoes. Discard or wash well before reuse. Obtain medical attention if irritation persists.

<b>Inhalation</b>	If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention.
<b>Ingestion</b>	Do not induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Never give anything by mouth if victim is unconscious, or is convulsing. Obtain medical attention.
<b>Notes to physician</b>	Symptoms may be delayed.
<b>General advice</b>	If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Keep out of reach of children.

## 5. Fire Fighting Measures

<b>Flammable properties</b>	Not flammable by WHMIS/OSHA criteria.
<b>Extinguishing media</b>	
<b>Suitable extinguishing media</b>	Water spray. Dry chemical. Carbon dioxide. Alcohol foam.
<b>Unsuitable extinguishing media</b>	Not available
<b>Protection of firefighters</b>	
<b>Specific hazards arising from the chemical</b>	Not available
<b>Protective equipment for firefighters</b>	Firefighters should wear full protective clothing including self contained breathing apparatus.
<b>Hazardous combustion products</b>	May include and are not limited to: Oxides of carbon. Oxides of nitrogen. Oxides of phosphorus.
<b>Explosion data</b>	
<b>Sensitivity to mechanical impact</b>	Not expected to be sensitive to mechanical impact.
<b>Sensitivity to static discharge</b>	Not expected to be sensitive to static discharge.

## 6. Accidental Release Measures

<b>Personal precautions</b>	Keep unnecessary personnel away. Do not touch or walk through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep people away from and upwind of spill/leak.
<b>Environmental precautions</b>	Prevent entry into waterways, sewers, basements or confined areas.
<b>Methods for containment</b>	Stop the flow of material, if this is without risk.
<b>Methods for cleaning up</b>	Before attempting clean up, refer to hazard data given above. Use broom or dry vacuum to collect material for proper disposal without raising dust. Rinse area with water. Prevent large spills from entering sewers or waterways. Contact emergency services and supplier for advice.

## 7. Handling and Storage

<b>Handling</b>	Use good industrial hygiene practices in handling this material. Do not get in eyes, on skin or on clothing. Avoid breathing dust. Wash thoroughly after handling.
<b>Storage</b>	Keep out of the reach of children. Store in a closed container away from incompatible materials.

## 8. Exposure Controls / Personal Protection

### Exposure limits

Ingredient(s)	Exposure Limits
Amides, coco, N,N-bis(hydroxyethyl)	ACGIH-TLV Not established OSHA-PEL Not established
Sodium carbonate	ACGIH-TLV Not established OSHA-PEL Not established
Sodium tripolyphosphate	ACGIH-TLV Not established OSHA-PEL Not established
Urea	ACGIH-TLV Not established OSHA-PEL Not established

### Engineering controls

General ventilation normally adequate.

### Personal protective equipment

#### Eye / face protection

Wear chemical goggles.

#### Hand protection

Rubber gloves. Confirm with a reputable supplier first.

#### Skin and body protection

As required by employer code.

#### Respiratory protection

Where exposure guideline levels may be exceeded, use an approved NIOSH respirator.

#### General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. Wash hands before breaks and immediately after handling the product. Use good industrial hygiene practices in handling this material.

## 9. Physical and Chemical Properties

Appearance	Free-flowing Powder and Granules
Color	White.
Form	Powder and Granules
Odor	None to slight
Odor threshold	Not available
Physical state	Solid
pH	10 - 11 (1%)
Melting point	Not available
Freezing point	Not available
Boiling point	Not applicable
Pour point	Not available
Evaporation rate	Not available
Flash point	Not available
Auto-ignition temperature	Not available
Flammability limits in air, lower, % by volume	Not available
Flammability limits in air, upper, % by volume	Not available
Vapor pressure	Not available
Vapor density	Not available

Specific gravity	Not available
Octanol/water coefficient	Not available
Solubility (H2O)	Appreciable
Viscosity	Not applicable
Percent volatile	Not available

## 10. Stability and Reactivity

Reactivity	Reacts vigorously with acids. Reacts with soft metals such as aluminum producing flammable hydrogen gas.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Chemical stability	Stable under recommended storage conditions.
Conditions to avoid	Do not mix with other chemicals.
Incompatible materials	Corrosive to aluminum. Caustics. Acids. Oxidizers. Reducing agents.
Hazardous decomposition products	May include and are not limited to: Oxides of carbon. Oxides of nitrogen. Oxides of phosphorus.

## 11. Toxicological Information

### Component analysis - LC50

Ingredient(s)	LC50
Amides, coco, N,N-bis(hydroxyethyl)	Not available
Sodium carbonate	400 mg/m3 guinea pig
Sodium tripolyphosphate	Not available
Urea	Not available

### Component analysis - Oral LD50

Ingredient(s)	LD50
Amides, coco, N,N-bis(hydroxyethyl)	2700 mg/kg rat
Sodium carbonate	4090 mg/kg rat
Sodium tripolyphosphate	3100 mg/kg rat
Urea	11000 mg/kg mouse; 8471 mg/kg rat; 510 mg/kg cattle; 510 mg/kg sheep

### Effects of acute exposure

Eye	May cause severe irritation or chemical burns.
Skin	Causes Irritation. May be absorbed through the skin.
Inhalation	Excessive intentional inhalation may cause respiratory tract irritation and central nervous system effects (headache, dizziness).
Ingestion	Harmful if swallowed. May cause stomach distress, nausea or vomiting.
Sensitization	Non-hazardous by WHMIS/OSHA criteria.
Chronic effects	Non-hazardous by WHMIS/OSHA criteria.
Carcinogenicity	Contains a potential carcinogen.
IARC - Group 2B (Possibly Carcinogenic to Humans)	
Amides, coco, N,N-bis(hydroxyethyl)	68603-42-9 Monograph 101 [in preparation]
Mutagenicity	Non-hazardous by WHMIS/OSHA criteria.
Reproductive effects	Non-hazardous by WHMIS/OSHA criteria.
Teratogenicity	Non-hazardous by WHMIS/OSHA criteria.
Name of Toxicologically Synergistic Products	Not available

## 12. Ecological Information

### Ecotoxicity

Components of this product have been identified as having potential environmental concerns.

#### Ecotoxicity - Freshwater Algae - Acute Toxicity Data

Sodium carbonate 497-19-8 120 Hr EC50 Nitzschia: 242 mg/L

#### Ecotoxicity - Freshwater Fish - Acute Toxicity Data

Amides, coco, 68603-42-9 96 Hr LC50 Brachydanio rerio: 3.6 mg/L [semi-static]

N,N-bis(hydroxyethyl)

Sodium carbonate 497-19-8 96 Hr LC50 Lepomis macrochirus: 300 mg/L [static]; 96 Hr LC50 Pimephales promelas: 310 - 1220 mg/L [static]

Sodium tripolyphosphate 7758-29-4 48 Hr LC50 Leuciscus idus: 1650 mg/L

Urea 57-13-6 96 Hr LC50 Poecilia reticulata: 16200-18300 mg/L

#### Ecotoxicity - Water Flea - Acute Toxicity Data

Amides, coco, 68603-42-9 24 Hr EC50 Daphnia magna: 4.2 mg/L

N,N-bis(hydroxyethyl)

Sodium carbonate 497-19-8 48 Hr EC50 Daphnia magna: 285 mg/L

Urea 57-13-6 24 Hr EC50 Daphnia magna Straus: >10000 mg/L; 48 Hr EC50 Daphnia magna: 3910 mg/L [Static]

Persistence / degradability Not available

Bioaccumulation / accumulation Not available

Mobility in environmental media Not available

Environmental effects Not available

Aquatic toxicity Not available

Partition coefficient Not available

Chemical fate information Not available

Other adverse effects Not available

## 13. Disposal Considerations

Disposal instructions Dispose in accordance with all applicable regulations.

Waste from residues / unused products Not available

Contaminated packaging Not available

## 14. Transport Information

### U.S. Department of Transportation (DOT)

Not regulated as dangerous goods.

### Transportation of Dangerous Goods (TDG - Canada)

Not regulated as dangerous goods.

## 15. Regulatory Information

### Canadian federal regulations

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

#### Canada - WHMIS - Ingredient Disclosure List

Sodium carbonate 497-19-8 1 %

WHMIS status Controlled

WHMIS classification Class D - Division 2A, 2B, Class E - Corrosive Material

WHMIS labelling



### Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200 hazardous chemical Yes

**US Federal regulations**

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

**U.S. - CERCLA/SARA - Hazardous Substances and their Reportable Quantities**

Sodium tripolyphosphate 7758-29-4 5000 Lb final RQ (listed under Sodium phosphate, tribasic); 2270 kg final RQ (listed under Sodium phosphate, tribasic)

**CERCLA (Superfund) reportable quantity**

Sodium tripolyphosphate: 5000.0000

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**

**Hazard categories**  
Immediate Hazard - Yes  
Delayed Hazard - Yes  
Fire Hazard - No  
Pressure Hazard - No  
Reactivity Hazard - No

**Section 302 extremely hazardous substance** No

**Section 311 hazardous chemical** Yes

**Clean Air Act (CAA)** Not available

**Clean Water Act (CWA)** Hazardous substance

**State regulations** This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.

**U.S. - California - 8 CCR Section 339 - Director's List of Hazardous Substances**

Sodium tripolyphosphate 7758-29-4 Present (listed under Sodium phosphate, tribasic)

**U.S. - Louisiana - Reportable Quantity List for Pollutants**

Sodium tripolyphosphate 7758-29-4 5000 Lb final RQ (listed under Sodium phosphate, tribasic); 2270 kg final RQ (listed under Sodium phosphate, tribasic)

**U.S. - Massachusetts - Right To Know List**

Sodium tripolyphosphate 7758-29-4 Present

**U.S. - Minnesota - Hazardous Substance List**

Urea 57-13-6 Present

**U.S. - New York - Reporting of Releases Part 597 - List of Hazardous Substances**

Sodium tripolyphosphate 7758-29-4 5000 Lb RQ (air); 100 lb RQ (land/water)

**U.S. - Pennsylvania - RTK (Right to Know) List**

Sodium tripolyphosphate 7758-29-4 Environmental hazard

**Inventory name**

Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

## 16. Other Information

**Disclaimer**

Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

**Issue date**

29-Mar-2012

**Effective date**

30-Jun-2012

**Expiry date**

30-Jun-2015

**Prepared by**

Dell Tech Laboratories Ltd. (519) 858-5021

**Other Information**

For an updated MSDS, please contact the supplier/manufacturer listed on the first page of the document.