# **SAFETY DATA SHEETS**

# This SDS packet was issued with item: 076655633

# The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

076648208 076648224 076648232 076648240 076648265 076655443 076655450 076655468 076655476 076655484 076655500 076655518 076655526 076655534 076655542 076655559 076655567 076655575 076655583 076655591 076655609 076655617 076655625 076655641 076658629 076666291 076666309 076666333 076666457 076666473



# Safety Data Sheet

Safety Data Sheet (in compliance with Regulation (EC) 1907/2006, Regulation (EC) 1272/2008 and Regulation (EC) 453/2010)

Date Issued: 22 June 2009 Document Number: 0060002MS Date Revised: 19 November 2012 Revision Number: 4

1. PRODUCT IDENTIFICATION			
Trade Name (as labeled):	Topex <sup>®</sup> Prophy Paste Non-Fluoride		
Chemical Name/Classification:	Mixture		
Product Identifier (Part/Item Number):	AD60002, AD60011, AD30040		
U.N. Number:	None		
U.N. Dangerous Goods Classification:	None		
Recommended Use:	Cleaning and polishing paste		
Restrictions on Use:	Use only as directed		
Manufacturer/Supplier Name:	Sultan Healthcare		
Manufacturer/Supplier Address:	411 Hackensack Avenue, 9th Floor		
	Hackensack, NJ		
Manufacturer/Supplier Telephone Number:	1-201-871-1232 or 800-637-8582 (Product Information)		
Emergency Contact Telephone Number:	800-535-5053 (INFOTRAC)		
	1-352-323-3500 (Outside the United States - Call Collect)		
Email address:	customer.service@sultanhc.com		

#### 2. HAZARD(s) IDENTIFICATION

#### Hazard/Danger Classification (Regulation EC) No. 1272/2008 [CLP] / Hazcom 2012:

Health	Environmental	Physical
Non-Hazardous	Non-Hazardous	Non-Hazardous

EU Labeling: None

Refer to Section 16 for the full text of the EU Classifications and R Phrases.

Labeling Elements: None

EU Labeling: None

Obtained by Global Safety Management, www.globalsafetynet.com, (877) 683-7460 ----

#### 3. COMPOSITION AND INFORMATION ON INGREDIENTS

Hazardous Components	C.A.S. # EC#	IUPAC Name	CLP/GHS / EU Classification (1272/2008) (1999/45/EC)	WT %
Glycerin	56-81-5 / 200- 289-5	propane- 1,2,3-triol	Not classified as hazardous	< 40
Polyethylene glycol	25322-68-3 / 500-038-2	poly(ethylene oxide)	Not classified as hazardous	30 - 35
Titanium Dioxide*	13463-67-7 / 236-675-5	dioxotitanium	Carc. 2; H351	0 - 4

\* The titanium dioxide in this product is inextricably bound in a manner that no exposure occurs during normal use and handling. Therefore this product is not classified as a carcinogen.

#### Refer to Section 16 for the full text of the EU Classifications and R Phrases.

## 4. FIRST-AID MEASURES

Routes of Exposure	First Aid Instructions
Eye	Flush eyes with water, holding the eyelids apart. Do not rub eyes. Get medical attention if irritation persists.
Skin	No first aid should be needed. Rinse off with water.
Inhalation	None needed under normal use conditions
Ingestion	If large amounts are swallowed, seek medical advice.
Most important symptoms of exposure	Direct contact may cause eye irritation.
Other	None known.
	(Treatment, Testing, and Monitoring): Treatment of overexposure should be directed at the c

# 5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media:	Use media appropriate for surrounding fire.
Fire Fighting Procedures:	Cool fire exposed containers and structures with water.
Specific Hazards Arising from the Chemical:	None known.
Precautions for Fire Fighters:	Firefighters should wear positive pressure self-contained breathing apparatus and full protective clothing for all fires involving chemicals.

- Obtained by Global Safety Management, www.globalsafetynet.com, (877) 683-7460 - -

	Recommended Frotective	Equipment for Fire Fighters:	
EYES/FACE	SKIN	RESPIRATORY	THERMAL
0		0	0
tron-	NID	(00)	
LAX 1	E E		

# 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, PPE and Emergency Procedures: For large spills, wear eye protection. Small spills do not require special precautions.

Environmental Precautions: Prevent spill from entering sewers and water courses. Report releases as required by local and national authorities.

Methods and Materials for Containment and Clean-up: Collect using an inert non-combustible absorbent material and place in appropriate containers for disposal.

	Recommended Personal	<b>Protective I</b>	Equipment for (	Containment and	Clean-up:
--	----------------------	---------------------	-----------------	-----------------	-----------

EYES/FACE	SKIN	RESPIRATORY	THERMAL
0			

## 7. HANDLING AND STORAGE

Precautions for Safe Handing: Avoid contact with the eyes. Use in accordance with package instructions.

Conditions for Safe Storage: Avoid excessive cold and heat.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

<b>Occupational Exposur</b>	e Limits:		
<b>Occupational Exposur</b>	e Limits:		
Glycerin	United States	5 mg/m3 TWA US OSHA PEL (respirable fraction) 10 mg/m3 TWA ACGIH TLV	
	Germany	50 mg/m3 DFG MAK (inhalable)	
1. C	United Kingdom	10 mg/m3 TWA UK OEL	

- Obtained by Global Safety Management, www.globalsafetynet.com, (877) 683=7460 ----

	France	10 mg/m3 INRS VME				
	Spain	10 mg/m3 TWA VLA-ED				
	Italy	None Established				
	European Union	None Established				
Polyethylene Glycol	United States	10 mg/m3 TWA AIHA WEEL (aerosol	)			
	Germany	1000 mg/m3 (inhalable) DFG MAK				
	United Kingdom	None Established				
	France Spain	None Established				
	Italy	None Established None Established				
	European Union					
Titanium Dioxide	United States	15 mg/m3 TWA US OSHA PEL (total of	lust)			
		10 mg/m3 TWA ACGIH TLV				
	Germany	1.5 mg/m3 (respirable dust) DFG MAK				
	United Kingdom	10 mg/m3 (inhalable) 4 mg/m3 (respiral	ble dust) TWA UK OEL			
	France	10 mg/m3 INRS VME				
	Spain	10 mg/m3 VLA-ED				
	Italy None Established					
	European Union	None Established				
Appropriate Engineering C Individual Protection Meas	ures (PPE)		toot is likely			
Appropriate Engineering C ndividual Protection Meas Specific Eye/face P Specific Skin Prote Specific Respirator	sures (PPE) rotection: Avoid eye cor ection: None normally rec	ntact. Safety glasses should be worn if con	tact is likely.			
Appropriate Engineering C Individual Protection Meas Specific Eye/face P Specific Skin Prote Specific Respirator	sures (PPE) Protection: Avoid eye cor ection: None normally rec ry Protection: None requ Hazards: Not applicable	ntact. Safety glasses should be worn if con quired.	tact is likely.			
Appropriate Engineering C Individual Protection Meas Specific Eye/face P Specific Skin Prote Specific Respirator	sures (PPE) Protection: Avoid eye cor ection: None normally rec ry Protection: None requ Hazards: Not applicable	ntact. Safety glasses should be worn if con quired. hired under normal use conditions.	tact is likely. THERMAL			
Specific Skin Prote Specific Respirator Specific Thermal I	sures (PPE) Protection: Avoid eye cor ection: None normally rec ry Protection: None requ Hazards: Not applicable Recommended I	ntact. Safety glasses should be worn if con quired. nired under normal use conditions. Personal Protective Equipment:				
Appropriate Engineering C Individual Protection Meas Specific Eye/face P Specific Skin Prote Specific Respirator Specific Thermal I	sures (PPE) Protection: Avoid eye cor ection: None normally rec ry Protection: None requ Hazards: Not applicable Recommended I SKIN	ntact. Safety glasses should be worn if con quired. nired under normal use conditions. Personal Protective Equipment: RESPIRATORY				
Appropriate Engineering C Individual Protection Meas Specific Eye/face P Specific Skin Prote Specific Respirator Specific Thermal I EYES/FACE Ervironmental Exposure C	Sures (PPE) Protection: Avoid eye correction: None normally recorry Protection: None required in the second	ntact. Safety glasses should be worn if con quired. nired under normal use conditions. Personal Protective Equipment: RESPIRATORY	THERMAL			
Appropriate Engineering C Individual Protection Meas Specific Eye/face P Specific Skin Prote Specific Respirator Specific Thermal H EYES/FACE Environmental Exposure C General Hygiene Considera	Aures (PPE) Protection: Avoid eye correction: None normally recorry Protection: None required in the second of th	ntact. Safety glasses should be worn if con quired. nired under normal use conditions. Personal Protective Equipment: RESPIRATORY for normal use.	THERMAL			

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Colored paste	Explosive limits:	Not applicable
Odor:	Characteristic of flavor	Vapor pressure:	< 1 mg Hg @ 20°C
Odor threshold:	Not available	Vapor density:	Not available
pH:	8.55 (10% in water)	Relative density:	Not available
Melting/freezing point:	Not available	Solubility:	Miscible
Initial boiling point and range:	290°F / 143°C	Partition coefficient: n- octanol/water:	Not available
Flash point:	390°F / 199°C	Auto-ignition temperature:	Not available
Evaporation rate:	Not available	Decomposition temperature:	Not available
Flammability:	Not flammable	Viscosity:	Not available
Explosive Properties:	None	Oxidizing Properties:	None

# 10. STABILITY AND REACTIVITY

Reactivity: Will not polymerize.

Chemical Stability: Stable.

Possibility of Hazardous Reactions: Contact with strong oxidizing agents may cause fire.

Conditions to Avoid: None known.

Incompatible materials: Avoid oxidizing agents.

Hazardous Decomposition Products: Thermal decomposition may produce carbon oxides.

#### 11. TOXICOLOGICAL INFORMATION

#### Potential Health Effects:

Eyes: May cause irritation with redness and tearing. Mechanical (abrasive) irritation may also occur. Glycerin is slightly irritating to rabbit eyes.

#### Topex<sup>®</sup> Prophy Paste Non-Fluoride

- Obtained by Global Safety Management, www.globalsafetynet.com, (877) 683-7460 -

Skin: No adverse effects expected. Glycerin is not irritating to rabbit or human skin.

Ingestion: Swallowing large amounts may cause nausea, vomiting and diarrhea.

Inhalation: No adverse effects are expected.

Chronic Health Effects: None known.

<u>Carcinogenicity:</u> Titanium dioxide is listed by IARC as a group 2B carcinogen (possible human carcinogen). None of the other components of this product are listed as carcinogens by OSHA, IARC, ACGIH, NTP or EU Directives.

<u>Mutagenicity:</u> Glycerin: Negative in AMES test, in vitro sister chromatid exchange and unscheduled DNA synthesis. Propylene glycol: In-vitro studies were negative

Medical Conditions Aggravated by Exposure: Employees with pre-existing skin disorders may be at increased risk from exposure.

#### Acute Toxicity Data:

Glycerin: Oral Rat LD50 >12,600 mg/kg

Polyethylene Glycol: Oral mouse LD50 28,900 mg/kg

Titanium Dioxide: No toxicity data available

**<u>Reproductive Toxicity Data</u>**: Glycerin: No effects were observed in a 2 generation study at doses of 0.2 mg/kg/day. No developmental effects were observed in rabbits administered up to 1,180 mg/kg or in rats or mice administered up to 1,310 mg/kg.

Specific Target Organ Toxicity (STOT):

Single Exposure: Glycerin: When place into the eye of a rabbit, glycerin will cause an inflammatory reaction, edema of the cornea and damage of the endothelial cells.

<u>Repeated Exposure</u>: In a 13 week sub-chronic inhalation study with rats, glycerin was found to cause mild irritation of mucous membranes. In a 2 year study in rats, no adverse effects were found in animals with 20% glycerin in their feed.

#### 12. ECOLOGICAL INFORMATION

#### Toxicity:

Glycerin: 96 hr LC50 Oncorhynchus mykiss (Rainbow trout) 54,000 mg/L, 48 hr EC50 daphnia magna 10,000 mg/L Propylene glycol: Salmo salar (Atlantic salmon) >1,000 mg/L

Persistence and Degradability: Glycerin is readily biodegradable (63% after 14 days). Biodegradation is not applicable to inorganic substances such as titanium dioxide.

Bio-accumulative Potential: Not expected to bio-accumulate.

Mobility in Soil: Glycerin: Very high mobility in soil.

Other Adverse Effects: No adverse effects are expected.

Results of PBT/vPvB Assessment: Not required

#### **13. DISPOSAL CONSIDERATIONS**

Regulations: Dispose in accordance with local and national environmental regulations

Properties (Physical/Chemical) Affecting Disposal: None known.

Waste Treatment Recommendations: None needed.

#### **14. TRANSPORT INFORMATION**

UN-Number	ADR/RID: None	IMDG: None	IATA: None	DOT: None
UN proper shipping name	ADR/RID: Not Reg IMDG: Not Regulat IATA: Not Regulat DOT: Not Regulate	ted		
Transport hazard class(es)	ADR/RID: None	IMDG: None	IATA: None	DOT: None
Packaging group	ADR/RID: None	IMDG: None	IATA: None	DOT: None
Environmental hazards	ADR/RID: No	IMDG Marine pollutant: No	IATA: No	DOT: No

Special precautions for user: Not applicable

# **15. REGULATORY INFORMATION**

#### U.S. Federal Regulations

Comprehensive Environmental Response and Liability Act of 1980 (CERCLA): This product is not subject to CERCLA reporting requirements. Many states have more stringent release reporting requirements. Report spills required under federal, state and local regulations.

Toxic Substances Control Act (TSCA): This product is a medical device and not subject to chemical notification requirements.

Clean Water Act (CWA): Not Listed

Clean Air Act (CAA): Not Listed

Superfund Amendments and Reauthorization Act (SARA) Title III Information:

SARA Section 311/312 (40 CFR 370) Hazard Categories:

Immediate Hazard:	No	Pressure Hazard:	No	
Delayed Hazard:	No	Reactivity Hazard:	No	
Fire Hazard:	No		1	

This product contains the following toxic chemical(s) subject to reporting requirements of SARA Section 313 (40 CFR 372):

Components	C.A.S. #	WT %
None		

#### State Regulations

California: This product contains the following chemicals(s) known to the State of California to cause cancer, birth defects or reproductive harm:

Components	C.A.S. #	WT %
Titanium Dioxide	13463-67-7	< 5

#### **International Regulations**

EU REACH: The substances in this product comply with the EU REACH regulation as applicable.

#### **16. OTHER INFORMATION**

Full text of Classification abbreviations used in Section 2 and 3:

Carc. 2 - Carcinogen Category 2

H351 Suspected of causing cancer by inhalation.

Date of SDS Preparation/Revision: 19 November 2012

Data Sources: US NLM ChemID Plus and HSDB, Substance SDS for components, IUCLID Dataset EU Chemical Bureau, ESIS, Country websites for occupational exposure limits.