SAFETY DATA SHEETS

This SDS packet was issued with item:

071899806

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

078034934

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

273022239

MATERIAL SAFETY DATA SHEET

CETYLITE® INDUSTRIES, INC. Hazard Rating (NFPA 704)

9051 River Road Health 2

0=Least Pennsauken, NJ 08110-0700 Fire 1 1=Slight Phone: 856-665-6111 Reactivity 0 2=Moderate Special 3=High none

4=Extreme

EFFECTIVE DATE: 03/08/12

SECTION 1 - IDENTIFICATION

PRODUCT NAME: Cetylcide-G Diluent (Item # 0146)

MAIN HAZARDOUS CHEMICAL INGREDIENTS	OSHA PEL	ACGIH TLV	CAS#
Isopropyl alcohol	400 ppm	400 ppm	67-63-0
Propylene glycol	none	none	57-55-6
Sodium nitrite	15 mg/m ³	none	7632-00-0
Cetyldimethylethyl ammonium bromide	none	none	124-03-8
Alkyldimethylbenzyl ammonium chloride	none	none	68391-01-5
Sodium carbonate	15 mg/m ³	none	497-19-8
Ethylenediaminetetra acetic acid	none	none	64-02-8

Note: Substances listed as hazardous ingredients are those identified as being present at a concentration of 1% or greater, or 0.1% if the substance is classified and listed as a potential carcinogen by OSHA Hazard Communication Standard.

SECTION 2 - PHYSICAL DATA

BOILING POINT: Not determined. **VAPOR PRESSURE AT 20EC:** Not determined. VAPOR DENSITY (air=1): Not determined. SPECIFIC GRAVITY (H₂O=1): Not determined. **SOLUBILITY IN WATER by wt:** Very soluble.

N/A **MELTING POINT:**

EVAPORATION RATE (Butyl Acetate=1): Not determined. FREEZING POINT: Not determined.

APPEARANCE AND ODOR: liquid, yellow color, odorless.

Note: Mixture not tested as a whole.

SECTION 3 - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT(test method(s): Not determined.

FLAMMABLE LIMITS IN AIR (% by volume): LOWER: Not determined UPPER: Not determined.

EXTINGUISHING MEDIA: CO_{2:} dry chemical; alcohol foam; water spray.

SPECIAL FIREFIGHTING PROCEDURES: Keep container and nearby structures cool with water spray. Wear positive-pressure, self-contained breathing

apparatus.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Toxic fumes may be released.

SECTION 4 - REACTIVITY DATA

STABILITY: Stable under normal storage conditions.

INCOMPATIBILITY (materials to avoid): Strong oxidizing agents; prolonged exposure to heat. **HAZARDOUS DECOMPOSITION PRODUCTS:** Nitrogen oxides; carbon monoxide; ammonia.

HAZARDOUS POLYMERIZATION: Will not occur.

SECTION 5 - SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:

Eliminate all ignition sources. Contain spilled material. Transfer to secure containers. Prevent entry into drains or sewers. Use suitable absorbent materials.

WASTE DISPOSAL METHOD: Remove to permitted waste disposal facility or an approved incinerator in accordance with local, state and federal requirements. Empty container shall be rinsed before disposal.

SECTION 6 - HEALTH HAZARD DATA (Symptoms of Overexposure)

EYE CONTACT: Corrosive. May act as an allergen. Prolonged contact may cause corneal burns. **SKIN ABSORPTION:** Corrosive. May act as an allergen.

INGESTION: Poison. Will cause irritation of digestive tract, dizziness and nausea. Large doses can produce cyanosis which can lead to death.

INHALATION: Will cause irritation of mucous membranes, coughing and shortness of breath.

SKIN CONTACT: Brief contact will cause itching with mild to moderate local redness and possibly swelling. Prolonged contact may result in pain, severe redness and swelling, with ulceration, tissue destruction, and possibly bleeding into the inflamed area.

SYSTEMIC AND OTHER EFFECTS: None reported. Isopropanol was reported to be fetotoxic. Under certain conditions sodium nitrite may react with secondary amines to form carcinogenic nitrosamines. Overexposure to sodium nitrite can induce methemoglobinemia. Contains trace amount of trisodium nitrilo triacetic acid which is listed as a potential carcinogen under OSHA Std. 20 CFR 1920.1200. Also listed by; NTP, IARC.

SECTION 7 - EMERGENCY AND FIRST AID PROCEDURES

EYES: Irrigate immediately with water for at least 15 minutes. Obtain medical advice of an ophthalmologist without delay.

SKIN: Wash off with soap and water. If irritation persists, seek medical advice.

INGESTION: If conscious drink water. Call a physician. If cyanosis develops give oxygen, provided a

qualified operator is available.

INHALATION: Remove to fresh air if effects occur. Get medical attention.

NOTES TO PHYSICIAN: Monitor and treat for cyanosis. Mucosal damage may contraindicate the use of gastric lavage.

SECTION 8 - HANDLING PRECAUTIONS

EXPOSURE GUIDELINE(S): None established.

VENTILATION: Good general ventilation should be adequate.

RESPIRATORY PROTECTION (specify type): If respiratory irritation is experienced, use an approved air-purifying respirator with particulate/organic vapor cartridge.

PROTECTIVE GLOVES: Use impervious rubber gloves when prolonged or repeated contact could occur. Wash contaminated clothing before reuse.

EYE PROTECTION: Use goggles or safety glasses with eye shields.

SECTION 9 - ADDITIONAL INFORMATION

SPECIAL PRECAUTIONS TO BE TAKEN IN HANDLING: Store in a cool, dry, well ventilated place away from heat, open flames and incompatible materials. Keep container tightly closed when not in use. Do not reuse empty container. Avoid repeated skin contact and eyes exposure. Do not permit eating, drinking or smoking near material.

EPA-EPCRA - Section 313 (Listed Chemical): NONE

STATE RIGHT TO KNOW: 1,2-propanediol(PA1), Isopropanol(PA1,MSL-HS)

PA1= Pennsylvania Hazardous Substance

MSL-HS= Massachusetts Right To Know Substance List (Hazardous Substances)

DISCLAIMER:

The information herein given was derived solely from the main hazardous chemical ingredients MSDS on file at the time of this MSDS preparation. The information is given in good faith but no warranty, express or implied to the accuracy, completeness or adequacy of the information contained in this MSDS is made. We assume no warranties of fitness or liability from the use of this product. Since the conditions for use, handling, storage and disposal of this product are beyond Cetylite control, users should make their own investigations to determine the suitability of the information for their particular purposes. Users assume liability for damage, or expense arising out of product's improper use. Various Federal, State or Provincial agencies may have specific regulations concerning the transportation, handling, storage, use or disposal of this product which may not be reflected in this MSDS. The user should review these regulations to ensure full compliance.



Prepared to U.S. OSHA, CMA, ANSI, Canadian WHMIS, Australian WorkSafe, Japanese Industrial Standard JIS Z 7250:2000, and European Union REACH Regulations

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Cetylcide-G

CHEMICAL NAME: Glutaraldehyde, 50% Aqueous Solution

U.N. NUMBER: UN2922

U.N. DANGEROUS GOODS CLASS: Corrosive liquid, Toxic, n.o.s. (Contains Glutaraldehyde 50%) Class 8

(6.1) PGII

SUPPLIER/MANUFACTURER'S NAME: Cetylite Industries, Inc.

ADDRESS: 9051 River Road, Pennsauken, NJ 08110 USA

EMERGENCY PHONE: (800) 257-7740

BUSINESS PHONE: (800) 257-7740 or (856) 665-6111

FAX NUMBER: (856) 665-5408
DATE OF PREPARATION: June 3, 2013
DATE OF LAST REVISION: New

SECTION 2 - HAZARDS IDENTIFICATION


EMERGENCY OVERVIEW: This product is a transparent green liquid with a floral odor. Corrosive: May cause irreversible eye damage. Causes burns. Harmful if inhaled. May be fatal if swallowed. Harmful if absorbed through skin. Prolonged or repeated skin contact may cause allergic skin reaction in some individuals. Aspiration hazard. Can enter lungs and cause damage. Exposure to mist/vapor may cause respiratory irritation. This product is a non-flammable liquid.

The Environmental effects of this product have not been investigated. Release of this product is anticipated to have adverse effects in the aquatic environment.

US DOT SYMBOLS

CANADA (WHMIS) SYMBOLS

EUROPEAN and (GHS) Hazard Symbols















Signal Word: **Danger!**

EU LABELING AND CLASSIFICATION:

Classification of the substance or mixture according to Regulation (EC) No1272/2008 Annex 1 EC# 203-856-5 Annex I Index# 605-022-00-X

EC# 231-791-2 this substance are not classified in the Annex I of Directive 67/548/EEC Proprietary Ingredient has no information available

Component(s) Contributing to Classification(s)

Glutaraldehyde 50%

GHS Hazard Classification(s):

Acute Toxicity Inhalation Category 3 Acute Oral Toxicity Category 3 Skin Corrosion/Irritation Category 1B Respiratory Sensitizer Category 1 Skin Sensitizer Category 1 Acute Aquatic Toxicity Category 1

Hazard Statement(s):

H331:Toxic if inhaled H301: Toxic if swallowed

H314: Causes severe skin burns and eye damage

H334: May cause allergy or asthma symptoms or breathing

difficulties if inhaled

H317: May cause allergic skin reaction

H400: Very toxic to aquatic life

Precautionary Statement(s):

P261: Avoid breathing mist/vapors/spray
P264: Wash hands thoroughly after handling

P273: Avoid release to the environment

P280: Wear protective gloves/protective clothing/eye

protection/face protection

EU HAZARD CLASSIFICATION PER DIRECTIVE 1999/45/EC:

[T] Toxic, [C] Corrosive, [N] Dangerous to the Environment

Risk Phrases:

R23/25: Toxic by inhalation and if swallowed

R34: Causes burns

R42/43: May cause sensitization by inhalation and skin

contact

R50: Very toxic to aquatic organisms

Safety Phrases:

S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S36/37: Wear suitable protective clothing and gloves.

S46: If swallowed, seek medical advice immediately and show label

S61: Avoid release to the environment

HEALTH HAZARDS OR RISKS FROM EXPOSURE:

SYMPTOMS OF OVEREXPOSURE BY ROUTE OF EXPOSURE: The most significant routes of overexposure for this product are by contact with skin or eyes, ingestion or inhalation. The symptoms of overexposure are described in the following paragraphs.

INHALATION: Inhalation of vapors may severe irritation of the upper respiratory system. Vapor from heated may cause serious adverse effects including death. May cause allergic reaction.

CONTACT WITH SKIN or EYES: Brief contact with skin may cause skin irritation with local redness. Prolonged contact may cause severe skin burns. May be fatal if absorbed through skin. Skin contact may cause allergic skin reaction. Eye contact may result in severe irritation with corneal injury which may result in permanent impairment of vision.

INGESTION: Swallowing may result in irritation or burns of the mouth, throat and gastrointestinal system. May be fatal if swallowed. Aspiration hazard: Aspiration into the lungs may occur during ingestion or vomiting, causing tissue damage or lung injury.

CHRONIC: Repeated skin contact may result in absorption of amounts which could cause death.

TARGET ORGANS: Acute: Skin, eyes, respiratory tract Chronic: Skin

SECTION 3 - COMPOSITION and INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENTS:	CAS#	EINECS#	ICSC#	WT %	HAZARD CLASSIFICATION; RISK PHRASES
Glutaraldehyde 50%	111-30-8	203-856-5	0352	<50%	HAZARD CLASSIFICATION: [T] Toxic, [C] Corrosive, [N] Dangerous to the Environment RISK PHRASES: R23/25, R34, R42/43, R50
Water	7732-18-5	231-791-2	Not Listed	<50%	HAZARD CLASSIFICATION: None RISK PHRASES: None
Green Floral Fragrance	Proprietary	Proprietary	Not Listed	<5%	HAZARD CLASSIFICATION: None Known RISK PHRASES: None Known
Balance of other ingredients are non-hazardous or less than 1% in concentration (or 0.1% for carcinogens, reproductive toxins, or respiratory sensitizers).					

NOTE:

ALL WHMIS required information is included in appropriate sections based on the ANSI Z400.1-2004 format. This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all the information required by the CPR, EU Directives, Latin America, South America and the Japanese Industrial Standard *JIS Z 7250*: 2000.

SECTION 4 - FIRST-AID MEASURES

Contaminated individuals of chemical exposure must be taken for medical attention if any adverse effect occurs. Rescuers should be taken for medical attention, if necessary. Take copy of label and MSDS to health professional with contaminated individual.

EYE CONTACT: If product enters the eyes, open eyes while under gentle running water for at least 15 minutes. Remove contact lenses if present. Seek medical attention.

SKIN CONTACT: Wash skin thoroughly after handling. Seek medical attention. Remove contaminated clothing. Launder before re-use.

INHALATION: If breathing becomes difficult, remove victim to fresh air. If necessary, use artificial respiration to support vital functions. Seek medical attention if breathing dificulty continues.

INGESTION: If product is swallowed, call physician or poison control center for most current information. If professional advice is not available, do not induce vomiting. Never induce vomiting or give diluents (milk or water) to someone who is unconscious, having convulsions, or who cannot swallow. Seek medical advice. Take a copy of the label and/or MSDS with the victim to the health professional.



MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: Pre-existing skin, or respiratory problems may be aggravated by prolonged exposure to this product.

RECOMMENDATIONS TO PHYSICIANS: Treat symptoms and reduce over-exposure.

SECTION 5 - FIRE-FIGHTING MEASURES

FLASH POINT: AUTOIGNITION TEMPERATURE:Non-Flammable
Not Applicable

FLAMMABLE LIMITS (in air by volume, %): Lower (LEL): NA Upper (UEL): NA FIRE EXTINGUISHING MATERIALS: Dry chemical, foam, carbon dioxide or water fog.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Under fire conditions some components may decompose. The smoke

may contain unidentified toxic and/or irritating compounds. The

material will not burn until the water has evaporated.


Explosion Sensitivity to Mechanical Impact: Explosion Sensitivity to Static Discharge: SPECIAL FIRE-FIGHTING PROCEDURES:


NFPA RATING SYSTEM

No No

Incipient fire responders should wear eye protection. Structural firefighters must wear Self-Contained Breathing Apparatus and full protective equipment. Isolate materials not yet involved in the fire and protect personnel. Move containers from fire area if this can be done without risk; otherwise, cool with carefully applied water spray. If possible, prevent runoff water from entering storm drains, bodies of water or other applications are stored.

water, or other environmentally sensitive areas.





Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe * = Chronic hazard

SECTION 6 - ACCIDENTAL RELEASE MEASURES

SPILL AND LEAK RESPONSE: Personnel should be trained for spill response operations.

<u>SPILLS</u>: Contain spill if safe to do so. Eliminate all sources of ignition. Always wear proper PPE. Prevent entry into drains, sewers, and other waterways. Soak up with an absorbent material and place in an appropriate closed container for disposal. Dispose of in accordance with applicable Federal, State, and local procedures (see Section 13, Disposal Considerations).

SECTION 7 - HANDLING and STORAGE

WORK PRACTICES AND HYGIENE PRACTICES: As with all chemicals, avoid getting this product ON YOU or IN YOU. Wash thoroughly after handling this product. Do not eat, drink, smoke, or apply cosmetics while handling this product. Avoid breathing vapors/mists/sprays generated by this product. Use in a well-ventilated location. Remove contaminated clothing immediately.

STORAGE AND HANDLING PRACTICES: Containers of this product must be properly labeled. Store containers in a cool, dry location away from heat and sources of ignition. Keep container tightly closed when not in use. Store away from incompatible materials. Do not store in: aluminum, carbon steel, copper, mild steel or iron containers.

SECTION 8 - EXPOSURE CONTROLS - PERSONAL PROTECTION

EXPOSURE LIMITS/GUIDELINES:

Chemical Name	CAS#	ACGIH TWA	OSHA TWA
Glutaraldehyde 50%	111-30-8	0.2 mg/m³ Ceiling	0.8 mg/m³ Ceiling
Water	7732-18-5	Not Listed	Not Listed
Green Floral Fragrance	Proprietary	Not Listed	Not Listed

Currently, International exposure limits are not established for the components of this product. Please check with competent authority in each country for the most recent limits in place.

VENTILATION AND ENGINEERING CONTROLS: Use with adequate ventilation to ensure exposure levels are maintained below the limits provided below. Use local exhaust ventilation to control airborne mist/vapor/dust. Ensure eyewash/safety shower stations are available near areas where this product is used.

The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132) or equivalent standard of Canada, or standards of EU member states (including EN 149 for respiratory PPE, and EN 166 for face/eye protection), and those of Japan. Please reference applicable regulations and standards for relevant details.

RESPIRATORY PROTECTION: Maintain airborne contaminant concentrations below guidelines listed above, if applicable. If necessary, use only respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29 CFR 1910.134), equivalent U.S. State standards, Canadian CSA Standard Z94.4-93, the European Standard EN149, or EU member states.

EYE PROTECTION: Splash goggles or safety glasses with side shields recommended where splashing is possible. If necessary, refer to U.S. OSHA 29 CFR 1910.133, Canadian Standards, and the European Standard EN166, Australian Standards, or relevant Japanese Standards.

HAND PROTECTION: Compatible protective gloves recommended as appropriate for task. Wash hands after removing gloves. If necessary, refer to U.S. OSHA 29 CFR 1910.138, the European Standard DIN EN 374, the appropriate Standards of Canada, Australian Standards, or relevant Japanese Standards.

BODY PROTECTION: Use body protection appropriate to prevent contact (e.g. lab coat, overalls). If necessary, refer to appropriate Standards of Canada, or appropriate Standards of the EU, Australian Standards, or relevant Japanese Standards.

SECTION 9 - PHYSICAL and CHEMICAL PROPERTIES

PHYSICAL STATE: Liquid

APPEARANCE & ODOR: Transparent green liquid with a floral odor

ODOR THRESHOLD (PPM):

VAPOR PRESSURE (mmHg):

VAPOR DENSITY (AIR=1):

EVAPORATION RATE (nBuAc = 1):

BOILING POINT (C°):

Not Available
212°F

FREEZING POINT (C°): 212°F
Not Available

pH: Not Available
Not Available

SPECIFIC GRAVITY 20°C: (WATER =1) >1.0

SOLUBILITY IN WATER (%) Not Available

VOC: Nil

SECTION 10 - STABILITY and REACTIVITY

STABILITY: Product is stable

DECOMPOSITION PRODUCTS: When heated to decomposition this product may contain unidentified toxic and/or irritating compounds.

MATERIALS WITH WHICH SUBSTANCE IS INCOMPATIBLE: Strong acids.

HAZARDOUS POLYMERIZATION: Will not occur.

CONDITIONS TO AVOID: Contact with incompatible materials, extreme temperatures.

SECTION 11 - TOXICOLOGICAL INFORMATION

TOXICITY DATA: Toxicity data available for mixture:

Oral LD50 Rat: = 200 mg/kg

Dermal LD50 Rabbit: = 1749 mg/kg

SUSPECTED CANCER AGENT: None of the ingredients are found on the following lists: FEDERAL OSHA Z LIST, NTP, CAL/OSHA, IARC and therefore is not considered to be, nor suspected to be a cancer-causing agent by these agencies.

IRRITANCY OF PRODUCT: Contact with this product can be irritating to exposed skin, eyes and respiratory system.

SENSITIZATION OF PRODUCT: This product is considered a skin and respiratory sensitizer.

REPRODUCTIVE TOXICITY INFORMATION: No data available

SECTION 12 - ECOLOGICAL INFORMATION

ALL WORK PRACTICES MUST BE AIMED AT ELIMINATING ENVIRONMENTAL CONTAMINATION.

ENVIRONMENTAL STABILITY: No Data available at this time.

EFFECT OF MATERIAL ON PLANTS or ANIMALS: This product is considered to be moderately toxic to birds on an acute basis. (LD50 between 51 and 500 mg/kg)

EFFECT OF CHEMICAL ON AQUATIC LIFE: This product is highly toxic to aquatic organisms on an acute basis (LC50/EC50 between 0.1 and 1 mg/l in the most sensitive species)

SECTION 13 - DISPOSAL CONSIDERATIONS

PREPARING WASTES FOR DISPOSAL: Waste disposal must be in accordance with appropriate Federal, State, and local regulations, those of Canada, EU Member States and Japan.

SECTION 14 - TRANSPORTATION INFORMATION

US DOT; IATA; IMO; ADR:

THIS PRODUCT IS HAZARDOUS AS DEFINED BY 49 CFR 172.101 BY THE U.S. DEPARTMENT OF TRANSPORTATION.

PROPER SHIPPING NAME: Corrosive liquid, Toxic, n.o.s. (Contains Glutaraldehyde 50%) HAZARD CLASS NUMBER and DESCRIPTION: Class 8 Corrosive, Sub Class 6.1 Toxic

UN IDENTIFICATION NUMBER: UN2922

PACKING GROUP: PGII

DOT LABEL(S) REQUIRED: Corrosive Class 8 and Toxic 6.1

NORTH AMERICAN EMERGENCY RESPONSE GUIDEBOOK NUMBER (2004): 154

MARINE POLLUTANT: One of the ingredients are classified by the DOT as a Marine Pollutant (as defined by 49 CFR 172.101, Appendix B)

U.S. DEPARTMENT OF TRANSPORTATION (DOT) SHIPPING REGULATIONS:

This product is classified as dangerous goods, per U.S. DOT regulations, under 49 CFR 172.101.

TRANSPORT CANADA, TRANSPORTATION OF DANGEROUS GOODS REGULATIONS:

This product is classified as Dangerous Goods, per regulations of Transport Canada.

INTERNATIONAL AIR TRANSPORT ASSOCIATION (IATA):

This product is not classified as Dangerous Goods, by rules of IATA:

INTERNATIONAL MARITIME ORGANIZATION (IMO) DESIGNATION:

This product is classified as Dangerous Goods by the International Maritime Organization.

EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY ROAD (ADR):

This product is classified by the United Nations Economic Commission for Europe to be dangerous goods.

SECTION 15 - REGULATORY INFORMATION

UNITED STATES REGULATIONS

SARA REPORTING REQUIREMENTS: This product is subject to the reporting requirements of Sections 302, 304 and 313 of Title III of the Superfund Amendments and Reauthorization Act., as follows: None

TSCA: All components in this product are listed on the US Toxic Substances Control Act (TSCA) inventory of chemicals.

SARA 311/312:

Acute Health: Yes Chronic Health: Yes Fire: No Reactivity: No

U.S. SARA THRESHOLD PLANNING QUANTITY: There are no specific Threshold Planning Quantities for this product. The default Federal MSDS submission and inventory requirement filing threshold of 10,000 lb (4,540 kg) may apply, per 40 CFR 370.20.

U.S. CERCLA REPORTABLE QUANTITY (RQ): None

<u>CALIFORNIA SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT (PROPOSITION 65)</u>: This product does not contain ingredient(s) are on the California Proposition 65 lists.

CANADIAN REGULATIONS:

CANADIAN DSL/NDSL INVENTORY STATUS: All of the components of this product are on the DSL Inventory

CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA) PRIORITIES SUBSTANCES LISTS: No component of this product is on the CEPA First Priorities Substance Lists.

CANADIAN WHMIS CLASSIFICATION and SYMBOLS: This product is categorized as a Class D Division 1B, Class D Division 2B, Class E Corrosive material, as per the Controlled Product Regulations

EUROPEAN ECONOMIC COMMUNITY INFORMATION:

EU LABELING AND CLASSIFICATION:

Classification of the mixture according to Regulation (EC) No1272/2008. See section 2 for details.

AUSTRALIAN INFORMATION FOR PRODUCT:

AUSTRALIAN INVENTORY OF CHEMICAL SUBSTANCES (AICS) STATUS: All components of this product are listed on the AICS.

STANDARD FOR THE UNIFORM SCHEDULING OF DRUGS AND POISONS: Not applicable.

JAPANESE INFORMATION FOR PRODUCT:

JAPANESE MINISTER OF INTERNATIONAL TRADE AND INDUSTRY (MITI) STATUS: The components of this product are not listed as Class I Specified Chemical Substances, Class II Specified Chemical Substances, or Designated Chemical Substances by the Japanese MITI.

INTERNATIONAL CHEMICAL INVENTORIES:

Listing of the components on individual country Chemical Inventories is as follows:
Asia-Pac:

Australian Inventory of Chemical Substances (AICS):

Listed
Korean Existing Chemicals List (ECL):

Japanese Existing National Inventory of Chemical Substances (ENCS):

Listed
Philippines Inventory if Chemicals and Chemical Substances (PICCS):

Listed
Swiss Giftliste List of Toxic Substances:

Listed
U.S. TSCA:

Listed

SECTION 16 - OTHER INFORMATION

PREPARED BY: Paul Eighrett GHS MSDS Compliance PLUS www.ghsmsdscomplianceplus.com

Disclaimer: To the best of Cetylite Industries, Inc. knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type either express or implied are provided. The information contained herein relates only to this specific product.

Prepared to U.S. OSHA, CMA, ANSI, Canadian WHMIS, Australian WorkSafe, Japanese Industrial Standard JIS Z 7250:2000, and European Union REACH Regulations

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Cetylcide-G Diluent

CHEMICAL NAME: Mixture U.N. NUMBER: UN1987

U.N. DANGEROUS GOODS CLASS: Alcohols, n.o.s. Class 3, PGIII SUPPLIER/MANUFACTURER'S NAME: Cetylite Industries, Inc.

ADDRESS: 9051 River Road, Pennsauken, NJ 08110 USA

EMERGENCY PHONE: (800) 257-7740

BUSINESS PHONE: (800) 257-7740 or (856) 665-6111

FAX NUMBER: (856) 665-5408
DATE OF PREPARATION: August 8, 2013
DATE OF LAST REVISION: March 8, 2012

SECTION 2 - HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW: This product is a yellow colored liquid with a slight odor. May cause serious eye damage. Harmful if swallowed. Inhalation of vapors can cause drowsiness or dizziness. Irritating to skin and respiratory system.

This product is a Flammable liquid with a flash point of 88°F

The Environmental effects of this product have not been investigated. Release of this product is anticipated to have adverse effects in the aquatic environment.

US DOT SYMBOLS

CANADA (WHMIS) SYMBOLS

EUROPEAN and (GHS) Hazard Symbols

















Signal Word: Danger!

EU LABELING AND CLASSIFICATION:

Classification of the substance or mixture according to Regulation (EC) No1272/2008 Annex 1

EC# 231-791-2 this substance are not classified in the Annex I of Directive 67/548/EEC

EC# 200-661-7 Annex I Index# 603-117-00-0

EC# 200-338-0 this substance are not classified in the Annex I of Directive 67/548/EEC

EC# 231-555-9 Annex I Index# 007-010-00-4

EC# 269-919-4 this substance are not classified in the Annex I of Directive 67/548/EEC

EC# 204-672-8 this substance are not classified in the Annex I of Directive 67/548/EEC

EC# 207-838-8 Annex I Index# 011-005-00-2

EC# 200-449-4 Annex I Index# 607-429-00-8

Substances not listed either individually or in group entries must be self classified.

Component(s) Contributing to Classification(s)

Isopropyl Alcohol, Sodium Nitrite, Sodium Carbonate Monohydrate, Edetic Acid

GHS Hazard Classification(s):

Flammable liquid Category 2 Eye Irritant Category 2A

STOT SE Category 3

Acute Oral Toxicity Category 3
Acute Aquatic Toxicity Category 1

Hazard Statement(s):

H225: Flammable liquid and vapor

H301: Toxic if swallowed

H319: Causes serious eye irritation

H336: May cause drowsiness or dizziness

H400: Very toxic to aquatic life

Precautionary Statement(s):

P261: Avoid breathing mist/vapors/spray P264: Wash hands thoroughly after handling P273: Avoid release to the environment

P280: Wear protective gloves/protective clothing/eye

protection/face protection



EU HAZARD CLASSIFICATION PER DIRECTIVE 1999/45/EC:

[F] Flammable, [Xi] Irritant, [T] Toxic, [N] Dangerous to the Environment

Risk Phrases:

R25: Toxic if swallowed

R36/37/38: Irritating to eye, respiratory system and skin

R50: Very toxic to aquatic organisms

R67: Vapors may cause drowsiness and dizziness

Safety Phrases:

S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S36/37: Wear suitable protective clothing and gloves.

S46: If swallowed, seek medical advice immediately

and show label

S61: Avoid release to the environment

HEALTH HAZARDS OR RISKS FROM EXPOSURE:

SYMPTOMS OF OVEREXPOSURE BY ROUTE OF EXPOSURE: The most significant routes of overexposure for this product are by contact with skin or eyes, ingestion or inhalation. The symptoms of overexposure are described in the following paragraphs.

INHALATION: Inhalation of vapors may irritation of the upper respiratory system.

CONTACT WITH SKIN or EYES: Contact with skin may cause skin irritation with local redness. Eye contact may result in irritation with corneal damage.

INGESTION: Swallowing may result in irritation of the mouth, throat and gastrointestinal system. Harmful if swallowed.

CHRONIC: None known

TARGET ORGANS: Acute: Skin, eyes, respiratory tract **Chronic:** None known

SECTION 3 - COMPOSITION and INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENTS:	CAS#	EINECS#	ICSC#	WT %	HAZARD CLASSIFICATION; RISK PHRASES
Water	7732-18-5	231-791-2	Not Listed	45 - 55%	HAZARD CLASSIFICATION: None RISK PHRASES: None
Isopropyl Alcohol	67-63-0	200-661-7	0554	10 - 20%	HAZARD CLASSIFICATION: [F] Flammable, [Xi] Irritant RISK PHRASES: R11, R36. R67
Propylene Glycol	57-55-6	200-338-0	0321	5 - 15%	HAZARD CLASSIFICATION: [Xi] Irritant RISK PHRASES: R36/38
Sodium Nitrite	7632-00-0	231-555-9	1120	5 - 15%	HAZARD CLASSIFICATION: [O] Oxidizer, [T] Toxic, [N] Dangerous to the Environment RISK PHRASES: R8, R25, R50
Alkyl Dimethyl Benzyl Ammonium Chloride (12-18)	68391-01-5	269-919-4	Not Listed	5 - 10%	HAZARD CLASSIFICATION: [Xi] Irritant RISK PHRASES: R36/37/38
Cetyldimethylethylammonium Bromide	124-03-8	204-672-8	Not Listed	5 - 10%	HAZARD CLASSIFICATION: [Xi] Irritant RISK PHRASES: R36/38
Sodium Carbonate Monohydrate	497-19-8	207-838-8	1135	1 - 5%	HAZARD CLASSIFICATION: [Xi] Irritant RISK PHRASES: R36
Edetic Acid	60-00-4	200-449-4	1688	1 - 5%	HAZARD CLASSIFICATION: [Xi] Irritant RISK PHRASES: R36
Balance of other ingredients are non-hazardous or less than 1% in concentration (or 0.1% for carcinogens, reproductive toxins, or respiratory sensitizers).					

NOTE:

ALL WHMIS required information is included in appropriate sections based on the ANSI Z400.1-2004 format. This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all the information required by the CPR, EU Directives, Latin America, South America and the Japanese Industrial Standard *JIS Z 7250: 2000*.

SECTION 4 - FIRST-AID MEASURES

Contaminated individuals of chemical exposure must be taken for medical attention if any adverse effect occurs. Rescuers should be taken for medical attention, if necessary. Take copy of label and MSDS to health professional with contaminated individual.

EYE CONTACT: If product enters the eyes, open eyes while under gentle running water for at least 15 minutes. Remove contact lenses if present. Seek medical attention.



SKIN CONTACT: Wash skin thoroughly after handling. Seek medical attention. Remove contaminated clothing. Launder before re-use.

INHALATION: If breathing becomes difficult, remove victim to fresh air. If necessary, use artificial respiration to support vital functions. Seek medical attention if breathing dificulty continues.

INGESTION: If product is swallowed, call physician or poison control center for most current information. If professional advice is not available, do not induce vomiting. Never induce vomiting or give diluents (milk or water) to someone who is unconscious, having convulsions, or who cannot swallow. Seek medical advice. Take a copy of the label and/or MSDS with the victim to the health professional.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: Pre-existing skin, or respiratory problems may be aggravated by prolonged exposure to this product.

RECOMMENDATIONS TO PHYSICIANS: Treat symptoms and reduce over-exposure.

SECTION 5 - FIRE-FIGHTING MEASURES

FLASH POINT: 88.2°F (31.2°C) **AUTOIGNITION TEMPERATURE**: >750°F (399°C)

FLAMMABLE LIMITS (in air by volume, %): Lower (LEL): 2.0% Upper (UEL): 12%

FIRE EXTINGUISHING MATERIALS: Dry chemical, foam, carbon dioxide or water fog.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Flammable concentrations of vapor can accumulate above flash point

listed above. Under fire conditions some components may decompose. The smoke may contain unidentified toxic and/or irritating compounds.

The material will not burn until the water has evaporated. No


Explosion Sensitivity to Mechanical Impact: Explosion Sensitivity to Static Discharge:


SPECIAL FIRE-FIGHTING PROCEDURES:

Yes Incipient fire responders should wear eye protection. Structural firefighters must wear Self-Contained Breathing Apparatus and full protective equipment. Isolate materials not yet involved in the fire and protect personnel. Move containers from fire area if this can be done without risk; otherwise, cool with carefully applied water spray. If possible, prevent runoff water from entering storm drains, bodies of

water, or other environmentally sensitive areas.

NFPA RATING SYSTEM





Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe * = Chronic hazard

SECTION 6 - ACCIDENTAL RELEASE MEASURES

SPILL AND LEAK RESPONSE: Personnel should be trained for spill response operations.

SPILLS: Contain spill if safe to do so. Eliminate all sources of ignition. Always wear proper PPE. Prevent entry into drains, sewers, and other waterways. Soak up with an absorbent material and place in an appropriate closed container for disposal. Dispose of in accordance with applicable Federal, State, and local procedures (see Section 13, Disposal Considerations).

SECTION 7 - HANDLING and STORAGE

WORK PRACTICES AND HYGIENE PRACTICES: As with all chemicals, avoid getting this product ON YOU or IN YOU. Wash thoroughly after handling this product. Do not eat, drink, smoke, or apply cosmetics while handling this product. Avoid breathing vapors/mists/sprays generated by this product. Use in a well-ventilated location. Remove contaminated clothing immediately.

STORAGE AND HANDLING PRACTICES: Containers of this product must be properly labeled. Store containers in a cool, dry location away from heat and sources of ignition. Keep container tightly closed when not in use. Store away from incompatible materials.

SECTION 8 - EXPOSURE CONTROLS - PERSONAL PROTECTION

EXPOSURE LIMITS/GUIDELINES:

Chemical Name	CAS#	ACGIH TWA	OSHA TWA
Water	7732-18-5	Not Listed	Not Listed
Isopropyl Alcohol	67-63-0	200 ppm	400 ppm
Propylene Glycol	57-55-6	Not Listed	Not Listed
Sodium Nitrite	7632-00-0	10 mg/m³	15 mg/m³
Alkyl Dimethyl Benzyl Ammonium Chloride (12-18)	68391-01-5	Not Listed	Not Listed
Cetyldimethylethylammonium Bromide	124-03-8	Not Listed	Not Listed
Sodium Carbonate Monohydrate	497-19-8	Not Listed	Not Listed
Edetic Acid	60-00-4	Not Listed	Not Listed

Currently, International exposure limits are not established for the components of this product. Please check with competent authority in each country for the most recent limits in place.

VENTILATION AND ENGINEERING CONTROLS: Use with adequate ventilation to ensure exposure levels are maintained below the limits provided below. Use local exhaust ventilation to control airborne mist/vapor/dust. Ensure eyewash/safety shower stations are available near areas where this product is used.

The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132) or equivalent standard of Canada, or standards of EU member states (including EN 149 for respiratory PPE, and EN 166 for face/eye protection), and those of Japan. Please reference applicable regulations and standards for relevant details.

RESPIRATORY PROTECTION: Maintain airborne contaminant concentrations below guidelines listed above, if applicable. If necessary, use only respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29 CFR 1910.134), equivalent U.S. State standards, Canadian CSA Standard Z94.4-93, the European Standard EN149, or EU member states.

EYE PROTECTION: Splash goggles or safety glasses with side shields recommended where splashing is possible. If necessary, refer to U.S. OSHA 29 CFR 1910.133, Canadian Standards, and the European Standard EN166, Australian Standards, or relevant Japanese Standards.

HAND PROTECTION: Compatible protective gloves recommended as appropriate for task. Wash hands after removing gloves. If necessary, refer to U.S. OSHA 29 CFR 1910.138, the European Standard DIN EN 374, the appropriate Standards of Canada, Australian Standards, or relevant Japanese Standards.

BODY PROTECTION: Use body protection appropriate to prevent contact (e.g. lab coat, overalls). If necessary, refer to appropriate Standards of Canada, or appropriate Standards of the EU, Australian Standards, or relevant Japanese Standards.

SECTION 9 - PHYSICAL and CHEMICAL PROPERTIES

PHYSICAL STATE: APPEARANCE & ODOR: ODOR THRESHOLD (PPM): Liquid

This product is a yellow colored liquid with a slight odor.

Not Available

VAPOR PRESSURE (mmHg):
VAPOR DENSITY (AIR=1):

EVAPORATION RATE (nBuAc = 1):

Not Available
Not Available

BOILING POINT (C°): 212°F

FREEZING POINT (C°): Not Available

pH: 8.0 SPECIFIC GRAVITY 20°C: (WATER =1) 1.034

SOLUBILITY IN WATER (%) Not Available

VOC: 45%

SECTION 10 - STABILITY and REACTIVITY

STABILITY: Product is stable

DECOMPOSITION PRODUCTS: When heated to decomposition this product may contain carbon dioxide, carbon

monoxide and unidentified toxic and/or irritating compounds.

MATERIALS WITH WHICH SUBSTANCE IS INCOMPATIBLE: Strong oxidizing agents

HAZARDOUS POLYMERIZATION: Will not occur.

CONDITIONS TO AVOID: Contact with incompatible materials, ignition sources.

SECTION 11 - TOXICOLOGICAL INFORMATION

TOXICITY DATA: Toxicity data not available for mixture:

CAS# 67-63-0

Oral LD50 Rat: = 4,700 - 5,800 mg/kg

CAS# 57-55-6

Oral LD50 Rat: = 20,000 mg/kg

CAS# 7632-00-0

Oral LD50 Rat: = 180 mg/kg

SUSPECTED CANCER AGENT: None of the ingredients are found on the following lists: FEDERAL OSHA Z LIST, NTP, CAL/OSHA, IARC and therefore is not considered to be, nor suspected to be a cancer-causing agent by these agencies.

IRRITANCY OF PRODUCT: Contact with this product can be irritating to exposed skin, eyes and respiratory system.

SENSITIZATION OF PRODUCT: This product is not considered a skin and respiratory sensitizer.

REPRODUCTIVE TOXICITY INFORMATION: No data available

SECTION 12 - ECOLOGICAL INFORMATION

ALL WORK PRACTICES MUST BE AIMED AT ELIMINATING ENVIRONMENTAL CONTAMINATION.

ENVIRONMENTAL STABILITY: No Data available at this time.

EFFECT OF MATERIAL ON PLANTS or ANIMALS: No Data available at this time. **EFFECT OF CHEMICAL ON AQUATIC LIFE:** No Data available at this time.

SECTION 13 - DISPOSAL CONSIDERATIONS

PREPARING WASTES FOR DISPOSAL: Waste disposal must be in accordance with appropriate Federal, State, and local regulations, those of Canada, EU Member States and Japan.

SECTION 14 - TRANSPORTATION INFORMATION

US DOT; IATA; IMO; ADR:

THIS PRODUCT IS HAZARDOUS AS DEFINED BY 49 CFR 172.101 BY THE U.S. DEPARTMENT OF TRANSPORTATION.

PROPER SHIPPING NAME: Alcohols, n.o.s.

HAZARD CLASS NUMBER and DESCRIPTION: Flammable liquid Class 3

UN IDENTIFICATION NUMBER: UN1987

PACKING GROUP: PGIII

DOT LABEL(S) REQUIRED: Flammable liquid Class 3



NORTH AMERICAN EMERGENCY RESPONSE GUIDEBOOK NUMBER (2004): 128

MARINE POLLUTANT: None of the ingredients are classified by the DOT as a Marine Pollutant (as defined by 49 CFR 172.101, Appendix B)

U.S. DEPARTMENT OF TRANSPORTATION (DOT) SHIPPING REGULATIONS:

This product is classified as dangerous goods, per U.S. DOT regulations, under 49 CFR 172.101.

TRANSPORT CANADA, TRANSPORTATION OF DANGEROUS GOODS REGULATIONS:

This product is classified as Dangerous Goods, per regulations of Transport Canada.

INTERNATIONAL AIR TRANSPORT ASSOCIATION (IATA):

This product is classified as Dangerous Goods, by rules of IATA:

INTERNATIONAL MARITIME ORGANIZATION (IMO) DESIGNATION:

This product is classified as Dangerous Goods by the International Maritime Organization.

<u>EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY ROAD (ADR)</u>:

This product is classified by the United Nations Economic Commission for Europe to be dangerous goods.

SECTION 15 - REGULATORY INFORMATION

UNITED STATES REGULATIONS

SARA REPORTING REQUIREMENTS: This product is subject to the reporting requirements of Sections 302, 304 and 313 of Title III of the Superfund Amendments and Reauthorization Act., as follows:

This material contains Isopropyl Alcohol (CAS# 67-63-0, <20%), Sodium Nitrite (CAS# 7632-00-0 <15%) which is subject to the reporting requirements of Section 313 of SARA Title III and 40 CFR Part 373;

TSCA: All components in this product are listed on the US Toxic Substances Control Act (TSCA) inventory of chemicals.

SARA 311/312:

Acute Health: Yes Chronic Health: Yes Fire: No Reactivity: No

<u>U.S. SARA THRESHOLD PLANNING QUANTITY:</u> There are no specific Threshold Planning Quantities for this product. The default Federal MSDS submission and inventory requirement filing threshold of 10,000 lb (4,540 kg) may apply, per 40 CFR 370.20.

U.S. CERCLA REPORTABLE QUANTITY (RQ): Sodium Nitrite CAS# 7632-00-0 100 Lbs

<u>CALIFORNIA SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT (PROPOSITION 65)</u>: This product does not contain ingredient(s) are on the California Proposition 65 list.

CANADIAN REGULATIONS:

CANADIAN DSL/NDSL INVENTORY STATUS: All of the components of this product are on the DSL Inventory

CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA) PRIORITIES SUBSTANCES LISTS: No component of this product is on the CEPA First Priorities Substance Lists.

CANADIAN WHMIS CLASSIFICATION and SYMBOLS: This product is categorized as a Class B Division 2 Flammable liquid, Class D Division 1B toxic material, Class D Division 2B materials causing other toxic effects, as per the Controlled Product Regulations

EUROPEAN ECONOMIC COMMUNITY INFORMATION:

EU LABELING AND CLASSIFICATION:

Classification of the mixture according to Regulation (EC) No1272/2008. See section 2 for details.

AUSTRALIAN INFORMATION FOR PRODUCT:

AUSTRALIAN INVENTORY OF CHEMICAL SUBSTANCES (AICS) STATUS: All components of this product are listed on the AICS.

STANDARD FOR THE UNIFORM SCHEDULING OF DRUGS AND POISONS: Not applicable.

JAPANESE INFORMATION FOR PRODUCT:

JAPANESE MINISTER OF INTERNATIONAL TRADE AND INDUSTRY (MITI) STATUS: The components of this product are not listed as Class I Specified Chemical Substances, Class II Specified Chemical Substances, or Designated Chemical Substances by the Japanese MITI.



INTERNATIONAL CHEMICAL INVENTORIES:

Listing of the components on individual country Chemical Inventories is as follows:
Asia-Pac:

Australian Inventory of Chemical Substances (AICS):

Korean Existing Chemicals List (ECL):

Japanese Existing National Inventory of Chemical Substances (ENCS):

Philippines Inventory if Chemicals and Chemical Substances (PICCS):

Swiss Giftliste List of Toxic Substances:

U.S. TSCA:

Listed

Listed

SECTION 16 - OTHER INFORMATION

PREPARED BY: Paul Eigbrett GHS MSDS Compliance PLUS www.ghsmsdscomplianceplus.com

Disclaimer: To the best of Cetylite Industries, Inc. knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type either express or implied are provided. The information contained herein relates only to this specific product.