

SAFETY DATA SHEETS

This SDS packet was issued with item:

071899582

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

071899558 071899566 071899574 078050395

MATERIAL SAFETY DATA SHEET

CETYLITE® INDUSTRIES, INC.

9051 River Road
Pennsauken, NJ 08110
Phone: 856-665-6111

Hazard Rating (NFPA 704)

Health	2	0=Least
Fire	1	1=Slight
Reactivity	0	2=Moderate
Special	none	3=High
		4=Extreme

Date Prepared: 03/08/12

SECTION 1 - IDENTIFICATION

PRODUCT NAME: CETYLCIDE II (Item # 0151)**MAIN HAZARDOUS
CHEMICAL INGREDIENTS****OSHA
PEL****ACGIH
TLV****CAS #**

Quat 80 (Dual quaternary ammonium compound)	none	none	68391-01-5 68956-79-6
Sodium carbonate	15 mg/m ³	none	497-19-8
Tergitol NP-10	none	none	127087-87-0
Versene (ethylenediaminetetra acetic acid)	none	none	64-02-8

Note: Substances listed as hazardous ingredients are those identified as being present at a concentration of 1% or greater, or 0.1% if the substance is classified and listed as a potential carcinogen by OSHA Hazard Communication Standard.

SECTION 2 - PHYSICAL DATA

BOILING POINT:	Not determined.
VAPOR PRESSURE:	Not determined.
VAPOR DENSITY (air=1):	Not determined.
SPECIFIC GRAVITY (H₂O=1):	Not determined.
SOLUBILITY IN WATER:	Very soluble
MELTING POINT:	N/A
EVAPORATION RATE:	Not determined.
APPEARANCE AND ODOR:	liquid, light yellow, slightly pungent odor.

Note: Mixture not tested as a whole.

SECTION 3 - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT:	Not determined.
FLAMMABLE LIMITS:	LFL-not determined UFL-not determined.
EXTINGUISHING MEDIA:	CO ₂ ; dry chemical; alcohol foam; water spray.
FIRE AND EXPLOSION HAZARDS:	Not known. Toxic fumes may be released.
FIRE FIGHTING EQUIPMENT:	Keep container and nearby structures cool with water spray. Wear positive-pressure, self contained breathing apparatus.

SECTION 4 - REACTIVITY DATA

STABILITY: (conditions to avoid) Prolonged exposure to heat. Stable under normal conditions.

INCOMPATIBILITY: (specific materials to avoid) Acids; strong oxidizing agents.

HAZARDOUS DECOMPOSITION PRODUCTS: Nitrogen oxides; carbon monoxide; carbon dioxide; ammonia; hydrogen chloride.

HAZARDOUS POLYMERIZATION: Will not occur.

SECTION 5 - ENVIRONMENTAL AND DISPOSAL INFORMATION

ACTION TO TAKE FOR SPILLS/LEAKS: Eliminate all ignition sources. Contain spilled material. Transfer to secure containers. Prevent entry into drains and sewers. Use suitable absorbent materials.

DISPOSAL METHOD: Remove to permitted waste disposal facility or an approved incinerator in accordance with local, state and federal requirements. Empty container shall be rinsed before disposal.

SECTION 6 - HEALTH HAZARD DATA (Symptoms of Overexposure)

EYE: Corrosive and irritant. Prolonged contact may cause corneal burns.

SKIN CONTACT: Corrosive and irritant.

INGESTION: May be fatal. Burning pain, swelling in digestive tract, paralysis, circulatory shock.

INHALATION: Will cause irritation of mucous membranes, coughing and shortness of breath.

SYSTEMIC AND OTHER EFFECTS: None reported. Contains trace amount of trisodium nitrilo triacetic acid which is listed as a potential carcinogen under OSHA Std. 20 CFR 1920.1200. Also listed by; NTP, IARC.

SECTION 7 - FIRST AID

EYES: Irrigate immediately with water for at least 30 minutes. Get immediate medical attention.

SKIN: Wash off with soap and water. If irritation persists, get medical attention.

INGESTION: DO NOT induce vomiting. Promptly drink large quantity of egg whites or gelatin solution. If not available large quantities of water. Call a physician.

INHALATION: Remove to fresh air if effects occur. Get medical attention.

NOTE TO PHYSICIAN: Mucosal damage may contraindicate the use of gastric lavage.

SECTION 8 - HANDLING PRECAUTIONS

EXPOSURE GUIDELINE(S): None established.

VENTILATION: Good general ventilation should be adequate.

RESPIRATORY PROTECTION: If respiratory irritation is experienced, use an approved air purifying respirator with particulate/organic vapor cartridge.

SKIN PROTECTION: Use impervious rubber gloves and apron when prolonged or repeated contact could occur. Wash contaminated clothing before reuse.

EYE PROTECTION: Use splashproof safety goggles.

SECTION 9 - ADDITIONAL INFORMATION

SPECIAL PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: Store in a cool, dry, well ventilated place away from heat, open flames and incompatible materials. Keep container tightly closed when not in use. Do not reuse empty container. Avoid repeated skin contact and eye exposure. Do not permit eating, drinking or smoking near material.

EPA-EPCRA - Section 313 (Listed Chemicals): NONE

DISCLAIMER:

The information herein given was derived solely from the Main Hazardous Chemical Ingredients MSDS's on file at the time of this MSDS preparation. The information is given in good faith but no warranty, express or implied to the accuracy, completeness or adequacy of the information contained in this MSDS is made. We assume no warranties of fitness or liability from the use of this product. Since the conditions for use, handling, storage and disposal of this product are beyond Cetylite control, users should make their own investigations to determine the suitability of the information for their particular purposes. Users assume liability for damage, or expense arising out of product's improper use. Various Federal, State, or Provincial agencies may have specific regulations concerning the transportation, handling, storage, use or disposal of this product which may not be reflected in this MSDS. The user should review these regulations to ensure full compliance.

**SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION**

PRODUCT NAME: **Cetylcide II**
 CHEMICAL NAME: Mixture
 U.N. NUMBER: None
 U.N. DANGEROUS GOODS CLASS: Non-Regulated Material
 SUPPLIER/MANUFACTURER'S NAME: **Cetylite Industries, Inc.**
 ADDRESS: 9051 River Road, Pennsauken, NJ 08110 USA
 EMERGENCY PHONE: (800) 257-7740
 BUSINESS PHONE: (800) 257-7740 or (856) 665-6111
 FAX NUMBER: (856) 665-5408
 DATE OF PREPARATION: August 27, 2013
 DATE OF LAST REVISION: March 8, 2012

SECTION 2 - HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW: This product is a light yellow colored liquid with a slight pungent odor. May cause serious eye damage. Harmful if swallowed. Inhalation of vapors can cause drowsiness or dizziness. Irritating to skin and respiratory system.

This product is a Non-Flammable liquid with a flash point >200°F

The Environmental effects of this product have not been investigated. Release of this product is anticipated to have adverse effects in the aquatic environment.

US DOT SYMBOLS

Non-Regulated Material

CANADA (WHMIS) SYMBOLS**EUROPEAN and (GHS) Hazard Symbols**Signal Word: **Warning!****EU LABELING AND CLASSIFICATION:**

Classification of the substance or mixture according to Regulation (EC) No1272/2008 Annex 1

EC# 231-791-2 this substance are not classified in the Annex I of Directive 67/548/EEC

EC# 269-919-4 this substance are not classified in the Annex I of Directive 67/548/EEC

EC# 287-090-7 this substance are not classified in the Annex I of Directive 67/548/EEC

EC# 207-838-8 Annex I Index# 011-005-00-2

EC# 500-315-8 this substance are not classified in the Annex I of Directive 67/548/EEC

EC# 200-573-9 Annex I Index# 607-428-00-2

Substances not listed either individually or in group entries must be self classified.

Component(s) Contributing to Classification(s)

Alkyl dimethyl benzyl ammonium chloride, Alkyl dimethyl ethyl ammonium chloride Sodium Carbonate Monohydrate, Tetrasodium Ethylenediamine Tetraacetate

GHS Hazard Classification(s):

Skin Corrosion/Irritation Category 4

Eye Irritant Category 2A

STOT SE Category 3

Acute Oral Toxicity Category 4

Acute Aquatic Toxicity Category 1

Hazard Statement(s):

H302: Harmful if swallowed

H315: Causes skin irritation

H319: Causes serious eye irritation

H333: May be harmful if inhaled

H400: Very toxic to aquatic life

Precautionary Statement(s):

P261: Avoid breathing mist/vapors/spray

P264: Wash hands thoroughly after handling

P273: Avoid release to the environment

P280: Wear protective gloves/protective clothing/eye protection/face protection

EU HAZARD CLASSIFICATION PER DIRECTIVE 1999/45/EC:

[C] Corrosive, [Xn] Harmful, [Xi] Irritant

**Risk Phrases:**

R21/22: Harmful in contact with skin and if swallowed
 R34: Causes burns
 R36/37/38: Irritating to eye, respiratory system and skin
 R41: Risk of serious damage to eyes
 R50: Very toxic to aquatic organisms

Safety Phrases:

S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
 S36/37: Wear suitable protective clothing and gloves.
 S46: If swallowed, seek medical advice immediately and show label

HEALTH HAZARDS OR RISKS FROM EXPOSURE:

SYMPTOMS OF OVEREXPOSURE BY ROUTE OF EXPOSURE: The most significant routes of overexposure for this product are by contact with skin or eyes, ingestion or inhalation. The symptoms of overexposure are described in the following paragraphs.

INHALATION: Inhalation of vapors may irritation of mucous membranes, coughing and shortness of breath.

CONTACT WITH SKIN or EYES: Corrosive and irritant. Contact with skin may cause skin irritation with local redness. Eye contact may result in irritation with possible serious damage.

INGESTION: Swallowing may result in irritation or burning of the mouth, throat and gastrointestinal system. Harmful if swallowed.

CHRONIC: None known

TARGET ORGANS: **Acute:** Skin, eyes, respiratory tract

Chronic: None known

SECTION 3 - COMPOSITION and INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENTS:	CAS #	EINECS #	ICSC #	WT %	HAZARD CLASSIFICATION; RISK PHRASES
Water	7732-18-5	231-791-2	Not Listed	80 - 90%	HAZARD CLASSIFICATION: None RISK PHRASES: None
Alkyl dimethyl benzyl ammonium chloride	68391-01-5	269-919-4	Not Listed	1 - 5%	HAZARD CLASSIFICATION: [C] Corrosive [Xn] Harmful, [N] Dangerous to the Environment RISK PHRASES: R21/22, R34, R50
Alkyl dimethyl ethyl ammonium chloride	85409-23-0	287-090-7	Not Listed	1 - 5%	HAZARD CLASSIFICATION: [C] Corrosive [Xn] Harmful, [N] Dangerous to the Environment RISK PHRASES: R21/22, R34, R50
Sodium Carbonate Monohydrate	497-19-8	207-838-8	1135	1 - 5%	HAZARD CLASSIFICATION: [Xi] Irritant RISK PHRASES: R36
Nonylphenol polyethylene glycol ether	127087-87-0	500-315-8	Not Listed	1 - 5%	HAZARD CLASSIFICATION: [Xi] Irritant RISK PHRASES: R36/37/38
Tetrasodium Ethylenediamine tetraacetate	64-02-8	200-573-9	1688	1 - 5%	HAZARD CLASSIFICATION: [Xn] Harmful, [Xi] Irritant RISK PHRASES: R22, R41
Balance of other ingredients are non-hazardous or less than 1% in concentration (or 0.1% for carcinogens, reproductive toxins, or respiratory sensitizers).					

NOTE: ALL WHMIS required information is included in appropriate sections based on the ANSI Z400.1-2004 format. This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all the information required by the CPR, EU Directives, Latin America, South America and the Japanese Industrial Standard JIS Z 7250: 2000.

SECTION 4 - FIRST-AID MEASURES

Contaminated individuals of chemical exposure must be taken for medical attention if any adverse effect occurs. Rescuers should be taken for medical attention, if necessary. Take copy of label and MSDS to health professional with contaminated individual.

EYE CONTACT: If product enters the eyes, open eyes while under gentle running water for at least 15 minutes. Remove contact lenses if present. Seek medical attention.

SKIN CONTACT: Wash skin thoroughly after handling. Seek medical attention. Remove contaminated clothing. Launder before re-use.

INHALATION: If breathing becomes difficult, remove victim to fresh air. If necessary, use artificial respiration to support vital functions. Seek medical attention if breathing difficulty continues.

**Cetylside II**

INGESTION: If product is swallowed, call physician or poison control center for most current information. If professional advice is not available, do not induce vomiting. Never induce vomiting or give diluents (milk or water) to someone who is unconscious, having convulsions, or who cannot swallow. Seek medical advice. Take a copy of the label and/or MSDS with the victim to the health professional.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: Pre-existing skin, or respiratory problems may be aggravated by prolonged exposure to this product.

RECOMMENDATIONS TO PHYSICIANS: Treat symptoms and reduce over-exposure.

SECTION 5 - FIRE-FIGHTING MEASURES

FLASH POINT:

>200°F (>93.3°C)

AUTOIGNITION TEMPERATURE:

Not Established

FLAMMABLE LIMITS (in air by volume, %):

Lower (LEL): Not Established Upper (UEL): Not Established

FIRE EXTINGUISHING MATERIALS:

Dry chemical, foam, carbon dioxide or water fog.

UNUSUAL FIRE AND EXPLOSION HAZARDS:

Flammable concentrations of vapor can accumulate above flash point listed above. Under fire conditions some components may decompose. The smoke may contain unidentified toxic and/or irritating compounds. The material will not burn until the water has evaporated.

Explosion Sensitivity to Mechanical Impact:


No



Explosion Sensitivity to Static Discharge:

No

SPECIAL FIRE-FIGHTING PROCEDURES:

Incipient fire responders should wear eye protection. Structural firefighters must wear Self-Contained Breathing Apparatus and full protective equipment. Isolate materials not yet involved in the fire and protect personnel. Move containers from fire area if this can be done without risk; otherwise, cool with carefully applied water spray. If possible, prevent runoff water from entering storm drains, bodies of water, or other environmentally sensitive areas.

NFPA RATING SYSTEM**HMIS RATING SYSTEM**

HAZARDOUS MATERIAL IDENTIFICATION SYSTEM			
HEALTH HAZARD (BLUE)			2
FLAMMABILITY HAZARD (RED)			1
PHYSICAL HAZARD (YELLOW)			0
PROTECTIVE EQUIPMENT			
EYES	RESPIRATORY	HANDS	BODY
	See Sect 8		See Sect 8
For Routine Industrial Use and Handling Applications			

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe * = Chronic hazard

SECTION 6 - ACCIDENTAL RELEASE MEASURES

SPILL AND LEAK RESPONSE: Personnel should be trained for spill response operations.

SPILLS: Contain spill if safe to do so. Eliminate all sources of ignition. Always wear proper PPE. Prevent entry into drains, sewers, and other waterways. Soak up with an absorbent material and place in an appropriate closed container for disposal. Dispose of in accordance with applicable Federal, State, and local procedures (see Section 13, Disposal Considerations).

SECTION 7 - HANDLING and STORAGE

WORK PRACTICES AND HYGIENE PRACTICES: As with all chemicals, avoid getting this product ON YOU or IN YOU. Wash thoroughly after handling this product. Do not eat, drink, smoke, or apply cosmetics while handling this product. Avoid breathing vapors/mists/sprays generated by this product. Use in a well-ventilated location. Remove contaminated clothing immediately.



STORAGE AND HANDLING PRACTICES: Containers of this product must be properly labeled. Store containers in a cool, dry location away from heat and sources of ignition. Keep container tightly closed when not in use. Store away from incompatible materials.

SECTION 8 - EXPOSURE CONTROLS - PERSONAL PROTECTION**EXPOSURE LIMITS/GUIDELINES:**

Chemical Name	CAS#	ACGIH TWA	OSHA TWA
Water	7732-18-5	Not Listed	Not Listed
Alkyl dimethyl benzyl ammonium chloride	68391-01-5	Not Listed	Not Listed
Alkyl dimethyl ethyl ammonium chloride	85409-23-0	Not Listed	Not Listed
Sodium Carbonate Monohydrate	497-19-8	Not Listed	Not Listed
Nonylphenol polyethylene glycol ether	127087-87-0	Not Listed	Not Listed
Tetrasodium Ethylenediamine tetraacetate	64-02-8	Not Listed	Not Listed

Currently, International exposure limits are not established for the components of this product. Please check with competent authority in each country for the most recent limits in place.

VENTILATION AND ENGINEERING CONTROLS: Use with adequate ventilation to ensure exposure levels are maintained below the limits provided below. Use local exhaust ventilation to control airborne mist/vapor/dust. Ensure eyewash/safety shower stations are available near areas where this product is used.

The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132) or equivalent standard of Canada, or standards of EU member states (including EN 149 for respiratory PPE, and EN 166 for face/eye protection), and those of Japan. Please reference applicable regulations and standards for relevant details.

RESPIRATORY PROTECTION: Maintain airborne contaminant concentrations below guidelines listed above, if applicable. If necessary, use only respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29 CFR 1910.134), equivalent U.S. State standards, Canadian CSA Standard Z94.4-93, the European Standard EN149, or EU member states.

EYE PROTECTION: Splash goggles or safety glasses with side shields recommended where splashing is possible. If necessary, refer to U.S. OSHA 29 CFR 1910.133, Canadian Standards, and the European Standard EN166, Australian Standards, or relevant Japanese Standards.

HAND PROTECTION: Compatible chemical resistant gloves recommended to prevent skin contact. Wash hands after removing gloves. If necessary, refer to U.S. OSHA 29 CFR 1910.138, the European Standard DIN EN 374, the appropriate Standards of Canada, Australian Standards, or relevant Japanese Standards.

BODY PROTECTION: Use body protection appropriate to prevent contact (e.g. lab coat, overalls). If necessary, refer to appropriate Standards of Canada, or appropriate Standards of the EU, Australian Standards, or relevant Japanese Standards.

SECTION 9 - PHYSICAL and CHEMICAL PROPERTIES**PHYSICAL STATE:**

Liquid

APPEARANCE & ODOR:

This product is a light yellow colored liquid with a slight pungent odor.

ODOR THRESHOLD (PPM):

Not Available

VAPOR PRESSURE (mmHg):

Not Available

VAPOR DENSITY (AIR=1):

Not Available

EVAPORATION RATE (nBuAc = 1):

Not Available

BOILING POINT (C°):

212°F

FREEZING POINT (C°):

Not Available

pH:

11.7

SPECIFIC GRAVITY 20°C: (WATER =1)

1.03

SOLUBILITY IN WATER (%)

Not Available

VOC:

<5%

**SECTION 10 - STABILITY and REACTIVITY**

STABILITY: Product is stable

DECOMPOSITION PRODUCTS: When heated to decomposition this product may contain Nitrogen oxides; carbon monoxide; carbon dioxide; ammonia; hydrogen chloride.

MATERIALS WITH WHICH SUBSTANCE IS INCOMPATIBLE: Acids; strong oxidizing agents.

HAZARDOUS POLYMERIZATION: Will not occur.

CONDITIONS TO AVOID: Contact with incompatible materials.

SECTION 11 - TOXICOLOGICAL INFORMATION

TOXICITY DATA: Toxicity data not available for mixture:

CAS# 64-02-8

Dermal LD50 Rabbit: = >5,000 mg/kg

SUSPECTED CANCER AGENT: One of the ingredients are found on the following lists: FEDERAL OSHA Z LIST, NTP, CAL/OSHA, IARC and therefore is considered to be, or suspected to be a cancer-causing agent by these agencies.

Contains trace amount of trisodium nitrilo triacetic acid which is listed as a potential carcinogen under OSHA Std. 20 CFR 1920.1200. Also listed by; NTP, IARC.

IRRITANCY OF PRODUCT: Contact with this product can be irritating to exposed skin, eyes and respiratory system.

SENSITIZATION OF PRODUCT: This product is not considered a skin and respiratory sensitizer.

REPRODUCTIVE TOXICITY INFORMATION: No data available

SECTION 12 - ECOLOGICAL INFORMATION

ALL WORK PRACTICES MUST BE AIMED AT ELIMINATING ENVIRONMENTAL CONTAMINATION.

ENVIRONMENTAL STABILITY: No Data available at this time.

EFFECT OF MATERIAL ON PLANTS or ANIMALS: No Data available at this time.

EFFECT OF CHEMICAL ON AQUATIC LIFE: No Data available at this time.

SECTION 13 - DISPOSAL CONSIDERATIONS

PREPARING WASTES FOR DISPOSAL: Waste disposal must be in accordance with appropriate Federal, State, and local regulations, those of Canada, EU Member States and Japan.

SECTION 14 - TRANSPORTATION INFORMATION

US DOT; IATA; IMO; ADR:

THIS PRODUCT IS NOT HAZARDOUS AS DEFINED BY 49 CFR 172.101 BY THE U.S. DEPARTMENT OF TRANSPORTATION.

PROPER SHIPPING NAME: Non-Regulated Material

HAZARD CLASS NUMBER and DESCRIPTION: None

UN IDENTIFICATION NUMBER: None

PACKING GROUP: None

DOT LABEL(S) REQUIRED: None

NORTH AMERICAN EMERGENCY RESPONSE GUIDEBOOK NUMBER (2004): None

MARINE POLLUTANT: None of the ingredients are classified by the DOT as a Marine Pollutant (as defined by 49 CFR 172.101, Appendix B)

U.S. DEPARTMENT OF TRANSPORTATION (DOT) SHIPPING REGULATIONS:

This product is not classified as dangerous goods, per U.S. DOT regulations, under 49 CFR 172.101.

TRANSPORT CANADA, TRANSPORTATION OF DANGEROUS GOODS REGULATIONS:

This product is not classified as Dangerous Goods, per regulations of Transport Canada.

INTERNATIONAL AIR TRANSPORT ASSOCIATION (IATA):

This product is not classified as Dangerous Goods, by rules of IATA:

INTERNATIONAL MARITIME ORGANIZATION (IMO) DESIGNATION:

This product is not classified as Dangerous Goods by the International Maritime Organization.



EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY ROAD (ADR):

This product is not classified by the United Nations Economic Commission for Europe to be dangerous goods.

SECTION 15 - REGULATORY INFORMATION

UNITED STATES REGULATIONS

SARA REPORTING REQUIREMENTS: This product is subject to the reporting requirements of Sections 302, 304 and 313 of Title III of the Superfund Amendments and Reauthorization Act., as follows: None

TSCA: All components in this product are listed on the US Toxic Substances Control Act (TSCA) inventory of chemicals.

SARA 311/312:

Acute Health: Yes Chronic Health: Yes Fire: No Reactivity: No

U.S. SARA THRESHOLD PLANNING QUANTITY: There are no specific Threshold Planning Quantities for this product. The default Federal MSDS submission and inventory requirement filing threshold of 10,000 lb (4,540 kg) may apply, per 40 CFR 370.20.

U.S. CERCLA REPORTABLE QUANTITY (RQ): None

CALIFORNIA SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT (PROPOSITION 65): This product does not contain ingredient(s) are on the California Proposition 65 list.

CANADIAN REGULATIONS:

CANADIAN DSL/NDL INVENTORY STATUS: All of the components of this product are on the DSL Inventory

CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA) PRIORITIES SUBSTANCES LISTS: No component of this product is on the CEPA First Priorities Substance Lists.

CANADIAN WHMIS CLASSIFICATION and SYMBOLS: This product is categorized as a Class D Division 2B materials causing other toxic effects and Class E Corrosive material as per the Controlled Product Regulations

EUROPEAN ECONOMIC COMMUNITY INFORMATION:

EU LABELING AND CLASSIFICATION:

Classification of the mixture according to Regulation (EC) No1272/2008. See section 2 for details.

AUSTRALIAN INFORMATION FOR PRODUCT:

AUSTRALIAN INVENTORY OF CHEMICAL SUBSTANCES (AICS) STATUS: All components of this product are listed on the AICS.

STANDARD FOR THE UNIFORM SCHEDULING OF DRUGS AND POISONS: Not applicable.

JAPANESE INFORMATION FOR PRODUCT:

JAPANESE MINISTER OF INTERNATIONAL TRADE AND INDUSTRY (MITI) STATUS: The components of this product are not listed as Class I Specified Chemical Substances, Class II Specified Chemical Substances, or Designated Chemical Substances by the Japanese MITI.

INTERNATIONAL CHEMICAL INVENTORIES:

Listing of the components on individual country Chemical Inventories is as follows:

Asia-Pac:	Listed
Australian Inventory of Chemical Substances (AICS):	Listed
Korean Existing Chemicals List (ECL):	Listed
Japanese Existing National Inventory of Chemical Substances (ENCS):	Listed
Philippines Inventory of Chemicals and Chemical Substances (PICCS):	Listed
Swiss Giftliste List of Toxic Substances:	Listed
U.S. TSCA:	Listed

SECTION 16 - OTHER INFORMATION

PREPARED BY: Paul Eigbrett

GHS MSDS Compliance PLUS

www.ghsmsdscomplianceplus.com

Disclaimer: To the best of Cetylite Industries, Inc. knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type either express or implied are provided. The information contained herein relates only to this specific product.