### **SAFETY DATA SHEETS**

## This SDS packet was issued with item: 075556899

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

075556519 075556840 075556865 075556873 075556881



Page 1 of 4

### **Material Safety Data Sheet**

DATE OF ISSUE:

April 16, 2012

ISSUED BY PASCAL

**Product Name:** Occlude<sup>®</sup>

### 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name	Occlude <sup>®</sup>
Product Use:	Aerosol Indicator Marking Spray
Manufacturer Name	Pascal International, Inc.
Address	2929 NE Northup Way
	Bellevue, Washington 98004
Emergency Telephone (Infotrac):	1-800-535-5053, 1-352-323-3500
Telephone	1-425-827-4694, 1-800-426-8051
Fax	1-425-827-6893
Manufacturer Name Address Emergency Telephone (Infotrac): Telephone	Pascal International, Inc. 2929 NE Northup Way Bellevue, Washington 98004 1-800-535-5053, 1-352-323-3500 1-425-827-4694, 1-800-426-8051

2.	HAZARDS	IDENTIFICATION

Hazard	Irritating to eyes. Can is under pressure. Unusual fire and explosion hazard. Inhalation of large quantities of propellant may displace oxygen in
	lungs.
Risk Phrases	R12: Highly flammable
	R18: Vapor may form flammable mixtures with air
	R36: Irritating to eyes.
	R20: Harmful by inhalation
Safety Phrases	S2: Keep out of the reach of children
	S15: Keep away from heat.
	S23: Do not breathe vapor.
	S25: Avoid contact with eyes.
Safety Phrases	<ul> <li>R36: Irritating to eyes.</li> <li>R20: Harmful by inhalation</li> <li>S2: Keep out of the reach of children</li> <li>S15: Keep away from heat.</li> <li>S23: Do not breathe vapor.</li> </ul>

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

N-Butane106-97-82%1000 ppmPropane74-98-61%1000 ppm	Mixture Propellant	N-Butane			11
--	-----------------------	----------	--	--	----

### 4. FIRST AID MEASURES

Inhalation	Move to fresh air. If unconscious, give oxygen
Ingestion	Ingestion of normal quantities is non-toxic.
Skin	N/A
Eye	Flush with water for 15 minutes. Seek medical aid.



Page 2 of 4

### **Material Safety Data Sheet**

DATE OF ISSUE:

April 16, 2012

ISSUED BY PASCAL

### Product Name: Occlude<sup>®</sup>

### 5. FIRE FIGHTING MEASURES

Extinguishing Media: Specific Hazards:	CO <sub>2</sub> , Foam, Dry Chemical, Water Extremely flammable and combustible. Temperature above 50°C/120°F may cause bursting and contents
Precautions in connection with Fire:	under pressure may discharge. Confine fire to immediate area. Use of self contained breathing apparatus is recommended. Wear protective clothing to prevent contact with skin and eyes.

### 6. ACCIDENTAL RELEASE MEASURES

Emergency Procedures:	Provide adequate ventilation.
Clean Up Procedure:	Use soap and water after propellant has been
	dispersed.

### 7. HANDLING AND STORAGE

Handling

Storage

Content is under pressure. Keep away from fire. Flammable. Do not puncture. Content is under pressure. Store in a cool, dry area away from heat sources and/or prolonged exposure to sun. Keep away from fire. Flammable. Do not puncture.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limits Respiratory Protection Eye Protection Hand Protection Engineering Controls Biological Limit Values Not determined Dust mask recommended. Recommended Gloves recommended Normal room ventilation Not determined

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Odor Red or green powder dispensed as an aerosol. Odorless



Page 3 of 4

### **Material Safety Data Sheet**

(Isobutane @ 32° F) 1,519.0

DATE OF ISSUE: April 16, 2012

ISSUED BY PASCAL

### **Product Name:** Occlude<sup>®</sup>

Vapor Pressure (mm Hg and Temperature) Vapor Density (AIR=1) Boiling Point Freezing / Melting Point Solubility in Water Specific Gravity Evaporation Rate Water Reactive Flash Point Flammable Limits LEL

(Isobutane) 2.01 (Isobutane) 10.9° F Not Determined Minimal (Isobutane) 0.5631 Not Determined N/A 120° F Maintain level below 0.25 LEL. May displace oxygen in air Not determined

Flammable Limits UEL

### **10. STABILITY AND REACTIVITY**

Chemical Stability	Stable
Conditions to Avoid	N/A
Incompatible Materials	May react with oxidizing materials.
Hazardous Decomposition	None known
Products	
Hazardous Reactions	None known

### **11. TOXICOLOGICAL INFORMATION**

Hazardous Ingredient:N/ARoutes of Exposure:N/A

### **12. ECOLOGICAL INFORMATION**

<b>T</b> (	· · .	
Ecoto	X1CITV	

Mobility

Contains no CFC's. Propellants are ecologically safe. Not determined Not determined

### **13. DISPOSAL CONSIDERATIONS**

Persistence and Degradability

Disposal Method and Containers Empty containers may be disposed of in waste containers.



Page 4 of 4

### Material Safety Data Sheet

DATE OF ISSUE: April 16, 2012

ISSUED BY PASCAL

# Product Name: Occlude<sup>®</sup> Special Precautions Do not incinerate. Do

Do not incinerate. Do not crush. Dispose in accordance with all local, state and federal regulations.

### **14. TRANSPORT INFORMATION**

UN Number UN Proper Shipping Name Class and Subsidiary Risk Packing Group Special Precautions for User Hazchem Code UN1950 Aerosol, flammable 2.1 N/A Maximum 75kg on passenger aircraft/rail. 1T

### **15. REGULATORY INFORMATION**

Consumer Commodity	ORM-D, ID 8000
AICS (Australia)	All ingredients are listed
Precautionary Phrases:	For professional in-office use only.
	Keep out of reach of children.
Note:	Refer to applicable international, national, and local regulations and provisions.

### **16. OTHER INFORMATION**

Legal Disclaimer:	Information contained in this MSDS is based on data believed to be correct. This information does not purport to be all inclusive and shall be used only as a guide. No warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. In no event will the
MSDS History	<ul><li>manufacturer or the distributor be responsible for damages of any nature whatsoever resulting from the use of or reliance upon this information.</li><li>Date of Issue: April 16, 2012</li><li>Replaces Issue: April 15, 2009</li><li>Changes made to previous issue: No changes</li></ul>



DATE OF ISSUE: June 15, 2014

ISSUED BY PASCAL

**Product Name:** Occlude<sup>®</sup>

### 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name	Occlude <sup>®</sup>
Product Use:	Aerosol Indicator Marking Spray
Manufacturer Name	Pascal International, Inc.
Address	2929 NE Northup Way
	Bellevue, Washington 98004
Emergency Telephone (Infotrac):	1-800-535-5053, 1-352-323-3500
Telephone	1-425-827-4694, 1-800-426-8051
Fax	1-425-827-6893

### 2. HAZARDS IDENTIFICATION

Hazard		Category 1: 2.3/1 Extremely flammable aerosol Can is under pressure Irritating to eyes
	Danger	Inhalation of large quantities of propellant may displace oxygen in lungs
<b>Risk Phrases</b>	e	R12: Extremely flammable
		R18: Vapor may form flammable mixtures with air
		R36: Irritating to eyes.
		R20: Harmful by inhalation
Safety Phrases		S2: Keep out of the reach of children
		S15: Keep away from heat.
		S23: Do not breathe vapor.
		S25: Avoid contact with eyes.

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

Mixture Propellant	Chemical Entity Isobutane N-Butane Propane	CAS No. 75-28-5 106-97-8 74-98-6	Proportion* 97% 2% 1%	ACGIH TLV 1000 ppm 1000 ppm 1000 ppm
4. First	ST AID MEASURES			
Inhalation Ingestion Skin Eye		Ingestion of ne N/A	air. If unconsciou ormal quantities is ter for 15 minutes	



DATE OF ISSUE: June 15, 2014

ISSUED BY PASCAL

**Product Name:** Occlude<sup>®</sup>

### 5. FIRE FIGHTING MEASURES

Extinguishing Media: Specific Hazards:	CO <sub>2</sub> , Foam, Dry Chemical, Water Extremely flammable and combustible. Temperature above 50°C/120°F may cause bursting and contents
Precautions in connection with Fire:	under pressure may discharge. Confine fire to immediate area. Use of self contained breathing apparatus is recommended. Wear protective clothing to prevent contact with skin and eyes.

#### 6. ACCIDENTAL RELEASE MEASURES

Emergency Procedures:	Provide adequate ventilation.
Clean Up Procedure:	Use soap and water after propellant has been
	dispersed.

#### 7. HANDLING AND STORAGE

Handling

Storage

Content is under pressure. Keep away from fire. Flammable. Do not puncture. Content is under pressure. Store in a cool, dry area away from heat sources and/or prolonged exposure to sun. Keep away from fire. Flammable. Do not puncture.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limits Respiratory Protection Eye Protection Hand Protection Engineering Controls Biological Limit Values Not determined Dust mask recommended. Recommended Gloves recommended Normal room ventilation Not determined

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Odor Vapor Pressure (mm Hg and Temperature) Vapor Density (AIR=1) Boiling Point

Red or green powder dispensed as an aerosol. Odorless (Isobutane @ 32° F) 1,519.0

(Isobutane) 2.01 (Isobutane) 10.9° F



DATE OF ISSUE: June 15, 2014

ISSUED BY PASCAL

### **Product Name:** Occlude<sup>®</sup>

Freezing / Melting Point	Not Determined
Solubility in Water	Minimal
Specific Gravity	(Isobutane) 0.5631
Evaporation Rate	Not Determined
Water Reactive	N/A
Flash Point	120° F
Self-igniting	Product is not self-igniting
Flammable Limits LEL	Maintain level below 0.25 LEL. May displace
Flammable Limits UEL	oxygen in air Not determined

#### **10. STABILITY AND REACTIVITY**

Chemical Stability
Conditions to Avoid
Incompatible Materials
Hazardous Decomposition
Products
Hazardous Reactions

Stable N/A May react with oxidizing materials. None known

### None known

#### **11. TOXICOLOGICAL INFORMATION**

Hazardous Ingredient
Routes of Exposure
Skin
Eyes
Sensitization

N/A N/A No irritating effect No sensitizing effects known

### **12. ECOLOGICAL INFORMATION**

Ecotoxicity	Contains no CFC's. Propellants are ecologically safe. Not hazardous for water.
Persistence and Degradability	Not determined
Mobility	Not determined

### **13. DISPOSAL CONSIDERATIONS**


Disposal Method and Containers	Empty containers may be disposed of in waste
	containers.
Special Precautions	Do not incinerate. Do not crush. Dispose in accordance with all local, state and federal regulations.



DATE OF ISSUE: June 15, 2014

ISSUED BY PASCAL

#### **Product Name:** Occlude<sup>®</sup>



Consumer Commodity	ORM-D (Ground), ID 8000 (Air)
AICS (Australia)	All ingredients are listed
Precautionary Phrases:	For professional in-office use only.
	Keep out of reach of children.
Note:	Refer to applicable international, national, and local
	regulations and provisions.

### **16. OTHER INFORMATION**

Legal Disclaimer: Information contained in this MSDS is based on data believed to be correct. This information does not purport to be all inclusive and shall be used only as a guide. No warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. In no event will the manufacturer or the distributor be responsible for damages of any nature whatsoever resulting from the use of or reliance upon this information.



 DATE OF ISSUE:
 June 15, 2014
 ISSUED BY PASCAL

 Product Name:
 Occlude<sup>®</sup>
 Date of Issue: June 15, 2014 Replaces Issue: April 16, 2012 Changes made to previous issue: MSDS to SDS; Added SDS hazard pictogram; GHS classification; transport pictograms