SAFETY DATA SHEETS

This SDS packet was issued with item:

071391671

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

071391697 272351203

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

071391184 071399070

NAME OF PRODUCT: PLASTOGUM® Impression Corrective Plaster

SECTION 1: IDENTIFICATION

PRODUCT NAME:
PRODUCT CODES:
IDENTIFIED USES:
USES ADVISED AGAINST:
MANUFACTURER:
ADDRESS:
TELEPHONE:
FAX:
EMAIL:
EMERGENCY PHONE:

PLASTOGUM Impression Corrective Plaster 0921580 Dentistry Non-dental use Harry J. Bosworth Company 7227 North Hamlin Avenue, Skokie, Illinois 60076-3999, USA 847-679-3400 847-679-2080 hjbinfo@bosworth.com 800-535-5053 (US and Canada) 352-323-3500 (International) FILE NO.: SDS580

SDS DATE: 06/19/2014

SECTION 2: HAZARDS IDENTIFICATION

CLASSIFICATION:	Not a hazardous substance or mixture.		
LABELING:	FDA regulated device - exempt from Regulation (US) 29 CFR 1910.1200.		
PICTOGRAM:	None		
SIGNAL WORD:	None		
HAZARD STATEMENTS:	None		
PRECAUTIONARY STATEMENTS:	P201	Obtain special instructions before use.	
	P202	Do not handle until all safety precautions have been read and understood.	
	P234	Keep only in original container.	
	P235+P410	Keep cool. Protect from sunlight.	
	P261	Avoid breathing dust/fume/gas/mist/vapors/spray.	
	P264	Wash thoroughly after handling.	
	P270	Do not eat, drink or smoke when using this product.	
	P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.	
	P301+P330	IF SWALLOWED: Rinse mouth.	
	P302+P352	IF ON SKIN: Wash with plenty of soap and water.	
	P304+P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for	
		breathing.	
	P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
	P308+P313	IF exposed or concerned: Get medical advice/attention.	
	P332+P313	If skin irritation occurs: Get medical advice/attention.	
	P337+P313	If eye irritation persists: Get medical advice/attention.	
	P342+P313	If experiencing respiratory symptoms: Get medical advice/attention.	
	P391	Collect spillage.	
	P402	Store in a dry place.	
	P403+P233	Store in a well-ventilated place. Keep container tightly closed.	
	P501	Dispose of contents/container to an approved waste disposal plant.	

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

This product contains no hazardous components as defined in the OSHA Hazard Communication Standard (29 CFR 1910.1200).

SECTION 4: FIRST-AID MEASURES

INHALATION:	Move person into fresh air. If not breathing, give artificial respiration. If symptoms persist, get medical attention.
SKIN:	Wash off with soap and plenty of water. Get medical attention if irritation develops and persists.
EYE:	Flush eyes with water for 15 minutes as a precaution. Get medical attention if irritation develops and persists.
INGESTION:	Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

SECTION 5: FIRE-FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA:	Water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
HAZARDOUS DECOMPOSITION PRODUCTS	: Oxides of carbon, calcium and sulfur.
SPECIAL HAZARDS:	No further relevant information available.
ADVICE FOR FIREFIGHTERS:	Avoid extinguishing methods which may generate dust clouds. Wear self contained breathing apparatus for
	firefighting if necessary.

NAME OF PRODUCT: PLASTOGUM® Impression Corrective Plaster

FILE NO.: SDS580 SDS DATE: 06/19/2014

SECTION 6: ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS:	Use personal protective equipment. Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.
ENVIRONMENTAL PRECAUTIONS: CONTAINMENT AND CLEANUP:	Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

SECTION 7: HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING:Product is intended for dental use only. Handling of this product should be by trained dental healthcare
professionals only. Observe normal care for working with chemicals. Avoid contact with skin and eyes. Avoid
formation of dust and aerosols. Avoid inhalation of dust. Provide appropriate exhaust ventilation at places
where dust is formed. Keep away from foodstuffs, beverages and animal feed.CONDITIONS FOR SAFE STORAGE:Store only in the original package. Keep container tightly closed in a dry and well-ventilated place. Protect
from heat and direct sunlight. Store away from food and beverages.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS:	Handle in accordance with good industrial hygiene and safety practice. Use with adequate general or local exhaust ventilation to maintain exposure levels below the occupational exposure limits. Local exhaust ventilation is preferred since it prevents contamination dispersion into the work area by controlling it at its source. Provide eyewash and safety shower if contact or splash hazard exists. Wash hands before breaks and at the end of work.
EYE/FACE PROTECTION:	Safety glasses.
SKIN PROTECTION:	Glove material impermeable and resistant to the product.
BODY PROTECTION:	Protective work clothing.
RESPIRATORY PROTECTION:	NIOSH (US) or CEN (EU) approved respirators and components.
ENVIRONMENTAL EXPOSURE:	Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE/COLOR:Fine pink powderODOR:SassafrasRELATIVE DENSITY (H2O=1.0):2.68 g/cm³WATER SOLUBILITY:0.2% @ 104°F (40°C)

SECTION 10: STABILITY AND REACTIVITY

CHEMICAL STABILITY:Stable under recommended storage conditions.HAZARDOUS REACTIONS:No further relevant information available.CONDITIONS TO AVOID:Moisture.INCOMPATIBLE MATERIALS:Strong oxidizing agents.HAZARDOUS DECOMPOSITION PRODUCTS:Oxides of carbon, calcium and sulfur.

SECTION 11: TOXICOLOGICAL INFORMATION

POTENTIAL HEALTH EFFECTS:	EYES: May cause eye irritation.
	SKIN: May be harmful if absorbed through skin. May cause skin irritation.
	INGESTION: May be harmful if swallowed. Product may harden when contacting water, resulting in possible
	obstruction if ingested
	INHALATION: May be harmful if inhaled. May cause respiratory tract irritation.
CARCINOGENICITY:	OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a
	carcinogen or possible carcinogen by OSHA.
	ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a
	carcinogen or potential carcinogen by ACGIH.
	NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or
	anticipated carcinogen by NTP.
	IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

NAME OF PRODUCT: PLASTOGUM® Impression Corrective Plaster

FILE NO.: SDS580 SDS DATE: 06/19/2014

SECTION 12: ECOLOGICAL INFORMATION

ADVERSE EFFECTS:

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

SECTION 13: DISPOSAL CONSIDERATIONS

PRODUCT:

Offer surplus and non-recyclable solutions to a licensed disposal company. Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Disposal must be made according to official regulations. Dispose of as unused product.

SECTION 14: TRANSPORT INFORMATION

UN NUMBER:	N/A	
PROPER SHIPPING NAME:	N/A	
HAZARD CLASS:	N/A	
PACKING GROUP:	N/A	
LABEL STATEMENT:	N/A	

SECTION 15: REGULATORY INFORMATION

US FEDERAL REGULATIONS

CONTAMINATED PACKAGING:

TSCA: CERCLA:	This product is an FDA regulated device and not subject to TSCA regulations. This product is an FDA regulated device and not subject to reporting requirements. There may be specific reporting requirements at the local, regional, or state level.
SARA 313 TOXIC CHEMICALS:	The following components are subject to reporting levels established by SARA Title III, Section 313 (40 CFR 372): None.
SARA 311/312 HAZARDS:	This product is an FDA regulated device and not subject to reporting requirements.
INTERNATIONAL REGULATIONS	
CANADIAN ENVIRONMENTAL PROTECTION ACT: EUROPEAN INVENTORY OF EXISTING COMMERCIAL CHEMICAL SUBSTANCES	This product is a medical device and not subject to chemical notification requirements.
(EINECS):	This product is a medical device and not subject to chemical notification requirements.

SECTION 16: OTHER INFORMATION

NFPA RATING

Health Hazard	0
Fire Hazard	0
Reactivity Hazard	0

PREPARATION INFORMATION: This SDS was prepared in accordance with the requirements of the OSHA Hazard Communication Standard (29 CFR 1910.1200) and is to be used only for this product.

DISCLAIMER: To the best of our knowledge, the information contained herein is accurate. However, The Harry J. Bosworth Company does not assume any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown health hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

NAME OF PRODUCT: PLASTOPASTE™ Catalyst Paste

SECTION 1: IDENTIFICATION

PRODUCT NAME: PRODUCT CODES: **IDENTIFIED USES:** USES ADVISED AGAINST: MANUFACTURER: ADDRESS: **TELEPHONE:** FAX: EMAIL: EMERGENCY PHONE:

PLASTOPASTE Catalyst Paste 0921590, 0921592 Dentistry Non-dental use Harry J. Bosworth Company 7227 North Hamlin Avenue, Skokie, Illinois 60076-3999, USA 847-679-3400 847-679-2080 hjbinfo@bosworth.com 800-535-5053 (US and Canada) 352-323-3500 (International)

SECTION 2: HAZARDS IDENTIFICATION

CLASSIFICATION:	Skin sensitization (Category 1) Eye irritation (Category 2A)	
LABELING: PICTOGRAM:	Acute aquatic toxici FDA regulated devic	ity (Category 3) :e - exempt from Regulation (US) 29 CFR 1910.1200.
SIGNAL WORD:	Warning	
HAZARD STATEMENTS:	H317	May cause an allergic skin reaction.
	H319	Causes serious eye irritation.
	H402	Harmful to aquatic life.
PRECAUTIONARY STATEMENTS:	P201	Obtain special instructions before use.
	P202	Do not handle until all safety precautions have bee
	P234	Keep only in original container.
	P235+P410	Keep cool. Protect from sunlight.
	P261	Avoid breathing dust/fume/gas/mist/vapors/spray
	P264	Wash thoroughly after handling.
	P270	Do not eat, drink or smoke when using this produc
	P272	Contaminated work clothing should not be allowed
	P273	Avoid release to the environment.
	P280	Wear protective gloves/ protective clothing/ eye p
	P301+P330	IF SWALLOWED: Rinse mouth.
	P302+P352	IF ON SKIN: Wash with plenty of soap and water.
	P304+P340	IF INHALED: Remove victim to fresh air and keep a breathing.
	P305+P351+P338	IF IN EYES: Rinse cautiously with water for several present and easy to do. Continue rinsing.
	P308+P313	IF exposed or concerned: Get medical advice/ atte
	P333+P313	If skin irritation or rash occurs: Get medical advice,
	P337+P313	If eye irritation persists: Get medical advice/attent

e exempt nom negalation (03) 25 en x 1510.1200.
May cause an allergic din reaction
May cause an allergic skin reaction.
Causes serious eye irritation.
Harmful to aquatic life. Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Keep only in original container. Keep cool. Protect from sunlight.
Avoid breathing dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling.
Do not eat, drink or smoke when using this product.
Contaminated work clothing should not be allowed out of the workplace.
Avoid release to the environment.
Wear protective gloves/ protective clothing/ eye protection/ face protection.
IF SWALLOWED: Rinse mouth.
IF ON SKIN: Wash with plenty of soap and water.
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for
breathing.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
IF exposed or concerned: Get medical advice/ attention.
If skin irritation or rash occurs: Get medical advice/attention.
If eye irritation persists: Get medical advice/attention.
If experiencing respiratory symptoms: Get medical advice/attention.
Wash contaminated clothing before reuse.
Collect spillage.
Store in a dry place.
Store in a well-ventilated place. Keep container tightly closed.
Dispose of contents/container to an approved waste disposal plant.

FILE NO.: SDS592

SDS DATE: 06/19/2014

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

COMPONENT	CAS NO.	%WT	OSHA PEL - TWA	ACGIH TLV - TWA	CLASSIFICATION
Eugenol	97-53-0	15-30	N/E	N/E	Eye Irrit. 2A; Skin Sens. 1;
					Aquatic Acute 2; H317, H319, H401

For full text of H-statements mentioned in this section, see section 16.

SECTION 4: FIRST-AID MEASURES

INHALATION:

Move person into fresh air. If not breathing, give artificial respiration. If symptoms persist, get medical attention.

NAME OF PRODUCT: PLASTOPA	STE [™] Catalyst Paste SDS DATE: 06/19/2014
SKIN:	Wash off with soap and plenty of water. Get medical attention if irritation develops and persists.
EYE:	Rinse thoroughly with plenty of water for at least 15 minutes. Get medical attention if irritation develops and
	persists.
INGESTION:	Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.
SECTION 5: FIRE-FIGHTING MEA	SURES
SUITABLE EXTINGUISHING MEDIA:	Water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
HAZARDOUS DECOMPOSITION PRODUC	
SPECIAL HAZARDS:	No further relevant information available.
ADVICE FOR FIREFIGHTERS:	Wear self contained breathing apparatus for firefighting if necessary.
SECTION 6: ACCIDENTAL RELEAS	SE MEASURES
PERSONAL PRECAUTIONS:	Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation.
	Evacuate personnel to safe areas.
ENVIRONMENTAL PRECAUTIONS:	Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the
	environment must be avoided.
CONTAINMENT AND CLEANUP:	Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Place in
	suitable, closed container for disposal according to official regulations.
SECTION 7: HANDLING AND ST	ORAGE
PRECAUTIONS FOR SAFE HANDLING:	Product is intended for dental use only. Handling of this product should be by trained dental healthcare professionals only. Observe normal care for working with chemicals. Avoid contact with the eyes and skin. Avoid inhalation of vapor or mist. Keep away from foodstuffs, beverages and animal feed.
CONDITIONS FOR SAFE STORAGE:	Store only in the original package. Keep container tightly sealed in a dry and well-ventilated place. Protect from heat and direct sunlight. Store away from food and beverages.
SECTION 8: EXPOSURE CONTRO	DLS/PERSONAL PROTECTION
ENGINEERING CONTROLS:	Handle in accordance with good industrial hygiene and safety practice. Use with adequate general or local exhaust ventilation to maintain exposure levels below the occupational exposure limits. Local exhaust ventilation is preferred since it prevents contamination dispersion into the work area by controlling it at its source. Provide eyewash and safety shower if contact or splash hazard exists. Wash hands before breaks and at the end of work.
EYE/FACE PROTECTION:	Safety glasses.
SKIN PROTECTION:	
	Glove material impermeable and resistant to the product.
	Protective work clothing.
RESPIRATORY PROTECTION: ENVIRONMENTAL EXPOSURE:	NIOSH (US) or CEN (EU) approved respirators and components. Prevent further leakage or spillage if safe to do so. Do not let product enter drains.
SECTION 9: PHYSICAL AND CHE	MICAL PROPERTIES
ΔΡΡΕΔΒΔΝΟΕ/ΟΟΙ ΟΒ·	Brown paste

FILE NO.: SDS592

APPEARANCE/COLOR: ODOR: MELTING POINT: WATER SOLUBILITY:

Brown paste Clove 150°F (65°C) Insoluble

SECTION 10: STABILITY AND REACTIVITY

CHEMICAL STABILITY:Stable under recommended storage conditions.HAZARDOUS REACTIONS:No further relevant information available.CONDITIONS TO AVOID:Heat. Light.INCOMPATIBLE MATERIALS:Strong oxidizing agents.HAZARDOUS DECOMPOSITION PRODUCTS: Oxides of carbon.

SECTION 11: TOXICOLOGICAL INFORMATION

 POTENTIAL HEALTH EFFECTS:
 EYES: May cause eye irritation with redness, tearing and stinging.

 SKIN:
 May cause skin irritation with redness, swelling and itching. Repeated or prolonged contact may cause allergic dermatitis.

NAME OF PRODUCT: PLASTOPASTE[™] Catalyst Paste

FILE NO.: SDS592

SDS DATE: 06/19/2014

	INGESTION: May cause mucous membrane and gastrointestinal irritation with nausea, vomiting and diarrhea.
	May cause nervous system depression with symptoms of headache, dizziness, nausea, vomiting, weakness,
	fatigue, confusion, and unconsciousness.
	INHALATION: May cause mucous membrane and respiratory irritation and central nervous system depression
	with symptoms of headache, dizziness, drowsiness, nausea, vomiting, and unconsciousness. High vapor
	concentrations may cause burning sensation of the nose and throat and watering of the eyes.
SKIN SENSITIZATION:	May cause allergic skin reaction.
CARCINOGENICITY:	OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a
	carcinogen or possible carcinogen by OSHA.
	ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a
	carcinogen or potential carcinogen by ACGIH.
	NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or
	anticipated carcinogen by NTP.
	IARC: Eugenol is identified as not classifiable as to its carcinogenicity to humans by IARC.

SECTION 12: ECOLOGICAL INFORMATION

ADVERSE EFFECTS: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Harmful to aquatic life. Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

PRODUCT:	Contact a licensed professional waste disposal service to dispose of this material. Offer surplus and non- recyclable solutions to a licensed disposal company. Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Disposal must be made according to official regulations.
CONTAMINATED PACKAGING:	Dispose of as unused product.

SECTION 14: TRANSPORT INFORMATION

UN NUMBER:	N/A
PROPER SHIPPING NAME:	N/A
HAZARD CLASS:	N/A
PACKING GROUP:	N/A
LABEL STATEMENT:	N/A

SECTION 15: REGULATORY INFORMATION

US FEDERAL REGULATIONS

TSCA: CERCLA:	This product is an FDA regulated device and not subject to TSCA regulations. This product is an FDA regulated device and not subject to reporting requirements. There may be specific reporting requirements at the local, regional, or state level.
SARA 313 TOXIC CHEMICALS:	The following components are subject to reporting levels established by SARA Title III, Section 313 (40 CFR 372): None.
SARA 311/312 HAZARDS:	This product is an FDA regulated device and not subject to reporting requirements.
INTERNATIONAL REGULATIONS	
CANADIAN ENVIRONMENTAL PROTECTION ACT: EUROPEAN INVENTORY OF EXISTING COMMERCIAL CHEMICAL SUBSTANCES	This product is a medical device and not subject to chemical notification requirements.
(EINECS):	This product is a medical device and not subject to chemical notification requirements.

SECTION 16: OTHER INFORMATION

FULL TEXT OF H STATEMENTS REFERRED TO UNDER SECTION 3

Acute aquatic toxicity
Eye irritation
May cause an allergic skin reaction.
Causes serious eye irritation.
Toxic to aquatic life.

NAME OF PRODUCT: PLASTOPASTE™ Catalyst Paste Skin Sens. Skin sensitization

NFPA RATING

Health Hazard	1
Fire Hazard	1
Reactivity Hazard	0

PREPARATION INFORMATION: This SDS was prepared in accordance with the requirements of the OSHA Hazard Communication Standard (29 CFR 1910.1200) and is to be used only for this product.

DISCLAIMER: To the best of our knowledge, the information contained herein is accurate. However, The Harry J. Bosworth Company does not assume any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown health hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

FILE NO.: SDS592 SDS DATE: 06/19/2014



SAFETY DATA SHEET

NAME OF PRODUCT: PLASTOGUM® Impression Corrective Plaster

FILE NO.: SDS580 SDS DATE: 06/19/2014

SECTION 1: IDENTIFICATION

PRODUCT NAME: PRODUCT CODES: IDENTIFIED USES: USES ADVISED AGAINST: MANUFACTURER: ADDRESS: TELEPHONE: FAX: EMAIL: EMERGENCY PHONE: PLASTOGUM Impression Corrective Plaster 0921580 Dentistry Non-dental use Harry J. Bosworth Company 7227 North Hamlin Avenue, Skokie, Illinois 60076-3999, USA 847-679-3400 847-679-2080 hjbinfo@bosworth.com 800-535-5053 (US and Canada) 352-323-3500 (International)

SECTION 2: HAZARDS IDENTIFICATION

CLASSIFICATION: LABELING: PICTOGRAM: SIGNAL WORD: HAZARD STATEMENTS: PRECAUTIONARY STATEMENTS:

Not a hazardous substance or mixture.		
FDA regulated device	e - exempt from Regulation (US) 29 CFR 1910.1200.	
None		
None		
None		
P201	Obtain special instructions before use.	
P202	Do not handle until all safety precautions have been read and understood.	
P234	Keep only in original container.	
P235+P410	Keep cool. Protect from sunlight.	
P261	Avoid breathing dust/fume/gas/mist/vapors/spray.	
P264	Wash thoroughly after handling.	
P270	Do not eat, drink or smoke when using this product.	
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.	
P301+P330	IF SWALLOWED: Rinse mouth.	
P302+P352	IF ON SKIN: Wash with plenty of soap and water.	
P304+P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for	
	breathing.	
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if	
	present and easy to do. Continue rinsing.	
P308+P313	IF exposed or concerned: Get medical advice/attention.	
P332+P313	If skin irritation occurs: Get medical advice/attention.	
P337+P313	If eye irritation persists: Get medical advice/attention.	
P391	Collect spillage.	
P402	Store in a dry place.	
P403+P233	Store in a well-ventilated place. Keep container tightly closed.	
P501	Dispose of contents/container to an approved waste disposal plant.	

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

This product contains no hazardous components as defined in the OSHA Hazard Communication Standard (29 CFR 1910.1200).

SECTION 4: FIRST-AID MEASURES

INHALATION:	Move person into fresh air. If not breathing, give artificial respiration. If symptoms persist, get medical attention.
SKIN:	Wash off with soap and plenty of water. Get medical attention if irritation develops and persists.
EYE:	Flush eyes with water for 15 minutes as a precaution. Get medical attention if irritation develops and persists.
INGESTION:	Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

SECTION 5: FIRE-FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA:Water spray, alcohol-resistant foam, dry chemical or carbon dioxide.HAZARDOUS DECOMPOSITION PRODUCTS:Oxides of carbon, calcium and sulfur.SPECIAL HAZARDS:No further relevant information available.



SAFETY DATA SHEET

NAME OF PRODUCT: PLASTOGUM® Impression Corrective Plaster

ADVICE FOR FIREFIGHTERS:

Avoid extinguishing methods which may generate dust clouds. Wear self contained breathing apparatus for firefighting if necessary.

SECTION 6: ACCIDENTAL RELEASE MEASURES		
PERSONAL PRECAUTIONS:	Use personal protective equipment. Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.	
ENVIRONMENTAL PRECAUTIONS:	Prevent further leakage or spillage if safe to do so. Do not let product enter drains.	
CONTAINMENT AND CLEANUP:	Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.	
SECTION 7: HANDLING AND STO	DRAGE	
PRECAUTIONS FOR SAFE HANDLING:	Product is intended for dental use only. Handling of this product should be by trained dental healthcare professionals only. Observe normal care for working with chemicals. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Avoid inhalation of dust. Provide appropriate exhaust ventilation at places where dust is formed. Keep away from foodstuffs, beverages and animal feed.	
CONDITIONS FOR SAFE STORAGE:	Store only in the original package. Keep container tightly closed in a dry and well-ventilated place. Protect from heat and direct sunlight. Store away from food and beverages.	

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS:	Handle in accordance with good industrial hygiene and safety practice. Use with adequate general or local exhaust ventilation to maintain exposure levels below the occupational exposure limits. Local exhaust ventilation is preferred since it prevents contamination dispersion into the work area by controlling it at its source. Provide eyewash and safety shower if contact or splash hazard exists. Wash hands before breaks and at the end of work.
EYE/FACE PROTECTION:	Safety glasses.
SKIN PROTECTION:	Glove material impermeable and resistant to the product.
BODY PROTECTION:	Protective work clothing.
RESPIRATORY PROTECTION:	NIOSH (US) or CEN (EU) approved respirators and components.
ENVIRONMENTAL EXPOSURE:	Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE/COLOR:	Fine pink powder
ODOR:	Sassafras
RELATIVE DENSITY (H2O=1.0):	$2.68 {\rm g/cm}^3$
WATER SOLUBILITY:	0.2% @ 104°F (40°C)

SECTION 10: STABILITY AND REACTIVITY

CHEMICAL STABILITY:	Stable under recommended storage conditions.
HAZARDOUS REACTIONS:	No further relevant information available.
CONDITIONS TO AVOID:	Moisture.
INCOMPATIBLE MATERIALS:	Strong oxidizing agents.
HAZARDOUS DECOMPOSITION PRODUCTS: Oxides of carbon, calcium and sulfur.	

SECTION 11: TOXICOLOGICAL INFORMATION

POTENTIAL HEALTH EFFECTS:	EYES: May cause eye irritation.
	SKIN: May be harmful if absorbed through skin. May cause skin irritation.
	INGESTION: May be harmful if swallowed. Product may harden when contacting water, resulting in possible
	obstruction if ingested
	INHALATION: May be harmful if inhaled. May cause respiratory tract irritation.
CARCINOGENICITY:	OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a
	carcinogen or possible carcinogen by OSHA.
	ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a
	carcinogen or potential carcinogen by ACGIH.
	NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or
PREPARED BY: SS	PAGE 2 OF 3

FILE NO.: SDS580

SDS DATE: 06/19/2014



SAFETY DATA SHEET

NAME OF PRODUCT: PLASTOGUM® Impression Corrective Plaster

anticipated carcinogen by NTP.

FILE NO.: SDS580 SDS DATE: 06/19/2014

<u>IARC</u>: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

SECTION 12: ECOLOGICAL INFORMATION		
ADVERSE EFFECTS:	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.	
SECTION 13: DISPOSAL CONSIDER	RATIONS	
PRODUCT:	Offer surplus and non-recyclable solutions to a licensed disposal company. Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Disposal must be made according to	
CONTAMINATED PACKAGING:	official regulations. Dispose of as unused product.	
SECTION 14: TRANSPORT INFORM	MATION	
UN NUMBER: PROPER SHIPPING NAME: HAZARD CLASS: PACKING GROUP: LABEL STATEMENT:	N/A N/A N/A N/A	
SECTION 15: REGULATORY INFOR	MATION	
US FEDERAL REGULATIONS		
TSCA: CERCLA:	This product is an FDA regulated device and not subject to TSCA regulations. This product is an FDA regulated device and not subject to reporting requirements. There may be specific reporting requirements at the local, regional, or state level.	
SARA 313 TOXIC CHEMICALS:	The following components are subject to reporting levels established by SARA Title III, Section 313 (40 CFR 372): <i>None</i> .	
SARA 311/312 HAZARDS:	This product is an FDA regulated device and not subject to reporting requirements.	
INTERNATIONAL REGULATIONS		
CANADIAN ENVIRONMENTAL PROTECTION ACT: EUROPEAN INVENTORY OF EXISTING	This product is a medical device and not subject to chemical notification requirements.	
COMMERCIAL CHEMICAL SUBSTANCES (EINECS):	This product is a medical device and not subject to chemical notification requirements.	
SECTION 16: OTHER INFORMATIC	DN	
NFPA RATING		
Health Hazard Fire Hazard Reactivity Hazard	0 0 0	

PREPARATION INFORMATION: This SDS was prepared in accordance with the requirements of the OSHA Hazard Communication Standard (29 CFR 1910.1200) and is to be used only for this product.

DISCLAIMER: To the best of our knowledge, the information contained herein is accurate. However, The Harry J. Bosworth Company does not assume any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown health hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

NAME OF PRODUCT: PLASTOPASTE™ Catalyst Paste

SECTION 1: IDENTIFICATION

PRODUCT NAME: PRODUCT CODES: **IDENTIFIED USES:** USES ADVISED AGAINST: MANUFACTURER: ADDRESS: **TELEPHONE:** FAX: EMAIL: EMERGENCY PHONE:

PLASTOPASTE Catalyst Paste 0921590, 0921592 Dentistry Non-dental use Harry J. Bosworth Company 7227 North Hamlin Avenue, Skokie, Illinois 60076-3999, USA 847-679-3400 847-679-2080 hjbinfo@bosworth.com 800-535-5053 (US and Canada) 352-323-3500 (International)

SECTION 2: HAZARDS IDENTIFICATION

CLASSIFICATION:	Skin sensitization (Category 1) Eye irritation (Category 2A) Acute aquatic toxicity (Category 3) FDA regulated device - exempt from Regulation (US) 29 CFR 1910.1200.	
LABELING: PICTOGRAM:		
SIGNAL WORD:	Warning	
HAZARD STATEMENTS:	H317	May cause an allergic skin reaction.
	H319	Causes serious eye irritation.
	H402	Harmful to aquatic life.
PRECAUTIONARY STATEMENTS:	P201	Obtain special instructions before use.
	P202	Do not handle until all safety precautions have bee
	P234	Keep only in original container.
	P235+P410	Keep cool. Protect from sunlight.
	P261	Avoid breathing dust/fume/gas/mist/vapors/spray
	P264	Wash thoroughly after handling.
	P270	Do not eat, drink or smoke when using this produc
	P272	Contaminated work clothing should not be allowed
	P273	Avoid release to the environment.
	P280	Wear protective gloves/ protective clothing/ eye p
	P301+P330	IF SWALLOWED: Rinse mouth.
	P302+P352	IF ON SKIN: Wash with plenty of soap and water.
	P304+P340	IF INHALED: Remove victim to fresh air and keep a breathing.
	P305+P351+P338	IF IN EYES: Rinse cautiously with water for several present and easy to do. Continue rinsing.
	P308+P313	IF exposed or concerned: Get medical advice/ atte
	P333+P313	If skin irritation or rash occurs: Get medical advice,
	P337+P313	If eye irritation persists: Get medical advice/attent

e exempt nom negalation (03) 25 en x 1510.1200.
May cause an allergic din reaction
May cause an allergic skin reaction.
Causes serious eye irritation.
Harmful to aquatic life. Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Keep only in original container. Keep cool. Protect from sunlight.
Avoid breathing dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling.
Do not eat, drink or smoke when using this product.
Contaminated work clothing should not be allowed out of the workplace.
Avoid release to the environment.
Wear protective gloves/ protective clothing/ eye protection/ face protection.
IF SWALLOWED: Rinse mouth.
IF ON SKIN: Wash with plenty of soap and water.
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for
breathing.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
IF exposed or concerned: Get medical advice/ attention.
If skin irritation or rash occurs: Get medical advice/attention.
If eye irritation persists: Get medical advice/attention.
If experiencing respiratory symptoms: Get medical advice/attention.
Wash contaminated clothing before reuse.
Collect spillage.
Store in a dry place.
Store in a well-ventilated place. Keep container tightly closed.
Dispose of contents/container to an approved waste disposal plant.

FILE NO.: SDS592

SDS DATE: 06/19/2014

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

COMPONENT	CAS NO.	%WT	OSHA PEL - TWA	ACGIH TLV - TWA	CLASSIFICATION
Eugenol	97-53-0	15-30	N/E	N/E	Eye Irrit. 2A; Skin Sens. 1;
					Aquatic Acute 2; H317, H319, H401

For full text of H-statements mentioned in this section, see section 16.

SECTION 4: FIRST-AID MEASURES

INHALATION:

Move person into fresh air. If not breathing, give artificial respiration. If symptoms persist, get medical attention.

NAME OF PRODUCT: PLASTOPA	STE [™] Catalyst Paste SDS DATE: 06/19/2014	
SKIN:	Wash off with soap and plenty of water. Get medical attention if irritation develops and persists.	
EYE:	Rinse thoroughly with plenty of water for at least 15 minutes. Get medical attention if irritation develops and	
	persists.	
INGESTION:	Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.	
SECTION 5: FIRE-FIGHTING MEA	SURES	
SUITABLE EXTINGUISHING MEDIA:	Water spray, alcohol-resistant foam, dry chemical or carbon dioxide.	
HAZARDOUS DECOMPOSITION PRODUC		
SPECIAL HAZARDS:	No further relevant information available.	
ADVICE FOR FIREFIGHTERS:	Wear self contained breathing apparatus for firefighting if necessary.	
SECTION 6: ACCIDENTAL RELEAS	SE MEASURES	
PERSONAL PRECAUTIONS:	Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation.	
	Evacuate personnel to safe areas.	
ENVIRONMENTAL PRECAUTIONS:	Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the	
	environment must be avoided.	
CONTAINMENT AND CLEANUP:	Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Place in	
	suitable, closed container for disposal according to official regulations.	
SECTION 7: HANDLING AND ST	ORAGE	
PRECAUTIONS FOR SAFE HANDLING:	AUTIONS FOR SAFE HANDLING: Product is intended for dental use only. Handling of this product should be by trained dental health professionals only. Observe normal care for working with chemicals. Avoid contact with the eyes ar Avoid inhalation of vapor or mist. Keep away from foodstuffs, beverages and animal feed.	
CONDITIONS FOR SAFE STORAGE:	Store only in the original package. Keep container tightly sealed in a dry and well-ventilated place. Protect from heat and direct sunlight. Store away from food and beverages.	
SECTION 8: EXPOSURE CONTRO	DLS/PERSONAL PROTECTION	
ENGINEERING CONTROLS:	Handle in accordance with good industrial hygiene and safety practice. Use with adequate general or local exhaust ventilation to maintain exposure levels below the occupational exposure limits. Local exhaust ventilation is preferred since it prevents contamination dispersion into the work area by controlling it at its source. Provide eyewash and safety shower if contact or splash hazard exists. Wash hands before breaks and at the end of work.	
EYE/FACE PROTECTION:	Safety glasses.	
SKIN PROTECTION:		
	Glove material impermeable and resistant to the product.	
	Protective work clothing.	
RESPIRATORY PROTECTION: ENVIRONMENTAL EXPOSURE:	NIOSH (US) or CEN (EU) approved respirators and components. Prevent further leakage or spillage if safe to do so. Do not let product enter drains.	
SECTION 9: PHYSICAL AND CHE	MICAL PROPERTIES	
ΔΡΡΕΔΒΔΝΟΕ/ΟΟΙ ΟΒ·	Brown paste	

FILE NO.: SDS592

APPEARANCE/COLOR: ODOR: MELTING POINT: WATER SOLUBILITY:

Brown paste Clove 150°F (65°C) Insoluble

SECTION 10: STABILITY AND REACTIVITY

CHEMICAL STABILITY:Stable under recommended storage conditions.HAZARDOUS REACTIONS:No further relevant information available.CONDITIONS TO AVOID:Heat. Light.INCOMPATIBLE MATERIALS:Strong oxidizing agents.HAZARDOUS DECOMPOSITION PRODUCTS: Oxides of carbon.

SECTION 11: TOXICOLOGICAL INFORMATION

 POTENTIAL HEALTH EFFECTS:
 EYES: May cause eye irritation with redness, tearing and stinging.

 SKIN:
 May cause skin irritation with redness, swelling and itching. Repeated or prolonged contact may cause allergic dermatitis.

NAME OF PRODUCT: PLASTOPASTE[™] Catalyst Paste

FILE NO.: SDS592

SDS DATE: 06/19/2014

	INGESTION: May cause mucous membrane and gastrointestinal irritation with nausea, vomiting and diarrhea.
	May cause nervous system depression with symptoms of headache, dizziness, nausea, vomiting, weakness,
	fatigue, confusion, and unconsciousness.
	INHALATION: May cause mucous membrane and respiratory irritation and central nervous system depression
	with symptoms of headache, dizziness, drowsiness, nausea, vomiting, and unconsciousness. High vapor
	concentrations may cause burning sensation of the nose and throat and watering of the eyes.
SKIN SENSITIZATION:	May cause allergic skin reaction.
CARCINOGENICITY:	OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a
	carcinogen or possible carcinogen by OSHA.
	ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a
	carcinogen or potential carcinogen by ACGIH.
	NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or
	anticipated carcinogen by NTP.
	IARC: Eugenol is identified as not classifiable as to its carcinogenicity to humans by IARC.

SECTION 12: ECOLOGICAL INFORMATION

ADVERSE EFFECTS: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Harmful to aquatic life. Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

PRODUCT:	Contact a licensed professional waste disposal service to dispose of this material. Offer surplus and non- recyclable solutions to a licensed disposal company. Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Disposal must be made according to official regulations.
CONTAMINATED PACKAGING:	Dispose of as unused product.

SECTION 14: TRANSPORT INFORMATION

UN NUMBER:	N/A
PROPER SHIPPING NAME:	N/A
HAZARD CLASS:	N/A
PACKING GROUP:	N/A
LABEL STATEMENT:	N/A

SECTION 15: REGULATORY INFORMATION

US FEDERAL REGULATIONS

TSCA: CERCLA:	This product is an FDA regulated device and not subject to TSCA regulations. This product is an FDA regulated device and not subject to reporting requirements. There may be specific reporting requirements at the local, regional, or state level.
SARA 313 TOXIC CHEMICALS:	The following components are subject to reporting levels established by SARA Title III, Section 313 (40 CFR 372): None.
SARA 311/312 HAZARDS:	This product is an FDA regulated device and not subject to reporting requirements.
INTERNATIONAL REGULATIONS	
CANADIAN ENVIRONMENTAL PROTECTION ACT: EUROPEAN INVENTORY OF EXISTING COMMERCIAL CHEMICAL SUBSTANCES	This product is a medical device and not subject to chemical notification requirements.
(EINECS):	This product is a medical device and not subject to chemical notification requirements.

SECTION 16: OTHER INFORMATION

FULL TEXT OF H STATEMENTS REFERRED TO UNDER SECTION 3

Acute aquatic toxicity
Eye irritation
May cause an allergic skin reaction.
Causes serious eye irritation.
Toxic to aquatic life.

NAME OF PRODUCT: PLASTOPASTE™ Catalyst Paste Skin Sens. Skin sensitization

NFPA RATING

Health Hazard	1
Fire Hazard	1
Reactivity Hazard	0

PREPARATION INFORMATION: This SDS was prepared in accordance with the requirements of the OSHA Hazard Communication Standard (29 CFR 1910.1200) and is to be used only for this product.

DISCLAIMER: To the best of our knowledge, the information contained herein is accurate. However, The Harry J. Bosworth Company does not assume any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown health hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

FILE NO.: SDS592 SDS DATE: 06/19/2014