

SAFETY DATA SHEETS

This SDS packet was issued with item:

071166750

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

071081561 071166768 075894308 075895560

1 Identification of the Substance/Preparation and of the Company/Undertaking

1.1 Product Type: Articulating Papers impregnated 200 micron

1.2 Trade Name: Bausch Articulating Papers with progressive color transfer

1.2.1 Ref-No.: BK 01, BK 1001, BK 03, BK 05, BK 02, BK 04, BK 1002, BK 101, BK 102

1.3 Company: **Dr. Jean Bausch GmbH & Co.KG**

Oskar-Schindler-Straße 4
D-50769 Köln – Germany
Phone: +49-221-70936-0
Fax: +49-221-70969-66
E-Mail: info@bauschdental.de
Transportation: +49-221-70936-0
Emergencies: +49-172-2601451

2 Hazard Identification

The product contains no hazard ingredient. No unusual hazards expected from normal use.

3 Composition/Information on Ingredients

Paper-like nonwoven impregnated with oil, pigment, wax mixture

<u>Substance</u>	<u>CAS Number</u>	<u>Concentration, %</u>
Pigment blue C.I.27	25869-00-5	10 %
CI Pigment red 170	2786-76-7	10 %
white mineral oil	pharmaceutical quality	50 %
natural waxes	cosmetic/pharmaceutical quality	30 %

4 First-Aid Measures

Skin Contact: Skin discoloration may occur, wash off with soap and water.

Ingestion – not known, but if ingested – seek medical attention.

Manufactured materials listed as non-toxic.

Eye contact: Remove contact lenses. Begin flushing them immediately with cool water and continue to do so for approximately 15 minutes. Seek immediate medical attention.

5 Fire-Fighting Measures

Flash Point: 300°F and above

Extinguishing Media: Water, water fog, foam, CO2, dry chemicals

Special Fire Fighting Procedures: No special procedures

Fire & Explosion Hazard: No unusual hazards.

Material Safety Data Sheet
1.1 Bausch Articulating Papers 200 µ



6 Accidental Release Measures

Clean up excess material & place in container for disposal, treat as office waste.

7 Handling and Storage

Store in cool dry areas avoid sparks, flame and excessive heat

8 Exposure Controls/Personal Protection

General room ventilation plus local exhaust at points of emission to reduce exposure to vapors during processing. No personal protective equipment required for normal use.

9 Physical and Chemical Properties

Paper, no distinct odor

10 Stability and Reactivity

- Chemical Stability: Stable
- Hazardous Polymerization: Will not occur
- Reacts with: None Known

11 Toxicological Information

No data available

12 EcologicalData

No data available

13 Disposal Consederations

Dispose of all waste material in accordance with all applicable federal, state and local regulations

14 Transport Information

DOT Information: No regulated

15 Regulatory Information

- International: Canada: All components are either listed on or exempt from Canadian (DSL).
- Federal (USA): All components are either listed on or exempt from TSCA.

Prepared By: Peter Bausch

Translated By: Peter Bausch

Date: 2014-11-17

Date: 2014-11-17



Dr. Jean Bausch GmbH & Co. KG
Oskar-Schindler-Str. 4
D-50769 Köln - Germany
Tel: +49 (221) - 70 93 6-0
Fax: +49 (221) - 70 93 6-66
www.bausch.net

P. M.

This is the real copy of the
original document

12. MAY 2015

and/ or registration certificate
Dr. Jean Bausch GmbH & Co.KG

P. M.

1 Identification of the Substance/Preparation and of the Company/Undertaking

1.1 Product Type: Articulating Papers impregnated 100 micron

1.2 Trade Name: Bausch Articulating Papers with progressive color transfer

1.2.1 Ref-No.: BK 51, BK 52, BK 53, BK 54, BK 57, BK 58

1.3 Company: **Dr. Jean Bausch GmbH & Co.KG**

Oskar-Schindler-Straße 4
D-50769 Köln – Germany
Phone: +49-221-70936-0
Fax: +49-221-70969-66
E-Mail: info@bauschdental.de
Transportation: +49-221-70936-0
Emergencies: +49-172-2601451

2 Hazard Identification

The product contains no hazard ingredient. No unusual hazards expected from normal use.

3 Composition/Information on Ingredients

Paper-like nonwoven impregnated with oil, pigment, wax mixture

<u>Substance</u>	<u>CAS Number</u>	<u>Concentration, %</u>
Pigment blue C.I.27	25869-00-5	10 %
CI Pigment red 170	2786-76-7	10 %
white mineral oil	pharmaceutical quality	50 %
natural waxes	cosmetic/pharmaceutical quality	30 %

4 First-Aid Measures

Skin Contact: Skin discoloration may occur, wash off with soap and water.

Ingestion – not known, but if ingested – seek medical attention.

Manufactured materials listed as non-toxic.

Eye contact: Remove contact lenses. Begin flushing them immediately with cool water and continue to do so for approximately 15 minutes. Seek immediate medical attention.

5 Fire-Fighting Measures

Flash Point: 300°F and above

Extinguishing Media: Water, water fog, foam, CO2, dry chemicals

Special Fire Fighting Procedures: No special procedures

Fire & Explosion Hazard: No unusual hazards.

Material Safety Data Sheet
1.2 Bausch Articulating Papers 100 µ



6 Accidental Release Measures

Clean up excess material & place in container for disposal, treat as office waste.

7 Handling and Storage

Store in cool dry areas avoid sparks, flame and excessive heat

8 Exposure Controls/Personal Protection

General room ventilation plus local exhaust at points of emission to reduce exposure to vapors during processing. No personal protective equipment required for normal use.

9 Physical and Chemical Properties

Paper, no distinct odor

10 Stability and Reactivity

- Chemical Stability: Stable
- Hazardous Polymerization: Will not occur
- Reacts with: None Known

11 Toxicological Information

No data available

12 Ecological Data

No data available

13 Disposal Considerations

Dispose of all waste material in accordance with all applicable federal, state and local regulations

14 Transport Information

DOT Information: No regulated

15 Regulatory Information

- International: Canada: All components are either listed on or exempt from Canadian (DSL).
- Federal (USA): All components are either listed on or exempt from TSCA.

Prepared By: Peter Bausch

Translated By: Peter Bausch

Date: 2014-11-17

Date: 2014-11-17



Dr. Jean Bausch GmbH & Co. KG
Oskar-Schindler-Str. 4
D-50769 Köln - Germany
Tel: +49 (221) - 70 93 6-0
Fax: +49 (221) - 70 93 6-66
www.bausch.net

P. Bausch

This is the real copy of the
original document

12. MAI 2015

and/ or registration certificate
Dr. Jean Bausch GmbH & Co. KG

P. Bausch

1 Identification of the Substance/Preparation and of the Company/Undertaking

1.1 Product Type: Occlusion Test Papers 40 micron

1.2 Trade Name: Bausch Arti-Check Occlusion Papers micro thin 40µ

1.2.1 Ref-No.: BK 09, BK 10, BK 11, BK 12, BK 13, BK 14, BK 15, BK 16, BK 17, BK 18
BK 61, BK 62, BK 63, BK 80, BK 81, BK 1013, BK 1014, BK 1015, BK 1016

1.3 Company: **Dr. Jean Bausch GmbH & Co.KG**

Oskar-Schindler-Straße 4
D-50769 Köln – Germany
Phone: +49-221-70936-0
Fax: +49-221-70969-66
E-Mail: info@bauschdental.de
Transportation: +49-221-70936-0
Emergencies: +49-172-2601451

2 Hazard Identification

The product contains no hazard ingredient. No unusual hazards expected from normal use.

3 Composition/Information on Ingredients

Paper-like nonwoven impregnated with oil, pigment, wax mixture

<u>Substance</u>	<u>CAS Number</u>	<u>Concentration, %</u>
Pigment blue C.I.27	25869-00-5	10 %
CI Pigment red 170	2786-76-7	10 %
CI Pigment red 48:2	7023-61-2	12 %
Pigment blue 61	1324-76-1	12 %
Poly-(vinylchloride-co-vinyl)-acetate	9003-22-9	17 %
castor oil	8001-79-4	50 %

4 First-Aid Measures

Skin Contact: Skin discoloration may occur, wash off with soap and water.

Ingestion – not known, but if ingested – seek medical attention.

Manufactured materials listed as non-toxic.

Eye contact: Remove contact lenses. Begin flushing them immediately with cool water and continue to do so for approximately 15 minutes. Seek immediate medical attention.

5 Fire-Fighting Measures

Flash Point: 300°F and above

Extinguishing Media: Water, water fog, foam, CO2, dry chemicals

Special Fire Fighting Procedures: No special procedures

Fire & Explosion Hazard: No unusual hazards.

Material Safety Data Sheet
1.1 Bausch Anti-Check Papers 40µ



6 Accidental Release Measures

Clean up excess material & place in container for disposal, treat as office waste.

7 Handling and Storage

Store in cool dry areas avoid sparks, flame and excessive heat

8 Exposure Controls/Personal Protection

General room ventilation plus local exhaust at points of emission to reduce exposure to vapors during processing. No personal protective equipment required for normal use.

9 Physical and Chemical Properties

Paper, no distinct odor

10 Stability and Reactivity

- Chemical Stability: Stable
- Hazardous Polymerization: Will not occur
- Reacts with: None Known

11 Toxicological Information

No data available

12 Ecological Data

No data available

13 Disposal Considerations

Dispose of all waste material in accordance with all applicable federal, state and local regulations

14 Transport Information

DOT Information: No regulated

15 Regulatory Information

- International: Canada: All components are either listed on or exempt from Canadian (DSL).
- Federal (USA): All components are either listed on or exempt from TSCA.

Prepared By: Peter Bausch

Translated By: Peter Bausch

Date: 2014-11-17

Date: 2014-11-17



Dr. Jean Bausch GmbH & Co. KG
Oskar-Schindler-Str. 1
D-50769 Köln - Germany
Tel: +49 (221) - 70 93 31-0
Fax: +49 (221) - 70 93 31-10
www.bausch.com

This is the real copy of the
original document

12. MAI 2015

and/or registration certificate
Dr. Jean Bausch GmbH & Co. KG

1 Identification of the Substance/Preparation and of the Company/Undertaking

1.1 Product Type: Gnatho-Film 16 micron

1.2 Trade Name: Bausch Gnatho-Film 16 micron

1.2.1 Ref-No.: BK 120, BK 121, BK 122, BK 123, BK 170, BK 171, BK 172, BK 173

1.3 Company: Dr. Jean Bausch GmbH & Co.KG

Oskar-Schindler-Straße 4
D-50769 Köln – Germany
Phone: +49-221-70936-0
Fax: +49-221-70969-66
E-Mail: info@bauschdental.de
Transportation: +49-221-70936-0
Emergencies: +49-172-2601451

2 Hazard Identification

The product contains no hazard ingredient. No unusual hazards expected from normal use.

3 Composition/Information on Ingredients

Polyethylen Film coated on one side with oil, pigment, wax mixture

<u>Substance</u>	<u>CAS Number</u>	<u>max.Concentration, %</u>
Pigment blue C.I.27	25869-00-5	10 %
CI Pigment red 170	2786-76-7	10 %
Pigment Red 48:2	7023-61-2	10 %
Pigment Red 52:2	12238-31-2	10 %
C.I.Pigment 15:1	147-14-8	10 %
Pigment Green 7	1328-53-6	10 %
C.I.Pigment Black 6,7	2786-76-7	10 %
77891 Pigment White 6	13463-67-7	10 %
natural waxes	cosmetic/pharmaceutical quality	40 %
Vegetable waxes	n.a.	30 %
Liquid Paraffin	8042-47-5	50 %
Paraffin Wax	64724-51-4	30 %
Additive	31566-31-1	1-2 %

4 First-Aid Measures

Skin Contact: Skin discoloration may occur, wash off with soap and water.

Ingestion – not known, but if ingested – seek medical attention.

Manufactured materials listed as non-toxic.

Eye contact: Remove contact lenses. Begin flushing them immediately with cool water and continue to do so for approximately 15 minutes. Seek immediate medical attention.

5 Fire-Fighting Measures

Flash Point: 300°F and above

Extinguishing Media: Water, water fog, foam, CO2, dry chemicals

Special Fire Fighting Procedures: No special procedures

Fire & Explosion Hazard: No unusual hazards.

6 Accidental Release Measures

Clean up excess material & place in container for disposal, treat as office waste.

7 Handling and Storage

Store in cool dry areas avoid sparks, flame and excessive heat

8 Exposure Controls/Personal Protection

General room ventilation plus local exhaust at points of emission to reduce exposure to vapors during processing. No personal protective equipment required for normal use.

9 Physical and Chemical Properties

Polyester Film, no distinct odor

10 Stability and Reactivity

- Chemical Stability: Stable
- Hazardous Polymerization: Will not occur
- Reacts with: None Known

11 Toxicological Information

No data available

12 Ecological Data

No data available

13 Disposal Considerations

Dispose of all waste material in accordance with all applicable federal, state and local regulations

14 Transport Information

DOT Information: No regulated

15 Regulatory Information

- International: Canada: All components are either listed on or exempt from Canadian (DSL).
- Federal (USA): All components are either listed on or exempt from TSCA.

Prepared By: Peter Bausch


Translated By: Peter Bausch

Date: 2015-05-20

Date: 2015-05-20



Dr. Jean Bausch GmbH & Co. KG
 Oskar-Schindler-Str. 4
 D-50769 Köln - Germany
 Tel: +49 (221) - 70 93 6-0
 Fax: +49 (221) - 70 93 6-66
www.bausch.net



This is the real copy of the
original document

20. MAI 2015

and/ or registration certificate
Dr. Jean Bausch GmbH & Co. KG



1 Identification of the Substance/Preparation and of the Company/Undertaking

1.1 Product Type: Arti-Fol Metallic 12 micron

1.2 Trade Name: Bausch Arti-Fol Metallic 12 micron

1.2.1 Ref-No.: BK 28, BK 1028, BK 30, BK 31, BK 32, BK 33, BK 35, BK 38, BK 39

1.3 Company: Dr. Jean Bausch GmbH & Co.KG

Oskar-Schindler-Straße 4
D-50769 Köln – Germany
Phone: +49-221-70936-0
Fax: +49-221-70969-66
E-Mail: info@bauschdental.de
Transportation: +49-221-70936-0
Emergencies: +49-172-2601451

2 Hazard Identification

The product contains no hazard ingredient. No unusual hazards expected from normal use.

3 Composition/Information on Ingredients

Polyester Film coated on one or two sides with oil, pigment, wax mixture

Substance	CAS Number	max. Concentration, %
Pigment blue C.I.27	25869-00-5	10 %
CI Pigment red 170	2786-76-7	10 %
Pigment Red 48:2	7023-61-2	10 %
Pigment Red 52:2	12238-31-2	10 %
C.I.Pigment 15:1	147-14-8	10 %
Pigment Green 7	1328-53-6	10 %
C.I.Pigment Black 6,7	2786-76-7	10 %
77891 Pigment White 6	13463-67-7	10 %
natural waxes	cosmetic/pharmaceutical quality	40 %
Vegetable waxes	n.a.	30 %
Liquid Paraffin	8042-47-5	50 %
Paraffin Wax	64724-51-4	30 %
Additive	31566-31-1	1-2 %

4 First-Aid Measures

Skin Contact: Skin discoloration may occur, wash off with soap and water.

Ingestion – not known, but if ingested – seek medical attention.

Manufactured materials listed as non-toxic.

Eye contact: Remove contact lenses. Begin flushing them immediately with cool water and continue to do so for approximately 15 minutes. Seek immediate medical attention.

5 Fire-Fighting Measures

Flash Point: 300°F and above

Extinguishing Media: Water, water fog, foam, CO₂, dry chemicals

Special Fire Fighting Procedures: No special procedures

Fire & Explosion Hazard: No unusual hazards.

6 Accidental Release Measures

Clean up excess material & place in container for disposal, treat as office waste.

7 Handling and Storage

Store in cool dry areas avoid sparks, flame and excessive heat

8 Exposure Controls/Personal Protection

General room ventilation plus local exhaust at points of emission to reduce exposure to vapors during processing. No personal protective equipment required for normal use.

9 Physical and Chemical Properties

Polyester Film, no distinct odor

10 Stability and Reactivity

- Chemical Stability: Stable
- Hazardous Polymerization: Will not occur
- Reacts with: None Known

11 Toxicological Information

No data available

12 Ecological Data

No data available

13 Disposal Considerations

Dispose of all waste material in accordance with all applicable federal, state and local regulations

14 Transport Information

DOT Information: No regulated

15 Regulatory Information

- International: Canada: All components are either listed on or exempt from Canadian (DSL).
- Federal (USA): All components are either listed on or exempt from TSCA.

Prepared By: Peter Bausch

Translated By: Peter Bausch

Date: 2015-05-20

Date: 2015-05-20



Dr. Jean Bausch GmbH & Co. KG
 Oskar-Schindler-Str. 4
 D-50769 Köln - Germany
 Tel: +49 (221) - 70 93 6-0
 Fax: +49 (221) - 70 93 6-66
www.bausch.net



This is the real copy of the
original document

20. MAI 2015

and/ or registration certificate
Dr. Jean Bausch GmbH & Co. KG



1 Identification of the Substance/Preparation and of the Company/Undertaking

1.1 Product Type: Arti-Fol 8 micron

1.2 Trade Name: Bausch Arti-Fol 8 micron

1.2.1 Ref-No.: BK 20, BK 21, BK 22, BK 23, BK 24, BK 25, BK 26, BK 27, BK 29, BK 70, BK 71, BK 72, BK 73, BK 74, BK 75, BK 76, BK 77, BK 79, BK 1020, BK 1021, BK 1022, BK 1023, BK 1024, BK 1025, BK 1026, BK 1027, BK 1029

1.3 Company: Dr. Jean Bausch GmbH & Co.KG

Oskar-Schindler-Straße 4
D-50769 Köln – Germany
Phone: +49-221-70936-0
Fax: +49-221-70969-66
E-Mail: info@bauschdental.de
Transportation: +49-221-70936-0
Emergencies: +49-172-2601451

2 Hazard Identification

The product contains no hazard ingredient. No unusual hazards expected from normal use.

3 Composition/Information on Ingredients

Polyester Film coated on one or two sides with oil, pigment, wax mixture

Substance	CAS Number	max. Concentration, %
Pigment blue C.I.27	25869-00-5	10 %
CI Pigment red 170	2786-76-7	10 %
Pigment Red 48:2	7023-61-2	10 %
Pigment Red 52:2	12238-31-2	10 %
C.I.Pigment 15:1	147-14-8	10 %
Pigment Green 7	1328-53-6	10 %
C.I.Pigment Black 6,7	2786-76-7	10 %
77891 Pigment White 6	13463-67-7	10 %
natural waxes	cosmetic/pharmaceutical quality	40 %
Vegetable waxes	n.a.	30 %
Liquid Paraffin	8042-47-5	50 %
Paraffin Wax	64724-51-4	30 %
Additive	31566-31-1	1-2 %

4 First-Aid Measures

Skin Contact: Skin discoloration may occur, wash off with soap and water.

Ingestion – not known, but if ingested – seek medical attention.

Manufactured materials listed as non-toxic.

Eye contact: Remove contact lenses. Begin flushing them immediately with cool water and continue to do so for approximately 15 minutes. Seek immediate medical attention.

5 Fire-Fighting Measures

Flash Point: 300°F and above

Extinguishing Media: Water, water fog, foam, CO2, dry chemicals

F G MSDS Sheet 2.1 Arti-Fol 8 micron



Special Fire Fighting Procedures: No special procedures Fire & Explosion Hazard: No unusual hazards.	
6 Accidental Release Measures	Clean up excess material & place in container for disposal, treat as office waste.
7 Handling and Storage	Store in cool dry areas avoid sparks, flame and excessive heat
8 Exposure Controls/Personal Protection	General room ventilation plus local exhaust at points of emission to reduce exposure to vapors during processing. No personal protective equipment required for normal use.
9 Physical and Chemical Properties	Polyester Film, no distinct odor
10 Stability and Reactivity	<ul style="list-style-type: none"> Chemical Stability: Stable Hazardous Polymerization: Will not occur Reacts with: None Known
11 Toxicological Information	No data available
12 EcologicalData	No data available
13 Disposal Consederations	Dispose of all waste material in accordance with all applicable federal, state and local regulations
14 Transport Information	DOT Information: No regulated
15 Regulatory Information	<ul style="list-style-type: none"> International: Canada: All components are either listed on or exempt from Canadian (DSL). Federal (USA): All components are either listed on or exempt from TSCA.
Prepared By: Peter Bausch	Translated By:
Date: 2015 -03- 20	Date: 2015 -03- 20

This is the real copy of the
original document

20. MRZ. 2015

and/ or registration certificate
Dr. Jean Bausch GmbH & Co. KG

Material Safety Data Sheet

7.1 Grinding/Polishing Paste



1 Identification of the Substance/Preparation and of the Company/Undertaking

1.1 Product Type: Grinding/Polishing Paste BK 97 (Paste with abrasive particles)

1.2 Trade Name: Bausch Grinding Paset

1.2.1 Ref-No.: BK 97

1.3 Company: Dr. Jean Bausch GmbH & Co.KG

Oskar-Schindler-Straße 4
D-50769 Köln – Germany
Phone: +49-221-70936-0
Fax: +49-221-70969-66
E-Mail: info@bauschdental.de
Transportation: +49-221-70936-0
Emergencies: +49-172-2601451

2 Hazard Identification

The product contains no hazard ingredient. No unusual hazards expected from normal use.

3 Composition/Information on Ingredients

Substance	CAS Number	Concentration, %
Silicon Carbide	409-21-2	25 %
Alumnium Oxide	1344-28-1	10 %
Calciumcarbonatee	471-34-1	10 %
Propandiol	57-55-6	10 %
Sodium Carboxymethylcellulose	9004-32-4	1,5 %
Mint Oil	90063-97-1	1,5 %

4 First-Aid Measures

Skin Contact: Skin irritation may occur, wash off with soap and water.

Ingestion – not known, but if ingested – seek medical attention.

Manufactured materials listed as non-toxic.

Eye contact: Remove contact lenses. Begin flushing them immediately with cool water and continue to do so for approximately 15 minutes. Seek immediate medical attention.

5 Fire-Fighting Measures

Flash Point: 500°F and above

Extinguishing Media: Water, water fog, foam, CO2, dry chemicals

Special Fire Fighting Procedures: No special procedures

Fire & Explosion Hazard: No unusual hazards.

6 Accidental Release Measures

Clean up excess material & place in container for disposal, treat as office waste.

7 Handling and Storage

Store in cool dry area, avoid sparks, flame and excessive heat.

Material Safety Data Sheet

7.1 Grinding/Polishing Paste



8 Exposure Controls/Personal Protection

General room ventilation plus local exhaust at points of emission to reduce exposure to vapors during processing. No personal protective equipment required for normal use.

9 Physical and Chemical Properties

Mint Oil

10 Stability and Reactivity

- Chemical Stability: Stable
- Hazardous Polymerization: Will not occur
- Reacts with: None Known

11 Toxicological Information

No data available

12 Ecological Data

No data available

13 Disposal Considerations

Dispose of all waste material in accordance with all applicable federal, state and local regulations

14 Transport Information

DOT Information: No regulated

15 Regulatory Information

- International: Canada: All components are either listed on or exempt from Canadian (DSL).
- Federal (USA): All components are either listed on or exempt from TSCA.

Prepared By: Peter Bausch

Translated By:

Date: 2014-09-29

Date:



Dr. Jean Bausch GmbH & Co. KG
Oskar-Schindler-Str. 4
D-50769 Köln - Germany
Tel: +49 (221) - 70 93 6-0
Fax: +49 (221) - 70 93 6-66
www.bausch.net

This is the real copy of the
original document

29. SEP. 2014

and/ or registration certificate
Dr. Jean Bausch GmbH & Co. KG