

## SAFETY DATA SHEETS

**This SDS packet was issued with item:**

075895560

**The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).**

071081561 071166750 071166768 075894308

## **1 Identification of the Substance/Preparation and of the Company/Undertaking**

**1.1 Product Type:** Articulating Papers impregnated 200 micron

**1.2 Trade Name:** Bausch Articulating Papers with progressive color transfer

**1.2.1 Ref-No.:** BK 01, BK 1001, BK 03, BK 05, BK 02, BK 04, BK 1002, BK 101, BK 102

**1.3 Company:** **Dr. Jean Bausch GmbH & Co.KG**

Oskar-Schindler-Straße 4  
D-50769 Köln – Germany  
Phone: +49-221-70936-0  
Fax: +49-221-70969-66  
E-Mail: [info@bauschdental.de](mailto:info@bauschdental.de)  
Transportation: +49-221-70936-0  
Emergencies: +49-172-2601451

## **2 Hazard Identification**

The product contains no hazard ingredient. No unusual hazards expected from normal use.

## **3 Composition/Information on Ingredients**

Paper-like nonwoven impregnated with oil, pigment, wax mixture

<u>Substance</u>	<u>CAS Number</u>	<u>Concentration, %</u>
Pigment blue C.I.27	25869-00-5	10 %
CI Pigment red 170	2786-76-7	10 %
white mineral oil	pharmaceutical quality	50 %
natural waxes	cosmetic/pharmaceutical quality	30 %

## **4 First-Aid Measures**

Skin Contact: Skin discoloration may occur, wash off with soap and water.

Ingestion – not known, but if ingested – seek medical attention.

Manufactured materials listed as non-toxic.

Eye contact: Remove contact lenses. Begin flushing them immediately with cool water and continue to do so for approximately 15 minutes. Seek immediate medical attention.

## **5 Fire-Fighting Measures**

Flash Point: 300°F and above

Extinguishing Media: Water, water fog, foam, CO<sub>2</sub>, dry chemicals

Special Fire Fighting Procedures: No special procedures

Fire & Explosion Hazard: No unusual hazards.

# Material Safety Data Sheet

## 1.1 Bausch Articulating Papers 200 µ



### 6 Accidental Release Measures

Clean up excess material & place in container for disposal, treat as office waste.

### 7 Handling and Storage

Store in cool dry areas avoid sparks, flame and excessive heat

### 8 Exposure Controls/Personal Protection

General room ventilation plus local exhaust at points of emission to reduce exposure to vapors during processing. No personal protective equipment required for normal use.

### 9 Physical and Chemical Properties

Paper, no distinct odor

### 10 Stability and Reactivity

- Chemical Stability: Stable
- Hazardous Polymerization: Will not occur
- Reacts with: None Known

### 11 Toxicological Information

No data available

### 12 EcologicalData

No data available

### 13 Disposal Consederations

Dispose of all waste material in accordance with all applicable federal, state and local regulations

### 14 Transport Information

DOT Information: No regulated

### 15 Regulatory Information

- International: Canada: All components are either listed on or exempt from Canadian (DSL).
- Federal (USA): All components are either listed on or exempt from TSCA.

Prepared By: Peter Bausch

Translated By: Peter Bausch

Date: 2014-11-17

Date: 2014-11-17



**Dr. Jean Bausch GmbH & Co. KG**  
Oskar-Schindler-Str. 4  
D-50769 Köln - Germany  
Tel: +49 (221) - 70 93 6-0  
Fax: +49 (221) - 70 93 6-66  
[www.bausch.net](http://www.bausch.net)

This is the real copy of the  
original document

12. MAI 2015

and/ or registration certificate  
Dr. Jean Bausch GmbH & Co.KG



## **1 Identification of the Substance/Preparation and of the Company/Undertaking**

**1.1 Product Type:** Articulating Papers impregnated 100 micron

**1.2 Trade Name:** Bausch Articulating Papers with progressive color transfer

**1.2.1 Ref-No.:** BK 51, BK 52, BK 53, BK 54, BK 57, BK 58

**1.3 Company:** **Dr. Jean Bausch GmbH & Co.KG**

Oskar-Schindler-Straße 4  
D-50769 Köln – Germany  
Phone: +49-221-70936-0  
Fax: +49-221-70969-66  
E-Mail: [info@bauschdental.de](mailto:info@bauschdental.de)  
Transportation: +49-221-70936-0  
Emergencies: +49-172-2601451

## **2 Hazard Identification**

The product contains no hazard ingredient. No unusual hazards expected from normal use.

## **3 Composition/Information on Ingredients**

Paper-like nonwoven impregnated with oil, pigment, wax mixture

Substance	CAS Number	Concentration, %
Pigment blue C.I.27	25869-00-5	10 %
CI Pigment red 170	2786-76-7	10 %
white mineral oil	pharmaceutical quality	50 %
natural waxes	cosmetic/pharmaceutical quality	30 %

## **4 First-Aid Measures**

Skin Contact: Skin discoloration may occur, wash off with soap and water.

Ingestion – not known, but if ingested – seek medical attention.

Manufactured materials listed as non-toxic.

Eye contact: Remove contact lenses. Begin flushing them immediately with cool water and continue to do so for approximately 15 minutes. Seek immediate medical attention.

## **5 Fire-Fighting Measures**

Flash Point: 300°F and above

Extinguishing Media: Water, water fog, foam, CO2, dry chemicals

Special Fire Fighting Procedures: No special procedures

Fire & Explosion Hazard: No unusual hazards.

**Material Safety Data Sheet**  
**1.2 Bausch Articulating Papers 100 µ**



**6 Accidental Release Measures**

Clean up excess material & place in container for disposal, treat as office waste.

**7 Handling and Storage**

Store in cool dry areas avoid sparks, flame and excessive heat

**8 Exposure Controls/Personal Protection**

General room ventilation plus local exhaust at points of emission to reduce exposure to vapors during processing. No personal protective equipment required for normal use.

**9 Physical and Chemical Properties**

Paper, no distinct odor

**10 Stability and Reactivity**

- Chemical Stability: Stable
- Hazardous Polymerization: Will not occur
- Reacts with: None Known

**11 Toxicological Information**

No data available

**12 Ecological Data**

No data available

**13 Disposal Considerations**

Dispose of all waste material in accordance with all applicable federal, state and local regulations

**14 Transport Information**

DOT Information: No regulated

**15 Regulatory Information**

- International: Canada: All components are either listed on or exempt from Canadian (DSL).
- Federal (USA): All components are either listed on or exempt from TSCA.

Prepared By: Peter Bausch

Translated By: Peter Bausch

Date: 2014-11-17

Date: 2014-11-17



**Dr. Jean Bausch GmbH & Co. KG**  
Oskar-Schindler-Str. 4  
D-50769 Köln - Germany  
Tel: +49 (221) - 70 93 6-0  
Fax: +49 (221) - 70 93 6-66  
www.bausch.net

P. Bausch

This is the real copy of the  
original document

12. MAI 2015

and/ or registration certificate  
Dr. Jean Bausch GmbH & Co. KG

P. Bausch



## **1 Identification of the Substance/Preparation and of the Company/Undertaking**

**1.1 Product Type:** Occlusion Test Papers 40 micron

**1.2 Trade Name:** Bausch Arti-Check Occlusion Papers micro thin 40µ

**1.2.1 Ref-No.:** BK 09, BK 10, BK 11, BK 12, BK 13, BK 14, BK 15, BK 16, BK 17, BK 18  
BK 61, BK 62, BK 63, BK 80, BK 81, BK 1013, BK 1014, BK 1015, BK 1016

**1.3 Company:** **Dr. Jean Bausch GmbH & Co.KG**

Oskar-Schindler-Straße 4  
D-50769 Köln – Germany  
Phone: +49-221-70936-0  
Fax: +49-221-70969-66  
E-Mail: [info@bauschdental.de](mailto:info@bauschdental.de)  
Transportation: +49-221-70936-0  
Emergencies: +49-172-2601451

## **2 Hazard Identification**

The product contains no hazard ingredient. No unusual hazards expected from normal use.

## **3 Composition/Information on Ingredients**

Paper-like nonwoven impregnated with oil, pigment, wax mixture

<u>Substance</u>	<u>CAS Number</u>	<u>Concentration, %</u>
Pigment blue C.I.27	25869-00-5	10 %
CI Pigment red 170	2786-76-7	10 %
CI Pigment red 48:2	7023-61-2	12 %
Pigment blue 61	1324-76-1	12 %
Poly-(vinylchloride-co-vinyl)-acetate	9003-22-9	17 %
castor oil	8001-79-4	50 %

## **4 First-Aid Measures**

Skin Contact: Skin discoloration may occur, wash off with soap and water.

Ingestion – not known, but if ingested – seek medical attention.

Manufactured materials listed as non-toxic.

Eye contact: Remove contact lenses. Begin flushing them immediately with cool water and continue to do so for approximately 15 minutes. Seek immediate medical attention.

## **5 Fire-Fighting Measures**

Flash Point: 300°F and above

Extinguishing Media: Water, water fog, foam, CO2, dry chemicals

Special Fire Fighting Procedures: No special procedures

Fire & Explosion Hazard: No unusual hazards.

**Material Safety Data Sheet**  
**1.1 Bausch Anti-Check Papers 40µ**



**6 Accidental Release Measures**

Clean up excess material & place in container for disposal, treat as office waste.

**7 Handling and Storage**

Store in cool dry areas avoid sparks, flame and excessive heat

**8 Exposure Controls/Personal Protection**

General room ventilation plus local exhaust at points of emission to reduce exposure to vapors during processing. No personal protective equipment required for normal use.

**9 Physical and Chemical Properties**

Paper, no distinct odor

**10 Stability and Reactivity**

- Chemical Stability: Stable
- Hazardous Polymerization: Will not occur
- Reacts with: None Known

**11 Toxicological Information**

No data available

**12 Ecological Data**

No data available

**13 Disposal Considerations**

Dispose of all waste material in accordance with all applicable federal, state and local regulations

**14 Transport Information**

DOT Information: No regulated

**15 Regulatory Information**

- International: Canada: All components are either listed on or exempt from Canadian (DSL).
- Federal (USA): All components are either listed on or exempt from TSCA.

Prepared By: Peter Bausch

Translated By: Peter Bausch

Date: 2014-11-17

Date: 2014-11-17



**Dr. Jean Bausch GmbH & Co. KG**  
Oskar-Schindler-Str. 1  
D-50769 Köln - Germany  
Tel: +49 (221) - 70 93 31-0  
Fax: +49 (221) - 70 93 31-10  
www.bausch.com

This is the real copy of the  
original document

12. MAI 2015

and/or registration certificate  
Dr. Jean Bausch GmbH & Co. KG

## 1 Identification of the Substance/Preparation and of the Company/Undertaking

**1.1 Product Type:** Gnatho-Film 16 micron

**1.2 Trade Name:** Bausch Gnatho-Film 16 micron

**1.2.1 Ref-No.:** BK 120, BK 121, BK 122, BK 123, BK 170, BK 171, BK 172, BK 173

**1.3 Company:** Dr. Jean Bausch GmbH & Co.KG

Oskar-Schindler-Straße 4  
D-50769 Köln – Germany  
Phone: +49-221-70936-0  
Fax: +49-221-70969-66  
E-Mail: [info@bauschdental.de](mailto:info@bauschdental.de)  
Transportation: +49-221-70936-0  
Emergencies: +49-172-2601451

## 2 Hazard Identification

The product contains no hazard ingredient. No unusual hazards expected from normal use.

## 3 Composition/Information on Ingredients

Polyethylen Film coated on one side with oil, pigment, wax mixture

<u>Substance</u>	<u>CAS Number</u>	<u>max.Concentration, %</u>
Pigment blue C.I.27	25869-00-5	10 %
CI Pigment red 170	2786-76-7	10 %
Pigment Red 48:2	7023-61-2	10 %
Pigment Red 52:2	12238-31-2	10 %
C.I.Pigment 15:1	147-14-8	10 %
Pigment Green 7	1328-53-6	10 %
C.I.Pigment Black 6,7	2786-76-7	10 %
77891 Pigment White 6	13463-67-7	10 %
natural waxes	cosmetic/pharmaceutical quality	40 %
Vegetable waxes	n.a.	30 %
Liquid Paraffin	8042-47-5	50 %
Paraffin Wax	64724-51-4	30 %
Additive	31566-31-1	1-2 %

## 4 First-Aid Measures

Skin Contact: Skin discoloration may occur, wash off with soap and water.

Ingestion – not known, but if ingested – seek medical attention.

Manufactured materials listed as non-toxic.

Eye contact: Remove contact lenses. Begin flushing them immediately with cool water and continue to do so for approximately 15 minutes. Seek immediate medical attention.

## 5 Fire-Fighting Measures

Flash Point: 300°F and above

Extinguishing Media: Water, water fog, foam, CO2, dry chemicals

Special Fire Fighting Procedures: No special procedures

Fire & Explosion Hazard: No unusual hazards.



**6 Accidental Release Measures**

Clean up excess material & place in container for disposal, treat as office waste.

**7 Handling and Storage**

Store in cool dry areas avoid sparks, flame and excessive heat

**8 Exposure Controls/Personal Protection**

General room ventilation plus local exhaust at points of emission to reduce exposure to vapors during processing. No personal protective equipment required for normal use.

**9 Physical and Chemical Properties**

Polyester Film, no distinct odor

**10 Stability and Reactivity**

- Chemical Stability: Stable
- Hazardous Polymerization: Will not occur
- Reacts with: None Known

**11 Toxicological Information**

No data available

**12 Ecological Data**

No data available

**13 Disposal Considerations**

Dispose of all waste material in accordance with all applicable federal, state and local regulations

**14 Transport Information**

DOT Information: No regulated

**15 Regulatory Information**

- International: Canada: All components are either listed on or exempt from Canadian (DSL).
- Federal (USA): All components are either listed on or exempt from TSCA.

Prepared By: Peter Bausch


Translated By: Peter Bausch

Date: 2015-05-20

Date: 2015-05-20



**Dr. Jean Bausch GmbH & Co. KG**  
 Oskar-Schindler-Str. 4  
 D-50769 Köln - Germany  
 Tel: +49 (221) - 70 93 6-0  
 Fax: +49 (221) - 70 93 6-66  
[www.bausch.net](http://www.bausch.net)



This is the real copy of the  
original document

20. MAI 2015

and/ or registration certificate  
 Dr. Jean Bausch GmbH & Co. KG



## 1 Identification of the Substance/Preparation and of the Company/Undertaking

**1.1 Product Type:** Arti-Fol Metallic 12 micron

**1.2 Trade Name:** Bausch Arti-Fol Metallic 12 micron

**1.2.1 Ref-No.:** BK 28, BK 1028, BK 30, BK 31, BK 32, BK 33, BK 35, BK 38, BK 39

**1.3 Company:** Dr. Jean Bausch GmbH & Co.KG

Oskar-Schindler-Straße 4  
D-50769 Köln – Germany  
Phone: +49-221-70936-0  
Fax: +49-221-70969-66  
E-Mail: [info@bauschdental.de](mailto:info@bauschdental.de)  
Transportation: +49-221-70936-0  
Emergencies: +49-172-2601451

## 2 Hazard Identification

The product contains no hazard ingredient. No unusual hazards expected from normal use.

## 3 Composition/Information on Ingredients

Polyester Film coated on one or two sides with oil, pigment, wax mixture

Substance	CAS Number	max. Concentration, %
Pigment blue C.I.27	25869-00-5	10 %
CI Pigment red 170	2786-76-7	10 %
Pigment Red 48:2	7023-61-2	10 %
Pigment Red 52:2	12238-31-2	10 %
C.I.Pigment 15:1	147-14-8	10 %
Pigment Green 7	1328-53-6	10 %
C.I.Pigment Black 6,7	2786-76-7	10 %
77891 Pigment White 6	13463-67-7	10 %
natural waxes	cosmetic/pharmaceutical quality	40 %
Vegetable waxes	n.a.	30 %
Liquid Paraffin	8042-47-5	50 %
Paraffin Wax	64724-51-4	30 %
Additive	31566-31-1	1-2 %

## 4 First-Aid Measures

Skin Contact: Skin discoloration may occur, wash off with soap and water.

Ingestion – not known, but if ingested – seek medical attention.

Manufactured materials listed as non-toxic.

Eye contact: Remove contact lenses. Begin flushing them immediately with cool water and continue to do so for approximately 15 minutes. Seek immediate medical attention.

## 5 Fire-Fighting Measures

Flash Point: 300°F and above

Extinguishing Media: Water, water fog, foam, CO<sub>2</sub>, dry chemicals

Special Fire Fighting Procedures: No special procedures

Fire & Explosion Hazard: No unusual hazards.

**6 Accidental Release Measures**

Clean up excess material & place in container for disposal, treat as office waste.

**7 Handling and Storage**

Store in cool dry areas avoid sparks, flame and excessive heat

**8 Exposure Controls/Personal Protection**

General room ventilation plus local exhaust at points of emission to reduce exposure to vapors during processing. No personal protective equipment required for normal use.

**9 Physical and Chemical Properties**

Polyester Film, no distinct odor

**10 Stability and Reactivity**

- Chemical Stability: Stable
- Hazardous Polymerization: Will not occur
- Reacts with: None Known

**11 Toxicological Information**

No data available

**12 Ecological Data**

No data available

**13 Disposal Considerations**

Dispose of all waste material in accordance with all applicable federal, state and local regulations

**14 Transport Information**

DOT Information: No regulated

**15 Regulatory Information**

- International: Canada: All components are either listed on or exempt from Canadian (DSL).
- Federal (USA): All components are either listed on or exempt from TSCA.

Prepared By: Peter Bausch

Translated By: Peter Bausch

Date: 2015-05-20

Date: 2015-05-20



**Dr. Jean Bausch GmbH & Co. KG**  
 Oskar-Schindler-Str. 4  
 D-50769 Köln - Germany  
 Tel: +49 (221) - 70 93 6-0  
 Fax: +49 (221) - 70 93 6-66  
[www.bausch.net](http://www.bausch.net)



This is the real copy of the  
original document

20. MAI 2015

and/ or registration certificate  
Dr. Jean Bausch GmbH & Co. KG





## 1 Identification of the Substance/Preparation and of the Company/Undertaking

**1.1 Product Type:** Arti-Fol 8 micron

**1.2 Trade Name:** Bausch Arti-Fol 8 micron

**1.2.1 Ref-No.:** BK 20, BK 21, BK 22, BK 23, BK 24, BK 25, BK 26, BK 27, BK 29, BK 70, BK 71, BK 72, BK 73, BK 74, BK 75, BK 76, BK 77, BK 79, BK 1020, BK 1021, BK 1022, BK 1023, BK 1024, BK 1025, BK 1026, BK 1027, BK 1029

**1.3 Company:** Dr. Jean Bausch GmbH & Co.KG

Oskar-Schindler-Straße 4  
D-50769 Köln – Germany  
Phone: +49-221-70936-0  
Fax: +49-221-70969-66  
E-Mail: [info@bauschdental.de](mailto:info@bauschdental.de)  
Transportation: +49-221-70936-0  
Emergencies: +49-172-2601451

## 2 Hazard Identification

The product contains no hazard ingredient. No unusual hazards expected from normal use.

## 3 Composition/Information on Ingredients

Polyester Film coated on one or two sides with oil, pigment, wax mixture

Substance	CAS Number	max. Concentration, %
Pigment blue C.I.27	25869-00-5	10 %
CI Pigment red 170	2786-76-7	10 %
Pigment Red 48:2	7023-61-2	10 %
Pigment Red 52:2	12238-31-2	10 %
C.I.Pigment 15:1	147-14-8	10 %
Pigment Green 7	1328-53-6	10 %
C.I.Pigment Black 6,7	2786-76-7	10 %
77891 Pigment White 6	13463-67-7	10 %
natural waxes	cosmetic/pharmaceutical quality	40 %
Vegetable waxes	n.a.	30 %
Liquid Paraffin	8042-47-5	50 %
Paraffin Wax	64724-51-4	30 %
Additive	31566-31-1	1-2 %

## 4 First-Aid Measures

Skin Contact: Skin discoloration may occur, wash off with soap and water.

Ingestion – not known, but if ingested – seek medical attention.

Manufactured materials listed as non-toxic.

Eye contact: Remove contact lenses. Begin flushing them immediately with cool water and continue to do so for approximately 15 minutes. Seek immediate medical attention.

## 5 Fire-Fighting Measures

Flash Point: 300°F and above

Extinguishing Media: Water, water fog, foam, CO2, dry chemicals

# F G MSDS Sheet 2.1 Arti-Fol 8 micron



Special Fire Fighting Procedures: No special procedures Fire & Explosion Hazard: No unusual hazards.	
<b>6 Accidental Release Measures</b>	Clean up excess material & place in container for disposal, treat as office waste.
<b>7 Handling and Storage</b>	Store in cool dry areas avoid sparks, flame and excessive heat
<b>8 Exposure Controls/Personal Protection</b>	General room ventilation plus local exhaust at points of emission to reduce exposure to vapors during processing. No personal protective equipment required for normal use.
<b>9 Physical and Chemical Properties</b>	Polyester Film, no distinct odor
<b>10 Stability and Reactivity</b>	<ul style="list-style-type: none"> <li>Chemical Stability: Stable</li> <li>Hazardous Polymerization: Will not occur</li> <li>Reacts with: None Known</li> </ul>
<b>11 Toxicological Information</b>	No data available
<b>12 EcologicalData</b>	No data available
<b>13 Disposal Consederations</b>	Dispose of all waste material in accordance with all applicable federal, state and local regulations
<b>14 Transport Information</b>	DOT Information: No regulated
<b>15 Regulatory Information</b>	<ul style="list-style-type: none"> <li>International: Canada: All components are either listed on or exempt from Canadian (DSL).</li> <li>Federal (USA): All components are either listed on or exempt from TSCA.</li> </ul>
Prepared By: Peter Bausch	Translated By:
Date: 2015 -03- 20	Date: 2015 -03- 20

This is the real copy of the  
original document

20. MRZ. 2015

and/ or registration certificate  
Dr. Jean Bausch GmbH & Co. KG

# Material Safety Data Sheet

## 7.1 Grinding/Polishing Paste



### 1 Identification of the Substance/Preparation and of the Company/Undertaking

**1.1 Product Type:** Grinding/Polishing Paste BK 97 (Paste with abrasive particles)

**1.2 Trade Name:** Bausch Grinding Paset

**1.2.1 Ref-No.:** BK 97

**1.3 Company:** Dr. Jean Bausch GmbH & Co.KG

Oskar-Schindler-Straße 4  
D-50769 Köln – Germany  
Phone: +49-221-70936-0  
Fax: +49-221-70969-66  
E-Mail: [info@bauschdental.de](mailto:info@bauschdental.de)  
Transportation: +49-221-70936-0  
Emergencies: +49-172-2601451

### 2 Hazard Identification

The product contains no hazard ingredient. No unusual hazards expected from normal use.

### 3 Composition/Information on Ingredients

Substance	CAS Number	Concentration, %
Silicon Carbide	409-21-2	25 %
Alumnum Oxide	1344-28-1	10 %
Calciumcarbonatee	471-34-1	10 %
Propandiol	57-55-6	10 %
Sodium Carboxymethylcellulose	9004-32-4	1,5 %
Mint Oil	90063-97-1	1,5 %

### 4 First-Aid Measures

Skin Contact: Skin irritation may occur, wash off with soap and water.

Ingestion – not known, but if ingested – seek medical attention.

Manufactured materials listed as non-toxic.

Eye contact: Remove contact lenses. Begin flushing them immediately with cool water and continue to do so for approximately 15 minutes. Seek immediate medical attention.

### 5 Fire-Fighting Measures

Flash Point: 500°F and above

Extinguishing Media: Water, water fog, foam, CO2, dry chemicals

Special Fire Fighting Procedures: No special procedures

Fire & Explosion Hazard: No unusual hazards.

### 6 Accidental Release Measures

Clean up excess material & place in container for disposal, treat as office waste.

### 7 Handling and Storage

Store in cool dry area, avoid sparks, flame and excessive heat.



# Material Safety Data Sheet

## 7.1 Grinding/Polishing Paste



### 8 Exposure Controls/Personal Protection

General room ventilation plus local exhaust at points of emission to reduce exposure to vapors during processing. No personal protective equipment required for normal use.

### 9 Physical and Chemical Properties

Mint Oil

### 10 Stability and Reactivity

- Chemical Stability: Stable
- Hazardous Polymerization: Will not occur
- Reacts with: None Known

### 11 Toxicological Information

No data available

### 12 Ecological Data

No data available

### 13 Disposal Considerations

Dispose of all waste material in accordance with all applicable federal, state and local regulations

### 14 Transport Information

DOT Information: No regulated

### 15 Regulatory Information

- International: Canada: All components are either listed on or exempt from Canadian (DSL).
- Federal (USA): All components are either listed on or exempt from TSCA.

Prepared By: Peter Bausch

Translated By:

Date: 2014-09-29

Date:



**Dr. Jean Bausch GmbH & Co. KG**  
Oskar-Schindler-Str. 4  
D-50769 Köln - Germany  
Tel: +49 (221) - 70 93 6-0  
Fax: +49 (221) - 70 93 6-66  
[www.bausch.net](http://www.bausch.net)

This is the real copy of the  
original document

29. SEP. 2014

and/ or registration certificate  
Dr. Jean Bausch GmbH & Co. KG