SAFETY DATA SHEETS

This SDS packet was issued with item: 070429290

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

070429217 070429233 070429258 070429274 070429316 070429332 070429357 070429415 070429431 070429449 070429456



PRODUCT SPECIFICATION Latex Polymer Powder Free Examination Glove (Palm Textured)

SECTION I: PRODUCT DESCRIPTION

1. 1	Туре	Latex Examination Glove, Powder Free, Polymer Coated, Non-sterile
1.2	Material	Natural High Grade Rubber Latex
1.3	Color	Natural
1.4	Design and Feature	Ambidextrous, palm textured, beaded cuff
1.5	Powder	No powder lubricant added
1.6	Storage Condition	The gloves shall maintain their properties when stored in a dry condition. Avoid direct sunlight.
1.7	Shelf-Life	The gloves shall have shelf life of 5 years from the date of manufacture with the above storage condition.
1.8	Packing Style	100 pcs gloves x 10 dispensers x 1 carton
1.9	Size Marking	The size of gloves shall be marked in the check box on every carton with black ink.

SECTION II: PERFORMANCE REQUIREMENTS

(Sampling Plan - ISO 2859 Single Normal)

#	Characteristics	Inspection Level	Acceptable Quality Level	Reference Standard
2.1	Dimensions	S 2	4.0	ISO 11193-1:2008/ Amd.1:2012(E)
2.2	Physical Properties	S2	4.0	ISO 11193-1:2008/ Amd.1:2012(E)
2.3	Freedom from Holes (Water Tight Test)	GI	1.5	ISO 11193-1:2008/ Amd.1:2012(E)
2.4 (i) (ii)	Visual Defects: Major Visual Minor Visual	GI	2.5 4.0	In-house practice
2.5 (i) (ii) (iii)	Packaging Defects: Regulatory Visual Critical (incl. Gloves Counting)	GI GI S2	** 4.0 4.0	In-house practice
2.6	Powder Free Residue	N=5		ASTM D3578-05 (2010) ASTM D6124-06 (2011)
2.7	Mix Size / Mix Glove / Mix Hand	Not	Allowed	· · · · · · · · · · · · · · · · · · ·

**Unacceptable at any level



SECTION III: PERFORMANCE SPECIFICATION

3.1 Dimensions

Description	Size	Standard
Length (mm)	All Sizes	Min 240
Palm Width (mm)	XS S M L XL	76 +/- 3 84 +/- 3 94 +/- 3 105 +/- 3 113 +/- 3
Thickness (mm) *single wall	All Sizes	Finger: 0.14 +/- 0.02 (Typical value: 0.13 - 0.15) Palm: 0.13 +/- 0.02 (Typical value: 0.12 - 0.14)

3.2 Physical Properties

Description	Standard		
	Before Aging	After Aging	
Force at Break (N)	Min 7 (Typical value: 7 – 11)	Min 6 (Typical value: 6 –10)	
Elongation (%)	Min 650 (Typical value: 650 – 800)	Min 500 (Typical value: 500 – 750)	

3.3 Freedom from Holes

The sample size and allowable number of non-conforming gloves in the samples shall be determined in accordance to Sampling Plan ISO 2859-1 Single Normal using inspection and acceptable quality level as stated in Section II: Performance Requirements.

3.4 Visual Inspection

The sample size and allowable number of non-conforming gloves in the samples for both major and minor defects shall be determined in accordance to Sampling Plan ISO 2859-1 Single Normal using Inspection and acceptable quality level as stated in Section II: Performance Requirements.

3.5 Packaging Defects

The Sample size and allowable number of non-conforming in sample for regulatory, visual and critical packaging defects shall be determined in accordance to Sampling Plan ISO 2859-1 Single Normal using inspection and acceptable quality level as stated in Section II: Performance Requirements (Gloves Counting = 100 pcs by weight per Dispenser).

3.6 Powder Free Residue Maximum 2 mg per glove

Prepared by	: Eva Vinoni Mustafa / QA Manager
Authorized by	: Noor 'Akilah Saidin / QA Deputy General Manager
Date	: 11 th November 2014

Updated on 11/11/2014

Page 2 of 2