

SAFETY DATA SHEETS

This SDS packet was issued with item:

071047950

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

074909560 078906606



DENTSPLY Professional

Safety Data Sheet

Safety Data Sheet (in compliance with Regulation (EC) 1907/2006, Regulation (EC) 1272/2008 and Regulation (EC) 453/2010)

Document Number: 82634-1214

Date Revised: 09 December 14

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product Identifier:

Trade Name (as labeled): Midwest Plus™ Aerosol Spray

Part/Item Number: 380080

1.2 Relevant Identified Uses of the Substance or Mixture and Uses Advised Against:

Recommended Use: Cleaning and Lubrication

Restrictions on Use: For Professional Use Only

1.3 Details of the Supplier of the Safety Data Sheet:

Manufacturer/Supplier Name: DENTSPLY Professional

Manufacturer/Supplier Address: 901 West Oakton St.

Des Plaines, IL 60018

Manufacturer/Supplier Telephone Number: 800-989-8826 or 717-767-8502 (Product Information)

Email address: ProfessionalMSDS@dentsply.com

1.4 Emergency Telephone Number:

Transportation Emergency Contact Number: 800-424-9300 Chemtrec

2. HAZARDS IDENTIFICATION

2.1 Classification of the Substance or Mixture:

GHS Classification:		
Health	Environmental	Physical
Aspiration Toxicity Category 1 (H304)	Not Hazardous	Flammable Aerosol Category 1 (H222) Gas Under Pressure: Compressed Gas (H280)

EU Classification: Highly Flammable (F+), Harmful (Xn), R12, R65

2.2 Label Elements:



Signal Word: Danger!

Hazard Phrases	Precautionary Phrases
H222 Extremely flammable aerosol. H280 Contains gas under pressure; may explode if heated. H304 May be fatal if swallowed and enters airways.	P210 Keep away from heat, sparks, open flames, and hot surfaces. No smoking. P211 Do not spray on an open flame or other ignition source. P251 Do not Pierce or burn, even after use. P301 + P310 IF SWALLOWED: Immediately call a poison center or doctor. P331 Do NOT induce vomiting. P405 Store locked up. P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. P501 Dispose of contents and container in accordance with local and national regulations.

2.3 Other Hazards: None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Mixture:

Hazardous Components	C.A.S. #	EINECS #	Classification	WT %
Propane	74-98-6	200-827-9	F+ R12 Flam. Gas 1, H220 Liq. Gas, H280	25-50
Butane	106-97-8	203-448-7	F+ R12 Flam. Gas 1, H220 Liq. Gas, H280	25-50
Paraffin based neutral lubricating oil, hydrotreated, C15-C30	72623-86-0	276-737-9	Xn, R65 Asp. Tox 1 (H304)	30-50

The exact concentration is being withheld as a trade secret.

Refer to Section 16 for the full text of the GHS and EU Classifications.

4. FIRST AID MEASURES

4.1 Description of First Aid Measures:

Eye	Immediately flush eyes with large quantities of water, while holding the eyelids apart. Get medical attention if irritation persists.
Skin	Remove contaminated clothing. Wash skin thoroughly with soap and water. If irritation or symptoms develops, get medical attention. Launder clothing before re-use. Treat for frostbite if necessary.

Inhalation	Immediately remove victim to fresh air. If breathing is difficult have qualified personnel administer oxygen. If breathing has stopped, administer artificial respiration.
Ingestion	Ingestion is an unlikely route of exposure for aerosol products. If ingestion occurs, do NOT induce vomiting. Immediately call local poison control center or go to an emergency department. Never give anything by mouth to an unconscious or drowsy person. If vomiting occurs spontaneously, keep head below hips to prevent aspiration into the lungs.

4.2 Most Important Symptoms and Effects, Both Acute and Delayed:

This product is an aerosol product. Spraying into the eyes may cause eye irritation or injury. May cause frostbite by skin contact. May be harmful if inhaled, causing dizziness, drowsiness, loss of consciousness, irregular heartbeat, and death. Aspiration into lungs during swallowing or vomiting may cause fatal or harmful lung damage.

4.3 Indication of Any Immediate Medical Attention and Special Treatment Needed:

Medical attention may be required for eye exposure or inhalation. Get immediate medical attention for ingestion.

Note to Physicians (Treatment, Testing, and Monitoring): Treat symptomatically.

5. FIRE-FIGHTING MEASURES

5.1 Extinguishing Media: Use water spray or fog, carbon dioxide, foam or dry chemical. Do not use water jet.





5.2 Special Hazards Arising from the Substance or Mixture:

This product is an extremely flammable aerosol. Vapors are heavier than air and may travel along surfaces to remote ignition sources and flash back. Contents under pressure. Keep away from ignition sources and open flames. Containers may rupture or explode under fire conditions. Decomposition may release oxides of carbon.

5.3 Advice for Fire-Fighters:

Fire Fighting Procedures:	Use water to cool exposed containers and structures and disperse flammable vapors.
Precautions for Fire Fighters:	Firefighters should wear full emergency equipment and approved positive pressure self-contained breathing apparatus. Do not enter fire area without proper protection. Use shielding to protect from bursting cans. Do not allow run-off from firefighting to enter drains or water courses.



Recommended Protective Equipment for Fire Fighters:

EYES/FACE	HANDS	RESPIRATORY	THERMAL
			

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal Precautions, Protective Equipment and Emergency Procedures:

Evacuate spill area and keep unprotected personnel away. Eliminate all sources of ignition and ventilate area. Avoid contact with skin, eyes or clothing. Wear appropriate protective clothing as described in Section 8.

Recommended Personal Protective Equipment for Containment and Clean-up:			
EYES/FACE	HANDS	RESPIRATORY	SKIN
			

6.2 Environmental Precautions:

Prevent entry into sewers and waterways. Report releases as required by local and national authorities.

6.3 Methods and Material for Containment and Cleaning up:

Leaking cans should be placed in a plastic bag or open pail until the pressure has dissipated. Contain and collect liquid with an inert absorbent and place in a container for disposal. Clean spill area thoroughly.

6.4 Reference to Other Sections:

Refer to Section 8 for Personal Protective Equipment and Section 13 for Disposal information.

7. HANDLING AND STORAGE

7.1 Precautions for Safe Handling:

Avoid contact with the eyes, skin and clothing. Avoid breathing vapors or aerosols. Wear protective clothing and equipment as described in Section 8. Use only with adequate ventilation. Wash thoroughly with soap and water after handling. Keep containers closed when not in use. Keep product away from heat, sparks, flames and all other sources of ignition. Do not permit smoking in use or storage areas.

Empty containers retain product residues and can be hazardous. Follow all SDS precautions when handling empty containers.

7.2 Conditions for Safe Storage, Including Any Incompatibilities: Store in a cool, well-ventilated area at temperatures below 48.9°C (120°F). Store away from heat, direct sunlight and all sources of ignition. Store away from oxidizers and other incompatible materials. Protect against electrostatic charges.

7.3 Specific End Use (s): For professional use only.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control Parameters:

Occupational Exposure Limits:

Propane	United States	1000 ppm TWA OSHA PEL
	Germany	1000 ppm TWA, 4000 ppm STEL DFK MAK
	United Kingdom	None Established
	European Union	None Established
Butane	United States	1000 ppm STEL ACGIH TLV
	Germany	1000 ppm TWA, 4000 ppm STEL DFK MAK
	United Kingdom	600 ppm TWA, 750 ppm STEL UK WEL
	European Union	Belgium: 800 ppm TWA
Paraffin based neutral lubricating oil, hydrotreated, C15-C30	United States	5 mg/m ³ (inhalable) TWA ACGIH TLV (as mineral oil) 5 mg/m ³ TWA OSHA PEL(as oil mist, mineral)
	Germany	None Established
	United Kingdom	5 mg/m ³ TWA UK WEL (as oil mist, mineral)
	European Union	None Established

Biological Exposure Limits: None Established

8.2 Exposure Controls:

Appropriate Engineering Controls: Use with adequate local exhaust ventilation to minimize exposures levels.

Individual Protection Measures (PPE):



Specific Eye/face Protection: Chemical safety glasses with side shields or chemical splash goggles are recommended to avoid eye contact.

Specific Skin Protection: Wear impervious gloves such as nitrile gloves to prevent prolonged skin contact.

Specific Respiratory Protection: None should be needed for normal use. If the exposure levels are excessive, an approved respirator with dust/mist cartridges or supplied air respirator should be used. Respirator selection and use should be based on contaminant type, form and concentration. Follow applicable regulations and good Industrial Hygiene practice.

Specific Thermal Hazards: None required.

Recommended Personal Protective Equipment

EYES/FACE	HANDS	RESPIRATORY	SKIN
			

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on Basic Physical and Chemical Properties:

Appearance:	Light yellow liquid in an Aerosol can	Explosive limits:	LEL: 1.5 vol% UEL: 10.9 vol%
Odor:	Weak, characteristic odor	Vapor pressure (mmHg):	8300 hPa @ 20°C (68°F)
Odor threshold:	Not applicable	Vapor density:	Not determined
pH:	Not applicable	Relative density:	0.87 g/cm ³ @ 20°C (68°F) (Active substance)
Melting/freezing point:	Not applicable	Solubility(ies):	Insoluble in water
Initial boiling point and boiling range:	-44°C (-47.2°F) (DIN 51751) (concentrate)	Partition coefficient: n-octanol/water:	Not applicable
Flash point:	215°C (419°F) (ISO 2592) (Active substance)	Auto-ignition temperature:	Not determined
Evaporation rate:	Not determined	Decomposition temperature:	Not determined
Flammability (solid, gas):	Not determined	Viscosity:	17 mm ² /s @ 40°C (104°F) (Active substance)
Explosive Properties:	Not determined	Oxidizing Properties:	Not an oxidizer

9.2 Other Information: None known.

10. STABILITY AND REACTIVITY

10.1 Reactivity: None known.

10.2 Chemical Stability: Stable under normal conditions.

10.3 Possibility of Hazardous Reactions: Hazardous polymerization will not occur. May react in contact with incompatible materials.

10.4 Conditions to Avoid: Keep away from heat, sparks and all ignition sources. Dropping containers may cause bursting.

10.5 Incompatible materials: Strong oxidizing agents.

10.6 Hazardous Decomposition Products: Decomposition may release oxides of carbon.

11. TOXICOLOGICAL INFORMATION

11.1 Information on Toxicological Effects:

Potential Health Effects:

Eyes: Contact with liquid may cause mild irritation with redness, tearing and stinging.

<u>Skin:</u> Contact with liquid may cause frostbite.
<u>Ingestion:</u> Ingestion can cause gastrointestinal irritation, nausea, and diarrhea. Fatal or harmful lung damage may occur during swallowing or vomiting.
<u>Inhalation:</u> Inhalation of large amounts may be harmful. Inhalation of high concentrations may cause temporary central nervous system depression with anesthetic effects such as dizziness, headache, incoordination, and loss of consciousness. Prolonged exposure to high concentrations may cause irregular heartbeat, cardiac arrest, and death.
<u>Chronic Health Effects:</u> None known.
<u>Irritation:</u> No data available.
<u>Corrosivity:</u> No data available.
<u>Sensitization:</u> No data available.
<u>Carcinogenicity:</u> None of the components of this product are listed as carcinogens by OSHA, IARC, NTP, ACGIH or the EU CLP.
<u>Mutagenicity:</u> No data available. This product is not expected to cause mutagenic activity.
<u>Medical Conditions Aggravated by Exposure:</u> Individuals with pre-existing central nervous or cardiovascular system diseases may be at increased risk from exposure.
<u>Acute Toxicity Data:</u> Product: Oral rat LD50- 2000-5000 mg/kg, Inhalation rat LC50- >5100 mg/m3/4hr
<u>Reproductive Toxicity Data:</u> No data available. This product is not expected to cause adverse reproductive effects.
<u>Specific Target Organ Toxicity (STOT):</u> <u>Single Exposure:</u> No data available. <u>Repeated Exposure:</u> No data available.

12. ECOLOGICAL INFORMATION

12.1 Toxicity: No ecotoxicity data available
12.2 Persistence and Degradability: No data is currently available
12.3 Bio-accumulative Potential: No data is currently available
12.4 Mobility in Soil: No data is currently available
12.5 Results of PBT and vPvB Assessment: Not required
12.6 Other Adverse Effects: None

13. DISPOSAL CONSIDERATIONS

13.1 Waste Treatment Methods:
Regulations: Dispose in accordance with all national and local regulations.

Properties (Physical/Chemical) Affecting Disposal: Empty containers retain product residues and can be hazardous. Follow all SDS precautions when handling empty containers.

Waste Treatment Recommendations: Dispose in accordance with national and local regulations.

14. TRANSPORT INFORMATION

	14.1 UN Number	14.2 UN Proper Shipping Name	14.3 Hazard Class(s)	14.4 Packing Group	14.5 Environmental Hazards
DOT	UN1950	Aerosols, flammable	2.1	None	Not applicable
ADR/RID	UN1950	Aerosols, flammable	2.1	None	Not applicable
IMDG	UN1950	Aerosols, flammable	2.1	None	Not applicable
IATA/ICAO	UN1950	Aerosols, flammable	2.1	None	Not applicable

14.6 Special Precautions for User: Not applicable.

14.7 Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code: Not applicable.

15. REGULATORY INFORMATION

15.1 Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture:

U.S. Federal Regulations

Comprehensive Environmental Response and Liability Act of 1980 (CERCLA): This product is not subject to CERCLA reporting requirements. Many states have more stringent release reporting requirements. Report spills required under federal, state and local regulations.

Toxic Substances Control Act (TSCA): All of the components of this product are listed on the TSCA inventory.

Clean Water Act (CWA): This material is not regulated under the Clean Water Act.

Clean Air Act (CAA): This material is not regulated under the Clean Air Act.

Superfund Amendments and Reauthorization Act (SARA) Title III Information:

SARA Section 311/312 (40 CFR 370) Hazard Categories:

Immediate Hazard:	Yes	Pressure Hazard:	Yes
Delayed Hazard:	No	Reactivity Hazard:	No
Fire Hazard:	Yes		

This product contains the following toxic chemical(s) subject to reporting requirements of SARA Section 313 (40 CFR 372):

Components	C.A.S. #	WT %
None		

State Regulations

California: This product contains the following substances known to the state of California to cause cancer and/or

reproductive toxicity:

Components	C.A.S. #	WT %
None		

International Regulations

Canadian Workplace Hazardous Materials Information System (WHMIS): Class A (Compressed Gas), Class B (Flammable/Combustible Material)

Canadian Environmental Protection Act: All of the components in this product are listed on the Domestic Substances list (DSL).

This SDS has been prepared according to the criteria of the Controlled Products Regulation (CPR) and the SDS contains all of the information required by the CPR.

European Inventory of Existing Chemicals (EINECS): All of the components in this product are listed on the EINECS inventory.

EU REACH: All components requiring registration have been pre-registered.

Australian Inventory of Chemical Substances: All of the components in this product are listed on the AICS for Australia.

China Inventory of Existing Chemicals and Chemical Substances: All of the components in this product are listed on the IECSC for China.

Japanese Existing and New Chemical Substances: All of the components in this product are listed on the Japanese ENCS list.

Korean Existing Chemicals List: All of the components in this product are listed on the KECL for Korea.

New Zealand Inventory of Chemicals: All of the components in this product are listed on the NZIoC for New Zealand.

Philippine Inventory of Chemicals and Chemical Substances: All of the components in this product are listed on the PICCS.

15.2 Chemical Safety Assessment: None required.

16. OTHER INFORMATION

HMIS Hazard Rating:

Health – 2 Flammability – 2 Physical Hazard – 1

Full text of Classification abbreviations used in Section 2 and 3:

F+ Extremely flammable

Xn Harmful

R12 Extremely flammable

R65 Harmful: may cause lung damage if swallowed

Asp Tox 1 Aspiration Toxicity Category 1

Flam Aerosol Cat 1 Flammable Aerosol Category 1

Flam Gas 1 Flammable Gas Category 1

Liq Gas Liquefied Gas

H220 Extremely flammable gas

H222 Extremely flammable aerosol

H280 Contains gas under pressure; may explode if heated

H304 May be fatal if swallowed and enters airways

Date Revised: 09 December 2014

Revision Summary: Converted MSDS to Reach SDS. Updated all sections.

Data Sources: US NLM ChemID Plus and HSDB, Substance SDS for components, IUCLID Dataset EU Chemical Bureau, ESIS, Country websites for occupational exposure limits.