

## **SAFETY DATA SHEETS**

**This SDS packet was issued with item:**

076372411

**The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).**

071257278 071299825 071299833 076371645 076371876 076371900 076372270 076372304 076372387 076373781

076373807



## 1. Identification of the substance/mixture and of the Company/undertaking:

### 1.1 Product identifier:

Product Names:           Pola Day 7.5% Hydrogen Peroxide Gel;  
                                  Pola Day 9.5% Hydrogen Peroxide Gel.

### 1.2 Relevant identified use:

Recommended use:

Dental use:               To remove discoloration of teeth under the supervision of a dentist.

### 1.3 Details of the supplier of the Safety Data Sheet:

#### **Manufacturer / Supplier**

SDI Limited  
3-13 Brunsdon Street, Bayswater  
Victoria, 3153, Australia

SDI (North America) Inc.  
1279 Hamilton Parkway  
Itasca, IL 60143, USA

#### **Telephone:**

+61 3 8727 7111 (Business hours)

#### **Telephone:**

+1 630 361 9200 (Business hours)

Southern Dental Industries Ltd  
Block 8, St Johns Court  
Swords Road  
Santry, Dublin 9, Ireland

SDI Brasil Indústria e Comércio Ltda  
Rua Dr. Virgílio de Carvalho Pinto, 612  
Pinheiros, São Paulo, 05415-020  
Brasil

#### **Telephone:**

+353 1 886 9577 (Business Hours)

#### **Telephone:**

+ 55 11 3092 7100 (Business Hours)

#### **Emergency contact number:**

+61 3 8727 7111

Email: [ray.cahill@sdi.com.au](mailto:ray.cahill@sdi.com.au) (Technical Director, SDI Limited)

## 2. Hazard Identification

Classification of the substance/mixture:

Hazard Classification according to GHS:   Pola Day 7.5% and Pola Day 9.5% are classified as hazardous as follows:

### **Pola Day 7.5%:**

**Signal word:   WARNING**





**Exclamation mark**

**2. Hazard Identification**

GHS Classification:  
Eye Irrit. (Category 2)

Precautionary phrases:

H319 Causes serious eye irritation

Prevention:

P264 Wash skin thoroughly after handling.

P280 Wear eye protection/face protection.

Response:

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice / attention.

P101 If medical advice is needed, have product packaging and leaflet at

hand.

P102 Keep out of reach of children.

P103 Read instructions before use.

**Pola Day 9.5%:**

**Signal word: DANGER**



**Corrosion**

GHS Classification:  
Eye Dam. (Category 1)

Precautionary statements:

Prevention:

Hazard statement:

H318 Causes serious eye damage.

Response:

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTRE or doctor/physician.

P102 Keep out of reach of children

P103 Read instructions before use.



### 3. Composition / Information on ingredients

<u>Composition:</u>	<u>CAS No.</u>	<u>Wt. %</u>	<u>EC No.</u>	<u>Index No.</u>
<b>Hydrogen Peroxide Gel:</b>				
Hydrogen peroxide	7722-84-1	7.5 - 9.5	231-765-0	008-003-00-9
Hazard classification:	Eye Irrit 2; H319; 5% ≤ C < 8% Eye Dam. 1; H318: 8% ≤ C < 50%			

### 4. First Aid Measures

Eye (contact):	Immediately flush open eyes with running water for at least 15 minutes. Remove contact lenses if present and easy to do. Continue rinsing. Seek urgent medical attention. Make sure the patient's, dentist's and auxiliary's eyes are protected.
Skin (contact):	Remove contaminated clothing. If skin or hair contact occurs, wash skin and hair with running water. Skin may appear temporarily bleached white. Seek medical attention.
Ingestion:	Do NOT induce vomiting, drink lots of water/milk. Seek immediate medical attention.
Inhalation:	Side effects not expected. Remove victim from exposure to fresh air. If rapid recovery does not occur or if feeling unwell, seek urgent medical attention.
Most important effects, acute and delayed:	The most important known symptoms and effects are described in section 2 and/or in section 11.
Indication of any immediate medical attention and special treatment needed:	No data available

### 5. Fire Fighting Measures

Suitable extinguishing media:	Water spray, dry chemical, carbon dioxide, protein type air foams.
Unusual Fire and Explosion Hazards:	Heat may generate irritating vapours, e.g. CO, CO <sub>2</sub> . acrylate monomers and hydrocarbons.
Unsuitable extinguishing media:	Do not use extinguishing media for organic compounds.
Specific hazards arising from the mixture:	The product itself does not burn. In the event of fire, product may decompose and release oxygen and irritating vapours, e.g. CO, CO <sub>2</sub> . acrylate monomers and hydrocarbons.. Incompatible materials: Avoid contact with metals, metallic salts, alkalis, flammable substances, and organic solvents.



## 5. Fire Fighting Measures

Special protective equipment:	Wear approved self-contained breathing apparatus, full protective clothing long with protective equipment.
Flammability:	None expected. Non flammable (product does not burn), however will release oxygen when exposed to high heat.
Advice for firefighters:	Wear self contained breathing apparatus for fire fighting if necessary.

---

## 6. Accidental Release Measures

Personal precautions:	Do not get into eyes, on skin or clothing. Wash thoroughly after handling. For personal protection see section 8.
Environmental precautions:	Prevent any spillage from entering waterways, drains or sewage system.
Methods for cleaning and containment:	Mop up using absorbent paper or towel. Wash the spillage area clean with water.

---

## 7. Handling and storage

<u>Precautions for safe handling:</u>	Care required when handling Hydrogen Peroxide mixtures.
<u>Conditions for safe storage, including any biocompatibilities:</u>	Storage by the end user (Dental Clinic) is recommended to be at temperatures between 2 ° - 25°C (35° - 77°F) and should be kept away from direct sunlight.
<u>Distribution:</u>	During distribution, to our customers, this product can be transported in non-refrigerated conditions between 15° to 25° C. This product can also withstand temperatures up to 40° C for short periods (2 to 3 days) and intermittent peaks up to 50°C.
Specific end use:	Apart from the use mentioned in section 1.2, there are no other uses for the product.

---



## 8. Exposure controls / personal protection

Control parameters:  
Occupational exposure limits (NOHSC, NIOSH, OSHA,):

Standard name	Cas No	TWA (ppm)	TWA (mg/m <sup>3</sup> )	STEL (ppm)	STEL (mg/m <sup>3</sup> )
Hydrogen peroxide	7722-84-1	1	1.4	-	-

NOHSC – National Occupation Health and Safety Commission

NIOSH – National Institute for Occupation Safety and Health

OSHA – Occupational Health and Safety Authority

TWA – Time weighted average

STEL – Short term exposure limit

Appropriate engineering controls: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at end of workday.

Personal protective equipment:

Respiratory protection: Not required under normal conditions of use.

Hand protection: Rubber, latex or PVC gloves.

Eye protection: Safety glasses, goggles or face shield.

General safety and hygiene measures: Follow good housekeeping practices and good industrial hygiene in handling this material.  
Eye bath. Wash thoroughly after handling.  
Wash contaminated clothing before re-use.

## 9. Physical and chemical properties

Appearance: Clear gel

Odour: Spearmint

Boiling point: Not applicable

Melting point: Not applicable

Specific gravity: 1.1

Flash point: Not applicable

Flammable: Not flammable

Autoflammability: Does not self ignite

Explosive properties: Does not present an explosion hazard

Oxidising properties: Strong oxidiser

Vapour pressure (@ 20°C): Not established

Relative density: 1.1

Solubility: Soluble in water



---

## 9. Physical and chemical properties

Auto-ignition temperature: Not established  
Decomposition temperature: Not established  
Initial boiling point and boiling range: Not established  
pH: 5.9 - 6.9

---

## 10. Stability and Reactivity

Reactivity: Product is stable under directed instructions for use and storage.  
Chemical Stability: Hydrogen Peroxide Liquid is easily decomposed. Stable under normal conditions of use and storage as indicated on label/instructions for use.  
Conditions to avoid: Heat, direct sunlight.  
Materials to avoid: Metals, strong bases and organic solvents.  
Hazardous decomposition products: None under normal conditions.  
Hazardous reactivity (polymerization): Will not occur.

---

## 11. Toxicological information

Toxicological data on ingredients: Oral LD50 Rat: 805mg/Kg (OECD Test Guideline 401)  
Oral LD50 Rat: 1193mg/Kg (Literature) Hydrogen Peroxide 35% as test substance.  
Oral LD50 Rat: 801mg/Kg (Literature) Hydrogen Peroxide 60% as test substance.  
Inhale LC50 Rat: >0.17mg/L (Literature) Hydrogen Peroxide 50% as test substance.  
Skin LD50 Rabbit: >6500mg/Kg (Literature)  
Skin Irritation Rabbit: Strong corrosive(Literature)  
Eye Irritation Rabbit: Corrosive (Literature)  
Repeated Dose Toxicity: Mouse 90d changes of parameters of the blood, body weight development negative, irritive effect on gastro-intestinal tract (OECD).  
Genotoxicity in Vitro: Microorganisms, cell cultures - no mutagenic effects.  
Genotoxicity in Vivo: Micronucleus test mouse intraperitoneal - negative.  
Carcinogenicity: Hydrogen Peroxide is not a carcinogenic substance according to MAK, IARC, NTP, OSHA and ACGIH.



## 11. Toxicological information

Acute toxicity:	Pola Day 7.5% is an irritant to eyes, Pola Day 9.5% is damaging to eyes. May be irritant to mucous membranes and skin.
Serious eye damage/irritation:	Pola Day 7.5% is irritant to eyes, Pola Day 9.5% is damaging to the eyes.
Skin corrosion/irritation:	No side effects expected for small amounts. May be irritant to mucous membranes and skin.
Ingestion:	No side effects expected for small amounts.
Respiratory or skin sensitisation:	None expected.
Germ cell mutagenicity:	No data available.
Carcinogenicity:	(according to IARC, MAK, NTP, OSHA, and ACGIH): Hydrogen peroxide – Group 3 – not classifiable as to its carcinogenicity to humans.  (IARC: International Agency for Research on Cancer, by the World Health Organisation (WHO)).
Reproductive toxicity:	No data available
Specific target organ toxicity – single exposure:	May cause irritation to eyes, skin and inhalation.
Specific target organ toxicity – repeated exposure:	No data available.
Aspiration hazard:	No data available.

---

## 12. Ecological information

Self assessment:	Slightly hazardous for water. Do not allow large quantities to reach sewage systems and waterways.
Ecotoxicity:	No data available.
Persistence and biodegradability:	No data available.
Bioaccumulative potential:	No data available.
Mobility in soil:	No data available.
Results of PBT and VPvB assessment:	PBT/VPvB assessment not available as chemical safety assessment not required/not conducted.
Other adverse effects (such as hazardous to ozone layer):	No data available.





---

### 13. Disposal considerations

Dispose of in accordance with local official regulations.

Contaminated packaging: Dispose of contaminated packaging as hazardous waste in accordance with local official regulations.

---

### 14. Transport information

Pola Day 7.5%- Hydrogen peroxide 7.5% is not classified as a Dangerous Good for air, sea or road/rail transport.

Pola Day 9.5%- Hydrogen peroxide 9.5% is classified as a Dangerous Good for air and road/rail transport, as follows:

Hydrogen peroxide, aqueous solution UN2984 Packing Group III Class 5.1.

If packed in Chemical kits the following classification may be considered if all ICAO/IATA transport requirements are met:

Chemical Kit UN3316 - Class 9.

Not classified as dangerous good for sea transport.

---

### 15. Regulatory information

Pola Day 7.5% and 9.5% are classified according to the Australian SUSMP - *Standard for the Uniform Scheduling of Medicines and Poisons*, as follows:

Schedule 6 - POISON

---

### 16. Other information

The information provided herein is given in good faith, but no warranty expressed or implied is made.

**Prepared by:** SDI Limited

**Phone Number:**

3-13 Brunsdon Street, Bayswater  
Victoria, 3153, Australia

+61 3 8727 7111

Date of preparation/revision: 2<sup>nd</sup> February 2015

**Department issuing SDS:** Research and Development

**Contact:** R&D Director

---