# SAFETY DATA SHEETS

# This SDS packet was issued with item: 070333187

N/A



MSDS #:

Product Code:

4549B

#### **SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING** Canon Ink Tank CLI-226Y **Product Name: Product Code:** 4549B **Manufacturer:** Canon Inc., 30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo, Japan, Ph#03-3758-2111. Canon USA Inc., One Canon Park, Melville, NY, 11747, USA Supplier: Phone #:

1-800-OK-CANON 24Hr. EmergencyCHEMTREC# 1-800-424-9300

#### **SECTION 2** HAZARDS IDENTIFICATION

**EU Classification:** 

Not classified as dangerous.

#### **Emergency Overview:**

Ink tank containing yellow liquid ink with slight odor.

#### **Potential Health Effects and Symptoms:**

Inhalation:

No adverse effects are expected under intended use.

Over exposure to vapor or mist may cause respiratory tract irritation, cough, dizziness, drowsiness, headache and nausea.

#### **Ingestion:**

May cause abdominal pain, diarrhea, dizziness, drowsiness, dullness, headache, nausea and vomiting.

#### Eye:

May cause minimal irritation. (See SECTION 11)

#### Skin:

Neither irritation nor sensitization is expected. (See SECTION 11)

**Chronic Effects:** Not identified

Medical Conditions Generally known to be Aggravated by Exposure: Not identified



# MATERIAL SAFETY DATA SHEET

Page 2 of 8

Product Code:

MSDS #: IC2107-0101 4549B

SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS <pre>composition/INFORMATION ON INGREDIENTS</pre>							
Chemical Name / Generic Name	CAS # / EC #	Weight %	EU Symbol/ R-Phrase	USA OSHA PEL	ACGIH TLV	EU OEL	DFG MAK
Glycerin	56-81-5 / 200-289-5	5 - 10	None / None	(as mist) Total dust TWA = 15 mg/m <sup>3</sup> Respirable fraction TWA = 5 mg/m <sup>3</sup>	(as mist) TWA = 10 mg/m <sup>3</sup>	Not established	Not established
Ethylene urea	120-93-4 / 204-436-4	5 - 10	Xi / R36	Not established	Not established	Not established	Not established
Triethylene glycol	112-27-6 / 203-953-2	5 - 10	None / None	Not established	Not established	Not established	1000 mg/m <sup>3</sup>
Water	7732-18-5 / 231-791-2	60 - 80	None / None	Not established	Not established	Not established	Not established

#### < Carcinogen >

No component of this ink is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Part 3 of Annex VI to Regulation (EC) No 1272/2008.

#### < PBT substance and vPvB substance >

No component of this ink is a PBT or vPvB substance under Regulation (EC) No 1907/2006.



MSDS #:

# **SECTION 4** FIRST AID MEASURES First Aid Measures: Inhalation: If symptoms are experienced, move victim to fresh air and obtain medical advice. **Ingestion:** Rinse mouth. Give one or two glasses of water. If irritation or discomfort occurs, obtain medical advice immediately. Eye: Immediately flush with lukewarm, gently flowing water for 5 minutes or until the chemical is removed. If irritation persists, obtain medical advice immediately. Skin: Wash with water and soap or mild detergent. If irritation persists, obtain medical advice. Note to Physicians: None **SECTION 5** FIRE FIGHTING MEASURES **Fire Fighting Measures: Extinguishing Media:** CO<sub>2</sub>, water, foam or dry chemicals **Unsuitable Extinguishing Media:** None **Special Fire Fighting Procedures:** None **Unusual Fire and Explosion Hazards:** None Fire and Explosive Properties (See also SECTION 9): **Hazardous Combustion Products:** CO, CO<sub>2</sub>, NOx and SOx **Other Properties:** None **SECTION 6** ACCIDENTAL RELEASE MEASURES **Personal Precautions:** Avoid contact with skin, eyes and clothing. **Environmental Precautions:** Do not release to sewer, surface water or ground water. Method for Cleaning Up: Wipe off with wet cloth or paper. **SECTION 7** HANDLING AND STORAGE Handling: Use with adequate ventilation. Avoid contact with skin, eyes and clothing. In case of contact, wash out the contaminated area immediately. Storage: Keep in a cool and dry place. Protect from sunlight. Keep out of the reach of children.

**Specific Uses:** 

Ink for Ink Jet Printer.

For more information, please refer to the instruction of this product.

Canon	мат	ERIAL SAFETY DATA SHEET	MSDS #: Product Code:	Page 4 of 8 IC2107-0101 4549B
		ERIAL SAFETY DATA SHEET	Product Code:	45498
SECTION 8 EXPOSURE	CONTRO	<b>DLS / PERSONAL PROTECTION</b>		
Exposure Guidelines: No	t establishe	ed for this ink. (See also SECTION 3)		
		ventilation.		
Personal Protection Equipmen Respiratory Protection:	• •	Not Required		
· · _	Required	Not Required		
<i>,</i>	-			
	Required	Not Required		
Appearance:	-	Yellow liquid		
Odor:	-	Slight odor		
pH:	-	8 - 9		
Boiling Point/Range(°C):	-	Not available		
Melting Point/Range(°C):	-	Not available		
<b>Decomposition Temperature</b> (°	<b>C</b> ):	Not available		
Flash Point(°C):	-	None (Estimate)		
Flammable (Explosive) Limits	:	Not available		
Autoignition Temperature(°C):		Not available		
Flammability:	-	Neither flammable nor combustible.		
<b>Explosive Properties:</b>	2	None (Estimate)		
<b>Oxidizing Properties:</b>	-	None (Estimate)		
Vapor Pressure :	· -	Not available		
Vapor Density :	2	Not available		
Density / Specific Gravity:	-	1.0 - 1.1		
Water Solubility :	-	Miscible		
Fat Solubility :		Not available		
Partition Coefficient (n-Octano	ol/Water):	Not available		
Percent Volatile (%):		60 - 80		
<b>Evaporation Rate:</b>		Not available		
Viscosity (mPa s):		1 - 5		
SECTION 10 STABILITY	AND RE	ACTIVITY		
Stability:	l	X Stable Unstable		
Conditions to Avoid:	]	None		
Materials to Avoid:	4	Acids, bases, oxidizing materials and reduc	ing agents	
Hazardous Decomposition Pro	ducts:	$CO, CO_2$ , NOx and SOx		
Hazardous Polymerization:		☐ May Occur		
Conditions to Avoid:		None		
	-			

Product Code:

SECTION 11	TOXICOLOGICAL INFORMATION
Acute Toxicity:	
Inhalation:	
Not availa	ıble
Ingestion:	
Not availa	ıble
Eye:	
•	rritant (rabbit)
	Guidelines No. 405 (2002), 2004/73/EC Method B5
Skin:	
	nt (rabbit)
	Guidelines No. 404 (2002), 2004/73/EC Method B4
Sensitization:	
	tizer (mouse)
	Guidelines No. 429 (2002), 2004/73/EC Method B42
Mutagenicity:	
<b>U I</b>	: Negative (S. typhimurium & E. Coli)
Reproductive T	
Not availa	•
Carcinogenicity	
Not availa	
Others:	
Not availa	ble

			Page 6 of 8
Canon		MSDS #:	
Cuntin	MATERIAL SAFETY DATA SHEET	Product Code:	4549B
SECTION 12 ECO	LOGICAL INFORMATION		
	fot available		
Persistence / Degradability: N	fot available		
Bioaccumulation: N	ot available		
Ecotoxicity: <u>N</u>	ot available		
Other Adverse Effects:	Not available		
Method of Disposal:	POSAL CONSIDERATIONS ubject to federal, state and local laws.		
SECTION 14 TRA	NSPORT INFORMATION		
UN #: <u>N</u>	one		
UN Shipping Name: <u>N</u>	one		
UN Classification: <u>N</u>	one		
UN Packing Group: <u>N</u>	one		
	Yes Chemical name (wt%): No		
Special Precautions: <u>N</u>	one		
SECTION 15 REG < EU Information >	ULATORY INFORMATION		
Information on the Lal	bel:		
Symbol & Indication	<b>Dn:</b> Not required		
<b>R-Phrase:</b> Not required			
S-Phrase:			
Not required			
Dangerous Compor	nent(s):		
Special Precautions Not required	s under 1999/45/EC Annex V:		
Specific Provisions in H	Relation to Protection of Man or the Environment:		
(EC) No 1907/2006	Annex XVII (Restrictions): Not regulated		
(EC) No 1005/2009	Not regulated		
(EC) No 689/2008:	Not regulated		
Others: <u>N</u>	one		

	MATERIAL SAFETT DATA SHEET		15175
< USA Information >			
Information on the Label under	FHSA:		
Signal Word: Not required			
Hazard warning: Not required			
Safety Advice: Not required			
Hazardous Component(s): Not required			
SARA Title III §313: Chemical Name		Weight %	
None			
None		e	
< Canada Information > WHMIS Controlled Product:	Not applicable (Manufactured article)		
< Australia Information > Statement of Hazardous Natur	re: This product will not be shipped to Australia.		
SECTION 16OTHER INFO <r list="" phrase=""> R36: Irritating to eyes.</r>	RMATION		
<term explanation=""> Estimate: Estimate based on da</term>	ata of similar ink or the ingredient(s).		

# MATERIAL SAFETY DATA SHEET

Page 8 of 8 MSDS #: IC2107-0101

#### Product Code: 4549B

#### Literature References:

canon

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of
- Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive (EC) No 1907/2006 Annex XVII (Restrictions), 1999/45/EC
- EU Regulation (EC) No 1005/2009, (EC) No 689/2008, (EC) No 1907/2006, (EC) No 1272/2008
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances [NOHSC:1008]

#### Abbreviations:

EU: European Union.

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA).

ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists.

EU OEL: Occupational exposure limits at Community level under Directive 2004/37/EC, 98/24/EC, 91/322/EEC, 2000/39/EC, 2006/15/EC and 2009/161/EU DFG MAK: MAK(Maximale Arbeitsplatz-Konzentration) under Deutsche Forschungsgemeinschaft.

TWA: Time Weighted Average.

STEL: Short Term Exposure Limit.

IARC: International Agency for Research on Cancer.

NTP: National Toxicology Program (USA).

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA).

FHSA: Federal Hazardous Substances Act (USA).

WHMIS: Workplace Hazardous Materials Information System.

NOHSC: National Occupational Health and Safety Commission.

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.



# **Safety Data Sheet**

Issuing date : 14-Apr-2010 Revision date : 27-Feb-2015 SDS #: ICW 0656 R - 01 US EN Version: 02

# **SECTION 1: Product and company identification**

#### Product Identifier

Product name Canon Ink Tank CLI-226Y

Product Code(s)

Use

Ink for Ink Jet Printer

4549B

#### Details of the supplier of the safety data sheet

#### Supplier

Canon USA, Inc. One Canon Park, Melville, NY 11747, USA Phone number : 1-800-OK-CANON Emergency phone number : 24 Hr. Emergency CHEMTREC # 1-800-424-9300

Canon Canada Inc. 6390 Dixie Road, Mississauga, Ontario L5T 1P7, Canada Phone number : (1) 905-795-1111 Emergency phone number : 24 Hr. Emergency CHEMTREC # 1-800-424-9300

#### Manufacturer

Canon Inc. 30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo 146-8501, Japan

# **SECTION 2: Hazards identification**

#### Emergency Overview

Ink tank containing yellow liquid ink with slight odor.

#### Classification under FHSA

Not classified

#### US Label Elements under FHSA

Symbol Not required

Signal word Not required

Hazard statements Not required

Precautionary statements Not required

Other Information None

#### Other hazards which do not result in classification

None

# **SECTION 3: Composition/information on ingredients**

Chemical name	CAS-No	Weight %
Glycerin	56-81-5	5 - 10
Ethylene urea	120-93-4	5 - 10
Glycol	CBI	5 - 10
Water	7732-18-5	60 - 80

## **SECTION 4: First aid measures**

#### Description of first aid measures

Inhalation	Move to fresh air. Get medical attention immediately if symptoms occur.			
Ingestion	Rinse mouth. Drink 1 or 2 glasses of water. Get medical attention immediately if symptoms occur.			
Skin Contact	Wash off immediately with soap and plenty of water. Get medical attention immediately if symptoms occur.			
Eye Contact	Flush with plenty of water. Get medical attention immediately if symptoms occur.			
Most important symptoms and effects, both acute and delayed				
Inhalation	None under normal use. Symptoms of overexposure are dizziness, headache, tiredness, nausea, unconsciousness, cessation of breathing.			
Ingestion	None under normal use. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.			
Skin Contact	None under normal use.			
Eye Contact	None under normal use. May cause slight irritation.			
Chronic Effects	None under normal use.			
Indication of any immediate modios	I attention and appaid treatment needed			

Indication of any immediate medical attention and special treatment needed

None

# **SECTION 5: Firefighting measures**

#### Extinguishing media

**Suitable extinguishing media** Use CO2, dry chemical, or foam, Water.

#### Unsuitable extinguishing media None

#### Special hazards arising from the substance or mixture

Special Hazard None

Hazardous combustion products Carbon dioxide (CO<sub>2</sub>), Carbon monoxide (CO)

#### Advice for firefighters

#### Special protective equipment for fire-fighters

None

# **SECTION 6: Accidental release measures**

#### Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes and clothing.

#### Environmental Precautions

Keep out of waterways.

#### Methods and material for containment and cleaning up

Wipe up with adsorbent material (e.g. cloth, fleece).

#### Other Information

None

# **SECTION 7: Handling and storage**

#### Precautions for safe handling

Avoid contact with skin, eyes and clothing. Clean contaminated surface thoroughly. Use with adequate ventilation.

#### Conditions for safe storage, including any incompatibilities

Keep in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep away from direct sunlight. Keep away from heat and sources of ignition.

# **SECTION 8: Exposure controls/personal protection**

#### Exposure guidelines

Chemical name	OSHA PEL	ACGIH TLV
Glycerin	TWA: 15 mg/m <sup>3</sup> mist, total particulate	None
56-81-5	TWA: 5 mg/m <sup>3</sup> mist, respirable fraction	

Appropriate engineering controls None under normal use conditions.

#### Individual protection measures, such as personal protective equipment

Eye/face Protection	Not required under normal use.
Skin Protection	Not required under normal use.
Respiratory Protection	Not required under normal use.

# **SECTION 9: Physical and chemical properties**

#### Information on basic physical and chemical properties

Appearance Odor Odor threshold Yellow ; Liquid Slight odor No data available

#### pН

Melting/Freezing point (°C) Boiling Point/Range (°C) Flash Point (°C) **Evaporation Rate** Flammability (solid, gas) Flammability Limits in Air **Upper Flammability Limit** Lower Flammability Limit Vapor pressure Vapor Density **Relative density** Solubility(ies) Partition coefficient: n-octanol/water Autoignition Temperature (°C) Decomposition Temperature (°C) Viscosity (mPa s)

#### Other Information

No data available

8 - 9 No data available No data available None; estimated No data available Not flammable; Not combustible

None; estimated None; estimated No data available No data available 1.0 - 1.1 Water; miscible No data available None; estimated No data available 1 - 5

# **SECTION 10: Stability and reactivity**

#### **Reactivity**

None

#### Chemical stability

Stable

#### Possibility of Hazardous Reactions

None

#### Conditions to Avoid

None

#### Incompatible materials

Acids, Bases, Oxidizing agents, Reducing agents.

#### Hazardous Decomposition Products

Carbon dioxide (CO<sub>2</sub>), Carbon monoxide (CO), and/or Ammonia.

# **SECTION 11: Toxicological information**

#### Information on toxicological effects

Acute toxicity	No data available
Skin corrosion/irritation	Non-irritant (OECD Guideline)
Serious eye damage/eye irritation	Minimal irritant (OECD Guideline)
Sensitization	Non-sensitizer (OECD Guideline)

Germ cell mutagenicity	Ames test: Negative
Carcinogenicity	No data available
Reproductive Toxicity	No data available
STOT - single exposure	No data available
STOT - repeated exposure	No data available
Aspiration hazard	No data available
Other Information	No data available

# **SECTION 12: Ecological information**

#### Toxicity

Ecotoxicity effects No data available

#### Persistence and degradability

No data available

#### **Bioaccumulative potential**

No data available

#### Mobility in soil

No data available

#### Other adverse effects

No data available

# **SECTION 13: Disposal considerations**

#### Waste treatment methods

Dispose of in accordance with local regulations.

# **SECTION 14: Transport information**

UN number	None
UN Proper Shipping Name	None
Transport Hazard Class	None
Packing Group	None
Environmental Hazards	No special environmental precautions required.
Special Precautions for users	None

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

#### Not Applicable

# **SECTION 15: Regulatory information**

Safety, health and environmental regulations specific for the product in question

TSCA Sec. 4,5,6,7,8,12b SARA Title III Sec. 313 California Proposition 65 CEPA Sec. 81 HPA (WHMIS) Other Information None None None None (Manufactured Item) None (Manufactured Article) None

## **SECTION 16: Other information**

#### Key literature references and sources for data

- U.S. Department of Labor, 29CFR Part 1910

- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Environmental Protection Agency, 40CFR Part 700-799
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- California EPA, Code of Regulations Title 27. Division 4. Chapter 1. Safe Drinking Water and Toxic Enforcement Act of 1986
- Environment Canada, Canadian Environmental Protection Act, 1999
- Health Canada, Hazardous Products Act, and Controlled Products Regulations
- Canada Workplace Hazardous Materials Information System

#### Key or legend to abbreviations and acronyms used in the safety data sheet

- OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA)
- FHSA: Federal Hazardous Substances Act
- IARC: International Agency for Research on Cancer
- OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA)
- ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists
- TWA: Time Weighted Average
- STEL: Short Term Exposure Limit
- TSCA: Toxic Substances Control Act
- SARA Title III: SARA Title III of the Superfund Amendments and Reauthorization Act of 1986
- Proposition 65: Safe Drinking Water and Toxic Enforcement Act of 1986
- CEPA: Canadian Environmental Protection Act, 1999
- HPA: Hazardous Products Act
- WHMIS: Workplace Hazardous Materials Information System
- CBI: Confidential Business Information

Issuing date :	14-Apr-2010
Revision date :	27-Feb-2015
Revision Note	Entirely revised

#### Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.