# **SAFETY DATA SHEETS**

# This SDS packet was issued with item:

071017052

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

078273178

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

071705284

#### 546899

Safety Data Sheet

Product Name CAULK® 50% Tooth CONDITIONER LIQUID CAULK® 34% Tooth CONDITIONER GEL.	MSDS Code Number 546899
7700 Synonyms C 50% Tooth CONDITIONER LIQUID C 34% Tooth CONDITIONER GEL	Date of Lest Resease 10/01/13
Man, iter DENTSPLY/Caulk	Address 38 West Clarke Avenue, Milford DE 19963-1805 http://www.caulk.com. http://www.dentsply.com
Grades or Minor Variant Identities Bottles and Syringes	(302) 422-4511 (8:00 AM = 4:30 PM Eastern Time)
Product Use (for Canada) Not Applicable	Linurgerity Telephone Number (302) 422-4511 (8:00 AM = 4:30 PM Eastern Time)

#### 2. Hazard(s) Identification



#### Causes severe skin burns and eye damage

Causes severe skin burns and eye damage

Do not breathe in dust or mist.

Wash hands thoroughly after handling. Wear protective gloves.

IF SWALLOWED: Rinse mouth, Do NOT induce vomiting.

IF ON SKIN: Remove immediately all contaminated clothing, Rinse skin with water.

ITINITALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Immediately call a POISON Center or physician.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rins

Store locked up.

Dispose of contents/container in accordance with local regulations.

#### A First Aid Measures

Routes of	First Aid Instructions	Immediate Medical	Darley L. D. C. Co.
Exposure	PISI Aid Instructions	Attention	Delayed Effect
Eye	IF IN EYES: Runse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If symptoms persist consult physician.	Not Applicable	Not Applicable
Skin	IF ON SKIN: Remove/Take off immediately all contaminated clothing.  Rinse skin with water-shower. Wash contaminated clothing before reuse.  If symptoms persist consult physician.	Not Applicable	Not Applicable
Inhalation	IF INHALED: Remove victim to fresh air and keep at a rest position comfortable for breathing. Immediately call a poisson center or if symptoms persist, consult physician.	Not Applicable	Not Applicable
Ingestion	IF SWALLOWED: Rinse mouth, Do NOT induce vomitting. If symptoms persist consult physician	Not Applicable	Not Applicable
Other	Not Applicable	Not Applicable	Not Applicable

5. Fire and Explosion Data

Flashpoint Method: Not Applicable	Flammable (Explosive) Limits in Air LEL Not Established - UEL Not Established	Autorgation Temperature: Not Applicable	Other Not Applicable
Flame Propagation or Burning Rate (for Solids). Not Applicable	Properties Contributing to Fire Intensity. Not Applicable	Hominahility Classification Not Applicable	
Extinguishing Media: Use extinguishing	g media suriable for surrounding mea	Extinguishing Metha to Avoid. Water with fo	ill jet
Protection and Procedures for Firefighte	ers. Firefighters should wear self-contained respiratory protects	ve devices	
Umusual Eure and Explosion Hazards: Fi	ormation of toxic gases is possible during heating or in case of	Tity.	

6. Accidental Release Measures

nce material in a gaine, cooping in comorn with riginal treding material (sind, icimic uline, distribute, and binders, universal bi-pill Leak (Euroup Procedure and Equipment Abuseh with liquid binding material (sind, semiculite, distribute, acid binders, in good in bild, material and ridate in a 1 month of a most control. Special Instructions: Not Applicable Reporting Requirements: Not Applicable

Handling and Storage

mied for derital use only. Handling of this product should be by trained denial healthcare professionals or









tive Equipment (PPL) for Sormal Use	PPE for Emergencies
Safety Glasses	Not Applicable
be impermeable and resistant to the product	Not Applicable
Not required for normal volumes used in Dental office.	
Protective work clothing	
	led and contaminated clothing.
nd Equipment: Not Applicable	

Appearance Liquid'is clear Get is blue colo	rod paste	Odes Acrid
Normal Physical State: Liquid, Gel is a paste		Meliong Point, Not Applicable
Specific Gravity, 1.3 g-cm	Solubility in Water Neit Soluble	pH = 2
Vapor Pressure (mm Hg). Not Established	Vapor Density (AIR-1). Not Applicable	Evaporation Rate (Butyl Acetate -1) Not Applicable

10. Stability and Reactivity Data

		11. Toxice	ological Informa	tion	
Materia	l is a corrosive acid and as	such is irritating to ski		Effects, Repusductive Effects, or Structur pranes	r Activity Data
1,4500	coverses: Material is c	orrosive			
I.	Signs and Symptoms	Single, Repeated, or Lifetime Exposure	Seventy (Mild. Moderate, Severe)	Acute and Chronic Health Effect(s)	Target Organ(s)
16.00	6.6 stories in Conservation or mark	Smith & Remound	Sincipan	feetation and exceptle corneal disease, due	Not Applicable

Signs and Symptoms	Single, Repeated or Lifetime Exposure	Severity (Mild. Moderate, Severe)	Acute and Chronic Health Effect(s)	Organ(s)
Material is corrosive and may cause irritation	Single & Repeated	Sover	Irritation and possible corneal damage due to the corrosive nature of product	Net Applicable
Material is commove and may cause impation.	Single & Repeated	Moderate to severe depending on contact time	Irritation due to the corrovive nature of the product	Not Applicable
Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Material is continuou and may cause irritation	Not Applicable	Moderate	Instation due to the corrosse nature of the product	Not Appliesble
Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable
	Material is commisse and may cause irreation.  Meterial is commisse and may cause irreation.  Not Applicable.  Material is commissed and may cause irritation.	Lifetime Exposure  Mairrial is cortoxive and Single & Repeated may case irritation Metrical is cornisten and Single & Repeated may case constituen.  Not Applicable Material is controxive and Not Applicable may case metalion.	Lifetime Exposure Moderate, Severe)  Mairral is consoive and mix cause irritation  Metrial is commisse and Single & Repeated Moderate to severe and seaso amounts and Single & Repeated Moderate to severe depending on constant trial commisses.  Not Applicable Not Applicable Mixerate Not Applicable Mixerate mixerate and Not Applicable Mixerate mi	Lifetime Exposure  Mairrial is cornovie and macaine irretainin  Mairrial is cornovie and macaine irretainin  Metrial is cornovie and macaine irretainin  Metrial is cornovie and macaine irretainin  Metrial is cornovie and macaine macaine depending or depending or depending or macaine.  Not Applicable  Not Applicable  Not Applicable  Material is cornovie and macaine macaine depending or macaine ma

12. Ecological Information

Toxicity Data, Emanoumental Fate, Physical Chemical Data, or other Data Supporting Environmental Hazard Statements: Water Hazard classal (Self-assessmentslightly) bazardous for water. Do not allow unfolled product or large quantities of it to reach ground water, water streams or sewage system. Toxic to full: Also possenous for fish and plankten in water bodies. Toxic for aquatic organisms.

13. Disposal Considerations

Regulations: Must not be disposed of together with bousehold garbage. Do not allow product to reach sewage system.

Dispose of moterial as solid waste in a close container. Dispose of in accordance with Federal, State and Local regulations: Properties (Physical Chemical) Affecting Disposal. Dispose of Insternal as solid waste in a closed container.





14. Transport Information

Regulated for Shipping: Yes DOT Shipping Name: Corrosive Liquid, n.o.s. (contains Phosphoric Acid) Packing Group: II

Do Changes in Quantities, packaging, or shipment method change product Hazard Class: X UN Identification Number: 1760 classification? Yes

This product has been classified in accordance with the hazard criteria of the Globally Harmonized System of Classification and Labeling of Chemicals and the SDS contains all of the information required by the Canadian Controlled Products Regulations.

U.S. Federal Regulations. CLRCLA 10 Reportable Controls. CASA '7664-38-2 Phosphoric Acid '500 pounds (2268Kp) Many states have more unagent release. Services of the product of the PAT Acid (Software Controlled Product). The PAT Acid (Software Controlled Product) and the product of the PAT Acid (Software Controlled Product). The product of the product are fused on the TSCA inventory.

U.S. State Regulations California Proposition 63: This product does not contain any chemicals, which are on the California Proposition 65 list.

Canada WHMS, Worlphee Unactions Marcials Information System in the product are fused on the California Proposition 65 list.

Canada WHMS, Worlphee Unactions Marcials Information System in the product are fused on the California Proposition 65 list.

Listentional Regulations, Canadian Environmental Protection Act, This product to accordingly product.

International Regulations, Canadian Environmental Protection Act, This product to accordingly product.

International Regulations, canadian Environmental Protection Act, This product to accordingly product.

International Regulations, canadian Environmental Protection Act, This product is a medical device and not subject to chemical notification requirements. Sol This institute of the product of

16. Other Information
ten wheat prains, flasseed, natural rubber, or natural latex.

To the best of our knowledge this product does not contain gluter, wheat grains, flasteed, natural All components are synthetically produced; note are deviced from a animal products.

All components are synthetically produced; note are deviced from a animal products.

This information is based on our present interviledge, theorety, the shall not constitute a guarant (egilly valid contractual relationship.

The attached select data sheet covers the dangers and measures to be taken when large quantums.

Obtained by Global Safety Management, www.globalsafetynet.com, (877) 683-7460

593899

1. Product and Company Identification

1. I I bauct una Company Inchimenton				
Product Name	SDS Code Number			
XP BOND® Universal Total-Etch Adhesive	593899			
Trade Name & Synonyms	Date of Last Revision			
XP BOND <sup>®</sup> Universal Total-Etch Adhesive	11/12/13			
XP BOND® Unidose - Universal Total-Etch Adhesive				
Manufacturer Address	Distributor Address			
DENTSPLY/DeTrey GmbH	DENTSPLY/Caulk			
DeTrey-Str.1	38 West Clarke Avenue			
78467 Konstanz, Germany	Milford DE 19963-1805			
	http://www.caulk.com, http://www.dentsply.com			
Grades or Minor Variant Identities	Information Telephone Number			
Not Applicable	(302) 422-4511 (8:00 AM – 4:30 PM Eastern Time)			
Product Use (for Canada)	Emergency Telephone Number			
Dental Bonding Agent	(302) 422-4511 (8:00 AM – 4:30 PM Eastern Time)			

# 2. Hazard(s) Identification



#### Warning Highly Flammable Liquid and Vapour

Warning Causes Skin Irritation

Keep away from heat/sparks/open flames / hot surfaces.

No smoking.

Keep container tightly closed.

Wear protective gloves/eye protection/face protection.

Ground / Bond container and receiving equipment.

Use explosion-proof electrical lighting equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Take precautionary measures against static discharge.

IF ON SKIN or Hair: Remove / take off immediately all contaminated clothing. Rinse skin with water / shower.

In case of fire: Use CO<sub>2</sub> sand or extinguishing powder.

Wash hands thoroughly after handling.
Wear protective gloves
IF ON SKIN: Wash with plenty of soap and water.
If skin irritation occurs: Get Medical Advice/attention.
Take off contaminated clothing and wash before reuse.

3. Composition/Information on Ingredients

Hazardous Components	C.A.S. Number	<b>Exposure Limits</b>	%
Methacrylates	Proprietary	Not Applicable	25 - 50
Tert-butyl alcohol	75-65-0	100 ppm	10 - 25
Acrylates	Proprietary	Not Applicable	10 - 25

#### 4. First Aid Measures

	4. Thist flid Measures		
Routes of	First Aid Instructions	Immediate	Delayed Effects
Exposure		Medical Attention	
Eye	Rinse opened eye for several minutes under running water.  If symptoms persist consult physician.	Not Applicable	Not Applicable
Skin	Immediately wash with soap and water and rinse thoroughly	Not Applicable	Not Applicable
Inhalation	Supply fresh air	Not Applicable	Not Applicable
Ingestion	If symptoms persist consult physician	Not Applicable	Not Applicable
Other	Not Applicable	Not Applicable	Not Applicable
Note to Physici	ians (Treating, Testing and Monitoring): Treat symptomatically.		

5. Fire and Explosion Data

	T 11 (T 1 : ) X : : :		0.1		
Flashpoint Method: 19°C (66°F)	Flammable (Explosive) Limits in Air	Autoignition Temperature: Not Applicable	Other: Not		
Tag Closed Cup	LEL: 2.4 vol % UEL: 8 vol %		Applicable		
Flame Propagation or Burning	Properties Contributing to Fire Intensity: Not Applicable	Flammability Classification: 3			
Rate (for Solids): Not Applicable					
Extinguishing Media: CO <sub>2</sub> , sand or extinguishing powder. Extinguishing Media to Avoid: Do not use water or water			r or water		
with full jet.					
Protection and Procedures for Firefighters: Firefighters should wear self-contained respiratory protective devices.					
Unusual Fire and Explosion Hazards	Unusual Fire and Explosion Hazards: Formation of toxic gases is possible during heating or in case of fire.				

#### 6. Accidental Release Measures

Containment Techniques: Wear protective clothing. Absorb with liquid binding material (sand, vermiculite, diatomite, acid binders, universal binders or sawdust). Scoop up bulk material and place in a labeled plastic or metal container.

Spill/Leak Clean-up Procedures and Equipment: Wear protective clothing. Absorb with liquid binding material (sand, vermiculite, diatomite, acid binders, universal binders or sawdust). Scoop up bulk material and place in a labeled plastic or metal container. Avoid gross skin contact to minimize the possibility of contact dermatitis to susceptible persons. Ensure adequate ventilation.

Evacuation Procedures: Not Applicable

Special Instructions: Not Applicable

Reporting Requirements: Not Applicable

#### 7. Handling and Storage

Handling Practices and Warnings: Handling of this product should be by trained dental healthcare professionals only. Observe normal care for working with chemicals.

Storage Practices and Warnings: Store in a well-ventilated place. Keep cool. Store only in the original package. Keep package tightly sealed. Protect from exposure to direct light. Store away from food and beverages.

### 8. Exposure Control / Personal Protection









Ventilation: None	required during normal intended use of this product	Other Engineering Controls: Not Applicab	ble
Routes of Entry	Personal Protective Equipmen	nt (PPE) for Normal Use	PPE for Emergencies
Eye/Face	Safety Gl	asses	Not Applicable
Skin	The glove material has to be imperme	eable and resistant to the product.	Not Applicable
Inhalation	Not required for normal voluments	nes used in Dental office.	Not Applicable
Body Protection	Protective wor	k clothing	Not Applicable
General Hygiene Considerations and Work Practices: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at end of work. Avoid contact with the eyes and skin.			
Protective Measures During Repair and Maintenance of Contaminated Equipment: Not Applicable			
Other Protective Measures and Equipment: Not Applicable			

#### 9. Physical and Chemical Characteristics

	<b>,</b>	
Appearance: Clear liquid.		Odor: Sweet acrylic ester odor.
Normal Physical State: Liquid		Boiling Point: Not Established.
Specific Gravity: ~0.9 g/cm <sup>3</sup>	pH: 2.5	pH: Not Applicable
Vapor Pressure (mm Hg): Not Established	Evaporation Rate (Butyl Acetate =1) Not Applicable	Evaporation Rate (Butyl Acetate =1) Not Applicable

#### 10. Stability and Reactivity Data

Incompatibility (Materials to Avoid): Visible light, high temperatures, strong acids, strong oxidizing agents. Keep away from sparks and sources of ignition.		
Hazardous Products Produced During Decomposition: Methacrylates, acrylates, carbon dioxide, carbon monoxide, and irritating gases.		
Hazardous Polymerization: ☐May Occur ☐May Not Occur	Conditions to Avoid: High Temperatures, ignition sources.	
Stability? ⊠Stable ☐Unstable	Conditions to Avoid: High Temperatures, ignition sources.	

#### 11. Toxicological Information

Emergency C	Emergency Overview: Material is flammable. Material is irritating to eyes, respiratory system and skin.				
Toxicity Data, E	Toxicity Data, Epidemiology Studies, Carcinogenicity, Neurological Effects, Genetic Effects, Reproductive Effects, or Structure Activity Data:				
				to the skin in susceptible persons. On the eye the	
an irritating effe	ct. Sensitization: Repeated or prolonged	contact with the unpo	lymerized material m	ay cause sensitization for persons allergic to acry	lates and
methacrylates. T	This product shows the following danger	s according to internal	ly approved calculation	on methods for composite materials: Irritant.	
Routes of	Signs and Symptoms	Single, Repeated,	Severity (Mild,	Acute and Chronic Health Effect(s)	
Exposure		or Lifetime	Moderate, Severe)		Target
		Exposure			Organ(s)
Eye	Material can cause irritation.	Single	Moderate	Irritation and possible corneal damage	Yes
Skin	Material may be an irritant and may	Single & Repeated	Moderate	Irritation or possible allergic response.	Yes
	be absorbed through the skin.			Severe allergic response may result	

				in breathing difficulties.	
Inhalation	Inhalation of high concentrations	Repeated	Moderate	Chronic inhalation may cause effects similar to	Yes
	may cause central nervous system			those of acute inhalation. Causes respiratory	
	effects characterized by nausea,			tract irritation. May cause motor incoordination	
	headache, dizziness,			and speech abnormalities.	
	unconsciousness and coma.				
Ingestion	May cause irritation of the digestive	Single & Repeated	Mild	Not Applicable	No
	tract.				
Other: Central	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not
nervous system					Applicable

Medical Conditions Aggravated by Exposure: Open sores and wounds of the skin. Individuals with known sensitivity to methacrylates, acrylates, or urethane dimethacrylate resin used in Dental restorative products.

Carcinogenicity NTP?: Not listed IARC monographs?: Not listed OSHA regulated?: No. All components of this product are in compliance with the inventory listing Requirements of the U. S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

Potential Environmental Effects Do not allow to enter sewers/ surface or ground water.

NFPA Hazard Classification Ratings (Scale 0-4) Health = 2, Fire = 3, Reactivity = 1 Specific Hazard = None

#### 12. Ecological Information

Toxicity Data, Environmental Fate, Physical/Chemical Data, or other Data Supporting Environmental Hazard Statements: Harmful to fish. Harmful to aquatic organisms.

#### 13. Disposal Considerations

Regulations: Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Absorb any spilled material with liquid binding material (sand, vermiculite, diatomite, acid binders, universal binders or sawdust). Scoop up bulk material and place in a labeled plastic or metal container. Dispose of contents / container in accordance with Federal, State and Local regulations.

Properties (Physical/Chemical) Affecting Disposal: Dispose of material as solid waste in a closed container.

RCRA P-Series: None Listed, RCRA U-Series: Waste Number D001 (Ignitable Waste)

#### 14. Transport Information

Regulated for Shipping: Yes	Proper Shipping Name:		Packing Group: II	
	Flammable Liquid N.O.S. (2	2-Methylprop	anol-2, Acrylate, mixture)	
Do Changes in Quantities, pac	hange	Hazard Class: 3	UN Identification Number:	
product classification? Yes				1993
Other: Not Applicable				



# 15. Regulatory Information

This product has been classified in accordance with the hazard criteria of the Globally Harmonized System of Classification and Labeling of Chemicals and the SDS contains all of the information required by the Canadian Controlled Products Regulations.

U.S. Federal Regulations: CERCLA 103 Reportable Quantity: No chemicals have a reportable quantity. Report spills required under federal, state and local regulations. Many states have more stringent release reporting requirements.

RCRA U-Series Hazardous Waste Code Not Applicable.

Section 313 Toxic Chemicals: This product contains CAS#75-65-0 tert-butyl alcohol, which is subject to Annual Release Reporting Requirements Under SARA Title III, Section 313 (40 CFR 372).

Section 302 Extremely Hazardous Substances (TPQ): None

EPA Toxic Substances Control Act (TSCA) Status: All of the components of this product are listed on the TSCA inventory.

U.S. State Regulations California Proposition 65: This product does not contain any chemicals, which are on the California Proposition 65 list.

Federal Regulations: The product has been classified and marked in accordance with directives on hazardous materials. Hazard Symbol: Flammable Water Hazard class1 (Self-assessment): slightly hazardous for water.

International Regulations: Hazard Symbol: Flammable XI F Risk Phrases: R11 Highly Flammable, R36/37/38 Irritating to eyes, respiratory system and skin. R52/53 Harmful to aquatic organisms may cause long-term adverse effects in the aquatic environment. Safety Phrases: S9 Keep container in a well – ventilated place. S16 Keep away from sources of ignition – No Smoking, S23 Do not breathe gas/fumes/vapor/spray (appropriate wording to be specified by the manufacturer. S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice, S28 After contact with skin, wash immediately with plenty of water. S33 Take precautionary measures against static discharges.

#### 16. Other Information

To the best of our knowledge this product does not contain gluten, wheat grains, flaxseed, natural rubber, or natural latex.

All components are synthetically produced; none are derived from animal products.

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific products features and shall not establish a legally valid contractual relationship.

The attached safety data sheet covers the dangers and measures to be taken when large quantities of material are released, for example due to accidents during transport or storage by the dealer. For quantities of material typically used in clinical practice, information necessary for safe use and storage of the product is given in the DFU.

546899

1. Product and Company Identification

Product Name	MSDS Code Number
CAULK® 50% Tooth CONDITIONER LIQUID	546899
CAULK® 34% Tooth CONDITIONER GEL	
Trade Name & Synonyms	Date of Last Revision
CAULK® 50% Tooth CONDITIONER LIQUID	11/11/10
CAULK® 34% Tooth CONDITIONER GEL	
Manufacturer	Address
DENTSPLY/Caulk	38 West Clarke Avenue
	Milford DE 19963-1805
	http://www.caulk.com, http://www.dentsply.com
Grades or Minor Variant Identities	Information Telephone Number
Bottles and Syringes	(302) 422-4511 (8:00 AM – 4:30 PM Eastern Time)
Product Use (for Canada)	Emergency Telephone Number
Not Applicable	(302) 422-4511 (8:00 AM – 4:30 PM Eastern Time)

# 2. Hazard(s) Identification



# Danger Causes severe skin burns and eye damage

Do not breathe in dust or mist.

Wash hands thoroughly after handling.

Wear protective gloves.

If SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IF ON SKIN: Remove immediately all contaminated clothing. Rinse skin with water.

If INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Immediately call a POISON Center or physician.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing. Store locked up.

Dispose of contents/container in accordance with local regulations.

# 3. Composition of Ingredients - Tooth Conditioner Liquid

Hazardous Components	C.A.S. Number	Exposure Limits	%
Phosphoric Acid	7664-38-2	$1 \text{ mg/M}^3$	50

# 3. Composition of Ingredients - Tooth Conditioner Gel

<b>Hazardous Components</b>	C.A.S. Number	Exposure Limits	%
Phosphoric Acid	7664-38-2	$1 \text{ mg/M}^3$	34

Other Information: Blue colorant is a fluorescent organic dye.

#### 4. First Aid Measures

	T. I list the vicesures				
Routes of	First Aid Instructions	Immediate Medical	Delayed Effects		
Exposure		Attention			
Eye	IF IN EYES: Rinse cautiously with water for several minutes. Remove	Not Applicable	Not Applicable		
	contact lenses, if present and easy to do. Continue rinsing.				
	If symptoms persist consult physician.				
Skin	IF ON SKIN: Remove/Take off immediately all contaminated clothing.	Not Applicable	Not Applicable		
	Rinse skin with water/shower. Wash contaminated clothing before reuse.				
	If symptoms persist consult physician.				
Inhalation	IF INHALED: Remove victim to fresh air and keep at a rest position	Not Applicable	Not Applicable		

	comfortable for breathing.				
	Immediately call a poison center or if symptoms persist, consult physician.				
Ingestion	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.	Not Applicable	Not Applicable		
	If symptoms persist consult physician.				
Other	Not Applicable	Not Applicable	Not Applicable		
Note to Phys	Note to Physicians (Treating, Testing and Monitoring): Treat symptomatically.				

5. Fire and Explosion Data

cv i n v wnw ziipiooion z ww			
Flashpoint Method: Not Applicable	Flammable (Explosive) Limits in Air	Autoignition Temperature: Not Applicable	Other: Not
LEL: Not Established UEL: Not Established			Applicable
Flame Propagation or Burning Rate	Properties Contributing to Fire Intensity: Not Applicable	Flammability Classification: Not	
(for Solids): Not Applicable		Applicable	
Extinguishing Media: Use extinguishing media suitable for surrounding area. Extinguishing Media to Avoid: Water with fu			ll jet.
Protection and Procedures for Firefighters: Firefighters should wear self-contained respiratory protective devices.			
Unusual Fire and Explosion Hazards: For	mation of toxic gases is possible during heating or in case of	fire.	

# 6. Accidental Release Measures

Containment Techniques: For Liquid: Absorb with liquid binding material (sand, vermiculite, diatomite, acid binders, universal binders or sawdust). For Gel,				
since material is a paste, scoop up bulk material and place in a suitable waste container.				
Spill/Leak Clean-up Procedures and Equipment: Absorb with liquid binding material (sand, vermiculite, diatomite, acid binders, universal binders or sawdust).				
Scoop up bulk material and place in a suitable waste container.				
Evacuation Procedures: Not Applicable	Special Instructions: Not Applicable	Reporting Requirements: Not Applicable		

# 7. Handling and Storage

Handling Practices and Warnings: Product is intended for dental use only. Handling of this product should be by trained dental healthcare professionals only.

Observe normal care for working with chemicals.

Storage Practices and Warnings: Store only in the original package. Keep package tightly sealed. Store in a dry area. Store away from food and beverages.

### 8. Exposure Control / Personal Protection









Ventilation: None	required during normal intended use of this product O	ther Engineering Controls: Not Applicabl	e	
Routes of Entry	Personal Protective Equipment (PPE	E) for Normal Use	PPE for Emergencies	
Eye/Face	Safety Glasses		Not Applicable	
Skin	The glove material has to be impermeable	and resistant to the product.	Not Applicable	
Inhalation	Not required for normal volumes u	sed in Dental office.	Not Applicable	
Body Protection	Protective work clothing		Not Applicable	
General Hygiene Considerations and Work Practices: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at end of work. Avoid contact with the eyes and skin.				
Protective Measures During Repair and Maintenance of Contaminated Equipment: Not Applicable				
Other Protective Measures and Equipment: Not Applicable				

# 9. Physical and Chemical Characteristics

I	Appearance: Liquid is clear. Gel is blue colored p	Odor: Acrid.	
1	Normal Physical State: Liquid, Gel is a paste.	Melting Point: Not Applicable	
5	Specific Gravity: 1.3 g/cm <sup>3</sup>	Solubility in Water: Not Soluble	pH: < 2
7	Vapor Pressure (mm Hg): Not Established	Vapor Density (AIR=1): Not Applicable	Evaporation Rate (Butyl Acetate =1) Not Applicable

#### 10. Stability and Reactivity Data

Incompatibility (Materials to Avoid): Not Applicable	
Hazardous Products Produced During Decomposition: Not Applicable.	
Hazardous Polymerization: ☐May Occur ☐May Not Occur	Conditions to Avoid: High Temperatures, ignition sources.
Stability? ⊠Stable □Unstable	Conditions to Avoid: High Temperatures, ignition sources.

#### 11. Toxicological Information

			<u> </u>			
Toxicity Da	Toxicity Data, Epidemiology Studies, Carcinogenicity, Neurological Effects, Genetic Effects, Reproductive Effects, or Structure Activity Data:					
Material is	Material is a corrosive acid and as such is irritating to skin and mucous membranes.					
Emergency Overview: Material is corrosive.						
Routes of	Signs and Symptoms	Single, Repeated, or	Severity (Mild,	Acute and Chronic Health Effect(s)	Target	
Exposure		Lifetime Exposure	Moderate, Severe)		Organ(s)	

Eye	Material is corrosive and	Single & Repeated	Severe	Irritation and possible corneal damage due	Not Applicable	
	may cause irritation.			to the corrosive nature of product.		
Skin	Material is corrosive and	Single & Repeated	Moderate to severe	Irritation due to the corrosive nature of the	Not Applicable	
	may cause irritation.		depending on	product.		
			contact time.			
Inhalation	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable	
Ingestion	Material is corrosive and	Not Applicable	Moderate	Irritation due to the corrosive nature of the	Not Applicable	
	may cause irritation.			product.		
Other	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable	
Medical Cor	Medical Conditions Aggravated by Exposure: Open sores and wounds of the skin.					

Carcinogenicity NTP?: Not listed IARC monographs?: Not listed OSHA regulated?: No All components of this product are in compliance with the inventory listing Requirements of the U. S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

Potential Environmental Effects Do not allow to enter sewers/ surface or ground water.

NFPA Hazard Classification Ratings (Scale 0-4), Health = 3, Fire = 0, Reactivity = 0 Specific Hazard = Corrosive / Acid

#### 12. Ecological Information

Toxicity Data, Environmental Fate, Physical/Chemical Data, or other Data Supporting Environmental Hazard Statements: Water Hazard class1 (Self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water streams or sewage system. Toxic to fish. Also poisonous for fish and plankton in water bodies. Toxic for aquatic organisms.

### 13. Disposal Considerations

Regulations: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Dispose of material as solid waste in a closed container. Dispose of in accordance with Federal, State and Local regulations

Properties (Physical/Chemical) Affecting Disposal: Dispose of material as solid waste in a closed container.



#### 14. Transport Information

Regulated for Shipping: Yes	DOT Shipping Name: Corrosive Liquid, n.o.	o.s. (contains Phosph	noric Acid)	Packing Group: II
Do Changes in Quantities, pa	Hazard Class: 8	UN Identific	cation Number: 1760	
classification? Yes				

#### 15. Regulatory Information

This product has been classified in accordance with the hazard criteria of the Globally Harmonized System of Classification and Labeling of Chemicals and the SDS contains all of the information required by the Canadian Controlled Products Regulations.

U.S. Federal Regulations: CERCLA 103 Reportable Quantity: CAS# 7664-38-2 Phosphoric Acid 5000 pounds (2268Kg) Many states have more stringent release reporting requirements. Report spills required under federal, state and local regulations

Section 313 Toxic Chemicals: This product contains the following chemicals subject to Annual Release Reporting Requirements Under SARA Title III, Section 313 (40 CFR 372): None

Section 302 Extremely Hazardous Substances (TPQ): None

EPA Toxic Substances Control Act (TSCA) Status: All of the components of this product are listed on the TSCA inventory.

U.S. State Regulations California Proposition 65: This product does not contain any chemicals, which are on the California Proposition 65 list.

Canada WHMIS, Workplace Hazardous Materials Information System: This product is not a controlled product.

International Regulations: Canadian Environmental Protection Act: This product is a medical device and not subject to chemical notification requirements.

European Community Labeling: Not a dangerous preparation. These R and S phrases apply to base and catalyst: R36/38 Irritating to eyes and skin. R51/53 Toxic to aquatic organisms, may cause long-term effects in the environment. S26 Incase of contact with eyes, rinse immediately with plenty of water and seek medical advice. S28 After contact with skin, wash immediately with plenty of water. S37 Wear suitable gloves. S57 Use appropriate container to avoid environmental contamination. S60 This material and its container must be disposed of as hazardous waste. These R and S phrases apply to catalyst: R41 Risk of serious damage to eyes. R50/53 Very toxic to aquatic organisms, may cause long-term effects in the environment. S24 Avoid contact with skin.

European Inventory of New and Existing Chemicals Substances (EINECS): This product is a medical device and not subject to chemical notification requirements. Phosphoric Acid is known as EINECS #: 231-633-2 and CAS# 7664-38-2.

Other: Not Applicable.

#### 16. Other Information

To the best of our knowledge this product does not contain gluten, wheat grains, flaxseed, natural rubber, or natural latex.

All components are synthetically produced; none are derived from animal products.

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific products features and shall not establish a legally valid contractual relationship.

The attached safety data sheet covers the dangers and measures to be taken when large quantities of material are released, for example due to accidents during transport or storage by the dealer. For quantities of material typically used in clinical practice, information necessary for safe use and storage of the product is given in the DFU.

593899

1. Product and Company Identification

1. I Todact and Company Identification				
Product Name	SDS Code Number			
XP BOND® Universal Total-Etch Adhesive	593899			
Trade Name & Synonyms	Date of Last Revision			
XP BOND <sup>®</sup> Universal Total-Etch Adhesive	11/12/13			
XP BOND® Unidose - Universal Total-Etch Adhesive				
Manufacturer Address	Distributor Address			
DENTSPLY/DeTrey GmbH	DENTSPLY/Caulk			
DeTrey-Str.1	38 West Clarke Avenue			
78467 Konstanz, Germany	Milford DE 19963-1805			
	http://www.caulk.com, http://www.dentsply.com			
Grades or Minor Variant Identities	Information Telephone Number			
Not Applicable	(302) 422-4511 (8:00 AM – 4:30 PM Eastern Time)			
Product Use (for Canada)	Emergency Telephone Number			
Dental Bonding Agent	(302) 422-4511 (8:00 AM – 4:30 PM Eastern Time)			

# 2. Hazard(s) Identification



#### Warning Highly Flammable Liquid and Vapour

Warning Causes Skin Irritation

Keep away from heat/sparks/open flames / hot surfaces.

No smoking.

Keep container tightly closed.

Wear protective gloves/eye protection/face protection.

Ground / Bond container and receiving equipment.

Use explosion-proof electrical lighting equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Take precautionary measures against static discharge.

IF ON SKIN or Hair: Remove / take off immediately all contaminated clothing. Rinse skin with water / shower.

In case of fire: Use CO<sub>2</sub> sand or extinguishing powder.

Wash hands thoroughly after handling.
Wear protective gloves
IF ON SKIN: Wash with plenty of soap and water.
If skin irritation occurs: Get Medical Advice/attention.
Take off contaminated clothing and wash before reuse.

3. Composition/Information on Ingredients

Hazardous Components	C.A.S. Number	<b>Exposure Limits</b>	%
Methacrylates	Proprietary	Not Applicable	25 - 50
Tert-butyl alcohol	75-65-0	100 ppm	10 - 25
Acrylates	Proprietary	Not Applicable	10 - 25

#### 4. First Aid Measures

	4. Thist flid Measures		
Routes of	First Aid Instructions	Immediate	Delayed Effects
Exposure		Medical Attention	
Eye	Rinse opened eye for several minutes under running water.  If symptoms persist consult physician.	Not Applicable	Not Applicable
Skin	Immediately wash with soap and water and rinse thoroughly	Not Applicable	Not Applicable
Inhalation	Supply fresh air	Not Applicable	Not Applicable
Ingestion	If symptoms persist consult physician	Not Applicable	Not Applicable
Other	Not Applicable	Not Applicable	Not Applicable
Note to Physici	ians (Treating, Testing and Monitoring): Treat symptomatically.		

5. Fire and Explosion Data

	T 11 (T 1 : ) X : : :		0.1		
Flashpoint Method: 19°C (66°F)	Flammable (Explosive) Limits in Air	Autoignition Temperature: Not Applicable	Other: Not		
Tag Closed Cup	LEL: 2.4 vol % UEL: 8 vol %		Applicable		
Flame Propagation or Burning	Properties Contributing to Fire Intensity: Not Applicable	Flammability Classification: 3			
Rate (for Solids): Not Applicable					
Extinguishing Media: CO <sub>2</sub> , sand or e	extinguishing powder.	Extinguishing Media to Avoid: Do not use wate	r or water		
		with full jet.			
Protection and Procedures for Firefighters: Firefighters should wear self-contained respiratory protective devices.					
Unusual Fire and Explosion Hazards: Formation of toxic gases is possible during heating or in case of fire.					

#### 6. Accidental Release Measures

Containment Techniques: Wear protective clothing. Absorb with liquid binding material (sand, vermiculite, diatomite, acid binders, universal binders or sawdust). Scoop up bulk material and place in a labeled plastic or metal container.

Spill/Leak Clean-up Procedures and Equipment: Wear protective clothing. Absorb with liquid binding material (sand, vermiculite, diatomite, acid binders, universal binders or sawdust). Scoop up bulk material and place in a labeled plastic or metal container. Avoid gross skin contact to minimize the possibility of contact dermatitis to susceptible persons. Ensure adequate ventilation.

Evacuation Procedures: Not Applicable

Special Instructions: Not Applicable

Reporting Requirements: Not Applicable

#### 7. Handling and Storage

Handling Practices and Warnings: Handling of this product should be by trained dental healthcare professionals only. Observe normal care for working with chemicals.

Storage Practices and Warnings: Store in a well-ventilated place. Keep cool. Store only in the original package. Keep package tightly sealed. Protect from exposure to direct light. Store away from food and beverages.

### 8. Exposure Control / Personal Protection









Ventilation: None	required during normal intended use of this product	Other Engineering Controls: Not Applicab	ble	
Routes of Entry	Personal Protective Equipmen	nt (PPE) for Normal Use	PPE for Emergencies	
Eye/Face	Safety Gl	asses	Not Applicable	
Skin	The glove material has to be imperme	eable and resistant to the product.	Not Applicable	
Inhalation	Not required for normal voluments	nes used in Dental office.	Not Applicable	
Body Protection	Protective work clothing Not			
General Hygiene Considerations and Work Practices: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at end of work. Avoid contact with the eyes and skin.				
Protective Measures During Repair and Maintenance of Contaminated Equipment: Not Applicable				
Other Protective Measures and Equipment: Not Applicable				

#### 9. Physical and Chemical Characteristics

	<b>,</b>	
Appearance: Clear liquid.	Odor: Sweet acrylic ester odor.	
Normal Physical State: Liquid		Boiling Point: Not Established.
Specific Gravity: ~0.9 g/cm <sup>3</sup>	pH: 2.5	pH: Not Applicable
Vapor Pressure (mm Hg): Not Established	Evaporation Rate (Butyl Acetate =1) Not Applicable	Evaporation Rate (Butyl Acetate =1) Not Applicable

#### 10. Stability and Reactivity Data

Incompatibility (Materials to Avoid): Visible light, high temperatures, strong acids, strong oxidizing agents. Keep away from sparks and sources of ignition.			
Hazardous Products Produced During Decomposition: Methacrylates, acrylates, carbon dioxide, carbon monoxide, and irritating gases.			
Hazardous Polymerization: May Occur May Not Occur Conditions to Avoid: High Temperatures, ignition sources.			
Stability? Stable Unstable Conditions to Avoid: High Temperatures, ignition sources.			

#### 11. Toxicological Information

Emergency C	Emergency Overview: Material is flammable. Material is irritating to eyes, respiratory system and skin.					
Toxicity Data, E	Toxicity Data, Epidemiology Studies, Carcinogenicity, Neurological Effects, Genetic Effects, Reproductive Effects, or Structure Activity Data:					
				to the skin in susceptible persons. On the eye the		
an irritating effe	ct. Sensitization: Repeated or prolonged	contact with the unpo	lymerized material m	ay cause sensitization for persons allergic to acry	lates and	
methacrylates. T	This product shows the following danger	s according to internal	ly approved calculation	on methods for composite materials: Irritant.		
Routes of	Signs and Symptoms	Single, Repeated,	Severity (Mild,	Acute and Chronic Health Effect(s)		
Exposure		or Lifetime	Moderate, Severe)		Target	
Exposure				Organ(s)		
Eye	Material can cause irritation.	Single	Moderate	Irritation and possible corneal damage	Yes	
Skin	Material may be an irritant and may	Single & Repeated	Moderate	Irritation or possible allergic response.	Yes	
	be absorbed through the skin.			Severe allergic response may result		

				in breathing difficulties.	
Inhalation	Inhalation of high concentrations	Repeated	Moderate	Chronic inhalation may cause effects similar to	Yes
	may cause central nervous system			those of acute inhalation. Causes respiratory	
	effects characterized by nausea,			tract irritation. May cause motor incoordination	
	headache, dizziness,			and speech abnormalities.	
	unconsciousness and coma.				
Ingestion	May cause irritation of the digestive	Single & Repeated	Mild	Not Applicable	No
	tract.				
Other: Central	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not
nervous system					Applicable

Medical Conditions Aggravated by Exposure: Open sores and wounds of the skin. Individuals with known sensitivity to methacrylates, acrylates, or urethane dimethacrylate resin used in Dental restorative products.

Carcinogenicity NTP?: Not listed IARC monographs?: Not listed OSHA regulated?: No. All components of this product are in compliance with the inventory listing Requirements of the U. S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

Potential Environmental Effects Do not allow to enter sewers/ surface or ground water.

NFPA Hazard Classification Ratings (Scale 0-4) Health = 2, Fire = 3, Reactivity = 1 Specific Hazard = None

#### 12. Ecological Information

Toxicity Data, Environmental Fate, Physical/Chemical Data, or other Data Supporting Environmental Hazard Statements: Harmful to fish. Harmful to aquatic organisms.

#### 13. Disposal Considerations

Regulations: Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Absorb any spilled material with liquid binding material (sand, vermiculite, diatomite, acid binders, universal binders or sawdust). Scoop up bulk material and place in a labeled plastic or metal container. Dispose of contents / container in accordance with Federal, State and Local regulations.

Properties (Physical/Chemical) Affecting Disposal: Dispose of material as solid waste in a closed container.

RCRA P-Series: None Listed, RCRA U-Series: Waste Number D001 (Ignitable Waste)

#### 14. Transport Information

Regulated for Shipping: Yes	Proper Shipping Name:		Packing Group: II	
	Flammable Liquid N.O.S. (2	2-Methylprop	anol-2, Acrylate, mixture)	
Do Changes in Quantities, pac	hange	Hazard Class: 3	UN Identification Number:	
product classification? Yes				1993
Other: Not Applicable				



# 15. Regulatory Information

This product has been classified in accordance with the hazard criteria of the Globally Harmonized System of Classification and Labeling of Chemicals and the SDS contains all of the information required by the Canadian Controlled Products Regulations.

U.S. Federal Regulations: CERCLA 103 Reportable Quantity: No chemicals have a reportable quantity. Report spills required under federal, state and local regulations. Many states have more stringent release reporting requirements.

RCRA U-Series Hazardous Waste Code Not Applicable.

Section 313 Toxic Chemicals: This product contains CAS#75-65-0 tert-butyl alcohol, which is subject to Annual Release Reporting Requirements Under SARA Title III, Section 313 (40 CFR 372).

Section 302 Extremely Hazardous Substances (TPQ): None

EPA Toxic Substances Control Act (TSCA) Status: All of the components of this product are listed on the TSCA inventory.

U.S. State Regulations California Proposition 65: This product does not contain any chemicals, which are on the California Proposition 65 list.

Federal Regulations: The product has been classified and marked in accordance with directives on hazardous materials. Hazard Symbol: Flammable Water Hazard class1 (Self-assessment): slightly hazardous for water.

International Regulations: Hazard Symbol: Flammable XI F Risk Phrases: R11 Highly Flammable, R36/37/38 Irritating to eyes, respiratory system and skin. R52/53 Harmful to aquatic organisms may cause long-term adverse effects in the aquatic environment. Safety Phrases: S9 Keep container in a well – ventilated place. S16 Keep away from sources of ignition – No Smoking, S23 Do not breathe gas/fumes/vapor/spray (appropriate wording to be specified by the manufacturer. S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice, S28 After contact with skin, wash immediately with plenty of water. S33 Take precautionary measures against static discharges.

#### 16. Other Information

To the best of our knowledge this product does not contain gluten, wheat grains, flaxseed, natural rubber, or natural latex.

All components are synthetically produced; none are derived from animal products.

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific products features and shall not establish a legally valid contractual relationship.

The attached safety data sheet covers the dangers and measures to be taken when large quantities of material are released, for example due to accidents during transport or storage by the dealer. For quantities of material typically used in clinical practice, information necessary for safe use and storage of the product is given in the DFU.

546899

1. Product and Company Identification

Product Name	MSDS Code Number
CAULK® 50% Tooth CONDITIONER LIQUID	546899
CAULK® 34% Tooth CONDITIONER GEL	
Trade Name & Synonyms	Date of Last Revision
CAULK® 50% Tooth CONDITIONER LIQUID	11/11/10
CAULK® 34% Tooth CONDITIONER GEL	
Manufacturer	Address
DENTSPLY/Caulk	38 West Clarke Avenue
	Milford DE 19963-1805
	http://www.caulk.com, http://www.dentsply.com
Grades or Minor Variant Identities	Information Telephone Number
Bottles and Syringes	(302) 422-4511 (8:00 AM – 4:30 PM Eastern Time)
Product Use (for Canada)	Emergency Telephone Number
Not Applicable	(302) 422-4511 (8:00 AM – 4:30 PM Eastern Time)

# 2. Hazard(s) Identification



# Danger Causes severe skin burns and eye damage

Do not breathe in dust or mist.

Wash hands thoroughly after handling.

Wear protective gloves.

If SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IF ON SKIN: Remove immediately all contaminated clothing. Rinse skin with water.

If INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Immediately call a POISON Center or physician.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing. Store locked up.

Dispose of contents/container in accordance with local regulations.

# 3. Composition of Ingredients - Tooth Conditioner Liquid

Hazardous Components	C.A.S. Number	Exposure Limits	%
Phosphoric Acid	7664-38-2	$1 \text{ mg/M}^3$	50

# 3. Composition of Ingredients - Tooth Conditioner Gel

<b>Hazardous Components</b>	C.A.S. Number	Exposure Limits	%
Phosphoric Acid	7664-38-2	$1 \text{ mg/M}^3$	34

Other Information: Blue colorant is a fluorescent organic dye.

#### 4. First Aid Measures

	T. I list Michaelles						
Routes of	First Aid Instructions	Immediate Medical	Delayed Effects				
Exposure		Attention					
Eye	IF IN EYES: Rinse cautiously with water for several minutes. Remove	Not Applicable	Not Applicable				
	contact lenses, if present and easy to do. Continue rinsing.						
	If symptoms persist consult physician.						
Skin	IF ON SKIN: Remove/Take off immediately all contaminated clothing.	Not Applicable	Not Applicable				
	Rinse skin with water/shower. Wash contaminated clothing before reuse.						
	If symptoms persist consult physician.						
Inhalation	IF INHALED: Remove victim to fresh air and keep at a rest position	Not Applicable	Not Applicable				

	comfortable for breathing.				
	Immediately call a poison center or if symptoms persist, consult physician.				
Ingestion	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.	Not Applicable	Not Applicable		
	If symptoms persist consult physician.				
Other	Not Applicable	Not Applicable	Not Applicable		
Note to Phys	Note to Physicians (Treating, Testing and Monitoring): Treat symptomatically.				

5. Fire and Explosion Data

Flashpoint Method: Not Applicable	Flammable (Explosive) Limits in Air	Autoignition Temperature: Not Applicable	Other: Not	
	LEL: Not Established UEL: Not Established		Applicable	
Flame Propagation or Burning Rate	Properties Contributing to Fire Intensity: Not Applicable	Flammability Classification: Not		
(for Solids): Not Applicable		Applicable		
Extinguishing Media: Use extinguishing media suitable for surrounding area. Extinguishing Media to Avoid: Water with full ji			ll jet.	
Protection and Procedures for Firefighters: Firefighters should wear self-contained respiratory protective devices.				
Unusual Fire and Explosion Hazards: For	mation of toxic gases is possible during heating or in case of	fire.		

# 6. Accidental Release Measures

Containment Techniques: For Liquid: Absorb with liquid binding material (sand, vermiculite, diatomite, acid binders, universal binders or sawdust). For Gel,					
since material is a paste, scoop up bulk material and place in a suitable waste container.					
Spill/Leak Clean-up Procedures and Equipment: Absorb with liquid binding material (sand, vermiculite, diatomite, acid binders, universal binders or sawdust).					
Scoop up bulk material and place in a suitable waste container.					
Evacuation Procedures: Not Applicable   Special Instructions: Not Applicable   Reporting Requirements: Not Applicable					

# 7. Handling and Storage

Handling Practices and Warnings: Product is intended for dental use only. Handling of this product should be by trained dental healthcare professionals only.

Observe normal care for working with chemicals.

Storage Practices and Warnings: Store only in the original package. Keep package tightly sealed. Store in a dry area. Store away from food and beverages.

### 8. Exposure Control / Personal Protection









Ventilation: None	Ventilation: None required during normal intended use of this product  Other Engineering Controls: Not Applicable						
Routes of Entry	Personal Protective Equipment (PPE	E) for Normal Use	PPE for Emergencies				
Eye/Face	Safety Glasses		Not Applicable				
Skin	The glove material has to be impermeable and resistant to the product.		Not Applicable				
Inhalation	Inhalation Not required for normal volumes used in Dental office.		Not Applicable				
Body Protection	Protective work clo	thing	Not Applicable				
General Hygiene Considerations and Work Practices: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at end of work. Avoid contact with the eyes and skin.							
Protective Measures During Repair and Maintenance of Contaminated Equipment: Not Applicable							
Other Protective N	Other Protective Measures and Equipment: Not Applicable						

# 9. Physical and Chemical Characteristics

I	Appearance: Liquid is clear. Gel is blue colored p	Odor: Acrid.		
1	Normal Physical State: Liquid, Gel is a paste.		Melting Point: Not Applicable	
5	Specific Gravity: 1.3 g/cm <sup>3</sup>	Solubility in Water: Not Soluble	pH: < 2	
7	Vapor Pressure (mm Hg): Not Established	Vapor Density (AIR=1): Not Applicable	Evaporation Rate (Butyl Acetate =1) Not Applicable	

#### 10. Stability and Reactivity Data

Incompatibility (Materials to Avoid): Not Applicable	
Hazardous Products Produced During Decomposition: Not Applicable.	
Hazardous Polymerization: ☐May Occur ☐May Not Occur	Conditions to Avoid: High Temperatures, ignition sources.
Stability? ⊠Stable □Unstable	Conditions to Avoid: High Temperatures, ignition sources.

#### 11. Toxicological Information

			<u> </u>					
Toxicity Da	Toxicity Data, Epidemiology Studies, Carcinogenicity, Neurological Effects, Genetic Effects, Reproductive Effects, or Structure Activity Data:							
Material is	Material is a corrosive acid and as such is irritating to skin and mucous membranes.							
Emergency (	Emergency Overview: Material is corrosive.							
Routes of	Routes of Signs and Symptoms Single, Repeated, or Severity (Mild, Acute and Chronic Health Effect(s) Target							
Exposure		Lifetime Exposure	Moderate, Severe)		Organ(s)			

Eye	Material is corrosive and	Single & Repeated	Severe	Irritation and possible corneal damage due	Not Applicable		
	may cause irritation.			to the corrosive nature of product.			
Skin Material is corrosive and Single & Repeate		Single & Repeated	Moderate to severe	Irritation due to the corrosive nature of the	Not Applicable		
	may cause irritation.		depending on	product.			
			contact time.				
Inhalation	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable		
Ingestion Material is corrosive and		Not Applicable	Moderate	Irritation due to the corrosive nature of the	Not Applicable		
may cause irritation.				product.			
Other	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable		
Medical Cor	Medical Conditions Aggravated by Exposure: Open sores and wounds of the skin.						

Carcinogenicity NTP?: Not listed IARC monographs?: Not listed OSHA regulated?: No All components of this product are in compliance with the inventory listing Requirements of the U. S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

Potential Environmental Effects Do not allow to enter sewers/ surface or ground water.

NFPA Hazard Classification Ratings (Scale 0-4), Health = 3, Fire = 0, Reactivity = 0 Specific Hazard = Corrosive / Acid

#### 12. Ecological Information

Toxicity Data, Environmental Fate, Physical/Chemical Data, or other Data Supporting Environmental Hazard Statements: Water Hazard class1 (Self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water streams or sewage system. Toxic to fish. Also poisonous for fish and plankton in water bodies. Toxic for aquatic organisms.

### 13. Disposal Considerations

Regulations: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Dispose of material as solid waste in a closed container. Dispose of in accordance with Federal, State and Local regulations

Properties (Physical/Chemical) Affecting Disposal: Dispose of material as solid waste in a closed container.



#### 14. Transport Information

Regulated for Shipping: Yes	DOT Shipping Name: Corrosive Liquid, n.o.	o.s. (contains Phosph	noric Acid)	Packing Group: II
Do Changes in Quantities, packaging, or shipment method change product		Hazard Class: 8	UN Identific	cation Number: 1760
classification? Yes				

#### 15. Regulatory Information

This product has been classified in accordance with the hazard criteria of the Globally Harmonized System of Classification and Labeling of Chemicals and the SDS contains all of the information required by the Canadian Controlled Products Regulations.

U.S. Federal Regulations: CERCLA 103 Reportable Quantity: CAS# 7664-38-2 Phosphoric Acid 5000 pounds (2268Kg) Many states have more stringent release reporting requirements. Report spills required under federal, state and local regulations

Section 313 Toxic Chemicals: This product contains the following chemicals subject to Annual Release Reporting Requirements Under SARA Title III, Section 313 (40 CFR 372): None

Section 302 Extremely Hazardous Substances (TPQ): None

EPA Toxic Substances Control Act (TSCA) Status: All of the components of this product are listed on the TSCA inventory.

U.S. State Regulations California Proposition 65: This product does not contain any chemicals, which are on the California Proposition 65 list.

Canada WHMIS, Workplace Hazardous Materials Information System: This product is not a controlled product.

International Regulations: Canadian Environmental Protection Act: This product is a medical device and not subject to chemical notification requirements.

European Community Labeling: Not a dangerous preparation. These R and S phrases apply to base and catalyst: R36/38 Irritating to eyes and skin. R51/53 Toxic to aquatic organisms, may cause long-term effects in the environment. S26 Incase of contact with eyes, rinse immediately with plenty of water and seek medical advice. S28 After contact with skin, wash immediately with plenty of water. S37 Wear suitable gloves. S57 Use appropriate container to avoid environmental contamination. S60 This material and its container must be disposed of as hazardous waste. These R and S phrases apply to catalyst: R41 Risk of serious damage to eyes. R50/53 Very toxic to aquatic organisms, may cause long-term effects in the environment. S24 Avoid contact with skin.

European Inventory of New and Existing Chemicals Substances (EINECS): This product is a medical device and not subject to chemical notification requirements. Phosphoric Acid is known as EINECS #: 231-633-2 and CAS# 7664-38-2.

Other: Not Applicable.

#### 16. Other Information

To the best of our knowledge this product does not contain gluten, wheat grains, flaxseed, natural rubber, or natural latex.

All components are synthetically produced; none are derived from animal products.

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific products features and shall not establish a legally valid contractual relationship.

The attached safety data sheet covers the dangers and measures to be taken when large quantities of material are released, for example due to accidents during transport or storage by the dealer. For quantities of material typically used in clinical practice, information necessary for safe use and storage of the product is given in the DFU.

534891

1. Identification

Product Name	SDS Code Number
Self Cure Activator	534891
Trade Name & Synonyms	Date of Last Revision
Self Cure Activator	02/21/14
Manufacturer:	Address
DENTSPLY Caulk	38 West Clarke Avenue
	Milford DE 19963-1805
	http://www.caulk.com http://www.dentsply.com
Grades or Minor Variant Identities	Information Telephone Number
Not Applicable	(302) 422-4511 (8:00 AM – 4:30 PM Eastern Time)
Product Use (for Canada)	Emergency Telephone Number
Not Applicable	(302) 422-4511 (8:00 AM – 4:30 PM Eastern Time)
Grades or Minor Variant Identities Not Applicable	Milford DE 19963-1805 http://www.caulk.com http://www.dentsply.com Information Telephone Number (302) 422-4511 (8:00 AM – 4:30 PM Eastern Time) Emergency Telephone Number

### 2. Hazard(s) Identification



DANGER HIGHLY FLAMMABLE LIQUID AND VAPOR



MAY CAUSES AN ALLERGIC SKIN REACTION

Keep away from heat/sparks/open flames / hot surfaces. No smoking.

Keep container tightly closed.

Use only non-sparking tools.

Take precautionary measures against static discharge.

In case of fire: Use dry chemical, alcohol foam, or carbon dioxide for extinction.

Store in a well ventilated place. Keep Cool.

Avoid breathing vapors.

Contaminated work clothing should not be allowed out of the workplace.

Wash thoroughly after handling.

Wear protective gloves.

IF IN EYES: Rinse cautiously for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

If eye irritation persists: Get medical attention.

IF ON SKIN: Remove immediately all contaminated clothing. Rinse with water.

If skin irritation occurs: Get Medical Advice/attention.

Wash contaminated clothing before reuse.

Avoid breathing vapors.

Use only outdoors or in well ventilated area.

IF INHALED: remove victim to fresh air and keep at rest in a position comfortable for breathing.

Call a POISON Center or physician if you feel unwell.

Dispose of contents/container in accordance with local regulations.

3. Composition/Information on Ingredients

or composition, into interior on ingredients					
Hazardous Components	C.A.S. Number	Exposure Limits	%		
Acetone	67-64-1	500 ppm	< 70		
Urethane dimethacrylate resin	105883-40-7	Not Applicable	< 20		
2-Hydroxyethyl methacrylate	868-77-9	Not Applicable	< 10		
Initiator	Trade Secret	Not Applicable	< 5		

# 4. First Aid Measures

Routes of Exposure First Aid Instructions		Immediate Medical Attention	Delayed Effects
Eye Rinse opened eye for several minutes under running water. If symptoms persist		Not Applicable	Not Applicable
consult physician			
Skin	Immediately wash with soap and water and rinse thoroughly	Not Applicable	Not Applicable

Inhalation	Supply fresh air.	Not Applicable	Not Applicable		
	This may not be of concern when using clinically relevant quantities.				
Ingestion	This may not be of concern when using clinically relevant quantities.	Not Applicable	Not Applicable		
Other Not Applicable Not Applicable No					
Note to Physicians (Treating Tecting and Monitoring): Treat symptomatically					

5. Fire Fighting Measures

8 8						
Flashpoint Method: 2°C (36°F)	Flammable (Explosive) Limits in Air	Autoignition Temperature: Not	Other: Not			
Pensky-Marten Closed Cup	LEL: 2.5 vol. % UEL: 12. 8 vol. %	Applicable	Applicable			
Flame Propagation or Burning Rate (for Solids): Not	Properties Contributing to Fire	Flammability Classification: 3	]			
Applicable	Intensity: Not Applicable	·				
Extinguishing Media: CO <sub>2</sub> , extinguishing powder or water spray. Fight larger fires with water  Extinguishing Media to Avoid:						
sprat or alcohol resistant foam.  Water with full jet.						
Protection and Procedures for Firefighters: Firefighters should wear self-contained respiratory protective devices.						
Unusual Fire and Explosion Hazards: Formation of toxi	c gases is possible during heating or in case	of fire.				

#### 6. Accidental Release Measures

Containment Techniques: Wear protective clothing and absorb spill with inert material (e.g. vermiculite, sand, earth), then place material in suitable labeled plastic or metal container.

Spill/Leak Clean-up Procedures and Equipment: Wear protective clothing and absorb spill with inert material (e.g. vermiculite, sand, earth), then place material in suitable labeled plastic or metal container. Avoid gross skin contact to minimize the possibility of contact dermatitis to susceptible persons. Ensure adequate ventilation.

Evacuation Procedures: Not Applicable

Special Instructions: Not Applicable

Reporting Requirements: Not Applicable

#### 7. Handling and Storage

Handling Practices and Warnings: Handling of this product should be by trained dental healthcare professionals only. Observe normal care for working with chemicals.

Storage Practices and Warnings: Store only in the original package. Keep package tightly sealed. Protect from exposure to direct light. Store away from food and beverages.

#### 8. Exposure Control / Personal Protection









Ventilation: None required during normal intended use of this product						
Engineering Controls: N	Engineering Controls: Not Applicable					
Individual Protection	Individual Protection Personal Protective Equipment for Normal Use Personal Protective					
Measures Equipment for Emerge						
Eye/Face	Not Applicable					
Skin	Skin The glove material has to be impermeable and resistant to the product.					
Inhalation	Not Applicable					
Body Protection	Protective work clothing	Not Applicable				

#### 9. Physical and Chemical Characteristics

Appearance: Light yellow liquid.			Odor: Acetone like with characteristic sweet acrylic ester odor.		
Normal Physical State: Low viscosity liquid			Melting Point: Not Determined Boiling Point: 56.2°C (133°F)		
Specific Gravity: ~0.9 g/cm <sup>3</sup> Solubility in Water: Partially		pH: 6-8			
Vapor Pressure (mm Hg): 233 mbar @ 20°C Vapor Density (AIR=1):		Not Applicable	Evaporation Rate (1	Butyl Acetate=1): Not Applicable	
Other: Not Applicable					

#### 10. Stability and Reactivity Data

		v v
	Incompatibility (Materials to Avoid): Visible light, high temperatures, strong acids, strong oxidizing agents.	
	Hazardous Products Produced During Decomposition: Methacrylates, acryl	ates, carbon dioxide, carbon monoxide, peroxides and irritating gases.
Hazardous Polymerization: ☐May Occur ☐May Not Occur ☐Conditions to Avoid: High Temperatures, ignition sources.		Conditions to Avoid: High Temperatures, ignition sources.
	Stability? ⊠Stable ☐Unstable	Conditions to Avoid: High Temperatures, ignition sources.

#### 11. Toxicological Information

Toxicity Data, Epidemiology Studies, Carcinogenicity, Neurological Effects, Genetic Effects, Reproductive Effects, or Structure Activity Data:

Product is an irritant to the skin and mucous membranes. The unpolymerized product may be an irritant to the skin in susceptible persons. On the eye the product has an irritating effect. Sensitization: Repeated or prolonged contact with the unpolymerized material may cause sensitization for persons allergic to acrylates and methacrylates. This product shows the following dangers according to internally approved calculation methods for composite materials: Irritant.

ACGIH: A4- Not	ACGIH: A4- Not classifiable as a Human Carcinogen.				
Emergency Ove	Emergency Overview: Material is irritating to eyes, respiratory system and skin. Breathing vapors may cause drowsiness and dizziness.				
Routes of Single, Repeated, or Severity (Mild, Acute and Chronic Heal			Acute and Chronic Health Effect(s)	Target	
Exposure	Signs and Symptoms	Lifetime Exposure	Moderate, Severe)		Organ(s)
Eye	Material can cause irritation.	Single	Moderate	Irritation and possible corneal damage	Yes
Skin	Material may be an irritant and may be absorbed through the skin.	Single & Repeated	Moderate	Irritation or possible allergic response.  Severe allergic response may result in breathing difficulties.	Yes
Inhalation	Inhalation of high concentrations may cause central nervous system effects characterized by nausea, headache, dizziness, unconsciousness and coma. This may not be of concern when using clinically relevant quantities.	Repeated	Moderate	Chronic inhalation may cause effects similar to those of acute inhalation. Causes respiratory tract irritation. May cause motor in coordination and speech abnormalities.	Yes
Ingestion	May cause irritation of the digestive tract. This may not be of concern when using clinically relevant quantities.	Single & Repeated	Mild	Not Applicable	No
Other Central nervous system	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable

Medical Conditions Aggravated by Exposure Open sores and wounds of the skin. Individuals with known sensitivity to methacrylates, acrylates, or urethane dimethacrylate resin used in Dental restorative products.

Carcinogenicity NTP?: Not listed IARC monographs?: Not listed OSHA regulated?: No. All components of this product are in compliance with the inventory listing Requirements of the U. S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

Potential Environmental Effects Do not allow to enter sewers/ surface or ground water.

NFPA Hazard Classification Ratings (Scale 0-4) Health =2, Fire =3, Reactivity=0 Specific Hazard = None

# 12. Ecological Information

Toxicity Data, Environmental Fate, Physical/Chemical Data, or other Data Supporting Environmental Hazard Statements: Water Hazard class1 (Self-assessment): The acetone in the product will volatilizes, leech and biodegrade when released to the soil. Terrestrial Fate: If release on soil, acetone will both volatilize and leach into the ground. Acetone readily biodegrades and there is evidence suggesting that it biodegrades fairly rapidly in soils. Aquatic Fate: If released into water acetone will probable biodegrade. It is readily biodegradable in screening tests, although data from natural water are lacking. It will also be lost due to volatilization. Adsorption to sediment should not be significant.

### 13.Disposal Considerations

Regulations: Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Dispose of material as solid waste in a closed container. Dispose of in accordance with Federal, State and Local regulations

Properties (Physical/Chemical) Affecting Disposal: Dispose of material as solid waste in a closed container.

RCRA P-Series: None Listed, RCRA U-Series CAS#67-64-1: Waste Number U002 (Ignitable Waste)

#### 14. Transport Information



#### Flammable Liquid

Regulated for Shipping: Yes	Proper Shipping Name: Acetone Solution	Packing Group: II
Do Changes in Quantities, packaging, or shipment	Hazard Class: 3	UN Identification Number: 1090
method change product classification? No		

#### 15. Regulatory Information

This product has been classified in accordance with the hazard criteria of the Globally Harmonized System of Classification and Labeling of Chemicals and the SDS contains all of the information required by the Canadian Controlled Products Regulations.

<u>U.S. Federal Regulations</u>: <u>CERCLA 103 Reportable Quantity</u>: RQ is 5,000 pounds (2268Kg) for CAS# 67-64-1 Acetone. Report spills required under federal, state and local regulations. Many states have more stringent release reporting requirements.

RCRA U-Series Hazardous Waste Code for CAS# 67-64-1 Acetone: U002

Section 313 Toxic Chemicals: This product does not contain any chemicals subject to Annual Release Reporting Requirements Under SARA Title III, Section 313 (40 CFR 372).

Section 302 Extremely Hazardous Substances (TPQ): None

EPA Toxic Substances Control Act (TSCA) Status: All of the components of this product are listed on the TSCA inventory.

<u>U.S. State Regulations California Proposition 65:</u> This product does not contain any chemicals, which are on the California Proposition 65 list.

Federal Regulations: The product has been classified and marked in accordance with directives on hazardous materials. Hazard Symbol:

Flammable Water Hazard class1 (Self-assessment): slightly hazardous for water. SARA Codes: CAS # 67-64-1 Acute, chronic, flammable.

International Regulations: Hazard Symbol: Flammable XI F Risk Phrases: R11 Highly Flammable, R36/37/38 Irritating to Eyes, respiratory system and skin. R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R67 Vapors may cause drowsiness and dizziness. Safety Phrases: S9 Keep container in well-ventilated place. S16 Keep away from sources of ignition – No Smoking, S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice, S28 After contact with skin wash immediately with plenty of water, S61 Avoid release to the environment.

Other: Canada WHMIS for the acetone, classification of B2, D2B. Acetone CAS#67-64-1 is on the Canadian Ingredient Disclosure List.

#### **16.Other Information**

To the best of our knowledge this product does not contain gluten, wheat grains, flaxseed, natural rubber, or natural latex.

All components are synthetically produced; none are derived from animal products.

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific products features and shall not establish a legally valid contractual relationship.

The attached safety data sheet covers the dangers and measures to be taken when large quantities of material are released, for example due to accidents during transport or storage by the dealer. For quantities of material typically used in clinical practice, information necessary for safe use and storage of the product is given in the DFU.

507805

#### 1. Identification

Product Name	SDS Code Number
CALIBRA® Veneer Try-In Paste	507805
Substance Identity	Date of Last Revision
CALIBRA® Veneer Esthetic Resin Cement Try-In Paste	06/19/14
Manufacturer:	Address
DENTSPLY Caulk	38 West Clarke Avenue
	Milford DE 19963-1805
	http://www.caulk.com http://www.dentsply.com
Grades or Minor Variant Identities	Information Telephone Number
Not Applicable	(302) 422-4511 (8:00 AM – 4:30 PM Eastern Time)
Product Use (for Canada)	Emergency Telephone Number
Not Applicable	(302) 422-4511 (8:00 AM – 4:30 PM Eastern Time)

# 2. Hazard(s) Identification

# WARNING CAUSES MILD SKIN IRRITATION If irritation occurs: Get medical advice/attention

3. Composition/Information on Ingredients

Hazardous Components	C.A.S. Number	Exposure Limits	%
Glycerine	56-81-5	$10 \text{ mg/M}^3$	> than 70
Amorphous Fumed Silica	7631-86-9	$2 \text{ mg/M}^3$	< than 20
Titanium Dioxide	13463-67-7	$10 \text{ mg/M}^3$	< than 2

**Other Information:** Colorants are inorganic iron oxides.

# 3. Hazard Identification

Emergenc	Emergency Overview: Material may be irritating to eyes. No significant hazards for emergency responses are known.			nown.	
Routes of Exposure	Signs and Symptoms	Single, Repeated, or Lifetime Exposure	Severity (Mild, Moderate, Severe)	Acute and Chronic Health Effect(s)	Target Organ(s)
Eye	Material may cause slight transient (temporary) irritation.	Single & Repeated	Moderate	Irritation and possible corneal damage due to the fillers used in the product.	Not Applicable
Skin	Material may be an irritant after repeated and prolonged exposure.	Repeated	Mild	Irritation or possible allergic response.	Not Applicable
Inhalation	Vapors are minimal due to physical properties.	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Ingestion	Material is probably not harmful if swallowed	Not Applicable	Mild	Not Applicable	Not Applicable
Other	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Medical Con	Medical Conditions Aggravated by Exposure Open sores and wounds of the skin.				
Carcinogenicity NTP?: Not listed IARC monographs?: Not listed OSHA regulated?: No All components of this product are in compliance with the inventory listing Requirements of the U. S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.					
Potential En	Potential Environmental Effects Do not allow to enter sewers/ surface or ground water.				
NFPA Hazar	NFPA Hazard Classification Ratings (Scale 0-4), Health = 1, Fire = 0, Reactivity = 0				

# 4. First Aid Measures

Routes of Exposure	First Aid Instructions	Immediate Medical Attention	Delayed Effects	
- 1		******		
Eye	Rinse opened eye for several minutes under running water.	Not Applicable	Not Applicable	
	If symptoms persist consult physician			
Skin	Immediately wash with soap and water and rinse thoroughly.	Not Applicable	Not Applicable	
Inhalation	Supply fresh air, consult physician if symptoms persist.	Not Applicable	Not Applicable	
Ingestion	If symptoms persist consult physician. Do not induce vomiting unless	Not Applicable	Not Applicable	
	instructed to do so by medical personnel.			
Other	Not Applicable	Not Applicable	Not Applicable	
Note to Physici	Note to Physicians (Treating, Testing and Monitoring): Treat symptomatically.			

5. Fire and Explosion Data

Flashpoint Method: 390°F (199°C) for	Flammable (Explosive) Limits in Air	Autoignition Temperature:	Other: Not
Glycerine. Pensky-Martin Closed Cup	LEL: Not Applicable UEL: Not Applicable	698°F (370°C)	Applicable

Flame Propagation or Burning Rate (for	Properties Contributing to Fire Intensity: Not	Flammability Classification:	
Solids) Not Applicable	Applicable	Not Applicable	
Extinguishing Media: CO <sub>2</sub> , Water fog or fine spra	ay, foam, carbon dioxide or alcohol resistant foams (ATC	Extinguishing Media to Avoid: W	Vater with full
Type).		jet.	
Protection and Procedures for Firefighters: Firefighters should wear self-contained respiratory protective devices.			
Unusual Fire and Explosion Hazards: During a fire, smoke may contain glycerine in addition to unidentified toxic and/or irritating compounds. Hazardous			
combustion products may include but not limited to aldehydes, carbon monoxide and carbon dioxide			

#### 6. Accidental Release Measures

Containment Techniques: Material is a high viscosity paste, but will flow somewhat.		
Spill/Leak Clean-up Procedures and Equipment: Wear protective clothing and scoop up bulk material and place in a labeled plastic or metal container.		
Evacuation Procedures: Not Applicable Special Instructions: Not Applicable Reporting Requirements: Not Applicable		

#### 7. Handling and Storage

Handling Practices and Warnings: Product is intended for dental use only. Handling of this product should be by trained dental healthcare professionals only. Observe normal care for working with chemicals.

Storage Practices and Warnings: Store only in the original package. Keep package tightly sealed. Store in a dry area. Store away from food and beverages. Glycerine freezes at 64°F (18°C). Product should be kept above 64°F (18°C) but less than 130°F (54°C).

# 8. Exposure Control / Personal Protection









Individual Protection	Personal Protective Equipment for Normal Use	Personal Protective Equipment for
Measures		Emergencies
Eye/Face	Safety Glasses	Not Applicable
Skin	The glove material has to be impermeable and resistant to the product.	Not Applicable
Inhalation	Not Required	Not Applicable
Body Protection	Protective work clothing	Not Applicable
Occupational Exposure Lim	its: Not Applicable	Engineering Controls: Not Applicable

# 9. Physical and Chemical Characteristics

Appearance: Creamy viscous paste. Multiple shades.		Odor: Mild odor.
Normal Physical State: High Viscosity Liquid (Paste)	Melting Point: Not Applicable	
Specific Gravity: 1.4 g/cm <sup>3</sup>	Solubility in Water: Partially soluble.	pH: Not Applicable
Vapor Pressure (mm Hg): Not Applicable	Vapor Density (AIR=1): Not Applicable	Evaporation Rate (Butyl Acetate =1): N A
Flashpoint Method: Not Applicable	Flammable (Explosive) Limits in Air	Autoignition Temperature: Not Applicable
	LEL: Not Applicable UEL: Not Applicable	
Other: Not Applicable		

#### 10. Stability and Reactivity Data

	Incompatibility (Materials to Avoid): Strong Oxidizing materials such as Sodium Hypochlorite or Hypochlorous Acid		
Hazardous Products Produced During Decomposition: Acrolein.			
Hazardous Polymerization: May Occur May Not Occur		Conditions to Avoid: None known	
	Stability? ⊠Stable ☐Unstable	Conditions to Avoid: None known	

# 11. Toxicological Information

Toxicity Data, Epidemiology Studies, Carcinogenicity, Neurological Effects, Genetic Effects, Reproductive Effects, or Structure Activity Data:							
For ingestion, the	For ingestion, the $LD_{50}$ for glycerine in Rats is $17,000 - 27,000$ mg/Kg.						
Emergency Ove	erview: Material may be mildly irritat	ing to eyes.					
Routes of		Single, Repeated, or	Severity (Mild, Moderate,	Acute and Chronic Health			
Exposure	Signs and Symptoms	Lifetime Exposure	Severe)	Effect(s)	Target Organ(s)		
Eye	Material may cause slight	Single & Repeated	Moderate	Irritation and possible corneal	Not Applicable		
	transient (temporary) irritation.			damage due to the fillers used in			
				the product.			
Skin	Material may be an irritant after	Repeated	Mild	Irritation or possible allergic	Not Applicable		
	repeated and prolonged exposure.			response.			
Inhalation	Vapors are minimal due to	Not Applicable	Not Applicable	Not Applicable	Not Applicable		
	physical properties.						
Ingestion	Material is probably not harmful	Not Applicable	Mild	Not Applicable	Not Applicable		
	if swallowed						
Other	Other Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable						
Medical Conditions Aggravated by Exposure Open sores and wounds of the skin.							
Carcinogenicity	Carcinogenicity NTP?: Not listed IARC monographs?: Not listed OSHA regulated?: No All components of this product are in						
compliance wit	compliance with the inventory listing Requirements of the U. S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.						

Potential Environmental Effects: Potential Environmental Effects Do not allow to enter sewers/ surface or ground water.

#### 12. Ecological Information

Toxicity Data, Environmental Fate, Physical/Chemical Data, or other Data Supporting Environmental Hazard Statements: Water Hazard class1 (Self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water streams or sewage system.

#### 13.Disposal Considerations

Regulations: Must not be disposed of together with household garbage. Dispose of material as solid waste in a closed container. Dispose of in accordance with Federal, State and Local regulations

Properties (Physical/Chemical) Affecting Disposal: Dispose of material as solid waste in a closed container.

#### **14.Transport Information**

Regulated for Shipping: No. Not Regulated	DOT Shipping Name: Not Regulated	Packing Group: Not Applicable
Do Changes in Quantities, packaging, or shipment	DOT Hazard Class: Not Applicable	UN Number: Not Applicable
method change product classification? No		

#### 15. Regulatory Information

This product has been classified in accordance with the hazard criteria of the Globally Harmonized System of Classification and Labeling of Chemicals and the SDS contains all of the information required by the Canadian Controlled Products Regulations.

U.S. Federal Regulations: <u>CERCLA 103 Reportable Quantity:</u> This product is not subject to CERCLA reporting requirements. Many states have more stringent release reporting requirements. Report spills required under federal, state and local regulations

<u>Section 313 Toxic Chemicals:</u> This product contains the following chemicals subject to Annual Release Reporting Requirements Under SARA Title III, Section 313 (40 CFR 372): None

Section 302 Extremely Hazardous Substances (TPQ): None

EPA Toxic Substances Control Act (TSCA) Status: All of the components of this product are listed on the TSCA inventory.

<u>U.S. State Regulations California Proposition 65:</u> This product does not contain any chemicals, which are on the California Proposition 65 list.

International Regulations: Canadian Environmental Protection Act:

This product is a medical device and not subject to chemical notification requirements.

European Community Labeling: Not a dangerous preparation.

European Inventory of New and Existing Chemicals Substances (EINECS):

This product is a medical device and not subject to chemical notification requirements.

Other: Not Applicable

#### **16.Other Information**

To the best of our knowledge this product does not contain gluten, wheat grains, flaxseed, natural rubber, or natural latex. All components are synthetically produced; none are derived from animal products.

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific products features and shall not establish a legally valid contractual relationship.

The attached safety data sheet covers the dangers and measures to be taken when large quantities of material are released, for example due to accidents during transport or storage by the dealer. For quantities of material typically used in clinical practice, information necessary for safe use and storage of the product is given in the DFU.

507803

#### 1. Identification

Product Name	SDS Code Number
CALIBRA® Veneer Esthetic Resin Cement	507803
Substance Identity	Date of Last Revision
CALIBRA® Veneer Esthetic Resin Cement	06/19/14
Manufacturer:	Address
DENTSPLY Caulk	38 West Clarke Avenue
	Milford DE 19963-1805
	http://www.caulk.com http://www.dentsply.com
Grades or Minor Variant Identities	Information Telephone Number
Not Applicable	(302) 422-4511 (8:00 AM – 4:30 PM Eastern Time)
Product Use (for Canada)	Emergency Telephone Number
Visible Light Curing Dental Veneer Cement	(302) 422-4511 (8:00 AM – 4:30 PM Eastern Time)

### 2. Hazard(s) Identification



# CAUSES SKIN IRRITATION

Wash hands thoroughly after handling. Wear protective gloves.

IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get Medical Advice/attention. Take off contaminated clothing and wash before reuse.

3. Composition/Information on Ingredients – Base Shade

Hazardous Components	C.A.S. Number	Exposure Limits	%
Barium boron fluoro alumino silicate glass	65997-18-4	$10 \text{ mg/m}^3$	< than 70
Bis-GMA	1565-94-2	Not Established	< than 20
Polymerizable dimethacrylate resins	24448-20-2/109-16-0	Not Established	< than 15
Hydrophobic Amorphous Silica	67762-90-7	$3 \text{ mg/m}^3$	< than 5

Other Information: Colorants are inorganic iron oxides and titanium dioxide.

#### 4. First Aid Measures

Routes of Exposure	outes of Exposure First Aid Instructions		Delayed Effects	
Eye Rinse opened eye for several minutes under running water.		Not Applicable	Not Applicable	
If symptoms persist consult physician				
Skin	Immediately wash with soap and water and rinse thoroughly	Not Applicable	Not Applicable	
Inhalation Not Applicable		Not Applicable	Not Applicable	
Ingestion Not Applicable		Not Applicable	Not Applicable	
Mucosa Rinse tissue for several minutes under running water.		Not Applicable	Not Applicable	
If symptoms persist consult physician				
Note to Physicians (Treating, Testing and Monitoring): Treat symptomatically.				

5. Fire Fighting Measures

Flame Propagation or Burning Rate	Properties Contributing to Fire Intensity	Flammability Classification: Not Applicable	Other: Not Applicable	
(for Solids) Not Applicable	Not Applicable			
Extinguishing Media: CO <sub>2</sub> , extinguish	ning powder, foam carbon dioxide or water	Extinguishing Media to Avoid: Water with full j	et.	
spray. Fight larger fires with water sp	ray or alcohol resistant foam.			
Protection and Procedures for Firefighters: Firefighters should wear self-contained respiratory protective devices.				
Unusual Fire and Explosion Hazards: Formation of toxic, irritating gases is possible from the decomposition of the dimethacrylate resins.				
Product does not present an explosion hazard.				

#### 6. Accidental Release Measures

Containment Techniques: Material is a paste and as such will not flow.

Spill/Leak Clean-up Procedures and Equipment: Wear protective clothing and scoop up bulk material and place in a labeled plastic or metal container.

Avoid gross skin contact to minimize the possibility of contact dermatitis to susceptible persons. Ensure adequate ventilation.

Evacuation Procedures: Not Applicable Special Instructions: Not Applicable Reporting Requirements: Not Applicable

7. Handling and Storage

Handling Practices and Warnings: Product is intended for dental use only. Handling of this product should be by trained dental healthcare professionals only. Observe normal care for working with chemicals.

Storage Practices and Warnings: Store only in the original package. Keep package tightly sealed. Store in a dry area. Protect from exposure to direct light. Store away from food and beverages.

# 8. Exposure Control / Personal Protection









Occupational Exposure L	Occupational Exposure Limits: Not Applicable				
Engineering Controls: No	Engineering Controls: Not Applicable				
Individual Protection Measures	Personal Protective Equipment for Emergencies				
Eye/Face	Safety Glasses	Not Applicable			
Skin The glove material has to be impermeable and resistant to the product.		Not Applicable			
Inhalation     Not Required       Body Protection     Protective work clothing		Not Applicable			
		Not Applicable			

9. Physical and Chemical Characteristics

Appearance: Creamy viscous paste. Multiple s	Odor: Characteristic sweet acrylic ester odor.		
Normal Physical State: High Viscosity Liquid (Paste)		Melting Point: Not Applicable	
Specific Gravity: 1.8 g/cm <sup>3</sup> Solubility in Water: Not soluble		pH: Not Applicable	
Vapor Pressure (mm Hg): Not Applicable Vapor Density (AIR=1): Not Applicable		Evaporation Rate (Butyl Acetate =1): Not Applicable	
Flashpoint Method: Not Applicable Flammable (Explosive) Limits in Air		Autoignition Temperature: Not Applicable,	
LEL: Not Applicable UEL: Not Applicable		Product will not autoignite.	
Other: Not Applicable			

#### 10. Stability and Reactivity Data

Incompatibility (Materials to Avoid): Strong Oxidizing materials.		
Hazardous Products Produced During Decomposition: No dangerous decomposition products known if used according to Directions for Use.		
Hazardous Polymerization: ☐May Occur ☐May Not Occur	Conditions to Avoid: None known	
Stability? ⊠Stable ☐Unstable	Conditions to Avoid: None known	

#### 11. Toxicological Information

Toxicity Data, Epidemiology Studies, Carcinogenicity, Neurological Effects, Genetic Effects, Reproductive Effects, or Structure Activity Data:

Product is an irritant to the skin and mucous membranes. The unpolymerized product may be an irritant to the skin in susceptible persons. On the eye the product has an irritating effect. Sensitization: Repeated or prolonged contact with the unpolymerized material may cause sensitization for persons allergic to acrylates and methacrylates. This product shows the following dangers according to internally approved calculation methods for composite materials: Irritant.

Emergency Overview Material is irritating to eyes, respiratory system and skin.

Routes of	_	Single, Repeated, or	Severity (Mild,	Acute and Chronic Health Effect(s)	Target Organ(s)
Exposure	Signs and Symptoms	Lifetime Exposure	Moderate, Severe)		
Eye	Material can cause irritation.	Single	Moderate	Irritation and possible corneal damage	Not Applicable
Skin	Material may be an irritant	Single & Repeated	Moderate	Irritation or possible allergic response.  Severe allergic response may result in breathing difficulties.	Not Applicable
Inhalation	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Ingestion	Material is not harmful if swallowed using clinically relevant quantities	Not Applicable	Mild	Not Applicable	Not Applicable
Mucosa	Material can cause irritation.	Single	Mild	Inflammation of the mucosa	Not Applicable

Medical Conditions Aggravated by Exposure Open sores and wounds of the skin. Individuals with known sensitivity to methacrylates, acrylates, or urethane dimethacrylate resin used in Dental restorative products.

Carcinogenicity NTP?: Not listed IARC monographs?: Not listed OSHA regulated?: No All components of this product are in compliance with the inventory listing Requirements of the U. S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

Potential Environmental Effects Do not allow to enter sewers/ surface or ground water.

NFPA Hazard Classification Ratings (Scale 0-4), Health = 1, Fire = 1, Reactivity = 0

#### 12. Ecological Information

Toxicity Data, Environmental Fate, Physical/Chemical Data, or other Data Supporting Environmental Hazard Statements: Water Hazard class1 (Self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water streams or sewage system.

### 13.Disposal Considerations

Regulations: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Dispose of material as solid waste in a closed container. Dispose of in accordance with Federal, State and Local regulations

Properties (Physical/Chemical) Affecting Disposal: Dispose of material as solid waste in a closed container.

#### 14.Transport Information

Regulated for Shipping: No. Not Regulated	DOT Shipping Name: Not Regulated	Packing Group: Not Applicable
Do Changes in Quantities, packaging, or shipment	DOT Hazard Class: Not Applicable	UN Number: Not Applicable
method change product classification? No		

### 15. Regulatory Information

This product has been classified in accordance with the hazard criteria of the Globally Harmonized System of Classification and Labeling of Chemicals and the SDS contains all of the information required by the Canadian Controlled Products Regulations.

U.S. Federal Regulations: <u>CERCLA 103 Reportable Quantity</u>: This product is not subject to CERCLA reporting requirements. Many states have more stringent release reporting requirements. Report spills required under federal, state and local regulations

Section 313 Toxic Chemicals: This product contains the following chemicals subject to Annual Release Reporting Requirements Under SARA Title III, Section 313 (40 CFR 372): None

Section 302 Extremely Hazardous Substances (TPQ): None

EPA Toxic Substances Control Act (TSCA) Status: All of the components of this product are listed on the TSCA inventory.

U.S. State Regulations California Proposition 65: This product does not contain any chemicals, which are on the California Proposition 65 list.

International Regulations: Canadian Environmental Protection Act:

This product is a medical device and not subject to chemical notification requirements.

European Community Labeling: Not a dangerous preparation.

European Inventory of New and Existing Chemicals Substances (EINECS):

This product is a medical device and not subject to chemical notification requirements.

Other: Not Applicable

#### 16.Other Information

To the best of our knowledge this product does not contain gluten, wheat grains, flaxseed, natural rubber, or natural latex.

All components are synthetically produced; none are derived from animal products.

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific products features and shall not establish a legally valid contractual relationship.

The attached safety data sheet covers the dangers and measures to be taken when large quantities of material are released, for example due to accidents during transport or storage by the dealer. For quantities of material typically used in clinical practice, information necessary for safe use and storage of the product is given in the DFU.

Printing date 19.03.2015 Version number 5 Revision: 19.03.2015

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Calibra Silane Coupling Agent
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the mixture Silane Coupling Agent
- · Uses advised against No further relevant information available.
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

DENTSPLY DeTrey GmbH

De-Trey-Str. 1 D-78467 Konstanz GERMANY

*Tel.*: +49-(0)7531-583-0 *Fax*: +49-(0)7531-583-104

email: KonstanzDEU.info-sdb@dentsply.com

- · Further information obtainable from:
- Departement Analytical Research / Research & Development for technical information
- Departement Marketing & Sales for distribution of the safety data sheets
- 1.4 Emergency telephone number: +49-(0)7531-583-0 8:00 17:00 (GMT + 1:00)

#### SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Flam. Liq. 2 H225 Highly flammable liquid and vapour.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

As this product is a medical device in the meaning of Directive 93/42/EEC and intended for use by the end consumer and is applied in an invasive manner or body contact, it is exempt from the labelling requirements according to regulation 1272/2008.

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



- · Signal word Danger
- · Hazard statements

H225 Highly flammable liquid and vapour.

· Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

*P280* Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

GB

(Contd. on page 2)

Printing date 19.03.2015 Version number 5 Revision: 19.03.2015

Trade name: Calibra Silane Coupling Agent

(Contd. of page 1)

# SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
		50-100%
EINECS: 200-578-6	🊸 Flam. Liq. 2, H225	
		2.5-10%
EINECS: 200-662-2	🊸 Flam. Liq. 2, H225; ∿ Eye Irrit. 2, H319; STOT SE 3, H336	

<sup>·</sup> Additional information For the wording of the listed risk phrases refer to section 16.

#### SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact Immediately wash with water and soap and rinse thoroughly.
- · After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing Rinse out mouth and then drink plenty of water.
- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

# **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents Water with full jet.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: Self-contained respiratory protective device.

#### SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/surface or ground water.

 $\cdot$  6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling Observe normal care for working with chemicals.
- · Handling Product is intended for dental use only.

(Contd. on page 3)

– GF

Printing date 19.03.2015 Version number 5 Revision: 19.03.2015

Trade name: Calibra Silane Coupling Agent

· Information about fire - and explosion protection:

(Contd. of page 2)



Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Store away from oxidising agents.
- · Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- $\cdot$  7.3 Specific end use(s) No further relevant information available.

#### SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters

· Ingredients	with limit	values that	t require	monitoring	at the workplac	e:

64-17-5 ethanol

WEL Long-term value: 1920 mg/m³, 1000 ppm

67-64-1 acetone

WEL Short-term value: 3620 mg/m³, 1500 ppm Long-term value: 1210 mg/m³, 500 ppm

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment
- · General protective and hygienic measures Wash hands before breaks and at the end of work.
- · Respiratory protection: Not necessary if room is well-ventilated.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/the preparation/the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

Butyl rubber, BR

Recommended thickness of the material:  $\geq 0.7$  mm

Permeation: Level ≥6

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles.

(Contd. on page 4)

-GB

Printing date 19.03.2015 Version number 5 Revision: 19.03.2015

Trade name: Calibra Silane Coupling Agent

· Body protection: Protective work clothing.

(Contd. of page 3)

# SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Liquid
Colour: Clear

Odour: Alcohol-like
Odour threshold: Not determined.

pH-value: Not determined.

· Change in condition

*Melting point/Melting range:* undetermined *Boiling point/Boiling range:* 78 °C

• Flash point:  $6 \, ^{\circ}C \, (c.c. \, Abel)$ 

· Flammability (solid, gaseous) Not applicable.

· Ignition temperature: 425 °C

· Decomposition temperature: Not determined.

· Self-igniting: Product is not selfigniting.

• Danger of explosion: Product is not explosive. However, formation of explosive air/vapour mixtures are possible.

· Explosion limits:

 Lower:
 3.5 Vol %

 Upper:
 15.0 Vol %

· Vapour pressure at 20 °C: 59 hPa

Density at 20 °C: 0.8 g/cm³
 Relative density Not determined.
 Vapour density Not determined.
 Evaporation rate Not determined.

· Solubility in / Miscibility with

Water: Partly miscible

- · Partition coefficient (n-octanol/water): Not determined.
- Viscosity:

dynamic: Not determined. kinematic: Not determined.

· Solvent content:

Organic solvents: 98.0 %

• 9.2 Other information No further relevant information available.

#### SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 5)

-GB

Printing date 19.03.2015 Version number 5 Revision: 19.03.2015

Trade name: Calibra Silane Coupling Agent

(Contd. of page 4)

· 10.6 Hazardous decomposition products: No dangerous decomposition products known

# SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values relevant for classification:	
ATE (Acute Toxicity Estimates)	
Inhalative LC50/4 h 95.7 mg/l	

 64-17-5 ethanol

 Oral
 LD50
 6200 mg/kg (rat)

 Inhalative
 LC50/4 h
 95.6 mg/l (rat)

67-64-1 acetone

 Oral
 LD50
 5800 mg/kg (rat)

 Dermal
 LD50
 20000 mg/kg (rabbit)

 Inhalative
 LC50/4 h
 76 mg/l (rat)

- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitisation: No sensitising effects known.

# SECTION 12: Ecological information

· 12.1 Toxicity

	· Aquatic to	xicity:
ŀ	64-17-5 eti	·
İ	EC50/48h	9268 mg/L (daphnia magna)
	LC50/48h	8140 mg/l (Fish acute toxicity study)
Ī	67-64-1 ac	etone
Ī	EC50/48h	6100 mg/L (daphnia magna)
	LC50/96h	5540 mg/l (Fish acute toxicity study)

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

an

(Contd. on page 6)

Printing date 19.03.2015 Version number 5 Revision: 19.03.2015

Trade name: Calibra Silane Coupling Agent

(Contd. of page 5)

# SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

18 01 06\* chemicals consisting of or containing dangerous substances

- · Uncleaned packaging:
- $\cdot$  **Recommendation:** Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

	tion
· 14.1 UN-Number · ADR, IMDG, IATA	UN1993
· 14.2 UN proper shipping name	
$\cdot ADR$	1993 FLAMMABLE LIQUID, N.O.S. (ETHANOL (ETH
· IMDG	ALCOHOL), ACETONE) FLAMMABLE LIQUID, N.O.S. (ETHANOL (ETHALOHOL), ACETONE)
· IATA	FLAMMABLE LIQUID, N.O.S. (ETHANOL, ACETONI
· 14.3 Transport hazard class(es)	
· ADR	
· Class	3 (F1) Flammable liquids.
· Cuss · Label	3 (F1) Flammable liquias. 3
· IMDG, IATA	
· Class	3 Flammable liquids.
· Label	3
· 14.4 Packing group	
· ADR, IMDG, IATA	II
· 14.5 Environmental hazards:	
· Marine pollutant:	No
· 14.6 Special precautions for user	Warning: Flammable liquids.
· Danger code (Kemler):	33 F F G F
· EMS Number:	F-E, <u>S-E</u>
· 14.7 Transport in bulk according to Ann	nex II of

- GE

Printing date 19.03.2015 Version number 5 Revision: 19.03.2015

Trade name: Calibra Silane Coupling Agent

	(Contd. of page
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	IL
· Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· Transport category	2
· Tunnel restriction code	D/E
· IMDG	
· Limited quantities (LQ)	IL
· Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN1993, FLAMMABLE LIQUID, N.O.S. (ETHANO.
-	(ETHYL ALCOHOL), ACETONE), 3, II

#### SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · National regulations
- · Information about limitation of use: Employment restrictions concerning juveniles must be observed.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

The attached safety data sheet covers the dangers and measures to be taken when large quantities of material are released, for example due to accidents during transport or storage by the dealer.

For quantities of material typically used in clinical practice, information necessary for safe use and storage of the product is given in the DFU.

· Relevant phrases

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

- · Department issuing MSDS: Analytical Research
- · Contact: HotLine for urgent technical support: +49-7531-583-350
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Flam. Liq. 2: Flammable liquids, Hazard Category 2

Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

\* Data compared to the previous version altered.

GB