

## SAFETY DATA SHEETS

**This SDS packet was issued with item:**

072600864

N/A



# SDS

# Safety Data Sheet

## Simoniz Swell Stainless Steel Polish S3336012

SDS Number: 4266-AP4266-12

Revision Date: 3/31/2015

Page 1 of 7

### 1 PRODUCT AND COMPANY IDENTIFICATION

#### Manufacturer

Simoniz, USA  
201 Boston Turnpike  
Bolton, CT 06043  
Tel: 800-227-5536


**Emergency Phone:** CHEM-TEL: (800) 255-3924

**Product Name:** Simoniz Swell Stainless Steel Polish S3336012  
**Revision Date:** 3/31/2015  
**Version:** 1  
**SDS Number:** 4266-AP4266-12  
**Common Name:** Aerosol Stainless Steel Polish  
**Product Use:** Metal Polish

### 2 HAZARDS IDENTIFICATION

**Route of Entry:** Eyes - Yes; Ingestion - Unlikely; Inhalation - Yes; Skin - Yes  
**Target Organs:** None known  
**Inhalation:** Minimal respiratory tract irritation may occur. Vapours may cause drowsiness and dizziness.  
**Skin Contact:** May cause irritation.  
**Eye Contact:** Will cause irritation.  
**Ingestion:** Ingestion is not an applicable route of entry for intended use. May cause gastrointestinal irritation.

**NFPA:** Health = 1, Fire = 4, Reactivity = 0  
**HMIS III:** H1/F4/PH0



HMIS III	
HEALTH	1
FLAMMABILITY	4
PHYSICAL HAZARDS	0
PERSONAL PROTECTION	



# SDS

## Safety Data Sheet

### Simoniz Swell Stainless Steel Polish S3336012

SDS Number: 4266-AP4266-12

Revision Date: 3/31/2015

Page 2 of 7

GHS Signal Word:

DANGER

GHS Hazard Pictograms:



GHS Classifications:

Physical, Flammable Aerosols, 1  
Health, Skin corrosion/irritation, 3  
Health, Acute toxicity, 5 Inhalation  
Health, Specific target organ toxicity - Single exposure, 3  
Health, Serious Eye Damage/Eye Irritation, 2 B

GHS Phrases:

H222 - Extremely flammable aerosol  
H229 - Pressurized container: may burst if heated  
H316 - Causes mild skin irritation  
H333 - May be harmful if inhaled  
H336 - May cause drowsiness or dizziness  
H320 - Causes eye irritation

GHS Precautionary Statements:

P102 - Keep out of reach of children.  
P210 - Keep away from heat/sparks/open flames/hot surfaces. No smoking  
P262 - Do not get in eyes, on skin, or on clothing.  
P281 - Use personal protective equipment as required.  
P301+330+331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
P302+352 - IF ON SKIN: Wash with soap and water.  
P304+341 - IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.  
P305+351+338 - IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do.

Continue rinsing.

P312 - Call a POISON CENTER or doctor/physician if you feel unwell.  
P332+313 - If skin irritation occurs: Get medical advice/attention.  
P338 - Remove contact lenses if present and easy to do. Continue rinsing.  
P341 - If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.  
P410+412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

CONDITIONS AGGRAVATED BY EXPOSURE: None known

LISTED CARCINOGENS: OSHA - Not listed IARC - Not listed NTP - Not listed

3

### COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients:

Cas #	Percentage	Chemical Name
8042-47-5	50-90%	Mineral oil
74-98-6	10-20%	Propane
74-98-6	1-5%	Citrus Terpenes



# SDS

## Safety Data Sheet

### Simoniz Swell Stainless Steel Polish S3336012

SDS Number: 4266-AP4266-12

Revision Date: 3/31/2015

Page 3 of 7

#### 4 FIRST AID MEASURES

- Inhalation:** Move to fresh air and keep at rest. Call a physician if symptoms develop and persist.
- Skin Contact:** Wash with soap and water. If skin irritation persists, call a physician immediately. Remove contaminated clothing and wash before reuse.
- Eye Contact:** Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
- Ingestion:** Rinse mouth. Do not induce vomiting without advice from poison control center. If vomiting occurs, keep head low to avoid getting into the lungs. Call a poison control center if large amounts are ingested. Never give anything by mouth to an unconscious person.

#### 5 FIRE FIGHTING MEASURES

- Flammability:** Extremely Flammable per Flame Projection Test
- Flash Point:** Not established
- Autoignition Temp:** Not established
- LEL:** Not established
- UEL:** Not established

**Means of Extinction:**

Suitable Extinguishing Media: Powder, water spray, foam, carbon dioxide.

Unsuitable Extinguishing Media: Not available.

Products of Combustion: May include, and are not limited to: oxides of carbon.

**Explosion Data:**

Sensitivity to Mechanical Impact: Not available.

Sensitivity to Static Discharge: Not available.

Protection of Firefighters: Containers may explode when heated. Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).

#### 6 ACCIDENTAL RELEASE MEASURES

**Personal Precautions:** Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Eliminate sources of ignition. Ruptured cylinders may rocket.

**Environmental Precautions:** Many gases are heavier than air and will spread along ground and collect in low or confined areas (sewers, basements, tanks). This material is a water pollutant. Keep out of drains, sewers, ditches, and waterways. Minimize use of water to prevent environmental contamination.

**Methods for Containment:** Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).

**Methods for Clean-Up:** Vacuum or sweep material and place in a disposal container. Allow gas to dissipate harmlessly into the atmosphere.



# SDS

# Safety Data Sheet

## Simoniz Swell Stainless Steel Polish S3336012

SDS Number: 4266-AP4266-12

Revision Date: 3/31/2015

Page 4 of 7

### 7 HANDLING AND STORAGE

**Handling Precautions:** MAY BE HARMFUL IF INHALED OR SWALLOWED. EYE, SKIN AND RESPIRATORY IRRITANT. Contents under pressure. Keep out of reach of children. Read label cautions carefully. Follow label directions to avoid injury. Use with adequate ventilation. Do not use in confined areas. Keep away from heat, sparks or open flames. Wash hands thoroughly after each use. Do not smoke while using. Avoid contact with skin and eyes. Avoid breathing vapor or mist. Do not puncture container.

**Storage Requirements:** Keep out of reach of children. Do not store near heat, sparks, or open flames. Do not expose to temperatures above 120°F as container may vent, rupture or burst. Do not puncture or incinerate container. Store in accordance with NFPA 30B for LEVEL 3 AEROSOL.

### 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

**Engineering Controls:** Use ventilation adequate to keep exposures below recommended exposure limits.

**Personal Protective Equip:** Eyes Protection: Wear eye/face protection.  
Hand Protection: Wear suitable gloves.  
Skin and Body Protection: Wear suitable protective clothing.  
Respiratory Protection: In case of insufficient ventilation, wear suitable respiratory equipment.

INGREDIENTS	EXPOSURE LIMITS		
	OSHA-PEL	ACGIH-TLV	OTHER
Mineral Oil	5 mg/m3 PEL - mist	5 mg/m3 inhalable TWA	5mg/m3 REL - mist 10mg/m3 STEL - mist
Propane	Not established	1000 ppm	
Citrus Terpenes	Not established	Not established	30 ppm TWA-8h (AIHA STD)

### 9 PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance:</b>	clear colorless liquid	<b>Odor:</b>	citrus
<b>Physical State:</b>	Mixture packaged in pressurized aerosol sp	<b>Solubility:</b>	Insoluble in water
<b>Spec Grav./Density:</b>	0.795 - 0.805 (concentrate)	<b>Percent Volatile:</b>	17%
<b>Viscosity:</b>	Not established	<b>Heat Value:</b>	Not established
<b>Flammability:</b>	Flammable	<b>Flash Point:</b>	Not established
<b>Vapor Pressure:</b>	Not established	<b>VOC:</b>	16.8%
<b>pH:</b>	Not applicable	<b>Auto-Ignition Temp:</b>	Not established
<b>Evap. Rate:</b>	Not established	<b>UFL/LFL:</b>	Not established

### 10 STABILITY AND REACTIVITY

**Stability:** Product is stable under normal conditions.

**Conditions to Avoid:** heat, sparks, open flames and temperatures above 120°F

**Materials to Avoid:** Strong Oxidizing Agents.

**Hazardous Decomposition:** CO, CO<sub>2</sub>, and hydrocarbons.

**Hazardous Polymerization:** Will not occur.



# SDS

## Safety Data Sheet

### Simoniz Swell Stainless Steel Polish S3336012

SDS Number: 4266-AP4266-12

Revision Date: 3/31/2015

Page 5 of 7

#### 11 TOXICOLOGICAL INFORMATION

Not established

#### 12 ECOLOGICAL INFORMATION

**Ecotoxicity:** May cause long-term adverse effects in the aquatic environment

**Persistence / Degradability:** Not available.

**Bioaccumulation / Accumulation:** Not available.

**Mobility in Environment:** Not available.

#### 13 DISPOSAL CONSIDERATIONS

Do not allow into drains or water sources. Waste and empty containers should be disposed of in accordance with regulations made under the Control of Pollution Act and the Environmental Protection Act. Using information provided in this data sheet advice should be obtained from the Waste Regulation Authority, weather special waste regulations apply.



# SDS

## Safety Data Sheet

### Simoniz Swell Stainless Steel Polish S3336012

SDS Number: 4266-AP4266-12

Revision Date: 3/31/2015

Page 6 of 7

14

#### TRANSPORT INFORMATION

DOT Class: Flammable Gas (2.1) #2.1

UN #: UN 1950, Class: 2, Proper Shipping Name: Aerosols, flammable

##### DOT

UN Number	UN1950
UN proper shipping name	Aerosols, flammable
Transport Hazard Class(es)	
Class	2.1
Subsidiary risk	---
Label(s)	2.1
Packing group	Not applicable

##### IATA

UN Number	UN1950
UN proper shipping name	Aerosols, flammable
Transport Hazard Class(es)	
Class	2.1
Subsidiary risk	---
Label(s)	2.1
Packing group	Not applicable
Environmental hazards	No
Other information	
Passenger and cargo aircraft	Allowed
Cargo aircraft only	Allowed

##### IMDG

UN Number	UN1950
UN proper shipping name	Aerosols, flammable
Transport Hazard Class(es)	
Class	2.1
Subsidiary risk	---
Label(s)	2.1
Packing group	Not applicable
Environmental hazards	No



# SDS

## Safety Data Sheet

### Simoniz Swell Stainless Steel Polish S3336012

SDS Number: 4266-AP4266-12

Revision Date: 3/31/2015

Page 7 of 7

15

#### REGULATORY INFORMATION

##### COMPONENT / (CAS/PERC) / CODES

\*Mineral oil (8042475 50-90%) TSCA

\*Propane (74986 10-20%) MASS, NJHS, OSHAWAC, PA, TSCA, TXAIR

\*Citrus Terpenes (94266474 1-5%) TSCA

##### REGULATORY KEY DESCRIPTIONS

TSCA = Toxic Substances Control Act

MASS = MA Massachusetts Hazardous Substances List

NJHS = NJ Right-to-Know Hazardous Substances

OSHA WAC = OSHA Workplace Air Contaminants

PA = PA Right-To-Know List of Hazardous Substances

TXAIR = TX Air Contaminants with Health Effects Screening Level

##### **Proposition 65** - California Safe Drinking Water and Toxic Enforcement Act of 1986

This product is not known to contain any chemicals currently listed as carcinogens or reproductive toxins under California Proposition 65 at levels which would be subject to the proposition.

16

#### OTHER INFORMATION

The information provided herein was believed to be accurate at the time of preparation and prepared from a compilation of sources believed to be reliable, but it is the responsibility of the user to investigate and understand other pertinent sources of information, to comply with all laws and procedures applicable to the safe handling and use of this product, and to determine the suitability of the product for its intended use.

**Publication Date:** 3/31/15

**Revision No.:** 1