## **SAFETY DATA SHEETS**

# This SDS packet was issued with item: 071273994

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

072355568 072355576



# SAFETY DATA SHEET



### 1. Product and Company Identification

Other means of identification Recommended use Recommended restrictions ManufacturerNot available AntisepticManufacturerProfessional D Two Nice-Pak or Distributed B Professional D Vaughan, Ont Phone: (USA) Phone: (CANA Emergency PhPhysical hazardsFlammable sol Serious eye da Serious eye da None additiona Label elementsSignal word Hazard statementDanger Flammable sol Causes seriouPrecautionary statement PreventionFlammable sol Causes seriouPrecautionary statement PreventionDanger Flammable sol Causes seriouStorageStore in a well- Keep containe DisposalDisposalDispose of cor	sposables International, LTD rio L4L 4K9 Canada		
Recommended restrictions ManufacturerNone known. Professional D Two Nice-Pak 	Park,Orangeburg,NY 10962-1376 y: sposables International, LTD rio L4L 4K9 Canada		
ManufacturerProfessional D Two Nice-Pak or Distributed B Professional D Vaughan, Onta Phone: (USA) Phone: (CANA Emergency PhPhysical hazardsFlammable sol Serious eye da Environmental hazardsNot determined 	Park,Orangeburg,NY 10962-1376 y: sposables International, LTD rio L4L 4K9 Canada		
Two Nice-Pak or Distributed B         Professional D         Vaughan, Onta         Phone: (USA)         Phone: (CANA         Emergency Ph         Physical hazards         Health hazards         Serious eye da         Environmental hazards         OSHA defined hazards         None additional         Label elements         Signal word         Hazard statement         Precautionary statement         Prevention         Response         If in eyes: Rins easy to do. Co if inhaled: Rem Call a poison of In case of fire:         Storage       Store in a well- Keep containe         Disposal       Dispose of cor	Park,Orangeburg,NY 10962-1376 y: sposables International, LTD rio L4L 4K9 Canada		
Health hazardsSerious eye daEnvironmental hazardsNot determinedOSHA defined hazardsNone additionalLabel elementsImage: Comparison of the second seco	-845-365-1700 (M-F 9am - 5pm) DA) 1-800-263-7067 one: 1-800-999-6423		
Health hazardsSerious eye daEnvironmental hazardsNot determinedOSHA defined hazardsNone additionalLabel elementsImage: Comparison of the second seco	2. Hazards Identification		
Environmental hazardsNot determinedOSHA defined hazardsNone additionalLabel elementsImage: Comparison of the second of	ds Cate	egory 1	
OSHA defined hazardsNone additionalLabel elementsImage: Comparison of the second se	mage/eye irritation Cate	egory 2A	
Label elements       Image: Flammable sol         Signal word       Danger         Hazard statement       Flammable sol         Precautionary statement       Flammable sol         Prevention       Keep away frokeep containe         Response       If in eyes: Rinseasy to do. Conditional conditiona conditional conditional condite conditional c			
Signal wordDangerHazard statementFlammable sol Causes seriouPrecautionary statementFlammable sol Causes seriouPrecautionary statementKeep away fro Keep containePreventionKeep away fro Keep containeResponseIf in eyes: Rins easy to do. Co If inhaled: Rem Call a poison of In case of fire:StorageStore in a well- Keep containeDisposalDispose of com	l .		
Hazard statementFlammable sol Causes seriouPrecautionary statementFreventionPreventionKeep away fro Keep containeResponseIf in eyes: Rins easy to do. Co If inhaled: Rem Call a poison of In case of fire:StorageStore in a well- Keep containeDisposalDispose of com			
Hazard statementFlammable sol Causes seriouPrecautionary statementFreventionPreventionKeep away fro Keep containeResponseIf in eyes: Rins easy to do. Co If inhaled: Rem Call a poison of In case of fire:StorageStore in a well- Keep containeDisposalDispose of com	!>		
Precautionary statement         Prevention       Keep away fro Keep containe         Response       If in eyes: Rins easy to do. Co If inhaled: Rem Call a poison of In case of fire:         Storage       Store in a well- Keep containe         Disposal       Dispose of com	d		
PreventionKeep away fro Keep containeResponseIf in eyes: Rins easy to do. Co If inhaled: Rem Call a poison of In case of fire:StorageStore in a well- Keep containeDisposalDispose of com	a. s eye irritation.		
ResponseIf in eyes: Rins easy to do. Co If inhaled: Rem Call a poison of 			
easy to do. Co If inhaled: Rem Call a poison o In case of fire: Storage Store in a well- Keep containe Disposal Dispose of cor			
DisposalKeep containeDispose of containe	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell. In case of fire: Use appropriate media to extinguish.		
	ventilated place. closed.		
	ents/container in accordance with lo	cal/regional/national/international regulations.	
Hazard(s) not otherwise None known. classified (HNOC)			
Supplemental information Not applicable.			
3. Comp	sition/Information on Ingred	dients	

Chemical name	Common name and synonyms	CAS number	%
Alcohol		64-17-5	40 - 70
Propylene glycol		57-55-6	1 - 5
Composition comments	The exact % concentration of composition has b paragraph (i) of the OSHA HCS 1910.1200. All concentrations are expressed as % weight.	een withheld as a trade	secret in accordance with
	4. First Aid Measures		
Inhalation	If inhaled for a prolonged period of time, remove person to fresh air and keep comfortable for breathing.		
#24986	Page: 1 of 8		Issue date 01-April-2015

Skin contact	Discontinue use if irritation and redness develop. If condition persists for more than 72 hours, consult a physician.
Eye contact	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion	If swallowed, get medical help or contact a Poison Control Center immediately.
Most important	Symptoms may include stinging, tearing, redness, swelling of the eyes, and blurred vision.
symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation. Vapors have a narcotic effect and may cause headache, fatigue, dizziness and nausea.
Indication of immediate medical attention and special treatment needed	Treat patient symptomatically.
General information	If you feel unwell, seek medical advice (show the label where possible). Have the product container or label with you when calling a poison control center or doctor, or going for treatment. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with
	eyes. Keep away from sources of ignition. No smoking. Keep out of reach of children.
	5. Fire Fighting Measures
Suitable extinguishing media	Dry chemical. Carbon dioxide. Foam.
Unsuitable extinguishing media	Do not use water jet.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed. Firefighters should wear a self-contained breathing apparatus.
Special protective equipment and precautions for firefighters	Firefighters should wear full protective clothing including self contained breathing apparatus. Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire-fighting	In case of fire and/or explosion do not breathe fumes.
equipment/instructions	In the event of fire, cool tanks with water spray. Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	Flammable solid.
Hazardous combustion products	May include and are not limited to: Oxides of carbon.
Explosion data	
Sensitivity to mechanical impact	Not available.
Sensitivity to static discharge	Not available.
	6. Accidental Release Measures
Personal precautions, protective equipment and emergency procedures	Wear appropriate protective equipment and clothing during clean-up. Avoid contact with eyes. Ventilate closed spaces before entering them. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area).
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS Before attempting clean up, refer to hazard data given above. Small spills may be absorbed with non-reactive absorbent and placed in suitable, covered, labelled containers. Prevent large spills from entering waterways. Contact emergency services and supplier for advice.
	Large Spills: Following product recovery, flush area with water. Wipe or mop up liquid, if any, and dispose properly.
Environmental precautions	Do not discharge into waterways.
	7. Handling and Storage
Precautions for safe handling	WARNING Flammable, keep away from fire or flame. Do not use in contact with eyes. For external use only.
	Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Avoid prolonged exposure. Keep container closed. Use according to package label instructions.
#24986	Page: 2 of 8 Issue date 01-April-2015

Store in a cool, dry place out of direct sunlight. Store in a closed container away from incompatible materials. Store in a well-ventilated place. Keep away from heat, open flames or other sources of ignition. Store away from incompatible materials (see Section 10 of the SDS). Keep this out of reach of children unless under adult supervision.

#### 8. Exposure Controls/Personal Protection

US. OSHA Table Z-1 Limit Components	Туре	Value	
Alcohol (CAS 64-17-5)	PEL	1900 mg/m3	
		1000 ppm	
US. ACGIH Threshold Lim	nit Values		
Components	Туре	Value	
Alcohol (CAS 64-17-5)	STEL	1000 ppm	
US. NIOSH: Pocket Guide	to Chemical Hazards		
Components	Туре	Value	
Alcohol (CAS 64-17-5)	TWA	1900 mg/m3	
		1000 ppm	
US. AIHA Workplace Envi	ronmental Exposure Level (WEEL) Guid	es	
Components	Туре	Value	Form
Propylene glycol (CAS 57-55-6)	TWA	10 mg/m3	Aerosol.
ological limit values	No biological exposure limits noted for	the ingredient(s).	
cposure guidelines	See above		
opropriate engineering ontrols	General ventilation normally adequate	. Provide eyewash station.	
dividual protection measure	es, such as personal protective equipme	nt	
Eye/face protection	Wear gear as deemed necessary. Fol	low label directions.	
Skin protection			
Hand protection	Not required.		
Other	As required by employer code. Follow label directions carefully.		
Respiratory protection	Where exposure guideline levels may be exceeded, use an approved NIOSH respirator. If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Wear positive pressure self-contained breathing apparatus (SCBA).		
Thermal hazards	Not applicable.		
eneral hygiene onsiderations	Handle in accordance with good indus	trial hygiene and safety practi	ice. When using do not smo

#### 9. Physical and Chemical Properties

Appearance	Liquid saturated on wipe
Physical state	Solid.
Form	Liquid saturated on wipe
Color	Colorless
Odor	Alcohol
Odor threshold	Not available.
рН	7.5
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Pour point	Not available.
Specific gravity	0.883 (Liquid)
Partition coefficient (n-octanol/water)	Not available.

Flash point	71.6 °F (22.0 °C) Tag Closed Cup (Liquid	)	
Evaporation rate	Not available.		
Flammability (solid, gas)	Not applicable.		
Upper/lower flammability or exp	plosive limits		
Flammability limit - lower (%)	Not available.		
Flammability limit - upper (%)	Not available.		
Explosive limit - lower (%)	Not available.		
Explosive limit - upper (%)	Not available.		
/apor pressure	Not available.		
/apor density	Not available.		
Relative density	Not available.		
Solubility(ies)	Not available.		
Auto-ignition temperature	Not available.		
Decomposition temperature	Not available.		
/iscosity	Not available.		
Other information			
Flash point class	Combustible II		
•	10. Stability and Read	-tivity	
		-	
Reactivity	This product may react with strong oxidizi		
Possibility of hazardous eactions	Hazardous polymerization does not occur		
Chemical stability	Stable under recommended storage conditions.		
Conditions to avoid	Do not mix with other chemicals. Avoid heat, sparks, open flames and other ignition sources.		
ncompatible materials	Strong oxidizing agents. Oxidizers.		
Hazardous decomposition products	May include and are not limited to: Oxides	s of carbon.	
	11. Toxicological Infor	mation	
Routes of exposure	Inhalation. Ingestion. Skin contact. Eye co		
nformation on likely routes of o	0		
Ingestion	Expected to be a low ingestion hazard.		
Inhalation	Prolonged inhalation may be harmful. May	y cause irritation to the respiratory system. use headache, fatigue, dizziness and nausea.	
Skin contact	Non-irritating based on test data.		
Eye contact	May be irritating to eyes.		
Symptoms related to the bhysical, chemical and toxicological characteristics	Symptoms may include stinging, tearing,	redness, swelling of the eyes, and blurred vision. ache, dizziness, tiredness, nausea and vomiting.	
nformation on toxicological eff	iects		
Acute toxicity	Narcotic effects. May cause respiratory in	ritation.	
	Toxicity data in this section is based on in finished product.	dividual component information and not based on the	
		dividual component information and not based on the Test Results	
Components	finished product.		
Components Alcohol (CAS 64-17-5) Acute Dermal	finished product. <b>Species</b>		
Components Alcohol (CAS 64-17-5) Acute Dermal LD50	finished product.		
Components Alcohol (CAS 64-17-5) Acute Dermal LD50 Inhalation	finished product. <b>Species</b> Not available	Test Results	
Components Alcohol (CAS 64-17-5) Acute Dermal LD50	finished product. <b>Species</b>		
Components Alcohol (CAS 64-17-5) Acute Dermal LD50 Inhalation	finished product. <b>Species</b> Not available	Test Results	

Components	Species	Test Results	
Oral	2		
LD50	Dog	5500 mg/kg	
	Guinea pig	5600 mg/kg	
	Mouse	3450 mg/kg	
	Rat	7060 mg/kg	
Propylene glycol (CAS 57-55-6)			
Acute			
Dermal			
LD50	Rabbit	20800 mg/kg	
Inhalation			
LC50	Not available		
Oral		40000 "	
LD50	Dog	19000 mg/kg	
	Guinea pig	184000 mg/kg	
	Mouse	23900 mg/kg	
	Rabbit	14800 mg/kg	
	Rat	20000 mg/kg	
Skin corrosion/irritation	Non-irritating based on test data.		
Exposure minutes	Not available.		
Erythema value	Not available.		
Oedema value	Not available.		
Serious eye damage/eye	May cause irritation.		
irritation			
Corneal opacity value Not available.			
Iris lesion value Not available.			
Conjunctival reddening value	Not available.		
Conjunctival oedema value	e Not available.		
Recover days	Not available.		
Respiratory or skin sensitization			
Respiratory sensitization	Not classified.		
Skin sensitization	This product is not expected to cause	se skin sensitization.	
Germ cell mutagenicity	The finished product is not expected		
Mutagenicity	The finished product is not expected to have chronic health effects.		
Carcinogenicity	The finished product is not expected		
Reproductive toxicity	The finished product is not expected		
Teratogenicity	The finished product is not expected	d to have chronic health effects.	
Specific target organ toxicity - single exposure	Not classified.		
Specific target organ toxicity - repeated exposure	Not classified.		
Aspiration hazard	Not classified.		
Chronic effects	The finished product is not expected	d to have chronic health effects.	
Further information	Not available.		
Name of Toxicologically Synergistic Products	Not available.		
	12. Ecological In	formation	

Ecotoxicity	See below	N	
Components		Species	Test Results
Alcohol (CAS 64-17-5)			
Crustacea	EC50	Daphnia	11744.5 mg/L, 48 Hours

Components		Species	Test Results
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	7.7 - 11.2 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	> 100 mg/l, 96 hours
Propylene glycol (CAS 57-55	-6)		
Crustacea	EC50	Daphnia	10000 mg/L, 48 Hours
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	> 10000 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	710 mg/l, 96 hours
Persistence and degradability	No data is ava	ailable on the degradability of this product.	
Bioaccumulative potential	No data availa	able.	
Mobility in soil	No data availa	able.	
Mobility in general	Not available.		
Other adverse effects	Not available.		
	1	3. Disposal Considerations	
Disposal instructions	Review federa	al, state/provincial, and local government re	equirements prior to disposal.
	-	ntents/container in accordance with local/re	egional/national/international regulations.
Local disposal regulations	See above		
Hazardous waste code	Not assigned.		
Waste from residues / unused products		ers may retain some product residues. The a safe manner (see: Disposal instructions	
Contaminated packaging	-	ners should be taken to an approved waste	
	Since emptied emptied.	I containers may retain product residue, fol	low label warnings even after container is
	omptiod.	14. Transport Information	
Basic shipping requirement UN number Proper shipping name Hazard class Packing group Packaging exceptions Transportation of Dangerous G Basic shipping requirement UN number Proper shipping name Hazard class Packing group Packaging exceptions DOT; TDG	UN3175 Solids contain 4.1 II <1kg - limited Note: Individual Goods (TDG - Ca Its: UN3175	<b>nada)</b> TAINING FLAMMABLE LIQUID, N.O.S. (AI	om DOT regulation per Special Provision 47.
Canadian federal regulations	This product h	<b>15. Regulatory Information</b> has been classified in accordance with the nd the SDS contains all the information red	
	Regulations.		
Canada NPRI VOCs with Ad Alcohol (CAS 64-17-5)	aditional Report	ing Requirements: Mass reporting three 1 TONNES	snoid/identification Number
#24986		Page: 6 of 8	Issue date 01-April-2015
		, ugo. 0 01 0	13306 Udie 01-April-2013

Canada WHMIS Ingredient E	Disclosure: Threshold limits	
Alcohol (CAS 64-17-5)		0.1 %
Propylene glycol (CAS 57		
WHMIS classification	Exempt - Notified cosmetic unc	-
US federal regulations	This product contains a "Hazar Standard, 29 CFR 1910.1200.	dous Chemical" as defined by the OSHA Hazard Communication
TSCA Section 12(b) Export	Notification (40 CFR 707, Subp	t. D)
Not regulated.		
CERCLA Hazardous Substa Not listed.	nce List (40 CFR 302.4)	
US CAA Section 111 Volatile	e Organic Compounds: Listed	
Alcohol (CAS 64-17-5) Propylene glycol (CAS 57 Clean Air Act (CAA) Section	-55-6) 112(r) Accidental Release Pre	Listed. Listed. vention (40 CFR 68.130)
	112 Hazardous Air Pollutants	(HAPs) List
Not regulated.		
Superfund Amendments and Re	•	(A)
Hazard categories	Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No	
SARA 302 Extremely hazardous substance	No	
SARA 311/312 Hazardous chemical	No	
SARA 313 (TRI reporting) Not regulated.		
Other federal regulations		
Safe Drinking Water Act (SDWA)	Not regulated.	
Food and Drug Administration (FDA)	Regulated as a monograph dru	ıg product.
US state regulations	See below	
US - California Hazardo	us Substances (Director's): Lis	sted substance
Alcohol (CAS 64-17- US - California Proposit		Listed. Iuctive Toxicity (CRT): Listed substance
Not listed. US - Illinois Chemical S	afety Act: Listed substance	
Alcohol (CAS 64-17- US - Louisiana Spill Rep	5) porting: Listed substance	Listed.
Alcohol (CAS 64-17- US - Minnesota Haz Sub	,	Listed.
Alcohol (CAS 64-17- Propylene glycol (CA	S 57-55-6)	Listed. Listed.
-	Substances: Listed substance	
Alcohol (CAS 64-17- Propylene glycol (CA		Listed.
	ening Levels: Listed substance	
Alcohol (CAS 64-17-	,	Listed.
Propylene glycol (CA US. Massachusetts RTM	( - Substance List	Listed.
-	Hazardous Substances	Listed.
Alcohol (CAS 64-17- Propylene glycol (CA <b>US. Rhode Island RTK</b>		Listed. Listed.
Not regulated.		

#### Inventory status

#### **Country(s) or region** Canada Canada

#### Inventory name

Domestic Substances List (DSL)

Yes

No

Yes

CanadaNon-Domestic Substances List (NDSL)United States & Puerto RicoToxic Substances Control Act (TSCA) Inventory

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

LEGEND	HEALTH 7 1
Severe4Serious3Moderate2Slight1Minimal0	FLAMMABILITY 3   PHYSICAL HAZARD 0   PERSONAL PROTECTION X
Disclaimer	The information in the sheet was written based on the best knowledge and experience currently available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.
Issue date	01-April-2015
Effective date	01-September-2014
Expiry date	01-September-2017
Further information	For any questions surrounding this SDS, please contact the supplier/manufacturer listed on the first page of the document.
	Revision 1. Hazard categorization updated. Ingredient ranges used and revised in Section 3. Transportation information updated.
	Based on bulk liquid # 4OP72301.
Prepared by	Dell Tech Laboratories, Ltd. Phone: (519) 858-5021
Other information	This Safety Data Sheet was prepared to comply with the current OSHA Hazard Communication Standard (HCS) adoption of the Globally Harmonized System of Classification and Labeling of Chemicals (GHS). This SDS conforms to the ANSI Z400.1/Z129.1-2010 Standard.

#### 16. Other Information