
SAFETY DATA SHEETS

This SDS packet was issued with item:

072689016

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

072688810



Den-Mat® Corporation 2727 Skyway Drive • Santa Maria, CA • 93455 • U.S.A. P.O. Box 1729 • Santa Maria, CA • 93456 • U.S.A.

Tel: (805) 922-8491 Fax: (805) 922-6933 Int'l Fax: (805) 349-2607

Tel: (800) 433-6628

MATERIAL SAFETY DATA SHEET

TRADE NAME:	PORCELOCK® ETCHANT	, REVITALIZE TM ETCHANT
-------------	--------------------	------------------------------------

CHEMICAL NAME: Hydrofluoric Acid

I. PHYSICAL DATA

BOILING POINT (°C): N/A

MELTING POINT: CA 0°C

SPECIFIC GRAVITY ($H_20=1$): 1.03 @ 25°C

VAPOR PRESSURE (20°C): Less than 1mm Hg

VAPOR DENSITY (Air=1): Less than 1
SOLUBILITY IN WATER: Slightly

EVAPORATION RATE (Butyl Acetate=1): Less than 1

APPEARANCE AND ODOR: Blue fluid; no odor

II. HAZARDOUS INGREDIENTS

PRINCIPAL HAZARDOUS COMPOUNDS

Hydrofluoric Acid (HF) 2.9%

III. FIRE AND EXPLOSION HAZARD DATA

FLASH POINT: None

EXTINGUISHING MEDIA: N/A

SPECIAL FIRE EXTINGUISHING PROCEDURES: N/A

UNUSUAL FIRE AND EXPLOSION HAZARDS: N/A

LEL EXPLOSIVE LIMIT: NE

VEL EXPLOSIVE LIMIT: NE

Porcelock-RevitalizeEtchant (DRN 3689) Effective Date: 18 Oct 2005 Supersedes: 12 Mar 1999

IV. HEALTH HAZARD DATA / FIRST AID PROCEDURES

EFFECTS OF OVEREXPOSURE: Hydrofluoric acid - chronic exposure - repeated or prolonged exposure may cause irritation or burns. Slight irritation occurred in people exposed to vapor concentrations averaging 2.6 and 4.7 ppm for periods of up to 50 days. Slight desquamation of superficial epithelium of the face was observed in one subject after ten days of exposure to hydrogen fluoride at 3.4 ppm.

EMERGENCY AND FIRST AID PROCEDURES:

SKIN: Remove contaminated clothing. Flush skin with water. If

uncomfortable, see physician.

EYES: Flush with water for at least 15 minutes; immediately

contact physician.

INGESTION: Do not induce vomiting. If conscious, take milk of

magnesia or milk and see physician.

CARCINOGENICITY: None known.

V. <u>REACTIVITY DATA</u>

STABILITY: Stable

CONDITIONS TO AVOID: Strong bases INCOMPATIBILITY: Strong bases

HAZARDOUS DECOMPOSITION: None
HAZARDOUS POLYMERIZATION: None

VI. SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IF MATERIAL IS

RELEASED OR SPILLED:

Wipe up spill with absorbent cloth and wipe area well with water.

WASTE DISPOSAL METHOD: Dispose according to Government

regulations.

EMERGENCY PHONE NUMBER: (805) 922-8491

While Den-Mat Corporation believes that the data contained herein are factual and the opinions expressed are those of qualified experts regarding the results of the tests conducted, the data are not to be taken as a warranty or representation for which Den-Mat assumes legal responsibility. They are offered solely for your consideration, investigation and verification. Any use of these data and information must be determined by the user to be in accordance with applicable Federal, State and local laws and regulations.

DEN-MAT CORPORATION, 2727 SKYWAY DRIVE, SANTA MARIA, CA 93455 U.S.A.

Porcelock-RevitalizeEtchant (DRN 3689) Effective Date: 18 Oct 2005 Supersedes: 12 Mar 1999



SAFETY DATA SHEET

Issuing Date 17-Apr-2015 Revision Date 17-Apr-2015 ECR# 23488

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

GHS product identifier

Product Name Porcelock Etchant

Other means of identification

Synonyms White Petrolatum

Recommended use of the chemical and restrictions on use

Recommended Use Lip Moisturizing

Uses advised against No information available

Supplier's details

Supplier Address

DenMat

1017 W. Central Ave. Lompoc, CA 93436 TEL: 805-346-3700

Emergency telephone number

Emergency Telephone

Number

805-346-3700

2. HAZARDS IDENTIFICATION

Classification

This chemical is not considered hazardous according to the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200)

GHS Label elements, including precautionary statements



Appearance Blue/Green

Physical State Liquid.

Odor unpleasant, do not smell

Hazard statement(s)

H331: Toxic if inhaled. H301: Toxic if swallowed.

H311: Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

Precautionary statement(s)

P260 Do not breathe dust/ fume/ gas/ mist/ vapors/ spray.

P262 Do not get in eyes, on skin, or on clothing.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Trade secret
hydrofluoric acid	7664-39-3	2.5%	
microcrystalline cellulose	900-34-6	0.1 - 1	*
Trans-Cyclohexane-1,2-dinitrilotetraacetic acid	125572-95-4	0.1 - 1	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of necessary first-aid measures

Eye Contact Remove contact lenses before flushing. With eyelids held open, flush

immediately with lukewarm water for at least 15 minutes. DO NOT use an eye ointment. If a physician is not immediately available, apply 1-2 drops of 0.5% Pontocaine Hydrochloride solution. Get immediate

medical attention.

Ingestion DO NOT INDUCE VOMITING -SEEK MEDICAL ADVICE IMMEDIATELY!

Rinse mouth thoroughly and give large amounts of milk or water if

person is conscious. Get immediate medical attention.

Skin Contact Flush skin with large amounts of water and remove contaminated clothing, watches, etc. Skin

exposures can be treated with a 2.5% calcium gluconate gel repeated until burning ceases. Get immediate medical attention for all burns, regardless of how minor they may seem.

Inhalation IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing If not

breathing, give artificial respiration. Get immediate medical attention.

Most important symptoms/effects, acute and delayed None Expected

Most Important Symptoms/Effects None Expected

Indication of immediate medical attention and special treatment needed, if necessary

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Specific Hazards Arising from the Chemical

Hydrogen fluoride

Explosion Data

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None

Protective Equipment and Precautions for Firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots, and gloves). If protective equipment is not available or not used, fight from a protected location or safe distance.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Ensure adequate ventilation. Avoid breathing vapors or mists.

Do not get in eyes, on skin, or on clothing. Wash thoroughly after handling.

Environmental Precautions

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Environmental Precautions

Avoid release to the environment. Dispose of contents/container to an approved waste disposal plant. See Section 12 for additional Ecological Information.

Methods and materials for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Cleaning UpPick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Ensure adequate ventilation. Will attack glass and porcelain. Do not contact any spills or

diluted . Avoid contact with skin, eyes and clothing. Remove and wash contaminated

clothing before re-use.

Conditions for safe storage, including any incompatibilities

Storage Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible Products Strong acids. Strong oxidizing agents.

Page 3/9

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Hydrofluoric Acid 7664-39-3	0.5 ppm	3 ppm	Not established
Microcrystalline cellulose 900-34-6	10 mg/m³ (TWA)	15 mg/m ³ (total dust)	
Petrolatum 8009-03-2	Not established	Not established	Not established

Appropriate engineering controls

Engineering Measures Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face Protection Safety glasses with side-shields. Tightly fitting safety goggles.

Skin and Body Protection Long sleeved clothing. Impervious gloves.

Respiratory ProtectionIf exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

None known

provided in accordance with current local regulations.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice. Remove and wash

contaminated clothing before re-use. Wash thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical StateSolid (paste)AppearanceWhite/clearish/off-whiteOdorNoneOdor ThresholdNo information available

Property Values Remarks/ - Method

pHNot ApplicableNone knownMelting Point/Range38° CNone knownBoiling Point/ RangeNot EstablishedFor acetoneFlash PointNo data availableNone known

Evaporation rate No data available Flammability (solid, gas) No data available

Flammability Limits in Air

upper flammability limitNo data availablelower flammability limitNo data available

Vapor PressureNo data availableNone knownVapor DensityNo data availableNone knownSpecific Gravity0.85 @ 25°CNone knownWater SolubilityInsolubleNone knownSolubility in other solvents100% soluble in diethyl etherNone known

Information on basic physical and chemical properties

Porcelock Etchant

Partition coefficient: n-octanol/water Autoignition Temperature

Decomposition Temperature

Viscosity

No data available No data available No data available Thin gel

None known None known None known Revision Date 17-Apr-2015

cosity Thin

Flammable Properties
Explosive Properties
Oxidizing Properties

No data available No data available

Not flammable

Other information

VOC Content (%) None

10. STABILITY AND REACTIVITY

Reactivity

No dangerous reaction known under conditions of normal use.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

Glass contact, strong bases or organic anhydrides

Incompatible materials

Strong acids. Strong oxidizing agents.

Hazardous decomposition products

Fluorine gas on decomposition and hydrogen gas formed in contact with metals. Corrosive vapors may be formed during heating.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Acute Toxicity: LD50 not determined

Delayed and immediate effects and also chronic effects from short and long term exposure

SensitizationNo information available.Mutagenic EffectsNo information available.

Carcinogenicity IARC: No component of this product present at levels greater than or equal to 0.1% is

identified as probable or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is

identified as a carcinogen

No information available.

Reproductive Toxicity
STOT - single exposure
STOT - repeated exposure
Target Organ Effects

No information available. No information available. Eyes. Respiratory system.

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Persistence and Degradability

No information available.

No information available.

Other Adverse Effects
No information available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods This material, as supplied, is not a hazardous waste according to Federal regulations (40

CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local

regulations for additional requirements.

Contaminated Packaging Do not re-use empty containers.

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Acetone - 67-64-1		Included in waste stream:		U002
		F039		

14. TRANSPORT INFORMATION

<u>DOT</u>

UN-Number 2922

Hazard Class Not a dangerous good

Packing Group Description

Emergency Response Guide

Number

IATA

UN-Number 2922

Proper Shipping Name Corrosive Liquid, Toxic n.o.s. (Hydrofluoric acid mixture)

Hazard Class 8(6.1)
Packing Group

ERG Code Description

15. REGULATORY INFORMATION

International Inventories

TSCA All components of this product are either listed or are exempt on the TSCA inventory.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard Yes
Chronic Health Hazard Yes
Fire Hazard No
Sudden Release of Pressure Hazard No
Reactive Hazard No

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Petrolatum	X		Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION				
<u>NFPA</u>	Health Hazard 2	Flammability 0	Instability 0	Physical and Chemical Hazards -
<u>HMIS</u>	Health Hazard 2	Flammability 1	Physical Hazard 0	Personal Protection X

Issuing Date17-Apr-2015Revision Date17-Apr-2015

General Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet



SAFETY DATA SHEET

Issuing Date 17-Apr-2015 Revision Date 17-Apr-2015 ECR# 23488

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

GHS product identifier

Product Name Porcelock Etchant

Other means of identification

Synonyms White Petrolatum

Recommended use of the chemical and restrictions on use

Recommended Use Lip Moisturizing

Uses advised against No information available

Supplier's details

Supplier Address

DenMat

1017 W. Central Ave. Lompoc, CA 93436 TEL: 805-346-3700

Emergency telephone number

Emergency Telephone

Number

805-346-3700

2. HAZARDS IDENTIFICATION

Classification

This chemical is not considered hazardous according to the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200)

GHS Label elements, including precautionary statements



Appearance Blue/Green

Physical State Liquid.

Odor unpleasant, do not smell

Hazard statement(s)

H331: Toxic if inhaled. H301: Toxic if swallowed.

H311: Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

Precautionary statement(s)

P260 Do not breathe dust/ fume/ gas/ mist/ vapors/ spray.

P262 Do not get in eyes, on skin, or on clothing.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Trade secret
hydrofluoric acid	7664-39-3	2.5%	
microcrystalline cellulose	900-34-6	0.1 - 1	*
Trans-Cyclohexane-1,2-dinitrilotetraacetic acid	125572-95-4	0.1 - 1	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of necessary first-aid measures

Eye Contact Remove contact lenses before flushing. With eyelids held open, flush

immediately with lukewarm water for at least 15 minutes. DO NOT use an eye ointment. If a physician is not immediately available, apply 1-2 drops of 0.5% Pontocaine Hydrochloride solution. Get immediate

medical attention.

Ingestion DO NOT INDUCE VOMITING -SEEK MEDICAL ADVICE IMMEDIATELY!

Rinse mouth thoroughly and give large amounts of milk or water if

person is conscious. Get immediate medical attention.

Skin Contact Flush skin with large amounts of water and remove contaminated clothing, watches, etc. Skin

exposures can be treated with a 2.5% calcium gluconate gel repeated until burning ceases. Get immediate medical attention for all burns, regardless of how minor they may seem.

Inhalation IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing If not

breathing, give artificial respiration. Get immediate medical attention.

Most important symptoms/effects, acute and delayed None Expected

Most Important Symptoms/Effects None Expected

Indication of immediate medical attention and special treatment needed, if necessary

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Specific Hazards Arising from the Chemical

Hydrogen fluoride

Explosion Data

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None

Protective Equipment and Precautions for Firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots, and gloves). If protective equipment is not available or not used, fight from a protected location or safe distance.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Ensure adequate ventilation. Avoid breathing vapors or mists.

Do not get in eyes, on skin, or on clothing. Wash thoroughly after handling.

Environmental Precautions

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Environmental Precautions

Avoid release to the environment. Dispose of contents/container to an approved waste disposal plant. See Section 12 for additional Ecological Information.

Methods and materials for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Cleaning UpPick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Ensure adequate ventilation. Will attack glass and porcelain. Do not contact any spills or

diluted . Avoid contact with skin, eyes and clothing. Remove and wash contaminated

clothing before re-use.

Conditions for safe storage, including any incompatibilities

Storage Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible Products Strong acids. Strong oxidizing agents.

Page 3/9

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Hydrofluoric Acid 7664-39-3	0.5 ppm	3 ppm	Not established
Microcrystalline cellulose 900-34-6	10 mg/m³ (TWA)	15 mg/m ³ (total dust)	
Petrolatum 8009-03-2	Not established	Not established	Not established

Appropriate engineering controls

Engineering Measures Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face Protection Safety glasses with side-shields. Tightly fitting safety goggles.

Skin and Body Protection Long sleeved clothing. Impervious gloves.

Respiratory ProtectionIf exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

None known

provided in accordance with current local regulations.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice. Remove and wash

contaminated clothing before re-use. Wash thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical StateSolid (paste)AppearanceWhite/clearish/off-whiteOdorNoneOdor ThresholdNo information available

Property Values Remarks/ - Method

pHNot ApplicableNone knownMelting Point/Range38° CNone knownBoiling Point/ RangeNot EstablishedFor acetoneFlash PointNo data availableNone known

Evaporation rate No data available Flammability (solid, gas) No data available

Flammability Limits in Air

upper flammability limitNo data availablelower flammability limitNo data available

Vapor PressureNo data availableNone knownVapor DensityNo data availableNone knownSpecific Gravity0.85 @ 25°CNone knownWater SolubilityInsolubleNone knownSolubility in other solvents100% soluble in diethyl etherNone known

Information on basic physical and chemical properties

Porcelock Etchant

Partition coefficient: n-octanol/water Autoignition Temperature

Decomposition Temperature

Viscosity

No data available No data available No data available Thin gel

None known None known None known Revision Date 17-Apr-2015

cosity Thin

Flammable Properties
Explosive Properties
Oxidizing Properties

No data available No data available

Not flammable

Other information

VOC Content (%) None

10. STABILITY AND REACTIVITY

Reactivity

No dangerous reaction known under conditions of normal use.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

Glass contact, strong bases or organic anhydrides

Incompatible materials

Strong acids. Strong oxidizing agents.

Hazardous decomposition products

Fluorine gas on decomposition and hydrogen gas formed in contact with metals. Corrosive vapors may be formed during heating.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Acute Toxicity: LD50 not determined

Delayed and immediate effects and also chronic effects from short and long term exposure

SensitizationNo information available.Mutagenic EffectsNo information available.

Carcinogenicity IARC: No component of this product present at levels greater than or equal to 0.1% is

identified as probable or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is

identified as a carcinogen

No information available.

Reproductive Toxicity
STOT - single exposure
STOT - repeated exposure
Target Organ Effects

No information available. No information available. Eyes. Respiratory system.

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Persistence and Degradability

No information available.

No information available.

Other Adverse Effects
No information available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods This material, as supplied, is not a hazardous waste according to Federal regulations (40

CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local

regulations for additional requirements.

Contaminated Packaging Do not re-use empty containers.

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Acetone - 67-64-1		Included in waste stream:		U002
		F039		

14. TRANSPORT INFORMATION

<u>DOT</u>

UN-Number 2922

Hazard Class Not a dangerous good

Packing Group Description

Emergency Response Guide

Number

IATA

UN-Number 2922

Proper Shipping Name Corrosive Liquid, Toxic n.o.s. (Hydrofluoric acid mixture)

Hazard Class 8(6.1)
Packing Group

ERG Code Description

15. REGULATORY INFORMATION

International Inventories

TSCA All components of this product are either listed or are exempt on the TSCA inventory.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard Yes
Chronic Health Hazard Yes
Fire Hazard No
Sudden Release of Pressure Hazard No
Reactive Hazard No

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Petrolatum	X		Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION				
<u>NFPA</u>	Health Hazard 2	Flammability 0	Instability 0	Physical and Chemical Hazards -
<u>HMIS</u>	Health Hazard 2	Flammability 1	Physical Hazard 0	Personal Protection X

Issuing Date17-Apr-2015Revision Date17-Apr-2015

General Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet