SAFETY DATA SHEETS

This SDS packet was issued with item:

071906981

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

071906973 071907013 071907021

Material Safety Data Sheet

(Reproduce locally)

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910 1200. Standard must be consulted for specific requirements.

U.S. Department of Labor

Occupational Safety and Health Administration (Non-Mandatory Form)

OSHA 174 Sept. 1985

Form Approved

must be consulted for specific re	quirements.	OMB No. 1218-007	72		
IDENTITY (as Used on Label and	d List)	Note: Blank space	s are not per		
Champ-Lube™ 20+	applicable or no information is available, the space must be marked to indicate that.				
Section I		must be man	Neu lu iriulcal	e mat.	
Manufacturer's name Athena Champio	n	Emergency Telephone N	lumber 800-53	35-5053	
Address (Number, Street, City, State and	Telephone Number for II	nformation 800-	-253-1771		
13705 Shoreline Court East	Date Prepared 3/10/09				
Earth City, MO 63045		Signature of Preparer (c	ptional)		
Section II—Hazardous Ingredients	/Identity Information				
Hazardous Components (Specific Chemic	al Identity, Common Name(s))	OSHA PEL ACG	IH TLV	Other Limits Recommended	% (optional)
Product Use: Dental lubricant for low	and high speed handpieces				· · · · · ·
Chemical Use: Highly refined blend of		ns to produce a stable hi	gh film strengt	h lubricant	
Transportation: Classified as AOT. N	ot regulated for hazard				
Physical State: Liquid at normal	•				
Freezing Temperature: -52°C (-6	52°F)				
PH: 7.3					
Viscosity: 100SUS					
Section III—Physical/Chemical Ch	aracteristics				
Boiling Point	230°C (446 F)	Specific Gravity (H ₂ 0 = 1)	1.0	@15C.
Vapor Pressure (mm Hg)	.55mm	Melting Point		N/A	
Vapor Density (AIR = 1)	N/E	Evaporation Rate (Butyl	Acetate = 1)	NIL	@25C.
Solubility in Water	Not Soluable				
Appearance and Odor	Clear to light am	ber, pleasant odor			
Section IV—Fire and Explosion Ha	zard Data				
Flash Point (Method Used): 175°C (35	0°F)	Flammable Limits	LEL	UEL	
`	,	Low hazard	N/E	N/E	
Extinguishing Media Use CO2, for	pam, dry chemical. Halon/ľ	N2, avoid water this wi	II only spread	d an oil fire	
Special Fire Fighting Procedures Do no	ot use water				
Unusual Fire and Explosion Hazards: Lic	uid is not flammable at noi	rmal ambient temperat	ures. Lubrica	ants may ignite	when heated
its boiling point if exposed to an		1		, 5	
- · · · · · · · · ·					
/5					

Section V-	-Reactivity Data				
Stability	•	Unstable		Conditions to Avoid:	
				Contact with oxi	dizing agents, i.e. Chlorine and
		Stable X		46.46	
Incompatibilit	y (Materials to Avoid)	Ovidizina agente			
Hazardous D	ecomposition or Byprod	Oxidizing agents			
		May Occur		Conditions to Avoid	
Hazardous Polymerization	n N/A	Iviay Occui		Conditions to Avoid	
		Will Not Occur			
Section VI-	-Health Hazard Dat	ta			
Route(s) of E	ntry	Inhalation? Yes	Skin? Y	'es	Ingestion? NO
LD 50 Oral ar	nd Dermal: 1,000,000				
MG/KG (calc	ulated)				
Health Hazar	ds (Acute and Chronic).	· Mild irritation to akin ar	avec possible a	or long torm ovno	sure. Flush with water for eyes. Use
	water on skin. Call a, call physician.				miting, this may cause Lipoid
Carcinogenic	ity None	NTP?	IARC M	onographs?	OSHA Regulated?
Signs and Sy	mptoms of Exposure Ir	ritation			
Medical Cond	litions				
	gravated by Exposure	N/A			
	and First Aid Drassdures				
soap and v	nd First Aid Procedures water on skin. Call a, call physician.	Willia IIIItation to Skin of			sure. Flush with water for eyes. Use miting, this may cause Lipoid
Section VII	—Precautions for S	Safe Handling and Use			
Steps to Be T	aken in Case Material I	ls Released or Spilled			
Shut off le	ak, recover free pr	oduct, add sand, earth c	or suitable absort	ent material to sp	ill area
Waste Dispos	sal Method Dispos	e in accordance with fed	deral, state and lo	ocal regulations	
Precautions t	o Be Taken in Handling	and Storing N/A			
Other Precau	tions N/A				
Section VII	-Control Measures	s			
Respiratory P	rotection (Specify Type	e) N/A			
Ventilation	Local Exhaust		T	Special	
N/A	Mechanical (Genera	<i>n</i>		Other	
Protective Glo	oves N/A		l Eve Pro	tection N/A	
	ive Clothing or Equipme	ent N/A			
		EIIL IN/A			
Work/Hygieni	c Practices N/A				

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind





SAFETY DATA SHEET

Section 1. Identification

GHS product identifier

: Champ-LubeTM 20 Plus

Product code

: 30001, 30003, 30005, 30010, 30015

Chemical name

: White mineral oil (petroleum)

Other means of

: White mineral oil, petroleum; White spirits; White mineral oil; Mineral oil; Paraffin oil;

identification

Paraffinum liquidum

Product type

: Liquid.

Relevant identified uses of the substance or mixture and uses advised against

Identified uses					
For professional use only. High temperature lubricant designed to withstand autoclaving/sterilization.					
Uses advised against	Reason				
Not available.					

Manufactured for

: Athena Champion

13705 Shoreline Court East Earth City, MO 63045 1.800.253.1771

Emergency telephone

number

: Infotrac 24-Hour Number U.S. 1-800-535-5053 / Outside U.S. 1-352-323-3500

Section 2. Hazards identification

OSHA/HCS status

: This material is considered hazardous by the OSHA Hazard Communication Standard

(29 CFR 1910.1200).

Classification of the substance or mixture

: ASPIRATION HAZARD - Category 1

GHS label elements

Hazard pictograms



Signal word

Danger

Hazard statements

: May be fatal if swallowed and enters airways.

Precautionary statements

Prevention

: Not applicable.

Response

: IF SWALLOWED: Immediately call a POISON CENTER or physician. Do NOT induce

vomiting.

Storage

: Store locked up.

Disposal

: Dispose of contents and container in accordance with all local, regional, national and

international regulations.

Champ-Lube 20 Plus SD\$

Section 2. Hazards identification

Hazards not otherwise

None known

classified

Section 3. Composition/information on ingredients

Sebstance/mixture

Substance

Chemical name

White mineral oil (petroleum)

Other means of

: White mineral oil, petroleum. White spirits; White mineral oil; Mineral oil; Paraffin oil;

identification

Paraffinum liquidum

CAS sumber/other identifiers

CAS number

: 8042-47-5

Ingredient name %	CAS number	
White mineral oil (petroleum) 100	8042-47-5	

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact

: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.

Inhalation

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway, Loosen tight clothing such as a collar, tiel belt or waistband.

Skin contact

: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Ingestion

Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Aspiration hazard if swallowed. Can enter lungs and cause damage. Do not induce vomiting. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. If unconscious place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact : No known significant effects or critical hazards. Inhalation : No known significant effects or critical hazards. Skin contact : No known significant effects or critical hazards.

Champ-Lube 113 20 Plus SDS

Section 4. First aid measures

Ingestion : May be fatal if swallowed and enters airways.

Over-exposure signs/symptoms

Eye contact : No specific data. Inhalation : No specific data. Skin contact : No specific data.

Indestion : Adverse symptoms may include the following:

nausea or vomiting

Indication of immediate medical attention and special treatment needed, if necessary

: Treat symptomatically. Contact poison treatment specialist immediately iflarge Notes to physician

quantities have been ingested orinhaled.

Specific treatments : No specific treatment.

Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training. It may

: Use an extinguishing agent suitable for the surrounding fire.

: Decomposition products may include the following materials:

be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing

media

: Do not use water jet.

Unsuitable extinguishing

media

Specific hazards arising from the chemical

Hazardous thermal

decomposition products

carbon dioxide

carbon monoxide

Special protective actions

for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable

: In a fire or if heated, a pressure increase will occur and the container may burst.

training.

Special protective equipment for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from

entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is

inadequate. Put on appropriate personal protective equipment.

For emergency responders :

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-

emergency personnel".

Environmental precautions

: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental

pollution (sewers, waterways, soil or air).

Section 6. Accidental release measures

Methods and materials for containment and cleaning up

Chiati spill

Stop leak if without risk. Move containers from spill area. Dilute with water and mop-upif water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor

Large spill

Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures

: Put on appropriate personal protective equipment (see Section 8). Do not swallow. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Advice on general occupational hygiene Eating, drinking and smoking should be prohibited in areas where this materialis handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

including any incompatibilities

Conditions for safe storage, : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly, closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits		
White mineral oil (petroleum)	ACGIH TLV (United States, 4/2014). TWA. 5 mg/m³ 8 hours. Form: Inhalable fraction NIOSH REL (United States, 10/2013). ITWA: 5 mg/m³ 10 hours. Form: Mist STEL: 10 mg/m³ 15 minutes. Form: Mist OSHA PEL (United States, 2/2013). TWA: 5 mg/m³ 8 hours.		

Appropriate engineering controls

: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Section 8. Exposure controls/personal protection

Environmental exposure controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures : Wash hands, forearms and face thoroughly after handling chemical products, before

eating, smoking and using the lavatory and at the end of the working period.

Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that evewash stations and safety

showers are close to the workstation location.

Eye/face protection : Safety eyewear complying with an approved standard should be used when arisk

assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection; safety glasses with side-

shields .

Skin protection

Hand protection : Chemical-resistant, impervious gloves complying with an approved standard should be

worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the

protection time of the gloves cannot be accurately estimated.

Body protection : Personal protective equipment for the body should be selected based on the task being

performed and the risks involved and should be approved by a specialist before

handling this product.

Other skin protection : Appropriate footwear and any additional skin protection measures should be selected

based on the task being performed and the risks involved and should be approved by a

specialist before handling this product.

Respiratory protection : Use a properly fitted, air-purifying or air-fed respirator complying with an approved

standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe

working limits of the selected respirator.

Section 9. Physical and chemical properties

Appearance

Physical state : Liquid. [Viscous liquid.]

Color : Colorless.

: Mild. Hydrocarbon. Odor

Odor threshold : Not available. : Not available. Нq

: -60 to -9°C (-76 to 15.8°F) Melting point

: 299.44 to 520°C (571 to 968°F) Boiling point : Closed cup: >112°C (>233.6°F) Flash point

Open cup: 188.33°C (371°F)[Cleveland.]

: Not available. Evaporation rate : Not available. Flammability (solid, gas) Lower and upper explosive : Not available.

(flammable) limits

: 0.011 kPa (0.08 mm Hg) [room temperature] Vapor pressure

: Not available. Vapor density

Champ-Lube[™] 20 Plus SDS

Champ-Lube 151 20 Plus SDS

Section 9. Physical and chemical properties

Relative density

: 0.85

Solubility

: Insoluble in the following materials: cold water and hot water.

Partition coefficient: n-

octanol/water

: >6

Auto-ignition temperature

: 325 to 355°C (617 to 671°F)

Decomposition temperature

: Not available.

Viscosity

: Kinematic (40°C (104°F)): 0.12 cm²/s (12 cSt)

Section 10. Stability and reactivity

Reactivity

: No specific test data related to reactivity available for this product or its ingredients.

Chemical stability

: The product is stable.

Possibility of hazardous

reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid

: No specific data.

incompatible materials

: No specific data.

Hazardous decomposition

products

: Under normal conditions of storage and use, hazardous decomposition products should

not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
White mineral oil (petroleum)	LC50 Inhalation Dusts and mists	Rat	>5 mg/l	4 hours
	LD50 Dermal	Rabbit	>2000 mg/kg	-
	LD50 Oral	Rat	>5000 mg/kg	-

Irritation/Corrosion

Not available.

Sensitization

Not available.

Mutagenicity

Not available.

Carcinogenicity

Not available.

Conclusion/Summary

: The classification as a carcinogen need not apply as it can be shown that the substance

Reproductive toxicity

Not available.

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

Champ-Lube 114 20 Plus SDS

contains less than 3 % DMSO extract as measured by IP 346.

Champ-Lube[™] 20 Plus SDS

Section 11. Toxicological information

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Name	Result
White mineral oil (petroleum)	ASPIRATION HAZARD - Category 1

Information on the likely

: Routes of entry anticipated: Oral, Dermal, Inhalation.

routes of exposure

Potential acute health effects

Eye contact : No known significant effects or critical hazards.
Inhalation : No known significant effects or critical hazards.
Skin contact : No known significant effects or critical hazards.
Ingestion : May be fatal if swallowed and enters airways.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : No specific data.
Inhalation : No specific data.
Skin contact : No specific data.

Ingestion : Adverse symptoms may include the following:

nausea or vomiting

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate

: Not available.

effects

Potential delayed effects

: Not available.

Long term exposure

Potential immediate

: Not available.

effects

Potential delayed effects : Not available.

Potential chronic health effects

Not available.

General : No known significant effects or critical hazards.

Carcinogenicity : No known significant effects or critical hazards.

Mutagenicity : No known significant effects or critical hazards.

Teratogenicity : No known significant effects or critical hazards.

Developmental effects : No known significant effects or critical hazards.

Fertility effects : No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Not available.

Champ-Lube [™] 20 Plus SDS

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
White mineral oil (petroleum)	Acute LC50 >100 mg/i	Daphni	48 hours
	Acute LC50 >10000 mg/l	a Fish	96 hours

Persistence and degradability

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
White mineral oil (petroleum)	-		Inherent

-Mo-iccumulative potential

	LogP .	BCF	Potential
White mineral oil (petroleum)	>6	-	high

Mobility in soil

Soil/water partition coefficient (K...)

: Not available

Other adverse effects

: No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

RCRA classification

: Not Regulated

Section 14. Transport information

	•			
	DOT Classification	TDG Classification	IMDG	IAT A
UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
:			1	

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage

Chamo-Lube^{1M} 20 Plus SDS

Section 14. Transport information

Transport in bulk according: Not available.

to Annex II of MARPOL 73/78 and the IBC Code

Section 15. Regulatory information

: TSCA 8(a) CDR Exempt/Partial exemption: This material is listed or exempted. U.S. Federal regulations

This material is listed or exempted.

Clean Air Act Section 112

(b) Hazardous Air Pollutants (HAPs) : Not listed

Clean Air Act Section 602 Class I Substances

: Not listed

Clean Air Act Section 602

: Not listed

Class II Substances **DEA List I Chemicals**

(Precursor Chemicals)

: Not listed

DEA List II Chemicals

: Not listed

(Essential Chemicals)

SARA 302/304

Composition/information on ingredients

No products were found.

: Not applicable. SARA 304 RQ

SARA 311/312

: Not applicable. Classification Composition/information on ingredients

Name	%	Fire hazar d	Sudden release of pressure	Reactive	Immediat e (acute) health hazard	Delayed (chronic) health hazard
White mineral oil (petroleum)	100	No.	No.	No.	Yes.	No.

State regulations

: This material is not listed. Massachusetts : This material is not listed. **New York** : This material is listed. **New Jersey** Pennsylvania : This material is not listed.

California Prop. 65

This product is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International lists

National inventory

: This material is listed or exempted. Australia : This material is listed or exempted. Canada : This material is listed or exempted. China : This material is listed or exempted. Епгоре : This material is listed or exempted. Japan

: Not determined. Malaysia

Champ-Lube 124 20 Plus SDS

9/10

Champ-Lube™ 20 Plus SDS

Section 15. Regulatory information

New Zealand : This material is listed or exempted.

Philippines : This material is listed or exempted.

Republic of Korea : This material is listed or exempted.

Taiwan : This material is listed or exempted.

Section 16. Other information

Procedure used to derive the classification

Classification	Justification
Asp. Tox. 1, H304	On basis of test data

History

Supersedes : 20 March 2013 Date Revised : 28 May 2015

Key to abbreviations : ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships,

1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

UN = United Nations

 $\ensuremath{\overline{\mathcal{V}}}$ Indicates information that has changed from previously issued version.

The information contained herein is provided in good faith and is believed to be correct as of the date hereof. However, Athena Champion makes no recommendation as to the comprehensiveness or accuracy of the information. It is expected that individuals receiving the information will exercise their independent judgment in determining its appropriateness for particular purpose.

NO REPRESENTATIONS. OR WARRANTIES. EITHER EXPRESSED OR IMPLIED OF MERCHANTABILITY. FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER NATURE ARE MADE HEREUNDER WITH RESPECT TO THE INFORMATION SET FORTH HEREIN OR TO THE PRODUCT TO WHICH THE INFORMATION REFERS.