

SAFETY DATA SHEETS

This SDS packet was issued with item:

076705396

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

076705404

Material Safety Data Sheet**U.S. Department of Labor**

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.

Occupational Safety and Health Administration
(Non-Mandatory Form) Form Approved
OMB No. 1218-0072

Hazard Rating

4= Extreme
3= High
2= Moderate
1= Slight
0= Insignificant
** See Sect IV

Toxicity = 1
Fire = 1
Reactivity = 0

Personal Protection = B



IDENTITY (As Used on Label and List) INSTA-GLAZE (Light Blue) INSTA-GLAZE HYB (Light Grey)	DOT Hazard Class None	Item Code: 11-xxxx
---	---------------------------------	------------------------------

Section I - Contact

Manufacturer's Name: George Taub Products & Fusion Co., Inc.	Emergency Telephone Number: Chemtrec: 800-424-9300, 703-527-3887
Address (Number, Street, City, State, and ZIP Code): 277 New York Ave Jersey City, N.J. 07307	Telephone Number for Information: 201-798-5353
	Date Prepared: 06/13/11
	Signature of Preparer (optional):

Section II - Hazardous Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity; Common Name(s)):	CAS REG. NO.:	OSHA PEL:	ACGIH TLV:	% (optional):
Contains no components listed in 29CFR 1910.1000 tables Z-1, Z-2 or Z-3, nor any other pertinent sections of 29CFR 1910.1001 through 1910.1029.		N.A.	N.A.	N.A.
Non-Hazardous Components:				
Oxyalkylene Polymer	25322-68-3			
Glycols	112-27-6			
Diamond	None			

Section III - Physical/Chemical Characteristics

Boiling Point: approx. 290C/550F	Melting Point: Unknown	Evaporation Rate (Butyl Acetate = 1): Negligible	Viscosity: N.A.
Vapor Pressure (mm Hg): Negligible @ 20C	Vapor Density (AIR = 1): Negligible	Specific Gravity (H ₂ O = 1): approx. 1.0	% Volatile (by weight): N.A.
Solubility in Water: Infinite @ 25C			
Appearance and Odor: Insta-Glaze (blight blue, innocuous odor, paste); Insta-Glaze HYB (light gray, innocuous odor, paste)			

Section IV - Fire and Explosion Hazard Data

Flash Point (Method Used): approx. 349F open cup	Auto Ignition Temp: N.A.	Flammable Limits:	LEL: N.A.	UEL: N.A.
Extinguishing Media: <input type="checkbox"/> Foam <input type="checkbox"/> "Alcohol" Foam <input checked="" type="checkbox"/> CO2 <input checked="" type="checkbox"/> Dry Chemical <input checked="" type="checkbox"/> Water Spray <input checked="" type="checkbox"/> Other Sand, Earth				
Special Fire Fighting Procedures: Not Applicable				
Unusual Fire and Explosion Hazards: Not Applicable				

Section V - Reactivity Data**Stability:**☒ Stable ☐ Unstable**Conditions to Avoid:****Incompatibility** (Materials to Avoid):

Strong Oxidizers, strong bases @ high temp., strong acids and materials reactive with hydroxyl compounds.

Hazardous Decomposition or Byproducts:CO₂, CO and Acrolein on burning**Hazardous Polymerization:**☐ May Occur ☒ Will Not Occur**Conditions to Avoid:****Section VI - Health Hazard Data****Route(s) of Entry:** ☒ Inhalation ☒ Skin ☒ Ingestion**Health Hazards** (Acute and Chronic):

Unknown

Carcinogenicity: ☐ NTP ☐ IARC Monographs ☐ OSHA Regulated

None

Signs and Symptoms of Exposure:

Unknown

Medical Conditions - Generally Aggravated by Exposure:

Unknown

Emergency and First Aid Procedures:

Eyes: Wash eyes with water and contact physician immediately. Skin: Wash with soap and water. Inhalation: Move to fresh air. Ingestion: Contact physician.

Section VII - Precautions for Safe Handling and Use**Steps to Be Taken in Case Material is Released or Spilled:**

Ordinary housekeeping measures are adequate. Wipe up with paper towel and dispose of in ordinary trash. May be burned or sent to landfill.

Waste Disposal Method:

Dispose of in accordance with all applicable local, state and federal regulations.

Precautions to Be taken in Handling and Storing:

Keep containers closed until ready for use. Keep away from heat during storage. Heat may cause dye to partially separate from paste. Store preferably in cool dry area.

Other Precautions:

Material not regulated by D.O.T.

Section VIII - Control Measures**Respiratory Protection** (Specify Type):

N.A.

Ventilation: ☒ Local Exhaust ☐ Mechanical (*General*) ☐ Special ☐ Other

If necessary to control heated fumes.

Protective Gloves: Optional**Eye Protection:** Yes**Other Protective Clothing or Equipment:** Optional**Work/Hygienic Practices:** N.A.**Section IX - Toxicity Information**

None

Section X - Regulatory Information

Non-Hazardous

Disclaimer: While the information and recommendations set forth herein are believed to be accurate as of the date hereof, George Taub Products makes no warranty with respect thereto and disclaims all liability from reliance thereon.

SAFETY DATA SHEET

TAUB INSTA-GLAZE, INSTA-GLAZE HYB, INSTA-GLAZE Zr


Prepared on 06/10/15

1: Identification of the substance/mixture and of the company / undertaking	
1.1: Product identifier	
Substance Name	Insta-Glaze, Insta-Glaze HYB, Insta-Glaze ZR
CAS No.	See Section 3
Product Description	Water soluble diamond polishing compounds-assorted micron sizes

1.2: Relevant identified uses of the substance or mixture and uses advised against	
Identified Uses	Polishing agent for dental porcelain, zirconia, composite/hybrid resins,
Uses advised against	None Known

1.3: Details of the supplier of the safety data sheet	
Manufacturer	George Taub Products & Fusion Co., Inc.
Address	277 New York Ave Jersey City, N.J. 07307 USA
Phone	201-798-5353 800-828-2634
Fax	201-659-7186
E-mail	customerservice@taubdental.com
Contact Info	George Taub Products & Fusion Co. Inc.
Address	277 New York Ave Jersey City, N.J. 07307 USA
Phone	201-798-5353; 800-828-2634

1.4 : Emergency telephone numbers	
United States Emergency No. (Chemtrec)	800-424-9300 +1 703-527-3887
Emergency telephone (Chemtrec)	800-424-9300 +1 703-527-3887
Available outside office hours (24 Hours)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No

2: Hazards Identification	
2.1: Classification of the mixture	
Classification according to UN GHS:	Skin Irritant 2 – H315 Eye Irritant 2B – H320
2.2: Label elements (according to EC 1272/2008)	
Hazard pictogram(s):	
Signal word:	Warning
Hazard Statement(s):	H315 – Causes mild skin irritation H320 – Causes eye irritation
Precautionary statement(s):	P202 - Do not handle until all safety precautions have been read and understood. P264 – Wash hands thoroughly after handling. P280 – Wear appropriate personal protective equipment when handling product. Including face protection (safety glasses w/side shields) and impervious gloves (nitrile). P305+P351+P338 – If in Eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 – If eye irritation persists get medical attention/advice P501- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

3: Composition / information on ingredients

3.1: Mixture

Identification Name	CAS Number	Weight % Content
Triethylene Glycol	112-27-6	20-50%
Diamond	7782-40-3	<20%*
* The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret. All remaining components are considered to be non-hazardous per 1910.1200.		

4: First aid measures

4.1: Description of first aid measures

Eyes	Immediately flush eyes with plenty of water lifting lower and upper eyelids occasionally, until abrasive material is removed. Get medical attention if irritation persists. After initial flushing, remove any contact lenses if worn.
Inhalation	Remove to fresh air. Seek medical attention if required.
Ingestion	No ingestion hazard is expected under normal use. Rinse. Seek immediate medical attention. Do not induce vomiting.
Skin	Remove contaminated clothing. Immediately wash with soap and water and rinse thoroughly. Seek medical attention if required.

4.2: Most important symptoms and effects, both acute and delayed

Eye & skin mechanical irritant

5: Firefighting measures

5.1: Extinguishing media

Use water spray to cool surfaces exposed to fire to disperse vapors and to protect personnel attempting to stop any leakage. Extinguish the fire with foam, dry chemical or carbon dioxide.

5.2: Special hazards arising from the substance or mixture

Burning may produce smoke, carbon monoxide, carbon dioxide, and unburned hydrocarbons.

5.3: Advice for firefighters

Use a self-contained breathing apparatus and full protection gear. Dike and collect water used to fight fire if possible.

6: Accidental release measures

6.1: Personal precautions, protective equipment and emergency procedures

Avoid contact with skin and eyes, and formation and accumulation of dust. Use personal protective equipment as specified in Section 8 of this SDS. Sweep or gather up material and place in proper container for disposal or recovery. Wash exposed skin (hands/face) with soap and warm water. Wash exposed clothing with normal cleaning

6.2: Environmental precautions

Avoid release into the environment.

6.3: Methods and material for containment and cleaning up

Containment: If material is spilled or released, cordon off area. Persons not wearing appropriate protective equipment should be excluded from spill area until clean-up has been completed. Clear or clean small spills with tissue or paper towels. Dispose of with normal waste.

Clean-Up: Wear appropriate personal protective equipment as specified in Section 8. Collect spilled material and clean up any residue material by vacuuming or wet sweeping to reduce dust generation and place into an appropriate container suitable for proper disposal in accordance with local, regional, national, and/or international regulations.

6.4: Reference to other sections

See sections 8 – Exposure Controls/Personal Protection and Section 13 – Disposal Considerations

7: Handling and storage

7.1: Precautions for safe handling

Wear appropriate protective gloves and safety glasses with side shields or chemical goggles. Avoid contacting or breathing of material. Use only in well-ventilated area and be sure to wash hands thoroughly after handling material.

7.2: Conditions for safe storage, including any incompatibilities

Store in a tightly closed container in a secure and well-ventilated area. Store under dry and cool conditions and away from ignition sources and direct sunlight. Avoid hot conditions which could cause material to temporarily liquefy and components separate out. . Re-mixing can reconstitute the blend of components.

7.3: Specific end use(s)

Polishing agent/paste for re-glazing/polishing porcelain, zirconia, lithium disilicate, composite/hybrid and nano-resins, metals.

8: Exposure Controls / Personal Protection

8.1 : Control parameters

Component Name	OSHA PEL	ACGIH TLV
Triethylene Glycol	None Established	None Established
Diamond	5 mg/m ³ *; 15 mg/m ³ **	3 mg/m ³ *; 10 mg/m ³ **


* Respirable fraction; ** Total Particulate (Nuisance Dust)

8.2: Exposure controls

Appropriate engineering controls:

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls (wet grinding) to maintain airborne levels below identified exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures:

Pictograms:	
Eye/face protection:	Safety glasses with side shields or safety goggles should be worn when working with this material. Use material sparingly; avoid splatter.
Skin protection:	Wear appropriate clothing or PPE to prevent repeated or prolonged contact with exposed skin. Wash exposed skin with warm water and soap.
Respiratory protection:	If ventilation is not sufficient to control exposures below the applicable exposure limits, an appropriate NIOSH approved air-purifying respirator equipped with organic vapor cartridges with dust/mist pre-filter is recommended. Select and use in accordance with 29 CFR 1910.134 and good industrial hygiene practice.
Hands:	Wear protective gloves: nitrile, neoprene, butyl, polyethylene, latex or PVC. Always consult with your glove manufacturer or supplier for specific recommendations.
General Industrial Hygiene Considerations:	Handle in accordance with good Industrial Hygiene and Safety practices.

9: Physical and chemical properties

9.1: Information on basic physical and chemical properties

Appearance	Opaque paste of varying colors due to diamond size and dye (colorant) used
Odor	Mild odor
pH	Not applicable
Melting point/freezing point	Not applicable
Initial boiling point/boiling range	≥ 212°F
Flash point	>242°F
Evaporation rate	Not applicable
Upper/lower flammability or explosive limits	No data available
Vapor pressure	No data available
Vapor density	Not applicable given
Relative density	1 {Ref Std:WATER=1}
Solubility in water	Miscible
Partition coefficient (n-octanol/water)	No data available
Decomposition temperature	No data available
Viscosity	No data available

9.2: Other information

No additional physical and chemical parameters noted

10: Stability and reactivity

10.1: Reactivity

Not reactive under recommended or normal conditions of handling, storage, processing, and use.

10.2: Chemical stability

Stable under normal use conditions and storage.

10.3: Possibility of hazardous reactions

Not reactive at normal temperatures and pressure

10.4: Conditions to avoid

None under normal use. Heat which could cause components to separate out.

10.5: Incompatible materials

Strong oxidizers

10.6: Hazardous decomposition products

None with proper storage and handling

11: Toxicological information

Toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

11.1: Information on toxicological effects

Acute oral toxicity	No Data Available
Acute inhalation toxicity	No Data Available
Acute dermal toxicity	No Data Available
Skin corrosion /irritation	Mechanical skin irritation. Signs/symptoms may include abrasion, redness, pain, and itching.
Eye damage/irritation	Mechanical eye irritation. Signs/symptoms may include pain, redness, tearing and corneal abrasion
Respiratory/skin sensitization	No data available
Germ cell mutagenicity	No data available
Carcinogenicity	None of the components of these products is listed as a carcinogen or suspected carcinogen by IARC, NTP, ACGIH, or OSHA
Reproductive toxicity	No Data Available
STOT single exposure	No Data Available
STOT repeated exposure	No Data Available
Aspiration hazard	No Data Available

12: Ecological information

12.1: Toxicity

No data available

12.2: Persistence and degradability

No data available on mixture

12.3: Bioaccumulative potential

No data available

12.4: Mobility in soil

No data available

12.5: Other adverse effects

No data available

13: Disposal considerations

13.1: Waste treatment methods

FACILITY LEVEL ENVIRONMENTAL EMISSIONS/MITIGATION

Waste Management Controls

Dispose in accordance with local/regional/national/international regulations. Two options are recommended:

1. Re-use
2. Recycling or other recovery

Wastewater should be processed through a sewage treatment plant (STP) either on-site or off-site.

14: Transport information

14.1: UN-No. (DOT/IATA/IMDG):	Not Applicable
14.2: UN proper shipping name:	Not Applicable
14.3: Transport hazard class(es):	Not Applicable
14.4: Packing group:	Not Applicable
14.5: Environmental hazard(s):	Not Applicable
14.6: Special precaution(s) for user:	Not Applicable
14.7: Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code:	Not Applicable

15: Regulatory information

15.1: Safety, health and environmental regulations/legislation specific for the substance or mixture

Occupational Safety and Health Act (OSHA):

Federal OSHA Hazard Communication Standard 29 CFR 1910.1200

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

n/a

TOXIC SUBSTANCES CONTROL ACT (TSCA): This product is in compliance with all rules and orders of TSCA.

15.2: Chemical safety assessment

Not Applicable

16: Other information

Revision(s):	SDS Prepared: 06/10/2015
--------------	--------------------------

This SDS provides information consistent with recommended applications of these products and anticipated activities involving the product. It is the user's responsibility to identify and protect against health and safety hazards presented by modification of this material and products after manufacture. Individuals handling this material should be informed of all relevant hazards and recommended safety precautions, and should have access to the information contained in this SDS.

End of Safety Data Sheet