

## SAFETY DATA SHEETS

**This SDS packet was issued with item:**

074591921

**The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).**

070858043 070891341 070997395 071069566 071365402 071365436 071385921 071403021 071403039 071403054  
071403062 071403070 071412691 074582375 074582383 074582391 074582417 074582425 074582433 074582466  
074582631 074591889 074591897 074591905 074591939 074592382 074592390 074592416 074592606 074592614  
074592630 074592648 074592655 074592879 074592903 074592994 074593075 074593109 074593125 078914187

**The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).**

071365485 071379510 071379528 071379536 071379544 071379551 074582409



# SAFETY DATA SHEET

Issue Date 26-Sept-2014

Revision Date 21-Oct-2015

Version 3

## 1. IDENTIFICATION

### Product Identifier

**Product Name** SELF CURING DENTURE POWDER / JET DENTURE REPAIR POWDER

### Other means of identification

**SDS#** 004

**Product Code** 0830, 0834, 0850, 0856, 0870, 0880 / 1212, 1220, 1223, 1230, 1234, 1250, 1256, 1270, 1280

### Recommended use of the chemical and restrictions on use

**Recommended Use** Fabrication of dentures

### Details of the supplier of the safety data sheet

**Supplier Address** Lang Dental Mfg. Co., Inc.  
175 Messner Dr.  
Wheeling, IL 60090  
USA

### Emergency telephone number

**Company Phone Number** 847-215-6622

**Emergency Telephone (INFOTRAC)** 352-323-3500 (International)  
800-535-5053 (North America)

### Authorized European Representative

MediMark® Europe SARL  
11, rue Emile Zola – BP 2332  
38033 Grenoble Cedex 2  
France  
Tel: +33 476 86 43 22  
Fax: +33 476 17 19 82  
Email: info@medimark-europe.com

## 2. HAZARDS IDENTIFICATION

### **Classification**

Skin sensitization

Category 1

**Signal word** Warning

**Hazard statements** H317 May cause an allergic skin reaction.



**Physical State** Powder

**Appearance** Fine, white to pigmented

**Odor** Faint odor in bulk

### **Precautionary Statements – Prevention**

- P261 Avoid breathing dust, fumes, gas, mist, vapors or spray.
- P264 Wash hands and exposed skin thoroughly after handling.
- P272 Contaminated work clothing should not be allowed out of the workplace.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.

**Precautionary Statements – Response**

P302+P352 IF ON SKIN: Wash with soap and water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.

**Precautionary Statements – Disposal**

P501 Dispose of contents/container to an approved waste disposal plant.

**3. COMPOSITION / INFORMATION ON INGREDIENTS**

| Chemical Name    | CAS No    | Weight - % | Trade Secret |
|------------------|-----------|------------|--------------|
| Polymer          | 9011-14-7 | < 90       | *            |
| Benzoyl peroxide | 94-36-0   | < 2        | *            |

\*Specific chemical weight has been withheld as a trade secret.

**4. FIRST AID MEASURES****First aid measures**

|                     |   |
|---------------------|---|
| <b>Inhalation</b>   | Remove to fresh air. Keep at rest in a position comfortable for breathing. Get medical attention if discomfort persists.  |
| <b>Eye contact</b>  | Rinse immediately with plenty of water, including under the eyelids, for at least 15 minutes. If irritation persists, get medical advice / attention.   |
| <b>Ingestion</b>    | Do NOT induce vomiting. Drink plenty of water or milk immediately. If vomiting, continue to offer water or milk. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately and provide an estimate of when and how much material was ingested. |
| <b>Skin Contact</b> | Wash with soap and water. If irritation persists, call a physician. Take off contaminated clothing and wash before reuse.   |

**Most important symptoms and effects, both acute and delayed**

|                 |   |
|-----------------|---|
| <b>Symptoms</b> | Eyes, skin and respiratory tract may be irritated by gross overexposure to particulates. Eyes may be red, itchy, irritated or watering from overexposure. Ingestion of large amounts may be irritating if product is swallowed. May cause nausea, headache, vomiting or diarrhea. |
|-----------------|---|

**Indication of any immediate medical attention and special treatment needed**

|                           |                        |
|---------------------------|------------------------|
| <b>Note to physicians</b> | Treat symptomatically. |
|---------------------------|------------------------|

**5. FIRE-FIGHTING MEASURES****Extinguishing Media**

**Suitable:** Water, carbon dioxide (CO<sub>2</sub>), dry chemical

**Unsuitable:** Avoid extinguishing methods which may generate dust clouds. Water stream can disperse dust in air producing a fire hazard and possible explosion hazard if exposed to ignition source.

**Specific hazards arising from the chemical**

For bulk size: Polymer dust is combustible. The explosive limits of the polymer particles suspended in air are approximately those of coal dust.

**Protective equipment and precautions for firefighters**

Self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

## 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

**Personal precautions** Use personal protective equipment as required. Remove any contaminated clothing and wash thoroughly before reuse.

### Methods and material for containment and clean-up

**Method for containment** Prevent further leakage or spillage if safe to do so.

**Method for clean-up** Sweep up to avoid slipping hazard. Keep airborne particulates at a minimum when cleaning up spills. Clean up in accordance with all applicable regulations. Wash all affected areas with plenty of warm water and soap.

## 7. HANDLING AND STORAGE

### Precautions for safe handling

**Advice on safe handling** Use only in well-ventilated areas. Avoid contact with skin, eyes or clothing. Avoid breathing dust or fume. Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling. Do not eat, drink or smoke when using this product.

### Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep containers tightly closed to prevent water absorption and contamination. Store in a dry, cool and well-ventilated place away from direct sunlight or other sources of light or intense heat. Temperature not to exceed 35°C.

**Packaging materials** Keep in original container.

**Incompatible materials** Strong oxidizing agents

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### Exposure guidelines

| Chemical Name               | ACGIH TLV                | OSHA PEL   | NIOSH IDLH   |
|-----------------------------|--------------------------|--|--|
| Benzoyl peroxide<br>94-36-0 | TWA: 5 mg/m <sup>3</sup> | TWA: 5 mg/m <sup>3</sup><br>TWA: 5 mg/m <sup>3</sup> (vacated) | IDLH: 1500 mg/m <sup>3</sup><br>TWA: 5 mg/m <sup>3</sup> |

**Appropriate engineering controls** Apply technical measures to comply with the occupational exposure limits. When working with large quantities of product, provide adequate ventilation (e.g. local exhaust ventilation, fans). Ensure that an eyewash station, sink or washbasin is available in case of exposure to eyes. Use good local exhaust at processing equipment, including buffers, sanders, grinders and polishers.

### Individual protection measures, such as personal protective equipment

**Eye / face protection** Depending on the use of this product, safety glasses or goggles may be worn. If necessary, refer to US OSHA 29 CFR SS1910.133, Canadian standards or the European Standard EN 166. Ensure that an eyewash station, sink or washbasin is available in case of exposure to eyes.

**Skin and body protection** If anticipated that prolonged and repeated skin contact will occur during use of this product, wear gloves for routine industrial use. If necessary, refer to US OSHA 29 CFR SS1910.138 or the appropriate standards of Canada or the EC member states.

**Respiratory protection**

No special respiratory protection is required under typical circumstances of use or handling. If necessary, use only respiratory protection authorized per US OSHA requirement in 29 CFR SS 1910.134, or applicable US state regulations, or the appropriate standards of Canada, its provinces, EC member states or Australia. VENTILATION: Local exhaust at processing equipment.

**General hygiene considerations**

Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Information on basic physical and chemical properties**

|                       |                    |                       |                    |
|-----------------------|--------------------|-----------------------|--------------------|
| <b>Physical state</b> | Powder             | <b>Odor</b>           | Faint odor in bulk |
| <b>Appearance</b>     | Fine               | <b>Odor threshold</b> | Not determined     |
| <b>Color</b>          | White to pigmented |                       |                    |

| <b><u>Property</u></b>         | <b><u>Values</u></b> | <b><u>Remarks / Method</u></b> |
|--------------------------------|----------------------|--------------------------------|
| pH                             | Not determined       |                                |
| Melting point / freezing point | Not determined       |                                |
| Boiling point / boiling range  | Not applicable       |                                |
| Flash point                    | 304°C / 579°F        |                                |
| Evaporation rate               | Not applicable       |                                |
| Flammability (solid, gas)      | Non-flammable        |                                |
| Flammability limits in air     |                      |                                |
| Upper flammability limit       | Not applicable       |                                |
| Lower flammability limit       | Not applicable       |                                |
| Vapor pressure                 | Not applicable       |                                |
| Vapor density                  | Not applicable       |                                |
| Specific gravity               | Not determined       |                                |
| Water solubility               | Insoluble in water   |                                |
| Solubility in other solvents   | Not determined       |                                |
| Partition coefficient          | Not determined       |                                |
| Autoignition temperature       | Not determined       |                                |
| Decomposition temperature      | Not determined       |                                |
| Kinematic viscosity            | Not determined       |                                |
| Dynamic viscosity              | Not determined       |                                |
| Explosive properties           | Not determined       |                                |
| Oxidizing properties           | Not determined       |                                |

## 10. STABILITY AND REACTIVITY

|  |  |
|--|--|
| <b><u>Reactivity</u></b>                         | Not reactive under normal conditions               |
| <b><u>Chemical stability</u></b>                 | Stable under recommended storage conditions        |
| <b><u>Possibility of hazardous reactions</u></b> | None under normal processing                       |
| Hazardous polymerization                         | Does not occur.                                    |
| <b><u>Conditions to avoid</u></b>                | Heating above 240°C / 464°F                        |
| <b><u>Incompatible materials</u></b>             | Strong oxidizing agents                            |
| <b><u>Hazardous decomposition products</u></b>   | Methacrylate monomer, oxides of carbon when burned |

## 11. TOXICOLOGICAL INFORMATION

**Information on likely routes of exposures**

|                            |   |
|----------------------------|---|
| <b>Product information</b> | This product has not been tested on animals to obtain toxicology data.  |
| <b>Inhalation</b>          | Persons with impaired lung function or asthma-like conditions may experience additional breathing difficulties. |
| <b>Eye contact</b>         | Avoid contact with eyes.  |
| <b>Skin contact</b>        | May be irritating to skin in some sensitive individuals, especially after prolonged or repeated contact.        |
| <b>Ingestion</b>           | Large amounts may cause nausea, headache, vomiting or diarrhea.   |

**Component information**

| Chemical Name               | ORAL LD50        | DERMAL LD50 | INHALATION LC50 |
|-----------------------------|------------------|-------------|-----------------|
| Benzoyl peroxide<br>94-36-0 | 6400 mg/kg (rat) | -           | -               |

**Information on physical, chemical and toxicological effects**

**Symptoms** See Section 4.

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

**Carcinogenicity** Not classifiable as a human carcinogen (IARC group 3)

**Numerical measures of toxicity – Product** Not determined

The following values are calculated based on chapter 3.1 of the GHS document.

ATEmix (oral) 6250 mg/kg

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity** There is no specific data available for this product; however, very large releases may be harmful or fatal to overexposed aquatic life.

**Persistence and degradability** Not determined

**Bioaccumulation** Not determined

**Mobility** Not determined

**Other adverse effects** Not determined

## 13. DISPOSAL CONSIDERATIONS

**Waste treatment methods**

**Disposal of wastes** Follow all local and national government regulations in disposing material or contaminated packaging.

| Chemical Name               | California Hazardous Waste Status |
|-----------------------------|-----------------------------------|
| Benzoyl peroxide<br>94-36-0 | 6400 mg/kg (rat)                  |

**Contaminated Packaging** For bulk only: Reuse of empty drums or containers is not recommended. Employees should be advised of the potential hazards due to residual material associated with empty containers. Dispose of all empty containers properly in accordance with federal, state and local regulations.

| Chemical Name               | California Hazardous Waste Status |
|-----------------------------|-----------------------------------|
| Benzoyl peroxide<br>94-36-0 | Toxic, Ignitable, Reactive        |

## 14. TRANSPORTATION INFORMATION

**DOT** Not regulated

**IATA** Not regulated

**IMDG** Not regulated

## 15. REGULATORY INFORMATION

### International Inventories

**TSCA** For use in FDA regulated products only United States Toxic Substances Control Act, Section 8(b) Inventory  
**DSL** Listed Canadian Domestic Substances

**EU Regulations** EC No. 1272/2008 (CLP) Classification, Labeling, Packaging  
Medical Devices Directive 93/42/EEC - Class I Medical Devices

### US Federal Regulations

| Chemical Name    | CAS     | Weight % | SARA 313 - Threshold Values % |
|------------------|---------|----------|-------------------------------|
| Benzoyl peroxide | 94-36-0 | 1        | 1.0                           |

### US State Regulations

#### US State Right-to-know Regulations

| Chemical Name               | New Jersey | Massachusetts | Pennsylvania |
|-----------------------------|------------|---------------|--------------|
| Benzoyl peroxide<br>94-36-0 | X          | X             | X            |

## 16. OTHER INFORMATION

| HMIS | Health Hazards | Flammability | Physical Hazards |
|------|----------------|--------------|------------------|
|      | 1              | 1            | 0                |

**Issue Date** 26-Sept-2014  
**Revision Date** 21-Oct-2015  
**Revision Note** Section 4 - revise inhalation and symptoms; Update component classification in Sections 2, 3, 8, 11, 12, 13, 15

**Information to be updated in due course** Hazard pictograms listed in this SDS to be added to product label

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release. It is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet