

SAFETY DATA SHEETS

This SDS packet was issued with item:

073297421

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

071336189 073295169 073295177 073295193 073295839 073295847 073296035 073296043 073296050 073296068
073296076 073296084 073296159 073296167 073296175 073296183 073296191 073296209 073296811 073296845
073297066 073297413 073297454 073297462 073297520 073297538 073297546 073298213 073298502 073299500

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

073296829 073296837 073297157

Safety Data Sheet

Form No. A381

Date Prepared:

2/4/2016

SECTION 1 : Identification of the substance/preparation and of the company / undertaking**(a) GHS product identifier****(e) Emergency phone number**

Tecstone, Fastone, Tecstone FL, Labstone, Orthostone, Mounting Stone, Flasking Stone, Flask-It!, Apex, Natural Rock, Veri-Die, Veri-Die 20, Excalibur, X-Rock, Express Set, Cadscan, Pristine, Plaster, and OrthoPlaster
 (Except Merlin's Magic, Orthopaster White, Tecstone FL White, CadScan Brilliant White, Veri Die White Plus, Apex Pearl White, CadScan Green, Apex Green, Apex Pastel, Veri Die Cream, Apex Ivory, Apex Light Tan, Tecstone Bright Yellow Sakura, Apex Yellow, CadScan Golden, CadScan Tan, CadScan Buff, and Excalibur Buff)

CHEMTRAC 1-800-424-9300

(b) Other means of identification

NA

(c) Recommended use of the chemical and restrictions on use

For professional dental applications.

(d) Supplier's details

Garreco, LLC.
 430 Hiram Road
 Heber Springs, AR 72543
 Phone: 1-800-334-1443

SECTION 2: Hazards identification**(a) GHS classification of the substance/mixture****Substance Name**

1. Undisclosed due to Confidential Business Information

(b) Label Elements**Hazard statements**

None

Precautionary statements

None

Hazard Symbol(s)

NONE

Signal Word(s)

NONE

(c) Other hazards which do not result in classification

IF ON SKIN: This material hardens and becomes hot when mixed with water. It SHOULD NOT be used to make a cast enclosing any part of the body, which may cause severe burns that may require surgical removal of affected tissue or amputation of limb. Contact with skin may cause irritation or abrasions.

IF INHALED: Dusts from this product may irritate the nose, throat, lungs, and upper respiratory tract. May cause coughing, sneezing, and nasal irritation. Labored breathing may occur after excessive inhalation.

IF SWALLOWED: May cause gastric disturbances if swallowed. Ingestion of a sufficient quantity may mechanically obstruct the gut, especially the pyloric region.

IF IN EYES: Direct contact can cause mechanical irritation of eyes.

SECTION 3: Composition/information on ingredients**(a) Chemical(s) Identity:****(b) Common Name:**

Undisclosed due to Confidential Business Information

(c) CAS No.

NA

Mixture:**Concentration (Percentage)**

>99%

SECTION 4: First-aid measures**(a) Description of first aid measures:**

IF ON SKIN (or hair): Rinse with water until free of material to avoid abrasions, then wash skin thoroughly with mild soap and water.

IF INHALED: If respiratory symptoms persist, consult physician.

IF SWALLOWED: If gastric disturbance occurs, consult physician.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. If burning, redness, itching, pain or other symptoms persist or develop, consult a physician.

(b) Most important symptoms and effects, both acute and delayed:

IF INHALED: Nuisance conditions such as coughing, sneezing, and nasal irritation. Labored breathing may occur after excessive inhalation.

IN EYES: If burning, redness, itching, pain or other symptoms persist or develop, consult a physician.

(c) Indication of any immediate medical attention and special treatment needed:

ND

SECTION 5: Fire-fighting measures

(a) Suitable extinguishing media:

Water or use extinguishing media appropriate for surrounding fire.

(b) Special hazards arising from the chemical or mixture:

None known

(c) Special protective equipment and precautions for fire-fighters:

Wear appropriate personal protective equipment.

SECTION 6: Accidental release measures

(a) Personal precautions, protective equipment and emergency procedures:

No special precautions. Wear appropriate personal protective equipment.

(b) Environmental precautions:

Toxicity studies performed with fish, aquatic invertebrates and aquatic plants showed no toxic effect.

(c) Methods and material for containment and cleaning up:

Remove by dry-sweeping or vacuum. Avoid creating excessive dust. Do not wash down drains, may plug drains.

SECTION 7: Handling and storage

(a) Precautions for safe handling:

None required where adequate ventilation conditions exist. Avoid creating dust. Wear a NIOSH approved dust respirator in poorly ventilated areas/TLV requirements are exceeded.

(b) Conditions for safe storage, including any incompatibilities:

Store in a dry area to minimize potential for clumping due to moisture absorption.

SECTION 8: Exposure controls/Personal protection

(a) Control parameters:

Chemical	ACGIH	OSHA
	TLV	PEL TWA
CBI	10 mg/m ³	15 mg/m ³ total, 5 mg/m ³ respirable

(b) Appropriate Engineering Controls:

Ventilate to keep exposures below TLV requirements. General ventilation is should be satisfactory. Use local exhaust ventilation if necessary to control dust.

(c) Individual protection measures:

RESPIRATORY: None required where adequate ventilation conditions exist. Avoid creating dust. Wear a NIOSH/OSHA approved dust respirator in poorly ventilated areas or if TLV requirements are exceeded.

OTHER PROTECTIVE EQUIPMENT: No special body protection is required under typical circumstances. If necessary, refer to appropriate governing standards. An eyewash station and a safety shower are recommended.

Safety Data Sheet

Form No. A381

Date Prepared:

2/4/2016

SECTION 9: Physical and chemical properties

(a) Appearance:	White to colored powder
(b) Odor:	None
(c) Odor threshold:	ND
(d) pH:	7.5 - 8.5
(e) Melting point / freezing point:	1,450 Degrees Celsius
(f) Initial boiling point and boiling range:	ND
(g) Flash point	Not Combustible
(h) Evaporation rate (BuAc=1):	ND
(i) Flammability:	ND
(j) Upper/lower flammability or explosive limits:	ND
(k) Vapor Pressure:	ND
(l) Vapor density:	ND
(m) Relative density:	ND
(n) Solubility:	ND
(o) Partition coefficient: n-octanol/water:	ND
(p) Auto-ignition temperature:	ND
(q) Decomposition temperature:	1,450 Degrees Celsius
(r) Viscosity:	ND

SECTION 10: Stability and reactivity

(a) Reactivity:	Low, HMIS 0
(b) Chemical stability:	Stable
(c) Possibility of hazardous reactions:	Low
(d) Conditions to avoid:	Incompatible with Acids
(f) Hazardous decomposition products:	Decomposes to Calcium Oxide and Sulfur Dioxide at 1,450 Degrees Celsius

SECTION 11: Toxicological information

Acute toxicity	NE
Skin corrosion/irritation	NE
Serious Eye Damage / Irritation	NE
Respiratory or skin sensitization	NE
Germ cell mutagenicity	NE
Carcinogenicity	NE
Reproductive toxicity	NE
STOT-single exposure	NE
STOT-repeated exposure	NE
Aspiration Hazard	NE

(a) Exposure route:	inhalation, skin and/or eye contact
(b) Symptoms related to the physical, chemical and toxicological characteristics:	difficulty breathing, rashes or irritations
(c) Delayed and immediate effects and also chronic effects from short and long term exposure:	difficulty breathing, rashes or irritations
(d) Numerical measures of toxicity:	See control parameters above

SECTION 12: Ecological information

(a) Ecotoxicity:	ND
(b) Persistence and degradability:	ND
(c) Bioaccumulative potential	ND
(d) Mobility in soil:	ND
(e) Other adverse effects:	ND

Safety Data Sheet

Form No. A381

Date Prepared: 2/4/2016**SECTION 13: Disposal considerations****Product:****Recommendation**

Sweep and dispose of material in accordance with all applicable federal, state and local regulations.

SECTION 14: Transport information**(a) UN Number**

This product is not regulated as a hazardous material by neither the United States (DOT) Transportation regulations nor Canadian Transportation of Dangerous Goods.

(b) UN Proper shipping name

NA

(c) Transport hazard class(es)

NA

(d) Packing Group

NA

(e) Environmental hazards

NA

(f) Transport in bulk

NA

(g) Other Information

NA

SECTION 15: Regulatory information**SARA Reporting Requirements:**

NA

SARA Threshold Planning Quantity:

NA

TSCA Inventory Status:

ND

Other Federal Requirements:

NA

Other Canadian Regulations:

NA

State Regulatory Information:

NA

Safety Data Sheet

Form No. A381

Date Prepared:**2/4/2016****SECTION 16: Other information**

PREPARED BY: Kathryn Harris
GAR QMS SDS REFERENCE: A002

HAZARDOUS MATERIAL IDENTIFICATION (HMIS) RATING:

Health	0
Flammability	0
Reactivity	0
Other	NA

REVISION NUMBER: 160204

CHANGES FROM PREVIOUS VERSION:

ORIGINAL VERSION

ABBREVIATIONS

NA Not Applicable	LD Lethal Dose
ND Not Determined	TC Toxic Concentration
NE Not Established	TD Toxic Dose
ppm parts per million	BOD Biological Oxygen Demand
G Gallon	COD Chemical Oxygen Demand
mg Milligram	Lo Lowest
L Liter	ThOD Theoretical Oxygen Demand
gm Gram	TLm Threshold Limit
mol Mole	IC Inhibitory Concentration
kg Kilogram	DOC Dissolved Organic Carbon
μ Micro	H Hours
mm Millimeter	M Months
p Pico	D Days
Pa Pascals	Y Years
c cent	W Weeks
LC Lethal Concentration	NOEL No Observed Effect Level
ACGIH American Conference of Governmental Industrial Hygienist	NOAEL No Observed Adverse Effect Level
CPR Controlled Product's Regulation	OSHA Occupational Safety and Health Administration
DSL Canadian Domestic Substances List	PEL Permissible Exposure Limit
NDSL Canadian Non-domestic Substance List	TLV Threshold Limit Value
IARC International Agency for Research for Cancer	

THIS MATERIAL SAFETY DATA SHEET IS PREPARED IN COMPLIANCE WITH FEDERAL REGULATIONS (29 CFR 1910.1200) OF CHEMICALS AND THE GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION AND LABELLING REVISION 5. ANY APPLICABLE STATE AND LOCAL REGULATIONS SHOULD BE CONSULTED.

THE ABOVE INFORMATION MAY BE BASED IN PART ON INFORMATION PROVIDED BY COMPONENT SUPPLIERS AND IS BELIEVED TO BE CORRECT AS OF THE DATE HEREOF. HOWEVER, NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY USE, OR ANY OTHER WARRANTY IS EXPRESSED OR IS TO BE IMPLIED REGARDING THE ACCURACY OF THESE DATA, THE RESULTS TO BE OBTAINED FROM THE USE OF THE MATERIAL, OR THE HAZARDS CONNECTED WITH SUCH USE. SINCE THE INFORMATION CONTAINED HEREIN MAY BE APPLIED UNDER CONDITIONS BEYOND OUR CONTROL AND WITH WHICH WE MAY BE UNFAMILIAR, AND SINCE DATA MADE AVAILABLE SUBSEQUENT TO THE DATE HEREOF MAY SUGGEST MODIFICATION OF THE INFORMATION, WE ASSUME NO RESPONSIBILITY FOR THE RESULT OF ITS USE. THIS INFORMATION AND MATERIAL IS FURNISHED ON THE CONDITION THAT THE PERSON RECEIVING IT SHALL MAKE HIS/HER OWN DETERMINATION AS TO THE SUITABILITY OF THE MATERIAL FOR HIS/HER PARTICULAR PURPOSE AND ON THE CONDITION THAT HE/SHE ASSUME THE RISK OF HIS/HER USE THEREOF.