SAFETY DATA SHEETS

This SDS packet was issued with item: 075356696

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

070486506 070841437 070881714 071340660 071390152 071393438 071393446 071393453 071393461 071393479 071393487 071393495 072794261 072794279 072794287 072794295 072794303 072794311 072794329 072794337 072794345 072794352 072794360 072794386 072794394 072794402 072794923 072795540 072795722 072796282

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

075356688 075356704 075356712 075356720 075356738 075356746



Material Safety Data Sheet PROFORM SPLINT & TEMP. RETAINER Page 1 of 4

Section 1 – Identification

Product Name:

Chemical Name / Synonyms: **ProForm Splint and Temporary Retaier of Various Thicknesses** Copolyester

Manufacturer: KEYSTONE INDUSTRIES 52 King Street Myerstown, PA 17067 Information Contacts: (856)-663-4700

Emergency Phone Numbers: US & Canada (800) 535 - 5053

EU Address:

Family: Copolyester Product Use: Vacuum Form Material Product #: Various KEYSTONE EUROPE LLC. Batavenweg 7 5349BC OSS, Netherlands Emergency Phone Numbers: International: 1-352-323-3500

Section 2 – Hazards Identification

EMERGENCY OVERVIEW

This information is based on findings from related or similar materials.

- Material is not considered hazardous by OSHA per 29 CFR 1910
- Molten Resin cause severe thermal burns.
- Improper use can lead to mechanical cuts.

Potential Health Effects, Signs and Symptoms of Exposure:

Primary Route of Entry	Inhalation, skin, and ingestion.
Eye	N/A
Skin	Prolong contact is essentially non-irritating to skin. There can be mechanical injury, if impacted with skin. Under normal processing conditions, material is heated to elevated temperatures; contact with the material can cause thermal burns. No adverse effects anticipated by skin absorption.
Ingestion	If un-formed material becomes lodged in subject's mouth, do not swallow, spit it out.
Inhalation	Inhalation of dust may cause respiratory irritation. Fumes produced during thermal process may cause irritation.
NOTE: Refer to Section 1	1. Toxicological Information for Details

Section 3 – Composition/Information on Ingredients

Chemical Identity	CAS Numbers	EINECS#	INCI Name	Exposure OSHA TWA/STEL	Limits ACGIH TWA/STEL	Carcinogen IARC/NTP/OSHA	%
Non-hazardous							
N/E – None Established N/R – Not Reviewed	N/DA – No Data Availa N/A – Not Applicable	able					

See Section 16 for Hazard and Precautionary Statement Key. Section 4 – First Aid Measures

Solid Product is neither an irritant nor gives off hazardous vapors at ambient temperatures

First Aid for Eye This material is non-irritating upon contact, except upon impact as any foreign particle in the eye.

First Aid for SkinNot a hazard at ambient conditions. Washing hands is preferable after use. Contact with heated
material may cause thermal burns. Do not attempt to remove material from skin. Cool rapidly with
cold water. Obtain medical treatment. Treatment as any normal thermal burn.
Do not swallow. Material is not expected to cause an ingestion problem.

First Aid for Inhalation N/A

Section 5 – Fire Fighting Measures Flash Point (°F/°C) Flammable Limit (vol%) Auto-ignition Temperature (vol%) N/A N/A N/A



Material Safety Data Sheet PROFORM SPLINT & TEMP. RETAINER Page 2 of 4

Method:

Extinguishing Media:	Suitable extinguishing media for the surrounding fire should be used.
Fire Fighting	Vinyl film is self extinguishing; however if burning is supported by another source of material, fumes
Instructions:	could be irritating.
Unusual Hazards:	Use self contained breathing apparatus when fighting fires.

Section 6 – Accidental Release Measures

 Spill or Release
 Minor spills – Clean up immediately. Slipping hazard.

 Procedures
 Major spills – Clear area of personnel. Restrict access to area. Clean up immediately. Slipping hazard.

 See section 8 & section 12.

Section 7 – Handling and Storage

HandlingNo special handling requirements.StorageStore in a cool, dry location away from sparks. Material is hydroscopic, keep away from water & moisture.Explosion HazardNone.

Section 8 – Exposure Controls / Personal Protection

Engineering Controls	No special engineering controlled required.
Personal Protectiv	e Equipment
General	To identify additional Personal Protective Equipment (PPE) requirements, it is recommended that a hazard assessment in accordance with the OSHA PPE Standard (29CFR1910.132), or European Standard EN166 be conducted before using this product.
Eye/ Face Protection	Wear safety glasses with side shields. Wear face shield during thermal process.
Skin Protection	Thermal insulating glove when handling molten product.
Respiratory Protection	None under ordinary operating use.

Section 9 – Physical and Chemical Properties

Appeara Clear, film or		dor Threshold			v	Viscosity N/A	% Volatile N/A	
					1.35			
Boiling Point/ Freezing Point	Decompositi Temperatu			Vapor Density	Evaporation Rate	Ignition Solubility In Water (20°C)		
N/A	N/DA	N/DA	N/.	A	N/A	N/A	N/A	N/A
Flash	Point (°F/°C)	Flammab	le Limit (vol%)		Auto-ignition T	emperature	(vol%)
	N/A		N/A]	N/A	

Section 10 – Stability and Reactivity

Stability:	
Stable solid	
Hazardous Decomposition Products:	

Incompatibility (Materials to Avoid): None **Hazardous Polymerization:** Will not occur

Conditions to Avoid: Heat, moisture, water

Section 11 – Toxicological Information

Acute Oral Toxicity	Acute Dermal Toxicity		Acute Inhalation Toxicity	Irr	itation – skin	Irritation – Eye
N/DA	N/DA		N/DA	N/DA		N/ DA
Sensitization		Mutagenicity		Sub-chronic Toxicity		
N/ DA		N/DA		N/ DA		

Date of Issue: 06/23/2011



Material Safety Data Sheet PROFORM SPLINT & TEMP. RETAINER Page 3 of 4

Section 12 – Ecological Information

Ecotoxicological Information

Acute Toxicity to	Acute Toxicity to Invertebrates	Acute Toxicity to Algae	Bioconcentration	Toxicity to		
Fish				Sewage Bacteria		
N/DA	N/ DA	N/ DA	N/ DA	N/ DA		
Chemical Fate Information						
Biodegradability N/A. This material is not expected to bioaccumulate.						
Chemical Oxygen Dema	and N/ DA	N/ DA				

Section 13 – Disposal Considerations

Dispose of in compliance with governmental regulation (state and federal).

Dispose of container and unused contents in accordance with federal, state and local requirements. For EU Member States, please refer to any relevant Community provisions relating to waste. In their absence, it is useful to remind the user that national or regional provisions may be in force.

Section 14 – Transport Information

Populatory Informati

action 15

Non-regulated, non-hazardous material: DOT, IATA, IMO (IMDG).

Section 15 – Regulatory Info	mauon
US Federal Regulations	
Clean Air Act: HAP/ODS	This product contains the following HAP's or ODS:
	NONE
Clean Water Act: Priority	This product contains the following chemicals listed under the U.S. Clean Water Act
Pollutant	Priority Pollutant and Hazardous Substance List:
	• None
FDA: Food Packaging Status	This product has not been cleared by the FDA for use in food packaging and / or other
	applications as an indirect food-packaging additive.
Occupational Safety and Health	This product is considered to be hazardous under the OSHA Hazard Communication
Act	Standard. It's hazards are:
	• None
RCRA	This product contains the following chemicals considered to be hazardous waste under
	RCRA (40 CFR 261).
	• None
SARA Title III: Section 302 (RQ)	This product contains no chemicals regulated under Section 302 as extremely hazardous
	substances.
SARA Title III: Section 302	This product does not contain chemicals regulated under Section 304 as extremely
(TPQ)	hazardous chemicals for emergency release notification ("CERCLA" List).
SARA Title III: Section 311-312:	This product is not considered to be hazardous under the OSHA Hazard Communication
	Standard and is regulated under Section 311-312 (40 CFR 370).
SARA Title III: Section 313:	This product contains the following chemicals which are subject to the reporting
	requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization
	Act of 1986 and 40 CFR Part 372:
	• None
TSCA Section 8(b): Inventory:	This product complies with US TSCA requirements.
TSCA Significant New Use Rule:	None of the chemicals in this material have a SNUR under TSCA.

State Regulations

The components to this product are listed on the appropriate applicable state regulations.

International Regulations




Material Safety Data Sheet PROFORM SPLINT & TEMP. RETAINER Page 4 of 4

CDSL: Canadian Inventory	All components are listed, where applicable, Not controlled under WHMIS.
(on Canadian Transitional List)	

Labeling according to EC directives – 1272/2008 {CLP} AND 1999/45/EC (items in parenthesis relate to 1999/45/EC)

European Community:	For Proform Splint and Temp. Retainer (finished product):		
	• DANGER SYMBOLS: N/A – non hazardous		
	• HAZARD STATEMENT: N/A		
	• PRECAUTIONARY STATEMENT: N/A		

Section 16 – Other Information



MSDS Prepared by:	WME
Revision History:	03/08/11 Initial
Revision History:	06/23/11 Updated WHMIS.

The information presented herein was obtained from sources considered to be reliable. However, this information is provided without any warranty, expressed or implied, regarding its correctness or suitability for consumers intended use and/or application. For this and other reasons, we assume no responsibility and expressly disclaim liability for loss, damage or expense arising out of any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared expressly for this product. Use the materials only as directed. If the product is used as a component of another product, the information contained within the MSDS may not be applicable. If there are any problems or concerns understanding this MSDS form, please direct all questions to INFOTRAC, Chemical Emergency Resources System at 1(800) 535-5053.

Keystone Industries components are provided on an as is basis without warranties of any kind either expressed or implied. Keystone Industries does not warrant the use or the results of use of the materials sold on an as is basis since they are intended for remanufacturing or repackaging. It is the sole responsibility of the user to examine and determine appropriate application and regulatory requirements associated with said Keystone Industries components.



PRO-FORM SPLINT AND RETAINER

EU Address:

Section 1 – Identification of the Substance/Preparation and of the Company/Undertaking

Product Name:

Chemical Name /

Synonyms:

Pro-Form Splint and Temporary Retainer of Various Thicknesses Copolyester Manufacturer: KEYSTONE INDUSTRIES 52 King Street Myerstown, PA 17067 Information Contacts: (856)-663-4700

Batavenweg 7

Emergency Phone Numbers: US & Canada (800) 535 - 5053

KEYSTONE EUROPE LLC.

Emergency Phone Numbers:

International: 1-352-323-3500

5349BC OSS, Netherlands

Family: Copolyester Product Use: Vacuum Form Material

Product #: 9614780, 90; 9614800, 10, 16, 20, 30, 40, 50, 60, 70, 75, 80; 9614950; 9615025

Section 2 – Hazards Identification

EMERGENCY OVERVIEW

This information is based on findings from related or similar materials.

- Material is not considered hazardous by OSHA per 29 CFR 1910
- Molten Resin cause severe thermal burns.
- Improper use can lead to mechanical cuts.

Potential Health Effects, Signs and Symptoms of Exposure:

Primary Route of Entry	Inhalation, skin, and ingestion.
Eye	N/A
Skin	Prolong contact is essentially non-irritating to skin. There can be mechanical injury, if impacted with skin. Under normal processing conditions, material is heated to elevated temperatures; contact with the material can cause thermal burns. No adverse effects anticipated by skin absorption.
Ingestion	If un-formed material becomes lodged in subject's mouth, do not swallow, spit it out.
Inhalation	Inhalation of dust may cause respiratory irritation. Fumes produced during thermal process may cause irritation.
NOTE D C + C + 11	

NOTE: Refer to Section 11, Toxicological Information for Details

Section 3 – Composition/Information on Ingredients

Chemical Identity	CAS Numbers	EINECS#	INCI Name	Exposure OSHA TWA/STEL	Limits ACGIH TWA/STEL	Carcinogen IARC/NTP/OSHA	%
Non-hazardous							
N/E – None Established N/R – Not Reviewed	N/DA – No Data Avai N/A – Not Applicable						

See Section 16 for Hazard and Precautionary Statement Key.

Section 4 – First Aid Measures

Solid Product is neither an irritant nor gives off hazardous vapors at ambient temperatures

First Aid for Eye	This material is non-irritating upon contact, except upon impact as any foreign particle in the eye.
First Aid for Skin	Not a hazard at ambient conditions. Washing hands is preferable after use. Contact with heated material may cause thermal burns. Do not attempt to remove material from skin. Cool rapidly with cold water. Obtain medical treatment. Treatment as any normal thermal burn.
First Aid for Ingestion	Do not swallow. Material is not expected to cause an ingestion problem.
First Aid for Inhalation	N/A
pg. 1 of 4	Revised Date: 06/16/2015 Replaces Date: 06/23/2011



PRO-FORM SPLINT AND RETAINER

Section 5 – Fire Fighting Measures

Flash Point (°F/°	C)	Flammable Limit (vol%)	Auto-ignition Temperature (vol%)
N/A		N/A	N/A
Method: Extinguishing Media: Fire Fighting Instructions:		e e e	should be used. s supported by another source of material, fumes
Unusual Hazards:	Use self con	tained breathing apparatus when fighting	fires.

Section 6 – Accidental Release Measures

Spill or Release	Minor spills – Clean up immediately. Slipping hazard.
Procedures	Major spills - Clear area of personnel. Restrict access to area. Clean up immediately. Slipping hazard.
	See section 8 & section 12.

Section 7 – Handling and Storage

HandlingNo special handling requirements.StorageStore in a cool, dry location away from sparks. Material is hydroscopic, keep away from water & moisture.Explosion HazardNone.

Section 8 – Exposure Controls / Personal Protection

Engineering Controls No special engineering controlled required.

Personal Protective Equipment

GeneralTo identify additional Personal Protective Equipment (PPE) requirements, it is recommended that a
hazard assessment in accordance with the OSHA PPE Standard (29CFR1910.132), or European Standard
EN166 be conducted before using this product.Eye/ Face ProtectionWear safety glasses with side shields. Wear face shield during thermal process.Skin ProtectionThermal insulating glove when handling molten product.

Respiratory Protection None under ordinary operating use.

Section 9 – Physical and Chemical Properties

Appeara		ce Odor & Odor T		& Odor Threshold PH Specific Gravity			Viscosity	% Volatile	
Clear, film o	r sheets	Od	Odorless N/A (H2O = 1): 1.25- 1.35		N/A N/A		[/A		
Boiling Point/ Freezing Point	Decomposit Temperatu		Octanol/Water titioning Coefficie Log Po/w	nt P	Vapor ressure:	Vapor Density	Evaporation Rate	Ignition	Solubility In Water (20°C)
N/A	N/DA		N/DA		N/A	N/A	N/A	N/A	N/A
Flash	Point (°F/°C))	Flamma	ble Lin	nit (vol%)	Auto-ignition T	emperature	(vol%)
N/A		N/A				N/A		• •	

Section 10 – Stability and Reactivity

Stability: Stable solid Hazardous Decomposition Products: CO or CO2 **Incompatibility (Materials to Avoid):** None **Hazardous Polymerization:** Will not occur

Conditions to Avoid: Heat, moisture, water

pg. 2 of 4

Revised Date: 06/16/2015 | Replaces Date: 06/23/2011



PRO-FORM SPLINT AND RETAINER

Section 11 – Toxicological Information **Acute Oral Toxicity Acute Dermal Toxicity Acute Inhalation** Irritation – skin Irritation - Eye Toxicity N/DA N/DA N/DA N/DA N/ DA Sensitization Mutagenicity **Sub-chronic Toxicity** N/ DA N/DA N/ DA

Section 12 – Ecological Information

Ecotoxicological Information

Acute Toxicity to Fish	Acute Toxicity to Invertebrates	Acute Toxicity to Algae	Bioconcentration	Toxicity to Sewage Bacteria
N/DA	N/ DA	N/ DA	N/ DA	N/ DA

Chemical Fate Information

Biodegradability	N/A. This material is not expected to bioaccumulate.
Chemical Oxygen Demand	N/ DA

Section 13 – Disposal Considerations

Dispose of in compliance with governmental regulation (state and federal).

Dispose of container and unused contents in accordance with federal, state and local requirements. For EU Member States, please refer to any relevant Community provisions relating to waste. In their absence, it is useful to remind the user that national or regional provisions may be in force.

Section 14 – Transport Information

Non-regulated, non-hazardous material: DOT, IATA, IMO (IMDG).

ection 15 – Regulatory Inform	nauon
S Federal Regulations Clean Air Act: HAP/ODS	This product contains the following HAP's or ODS: • NONE
Clean Water Act: Priority Pollutant	This product contains the following chemicals listed under the U. S. Clean Water Act Priority Pollutant and Hazardous Substance List: • None
FDA: Food Packaging Status	This product has not been cleared by the FDA for use in food packaging and / or other applications as an indirect food-packaging additive.
Occupational Safety and Health Act	This product is considered to be hazardous under the OSHA Hazard Communication Standard. It's hazards are: • None
RCRA	This product contains the following chemicals considered to be hazardous waste under RCRA (40 CFR 261). • None
SARA Title III: Section 302 (RQ)	This product contains no chemicals regulated under Section 302 as extremely hazardous substances.
SARA Title III: Section 302 (TPQ)	This product does not contain chemicals regulated under Section 304 as extremely hazardous chemicals for emergency release notification ("CERCLA" List).
SARA Title III: Section 311-312:	This product is not considered to be hazardous under the OSHA Hazard Communication Standard and is regulated under Section 311-312 (40 CFR 370).

Revised Date: 06/16/2015 | Replaces Date: 06/23/2011



PRO-FORM SPLINT AND RETAINER

SARA Title III: Section 313:	This product contains the following chemicals which are subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372: None
TSCA Section 8(b): Inventory:	This product complies with US TSCA requirements.
TSCA Significant New Use Rule:	None of the chemicals in this material have a SNUR under TSCA.

State Regulations

The components to this product are listed on the appropriate applicable state regulations.


International Regulations

nter national Regulations	
CDSL: Canadian Inventory	All components are listed, where applicable, Not controlled under WHMIS.
(on Canadian Transitional List)	

Labeling according to EC directives - 1272/2008 {CLP} AND 1999/45/EC (items in parenthesis relate to 1999/45/EC)

European Community:	For Proform Splint and Temp. Retainer (finished product):
	• DANGER SYMBOLS: N/A – non hazardous
	• HAZARD STATEMENT: N/A
	PRECAUTIONARY STATEMENT: N/A

Section 16 – Other Information



Initial SDS Prepared by:	WME 03/08/11	
Revision History:	06/23/11 Updated WHMIS.	
	6/12/15 Removed "Material' from Material Safety Data Sheet, and M from MSDS	

The information presented herein was obtained from sources considered to be reliable. However, this information is provided without any warranty, expressed or implied, regarding its correctness or suitability for consumers intended use and/or application. For this and other reasons, we assume no responsibility and expressly disclaim liability for loss, damage or expense arising out of any way connected with the handling, storage, use or disposal of the product. This SDS was prepared expressly for this product. Use the materials only as directed. If the product is used as a component of another product, the information contained within the SDS may not be applicable. If there are any problems or concerns understanding this SDS form, please direct all questions to INFOTRAC, Chemical Emergency Resources System at 1(800) 535-5053.

Keystone Industries components are provided on an as is basis without warranties of any kind either expressed or implied. Keystone Industries does not warrant the use or the results of use of the materials sold on an as is basis since they are intended for remanufacturing or repackaging. It is the sole responsibility of the user to examine and determine appropriate application and regulatory requirements associated with said Keystone Industries components.



SAFETY DATA SHEET

EVA-Based Dental Material

Section 1. Identification

GHS product identifier	: EVA-Based Dental Material
Other means of identification	: Not available.
Product code	: Various
Product type	: Solid.
Product use	: Dental Products
Relevant identified uses of	the substance or mixture and uses advised against
Not applicable.	
Supplier's details	: Keystone Industries 616 Hollywood Ave. Cherry Hill, NJ 08002 (856) 663-4700
Emergency telephone number (with hours of operation)	: (800) 535-5053

Section 2. Hazards identification

This product as sold is an article that does not release substances and is therefore non-hazardous; however, it may be composed of hazardous components and the user should be aware of any hazards indicated in this SDS, which apply to those hazardous components, in case his/her use may lead to exposure to those components through dust, molten product, vapors, or other forms.

OSHA/HCS status	: This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the substance or mixture	: CARCINOGENICITY - Category 2
	Percentage of the mixture consisting of ingredient(s) of unknown toxicity: 99%
GHS label elements	
Hazard pictograms	
Signal word	: Warning
Hazard statements	: Suspected of causing cancer.
Precautionary statements	

Precautionary statements	
Prevention	: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves. Wear eye or face protection. Wear protective clothing.
Response	: IF exposed or concerned: Get medical attention.
Storage	: Store locked up.
Disposal	: Dispose of contents and container in accordance with all local, regional, national and international regulations.
Hazards not otherwise classified	: None known.

Date of issue/Date of revision

:9/3/2015

:9/3/2015 Date of previous issue

Obtained by Global Safety Management,

Section 3. Composition/information on ingredients

Substance/mixture

: Mixture

Other means of identification

: Not available.

CAS number/other identifiers

CAS number : Not applicable.

May contain one or more of the following components in quantities considered hazardous:

Ingredient name	CAS number	EC number	%
vinyl acetate	108-05-4	203-545-4	0 - 0.3

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	: Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed Potential acute health effects Eye contact : No known significant effects or critical hazards. Inhalation : No known significant effects or critical hazards. Skin contact : No known significant effects or critical hazards. : No known significant effects or critical hazards. Ingestion **Over-exposure signs/symptoms** Eye contact : No specific data. Inhalation : No specific data. **Skin contact** : No specific data. : No specific data. Ingestion

Date of issue/Date of revision

: 9/3/2015

Date of previous issue : 9/3/2015

Obtained by Global Safety Management,

Section 4. First aid measures

Indication of immediate medical attention and special treatment needed, if necessary		
Notes to physician	 Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. 	
Specific treatments	: No specific treatment.	
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.	

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: No specific fire or explosion hazard.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide
Special protective actions for fire-fighters	 Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

For emergency responders	 ctive equipment and emergency procedures No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
personnel	Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate
For emergency responders	
r or emergency responders	 If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non- emergency personnel".
invironmental precautions	: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
lethods and materials for c	ontainment and cleaning up
Small spill	: Move containers from spill area. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	: Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.
ate of issue/Date of revision	: 9/3/2015 Date of previous issue : 9/3/2015 Version : 1.02 3/10

Section 7. Handling and storage

Precautions for safe handling			
Protective measures	:	Put on appropriate personal protective equipment (see Section 8). Avoid exposure - obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.	
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.	
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.	

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
vinyl acetate	ACGIH TLV (United States, 3/2015).
	TWA: 10 ppm 8 hours.
	TWA: 35 mg/m ³ 8 hours.
	STEL: 15 ppm 15 minutes.
	STEL: 53 mg/m ³ 15 minutes.
	OSHA PEL 1989 (United States, 3/1989).
	TWA: 10 ppm 8 hours.
	TWA: 30 mg/m ³ 8 hours.
	STEL: 20 ppm 15 minutes.
	STEL: 60 mg/m ³ 15 minutes.
	NIOSH REL (United States, 10/2013).
	CEIL: 4 ppm 15 minutes.
	CEIL: 15 mg/m ³ 15 minutes.

Appropriate engineering : controls	If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
Environmental exposure : controls	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures	
Hygiene measures :	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

	Date of issue/Date of revision	: 9/3/2015	Date of previous issue	:9/3/2015	Version : 1.02
--	--------------------------------	------------	------------------------	-----------	----------------

4/10

Section 8. Exposure controls/personal protection

		-
Eye/face protection	assessment indi gases or dusts.	complying with an approved standard should be used when a risk cates this is necessary to avoid exposure to liquid splashes, mists, If contact is possible, the following protection should be worn, unless indicates a higher degree of protection: safety glasses with side-
Skin protection		
Hand protection	worn at all times necessary. Con during use that t noted that the tin glove manufactur	Int, impervious gloves complying with an approved standard should be when handling chemical products if a risk assessment indicates this is sidering the parameters specified by the glove manufacturer, check the gloves are still retaining their protective properties. It should be ne to breakthrough for any glove material may be different for different rers. In the case of mixtures, consisting of several substances, the f the gloves cannot be accurately estimated.
Body protection		ive equipment for the body should be selected based on the task being ne risks involved and should be approved by a specialist before duct.
Other skin protection	based on the tas	wear and any additional skin protection measures should be selected k being performed and the risks involved and should be approved by a handling this product.
Respiratory protection	a risk assessme	tted, particulate filter respirator complying with an approved standard if nt indicates this is necessary. Respirator selection must be based on ated exposure levels, the hazards of the product and the safe working cted respirator.

Section 9. Physical and chemical properties

<u>Appearance</u>	
Physical state	: Solid. [Plastic mass.]
Color	: Various
Odor	: Ester. [Slight]
рН	: Not available.
Melting point	: Not available.
Boiling point	: Not available.
Flash point	: Closed cup: 260°C (500°F)
Lower and upper explosive (flammable) limits	: Not available.
Vapor pressure	: Not available.
Vapor density	: Not available.
Relative density	: 0.91 to 0.97
Solubility	: Insoluble in the following materials: cold water and hot water.
Solubility in water	: Not available.
Partition coefficient: n- octanol/water	: Not available.
Auto-ignition temperature	: Not available.
Viscosity	: Not available.

Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: No specific data.
Incompatible materials	: No specific data.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
vinyl acetate	LC50 Inhalation Vapor LD50 Dermal LD50 Oral	Rabbit	11400 mg/m³ 2335 mg/kg 2900 mg/kg	4 hours - -

Classification

Product/ingredient name	OSHA	IARC	NTP
vinyl acetate	-	2B	-

Information on the likely routes of exposure	:	Not available.
Potential acute health effects	2	
Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.
Symptoms related to the phy	sic	cal, chemical and toxicological characteristics
Eye contact	:	No specific data.
Inhalation	1	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Delayed and immediate effec	<u>ts</u>	and also chronic effects from short and long term
<u>Short term exposure</u>		
Potential immediate effects	1	Not available.
Potential delayed effects	:	Not available.
<u>Long term exposure</u>		
Potential immediate effects	:	Not available.
Date of issue/Date of revision		: 9/3/2015 Date of previous issue : 9/3/2015

<u>exposure</u>

	(Obtained by Clobal Safety Man	agement		
e of issue/Date of revision	: 9/3/2015	Date of previous issue	: 9/3/2015	Version	:1.02
ong term exposure Potential immediate effects	: Not availab	le.			
Potential delayed effects	: Not availab	le.			
effects	. NOL availab				

6/10

Section 11. Toxicological information

	•
Potential delayed effects	: Not available.
Potential chronic health ef	<u>fects</u>
Not available.	
General	: No known significant effects or critical hazards.
Carcinogenicity	: Suspected of causing cancer. Risk of cancer depends on duration and level of exposure.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
Developmental effects	: No known significant effects or critical hazards.
Fertility effects	: No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Not available.

Section 12. Ecological information

Toxicity			
Product/ingredient name	Result	Species	Exposure
vinyl acetate	Acute LC50 10000 to 100000 µg/l Marine water Acute LC50 14000 µg/l Fresh water	Crustaceans - Crangon crangon - Larvae Fish - Pimephales promelas	48 hours 96 hours

 Bioaccumulative potential

 Product/ingredient name
 LogPow
 BCF
 Potential

 vinyl acetate
 0.73
 3.16
 Iow

Mobility in soil	
Soil/water partition coefficient (Koc)	: Not available.

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods	The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
------------------	--

Section 14. Transport information

	DOT Classification	TDG Classification	Mexico Classification	ADR/RID	IMDG	ΙΑΤΑ
UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-	-	-	-
Transport hazard class(es)	-	-	-	-	-	-
Packing group	-	-	-	-	-	-
Environmental hazards	No.	No.	No.	No.	No.	No.
Additional information	-	-	-	-	-	-

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not available. to Annex II of MARPOL 73/78 and the IBC Code

Section 15. Regulatory information

I.S. Federal regulations	:	TSCA 8(a) CE	DR Exempt/Pa	artial ex	emption: N	ot determined	ł	
		United States	s inventory (T	SCA 8b): All compo	onents are list	ed or exemp	oted.
		Clean Water	Act (CWA) 30	7: zinc o	distearate			
		Clean Water	Act (CWA) 31	1 : vinyl	acetate			
Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)	:	Not listed						
Clean Air Act Section 602 Class I Substances	:	Not listed						
Clean Air Act Section 602 Class II Substances	;	Not listed						
DEA List I Chemicals (Precursor Chemicals)	;	Not listed						
DEA List II Chemicals (Essential Chemicals)	:	Not listed						
<u>SARA 302/304</u>								
Composition/information	on	ingredients						
					SARA 302	TPQ	SARA 30	4 RQ
Name			0/	FUE	(11	((11	(

			SARA JUZ IPQ		SARA 304 KQ	
Name	%	EHS	(lbs)	(gallons)	(lbs)	(gallons)
vinyl acetate	0 - 0.3	Yes.	1000	129	5000	644.8
	<u>-</u>					

Date of issue/Date of revision

Section 15. Regulatory information

SARA 304 RQ

: 3333333.3 lbs / 1513333.3 kg

SARA 311/312

Classification : Delayed (chronic) health hazard

Composition/information on ingredients

Name	%	hazard	Sudden release of pressure		(acute) health	Delayed (chronic) health hazard
vinyl acetate	0 - 0.3	Yes.	No.	No.	Yes.	Yes.

SARA 313

	Product name	CAS number	%
Form R - Reporting requirements	vinyl acetate	108-05-4	0 - 0.3
Supplier notification	vinyl acetate	108-05-4	0 - 0.3

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations		
Massachusetts	ne of the components are listed.	
New York	e following components are listed: Vinyl acetate	
New Jersey	e following components are listed: VINYL ACETATE; ACETIC ACID ETHENY TER	Ľ
Pennsylvania	e following components are listed: ACETIC ACID ETHENYL ESTER	
Canada inventory	components are listed or exempted.	
International regulations		
International lists	 stralia inventory (AICS): All components are listed or exempted. a inventory (IECSC): All components are listed or exempted. pan inventory: All components are listed or exempted. brea inventory: All components are listed or exempted. a laysia Inventory (EHS Register): Not determined. bw Zealand Inventory of Chemicals (NZIoC): All components are listed or exempted. i lippines inventory (PICCS): All components are listed or exempted. 	cempted.
Chemical Weapons Convention List Schedule I Chemicals	t listed	
Chemical Weapons Convention List Schedule II Chemicals	t listed	
Chemical Weapons Convention List Schedule III Chemicals	t listed	

Section 16. Other information

Hazardous Material Information System (U.S.A.) Health 0 Flammability 0 Physical hazards 0 Personal protection Date of issue/Date of revision : 9/3/2015 Date of previous issue : 9/3/2015 Version : 1.02 9/10

Section 16. Other information

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on SDSs under 29 CFR 1910. 1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

<u>History</u>	
Date of printing	: 9/3/2015
Date of issue/Date of revision	: 9/3/2015
Date of previous issue	: 9/3/2015
Version	: 1.02
Key to abbreviations	 ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = International Air Transport Association IBC = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations
References	: Not available.

Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Information contained within this SDS is only to be distributed as required by law.