SAFETY DATA SHEETS

This SDS packet was issued with item:

074575965

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

074575908 074575916 074575924 074575932 074575940 074575957 074576195



Material Safety Data Sheet acc. to ISO/DIS 11014

Printing date 05/07/2012 Reviewed on 04/01/2012

1 Identification of the substance/mixture and of the company/undertaking

- · Product identifier
- · Trade name: CLEARFIL MAJESTY Posterior, CLEARFIL MAJESTY Posterior PLT
- · Article number: US120
- · Application of the substance / the preparation Dental filling material
- · Details of the supplier of the safety data sheet
- · Manufacturer:

Kuraray Noritake Dental Inc.

1621 Sakazu, Kurashiki, Okayama 710-0801,

Japan

· Contact information:

Kuraray America, Inc.

33 Maiden Lane, 6th Floor, New York,

NY 10038 U.S.A. Tel: 800-879-1676 Fax: 888-700-5200

Website: www.kuraraydental.com

2 Composition/information on ingredients

- · Chemical characterization: Single Component
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous	components:
-------------	-------------

8 · F			
1565-94-2	bisphenol A diglycidylmethacrylate	♦ H315; H319	<3%
109-16-0	triethylene glycol dimethacrylate	♠ H315; H319; H335	<3%

· Other ingredients:

Hydrophobic aromatic dimethacrylate

Silanated glass ceramics

Surface treated alumina micro filler

Silanated silica filler

dl-Camphorquinone

Accelerators

Pigments

Others

3 Hazards identification

- · Classification of the substance or mixture
- The product is not classified according to the Globally Harmonized System (GHS).
- · Classification according to Directive 67/548/EEC or Directive 1999/45/EC Not applicable.
- · Information concerning particular hazards for human and environment:

The product does not have to be labelled due to the calculation procedure of international guidelines.

· Classification system:

The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.

- · Label elements
- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void

(Contd. on page 2)

USA



Material Safety Data Sheet acc. to ISO/DIS 11014

Reviewed on 04/01/2012 Printing date 05/07/2012

Trade name: CLEARFIL MAJESTY Posterior, CLEARFIL MAJESTY Posterior PLT

(Contd. of page 1)

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 0Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Fire = 0REACTIVITY 0 Reactivity = 0

4 First aid measures

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eve contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.

5 Firefighting measures

- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: No special measures required.
- · Methods and material for containment and cleaning up: Pick up mechanically.
- · Reference to other sections No dangerous substances are released.

7 Handling and storage

- · Handling:
- · Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location (2-25°C).
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Components with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- · Additional information: The lists that were valid during the creation were used as basis.

(Contd. on page 3)



Material Safety Data Sheet acc. to ISO/DIS 11014

Printing date 05/07/2012 Reviewed on 04/01/2012

Trade name: CLEARFIL MAJESTY Posterior, CLEARFIL MAJESTY Posterior PLT

(Contd. of page 2)

- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

- · Breathing equipment: Not required.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Not required.

9 Physical and chemical propert	ties
· General Information	
· Appearance:	
Form:	Pasty
Color:	Colored
· Odor:	Odorless
· pH-value:	Not applicable
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
· Flash point:	Not applicable.
· Ignition temperature:	Not applicable
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not applicable
Upper:	Not applicable
· Vapor pressure:	Not applicable
· Density:	2.5 g/cm³ (20.863 lbs/gal)
· Vapour density	Not applicable
· Solubility in / Miscibility with	
Water:	Insoluble.
· Segregation coefficient (n-octonol/wa	ater): Not applicable
· Other information	No further relevant information available.

10 Stability and reactivity

· Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

(Contd. on page 4)



acc. to ISO/DIS 11014

Printing date 05/07/2012 Reviewed on 04/01/2012

Trade name: CLEARFIL MAJESTY Posterior, CLEARFIL MAJESTY Posterior PLT

(Contd. of page 3)

- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: Carbon monoxide and carbon dioxide

11 Toxicological information

- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

12 Ecological information

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Additional ecological information:
- · General notes: Generally not hazardous for water

13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Smaller quantities can be disposed of with household waste.
- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.

UN-Number		
DOT, ADR, ADN, IMDG, IATA	Void	
UN proper shipping name DOT, ADR, ADN, IMDG, IATA	Void	
Transport hazard class(es)		
DOT, ADR, ADN, IMDG, IATA		
Class	Void	
Packing group		
DOT, ADR, IMDG, IATA	Void	
Environmental hazards:		
Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex	II of	
MARPOL73/78 and the IBC Code	Not applicable.	

(Contd. on page 5)



acc. to ISO/DIS 11014

Printing date 05/07/2012 Reviewed on 04/01/2012

Trade name: CLEARFIL MAJESTY Posterior, CLEARFIL MAJESTY Posterior PLT

(Contd. of page 4)

· UN "Model Regulation":

15 Regulatory information

- ·Sara
- · Section 355 (extremely hazardous substances):

None of the ingredient is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Cancerogenity categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administation)

None of the ingredients is listed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Version: 3
- · Relevant phrases

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.



Safety Data Sheet acc. to OSHA HCS

Printing date 05/01/2016 Reviewed on 05/01/2016

1 Identification of the substance/mixture and of the company/undertaking

· Product identifier

· Trade name: CLEARFIL MAJESTY Posterior, CLEARFIL MAJESTY Posterior PLT

· Article number: US120

· Application of the substance / the preparation Dental filling material

· Details of the supplier of the safety data sheet

· Manufacturer:

Kuraray Noritake Dental Inc.

1621 Sakazu, Kurashiki, Okayama 710-0801,

Japan

· Contact information:

Kuraray America, Inc.

33 Maiden Lane, 6th Floor, New York,

NY 10038 U.S.A. Tel: 800-879-1676 Fax: 888-700-5200

Website: www.kuraraydental.com

2 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

 Dangerous 	components:
-------------------------------	-------------

8				
1565-94-2	bisphenol A diglycidylmethacrylate	♦ H315; H319	<3%	
109-16-0	triethylene glycol dimethacrylate	♠ H315; H319; H335	<3%	

· Other ingredients:

Hydrophobic aromatic dimethacrylate

Silanated glass ceramics

Surface treated alumina micro filler

Silanated silica filler

dl-Camphorquinone

Accelerators

Pigments

Others

3 Hazards identification

· Classification of the substance or mixture

The product is not classified according to the Globally Harmonized System (GHS).

- · Classification according to Directive 67/548/EEC or Directive 1999/45/EC Not applicable.
- $\cdot \ Information \ concerning \ particular \ hazards \ for \ human \ and \ environment:$

The product does not have to be labelled due to the calculation procedure of international guidelines.

· Classification system:

The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.

- · Label elements
- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void

(Contd. on page 2)

USA



Safety Data Sheet acc. to OSHA HCS

Reviewed on 05/01/2016 Printing date 05/01/2016

Trade name: CLEARFIL MAJESTY Posterior, CLEARFIL MAJESTY Posterior PLT

(Contd. of page 1)

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 0Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Fire = 0REACTIVITY 0 Reactivity = 0

4 First aid measures

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eve contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.

5 Firefighting measures

- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: No special measures required.
- · Methods and material for containment and cleaning up: Pick up mechanically.
- · Reference to other sections No dangerous substances are released.

7 Handling and storage

- · Handling:
- · Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location (2-25°C).
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Components with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- · Additional information: The lists that were valid during the creation were used as basis.

(Contd. on page 3)



Safety Data Sheet acc. to OSHA HCS

Printing date 05/01/2016 Reviewed on 05/01/2016

Trade name: CLEARFIL MAJESTY Posterior, CLEARFIL MAJESTY Posterior PLT

(Contd. of page 2)

- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

- · Breathing equipment: Not required.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Not required.

9 Physical and chemical propert	ties
· General Information	
· Appearance:	
Form:	Pasty
Color:	Colored
· Odor:	Odorless
· pH-value:	Not applicable
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
· Flash point:	Not applicable.
· Ignition temperature:	Not applicable
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not applicable
Upper:	Not applicable
· Vapor pressure:	Not applicable
· Density:	2.5 g/cm³ (20.863 lbs/gal)
· Vapour density	Not applicable
· Solubility in / Miscibility with	
Water:	Insoluble.
· Segregation coefficient (n-octonol/wa	ater): Not applicable
· Other information	No further relevant information available.

10 Stability and reactivity

 \cdot Thermal decomposition $\!\!/$ conditions to be avoided:

No decomposition if used and stored according to specifications.

(Contd. on page 4)



Safety Data Sheet acc. to OSHA HCS

Printing date 05/01/2016 Reviewed on 05/01/2016

Trade name: CLEARFIL MAJESTY Posterior, CLEARFIL MAJESTY Posterior PLT

(Contd. of page 3)

- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: Carbon monoxide and carbon dioxide

11 Toxicological information

- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

12 Ecological information

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Additional ecological information:
- · General notes: Generally not hazardous for water

13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Smaller quantities can be disposed of with household waste.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

UN-Number		
DOT, ADR, ADN, IMDG, IATA	Void	
UN proper shipping name DOT, ADR, ADN, IMDG, IATA	Void	
Transport hazard class(es)		
DOT, ADR, ADN, IMDG, IATA		
Class	Void	
Packing group		
DOT, ADR, IMDG, IATA	Void	
Environmental hazards:		
Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex	II of	
MARPOL73/78 and the IBC Code	Not applicable.	

(Contd. on page 5)



Safety Data Sheet acc. to OSHA HCS

Printing date 05/01/2016 Reviewed on 05/01/2016

Trade name: CLEARFIL MAJESTY Posterior, CLEARFIL MAJESTY Posterior PLT

(Contd. of page 4)

· UN "Model Regulation":

15 Regulatory information

- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredient is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Cancerogenity categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administation)

None of the ingredients is listed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Version: 3
- $\cdot \ Relevant \ phrases$

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

- USA