SAFETY DATA SHEETS

This SDS packet was issued with item:

077109267

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

077109259 077109275 077109283 077111263

Printing date 02/28/2011

Reviewed on 02/28/2011

1 Identification of substance

- Product details
- Trade name: Futurabond DC Liquid 1
- · Application of the substance / the preparation Bonding
- Manufacturer/Supplier:

VOCO GmbH

Anton-Flettner-Str. 1-3

D-27472 Cuxhaven

· Information department: Scientific department tel. +49 (0)4721-719-0

· Emergency information: Scientific department tel. +49 (0)4721-719-0

2 Composition/Data on components

Chemical characterization

Description: Mixture of the substances listed below with nonhazardous additions.

Dangerous components:		
	Acidic adhesive monomer	50-100%
1565-94-2	BIS-GMA	5-10%
868-77-9	2-hydroxyethyl methacrylate	5-10%

3 Hazards identification

· Hazard description:

Corrosive

· Information pertaining to particular dangers for man and environment:

The product has to be labelled due to the calculation procedure of international guidelines.

Causes burns.

May cause sensitization by skin contact.

Classification system:

The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.

· NFPA ratings (scale 0 - 4)



Health = 2

Fire = 0

Reactivity = 0

HMIS-ratings (scale 0 - 4)



2 *Health* = 2

Fire = 0

Reactivity = 0

4 First aid measures

- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing: If symptoms persist consult doctor.

5 Fire fighting measures

Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

(Contd. on page 2)

-USA

Printing date 02/28/2011 Reviewed on 02/28/2011

Trade name: Futurabond DC Liquid I

· Protective equipment: Na special measures required.

(Contd. of page 1)

6 Accidental release measures

· Person-related safety precautions: Ensure adequate ventilation

Measures for environmental protection: Do nat allow to enter sewers/ surface or ground water.

· Measures for cleaning/collecting:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent. Ensure adequate ventilation.

7 Handling and storage

Handling:

- · Information for safe handling: For dental use only.
- · Information about protection against explosions and fires: No special measures required.
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

See storage instructions on package

8 Exposure controls and personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Components with limit values that require monitoring at the workplace:

The praduct does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- · Breathing equipment: Not required.
- · Protection of hands:



Protective gloves

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 3)

-USA

Printing date 02/28/2011 Reviewed on 02/28/2011

Trade name: Futurabond DC Liquid 1

· Eye protection: Safety glasses

(Contd. of page 2)

9 Physical	ana	chemica	d prope	erties

· General Information		
Form:	Fluid	
Color:	Yellow	
Odor:	Characteristic	
Change in condition Melting point/Melting range: Boiling point/Boiling range:		
· Flash point:	Not applicable.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Density at 20°C (68°F):	1.2 g/cm³	
Solubility in / Miscibility with Water:	Partly miscible.	
· nH-value at 20°C (68°F):	1.5	

10 Stability and reactivity

- Thernual decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Dangerous reactions No dangerous reactions known.
- · Dangerous products of decomposition: No dangerous decomposition products known.

11 Toxicological information

· Acute toxicity:

LD/LC50 values that are relevant for classification:

Acidic adhesive monomer

Oral LD50 > 2000 mg/kg (rat)

- Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Corrosive

12 Ecological information

- · Additional ecological information:
- General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

----- US#

(Contd. on page 4)

Printing date 02/28/2011

Reviewed on 02/28/2011

Trade name: Futurabond DC Liquid 1

(Contd. of page 3)

13 Disposal considerations

- Product:
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

14 Transport information

· DOT regulations:

Label

-8

- · Land transport ADR/RID (cross-border):
- · ADR/RID class:
- · Maritime transport IMDG:
- · IMDG Class:
- · Marine pollutant: No
- Air transport ICAO-TI and IATA-DGR:
- ICAO/IATA Class: -

15 Regulations

Sara

Section 355 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

TSCA (Toxic Substances Control Act):

Contact Voco for more information

All ingredients are listed.

Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

Contact Voco for more information

· Cancerogenity categories

EPA (Environmental Protection Agency)

Contact Voco for more information

· IARC (International Agency for Research on Cancer)

Contact Voco for more information

NTP (National Toxicology Program)

Contact Voco for more information

(Contd. on page 5)

- USA

Printing date 02/28/2011

Reviewed on 02/28/2011

Trade name: Futurabond DC Liquid 1

(Contd. of page 4)

TLV (Threshold Limit Value established by ACGIH)

Contact Voco for more information

NIOSH-Ca (National Institute for Occupational Safety and Health)

Contact Voco for more information

OSHA-Ca (Occupational Safety & Health Administration)

Contact Voco for more information

Canadian substance listings:

Canadian Domestic Substances List (DSL)

All ingredients are listed.

Canadian Ingredient Disclosure list (limit 0.1%)

Contact Voco for more information

Canadian Ingredient Disclosure list (limit 1%)

868-77-9 2-hydroxyethyl methacrylate

· Product related hazard informations:

The product has been classified and marked in accordance with directives on hazardous materials.

· Hazard symbols:



Corrosive

· Hazard-determining components of labelling:

2-hydroxyethyl methacrylate

Acidic adhesive monomer

Risk phrases:

Causes burns.

May cause sensitization by skin contact.

· Safety phrases:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

After contact with skin, wash immediately with plenty of water

Wear suitable gloves and eye/face protection.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing MSDS: Scientific departement

· Contact: Tel.: +49 (0)4721-719-0

Printing date 02/28/2011

Reviewed on 02/28/2011

1 Identification of substance

- Product details
- · Trade name: Futurabond DC Liquid 2
- · Application of the substance / the preparation Bonding
- Manufacturer/Supplier:

VOCO GmbH

Anton-Flettner-Str. 1-3

D-27472 Cuxhaven

• Information department: Scientific department tel. +49 (0)4721-719-0 • Emergency information: Scientific department tel. +49 (0)4721-719-0

2 Composition/Data on components

· Chemical characterization

· Description: Mixture of the substances listed below with nonhazardous additions.

Dangero	us components:	
64-17-5	ethanol	50-100%
	Initiator	2.5-5%

3 Hazards identification

· Hazard description: Not applicable.

· Information pertaining to particular dangers for man and environment:

The product has to be labelled due to the calculation procedure of international guidelines. Flammable.

· Classification system:

The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.

· NFPA ratings (scale 0 - 4)



Health = 0

Fire = 3

Reactivity = 0

HMIS-ratings (scale 0 - 4)



 \bullet Health = 0

Fire = 3

Reactivity = 0

4 First aid measures

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eve contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.

5 Fire fighting measures

- Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Protective equipment: No special measures required.

6 Accidental release measures

· Person-related safety precautions: Wear protective equipment. Keep unprotected persons away.

(Contd. on page 2)

-USA

(Contd. of page 1)

Material Safety Data Sheet acc. to ISO/DIS 11014

Printing date 02/28/2011

Reviewed on 02/28/2011

Trade name: Futurabond DC Liquid 2

· Measures for environmental protection:

Do not ollow to enter sewers/ surface or ground water.

Dilute with plenty of water.

· Measures for cleaning/collecting:

Absorb with liquid-binding material (sand. diatomite, acid binders. universal binders, sawdust).

7 Handling and storage

- · Handling:
- Information for safe handling:

For dental use only.

No special measures required.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- Storage;
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

See storage instructions on package

8 Exposure controls and personal protection

Additional information about design of technical systems: No further data; see item 7.

· Components with limit values that require monitoring at the workplace:

64-17-5 ethanol

PEL 1900 mg/m³, 1000 ppm

REL 1900 mg/m³, 1000 ppm

TLV Short-term value: 1880 mg/m³, 1000 ppm

Additional information: The lists that were valid during the creation were used as basis.

- · Personal protective equipment:
- · General protective and hygienic measures: Avoid contact with the eyes and skin.
- · Breathing equipment: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 3)

USA

Printing date 02/28/2011 Reviewed on 02/28/2011

Trade name: Futurabond DC Liquid 2

· Eye protection: Safety glasses

(Contd. of page 2)

General Information	
Form:	Fluid
Color:	Colorless
Odor:	Characteristic
Change in condition	Thedesensing
Melting point/Melting range: Boiling point/Boiling range:	
Flash point:	21°C (70°F)
Ignition temperature:	Not determined
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
Density at 20°C (68°F):	0.87 g/cm³
Solubility in / Miscibility with Water:	Fully miscible.

10 Stability and reactivity

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Dangerous reactions No dangerous reactions known.
- Dangerous products of decomposition: No dangerous decomposition products known.

11 Toxicological information

- · Acute toxicity:
- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.

12 Ecological information

- · Additional ecological information:
- General notes:

Water hazard class I (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

13 Disposal considerations

- · Product:
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 4)

- USA

Printing date 02/28/2011

Reviewed on 02/28/2011

Trade name: Futurabond DC Liquid 2

(Contd. of page 3)

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

14 Transport information

DOT regulations:



Hazard class:

Identification number:

UN1170

Packing group:

II

Proper shipping name (technical name): ETHANOL, mixture

· Land transport ADR/RID (cross-border):



ADR/RID class:

3 Flammable liquids

Danger code (Kemler):

33

· UN-Number:

1170

· Packaging group:

II3

Label: Description of goods:

1170 ETHANOL (ETHYL ALCOHOL), mixture

· Maritime transport IMDG:



IMDG Class:

· UN Number:

1170

Label

3

Packaging group:

II

EMS Number:

F-E.S-D

Marine pollutant: Propper shipping name:

ETHANOL (ETHYL ALCOHOL), mixture

· Air transport ICAO-TI and IATA-DGR:



· ICAO/IATA Class:

· UN/ID Number:

1170

· Label

3 II

· Packaging group: · Propper shipping name:

ETHANOL, mixture

15 Regulations

Section 355 (extremely hazardous substances):

None of the ingredients is listed.

(Contd. on page 5)

Printing date 02/28/2011

Reviewed on 02/28/2011

(Contd. of page 4)

Trade name: Futurabond DC Liquid 2

Section 313 (Specific toxic chemical listings):

Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

TSCA (Toxic Substances Control Act):

All ingredients are listed.

Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

64-17-5 ethanol

· Cancerogenity categories

· EPA (Environmental Protection Agency)

Contact Voco for more information

· IARC (International Agency for Research on Cancer)

Contact Voco for more information

· NTP (National Toxicology Program)

Contact Voco for more information

TLV (Threshold Limit Value established by ACGIH)

Contact Voco for more information

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Contact Voco for more information

· OSHA-Ca (Occupational Safety & Health Administration)

Contact Voco for more information

Canadian substance listings:

· Canadian Domestic Substances List (DSL)

All ingredients are listed.

· Canadian Ingredient Disclosure list (limit 0.1%)

Contact Voco for more information

Canadian Ingredient Disclosure list (limit 1%)

Contact Voco for more information

· Product related hazard informations:

Observe the general safety regulations when handling chemicals.

The product has been classified and marked in accordance with directives on hazardous materials.

· Risk plarases:

Flammable.

· Safety phrases:

Keep container tightly closed.

Keep away from sources of ignition - No smoking.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing MSDS: Scientific departement

· Contact: Tel.: +49 (0)4721-719-0

USA

Printing date 11/02/2016

Reviewed on 11/02/2016

1 Identification

- · Product identifier
- · Trade name: Futurabond DC Liquid 1
- · Application of the substance / the mixture Bonding
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

VOCO GmbH

Anton-Flettner-Str. 1-3 D-27472 Cuxhaven

- · Information department: Scientific department tel. +49 (0)4721-719-0
- · Emergency telephone number: Scientific department tel. +49 (0)4721-719-0

2 Hazard(s) identification

Health effects are based on the unmixed/uncured material.

Under FDA regulations this product is classified as a medical device.

Medical devices are exempt from the labelling provisions of GHS according to the Hazard Communication Standard (HCS).

· Classification of the substance or mixture



Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.



Skin Sens. 1 H317 May cause an allergic skin reaction.

- · Label elements
- · Hazard pictograms GHS05, GHS07
- · Signal word Danger
- · Hazard statements

Causes severe skin burns and eye damage.

May cause an allergic skin reaction.

· Precautionary statements

Wear protective gloves / eye protection.

Wear protective clothing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If skin irritation or rash occurs: Get medical advice/attention.

IF ON SKIN: Wash with plenty of water.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Other hazards Use only for intended scope of application
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerou	s components:	
	Acidic adhesive monomer	50-100%
	Skin Corr. 1B, H314; Eye Dam. 1, H318	
1565-94-2	BIS GMA	5-10%
	Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317	

(Contd. on page 2)

Printing date 11/02/2016 Reviewed on 11/02/2016

Trade name: Futurabond DC Liquid 1

 868-77-9
 2-hydroxyethyl methacrylate
 5-10%

Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air and to be sure call for a doctor.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling For dental use only.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

See storage instructions on package

 $\cdot \textit{Specific end use}(s) \textit{ No further relevant information available}.$

US

(Contd. on page 3)

Printing date 11/02/2016 Reviewed on 11/02/2016

Trade name: Futurabond DC Liquid 1

(Contd. of page 2)

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures: Avoid contact with the eyes and skin.
- · Breathing equipment: Not required.
- · Protection of hands:



Protective gloves

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Eye protection: Safety glasses

9 Physical and chemical properties

· Information on basic	hysical and chemical properties
· General Information	

· Appearance:

Form: Fluid

Color: According to product specification

Odor: CharacteristicOdor threshold: Not determined.

• pH-value at 20 °C (68 °F): 1.5

· Change in condition

Melting point/Melting range:Undetermined.Boiling point/Boiling range:Undetermined.

· Flash point: Not applicable.

· Flammability (solid, gaseous): Not applicable.

Decomposition temperature: Not determined.

· Auto igniting: Product is not selfigniting.

• Danger of explosion: Product does not present an explosion hazard.

• Density at 20 °C (68 °F): 1.2 g/cm³ (10.014 lbs/gal)

Relative density
 Vapor density
 Evaporation rate
 Not determined.
 Not determined.

· Solubility in / Miscibility with

Water: Not miscible or difficult to mix.

· Partition coefficient (n-octanol/water): Not determined.

(Contd. on page 4)

-US

Printing date 11/02/2016 Reviewed on 11/02/2016

Trade name: Futurabond DC Liquid 1

(Contd. of page 3)

· Viscosity:

Dynamic:

Kinematic:

Not determined. Not determined.

• Other information No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

Acidic adhesive monomer

Oral | *LD50* | > 2000 mg/kg (rat)

- · Primary irritant effect:
- · on the skin:

Testing according to ISO 10993-1/10993-10 showed no skin irritation for this product when fully cured Caustic effect on skin and mucous membranes.

Strong caustic effect on skin and mucous membranes.

- · on the eye: Strong caustic effect.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Corrosive

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)	
fumed silica	3
128-37-0 2,6-di-tert-butyl-p-cresol	3
· NTP (National Toxicology Program)	
None of the ingredients is listed.	
OSUA Ca (Occupational Safety & Health Administration)	

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.

(Contd. on page 5)

Printing date 11/02/2016 Reviewed on 11/02/2016

Trade name: Futurabond DC Liquid 1

(Contd. of page 4)

- · Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

UN-Number	-
UN proper shipping name	-
Transport hazard class(es)	-
Packing group	-
Environmental hazards: Marine pollutant:	No
Special precautions for user	Not applicable.

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed

(Contd. on page 6)

Printing date 11/02/2016 Reviewed on 11/02/2016

Trade name: Futurabond DC Liquid 1

(Contd. of page 5)

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed

· Cancerogenity categories

· EPA (Environmental Protection Agency)

None of the ingredients are listed

· TLV (Threshold Limit Value established by ACGIH)

Contact VOCO for more information.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

- · Hazard pictograms GHS05, GHS07
- · Signal word Danger
- · Hazard statements

Causes severe skin burns and eye damage.

May cause an allergic skin reaction.

· Precautionary statements

Wear protective gloves / eye protection.

Wear protective clothing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If skin irritation or rash occurs: Get medical advice/attention.

IF ON SKIN: Wash with plenty of water.

Dispose of contents/container in accordance with local/regional/national/international regulations.

16 Other information

The information contained herein is based on our present knowledge and is believed to be correct at the date issued. The information is subject to change without notice. However, all information, statements, recommendations or suggestions shall not constitute any guarantee, representation or warranty, expressed or implied.

Final determination whether the product is fit and suitable for a particular purpose and the user's method of use or application is the sole responsibility of the user.

- · Department issuing SDS: Scientific department
- · Contact: Tel.: +49 (0)4721-719-0
- Date of preparation / last revision 11/02/2016 / 5
- · Abbreviations and acronyms:

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

Skin Sens. 1: Skin sensitisation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

* * Data compared to the previous version altered.

US

Printing date 11/03/2016 Reviewed on 11/03/2016

1 Identification

- · Product identifier
- · Trade name: Futurabond DC Liquid 2
- · Application of the substance / the mixture Bonding
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

VOCO GmbH

Anton-Flettner-Str. 1-3 D-27472 Cuxhaven

- · Information department: Scientific department tel. +49 (0)4721-719-0
- · Emergency telephone number: Scientific department tel. +49 (0)4721-719-0

2 Hazard(s) identification

Health effects are based on the unmixed/uncured material.

Under FDA regulations this product is classified as a medical device.

Medical devices are exempt from the labelling provisions of GHS according to the Hazard Communication Standard (HCS).

· Classification of the substance or mixture



Flam. Liq. 2 H225 Highly flammable liquid and vapor.

- · Label elements
- · Hazard pictograms GHS02
- · Signal word Danger
- · Hazard statements

Highly flammable liquid and vapor.

· Precautionary statements

Wear protective gloves / protective clothing.

If skin irritation occurs: Get medical advice/attention.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Other hazards Use only for intended scope of application
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangero	ous components:		
64-17-5	ethanol	Flam. Liq. 2, H225	50-100%
	Initiator	Acute Tox. 3, H301	2.5-5%

4 First-aid measures

- · Description of first aid measures
- · After inhalation: Seek medical treatment in case of complaints.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 2)

Printing date 11/03/2016 Reviewed on 11/03/2016

Trade name: Futurabond DC Liquid 2

(Contd. of page 1)

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- · Environmental precautions:

Do not allow to enter sewers/surface or ground water.

Dilute with plenty of water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling For dental use only.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

 $See\ storage\ instructions\ on\ package$

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

64-17-5 ethanol (50-100%)

PEL Long-term value: 1900 mg/m³, 1000 ppm REL Long-term value: 1900 mg/m³, 1000 ppm TLV Short-term value: 1880 mg/m³, 1000 ppm

· Additional information: The lists that were valid during the creation were used as basis.

(Contd. on page 3)

Printing date 11/03/2016 Reviewed on 11/03/2016

Trade name: Futurabond DC Liquid 2

(Contd. of page 2)

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

- · Breathing equipment: Not required.
- · Protection of hands:



Protective gloves

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Eye protection: Safety glasses

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Fluid
Color: Colorless
Odor: Characteristic

pH-value: Not determined.

F-- /

· Change in condition

Melting point/Melting range: Undetermined. Boiling point/Boiling range: Undetermined.

• Flash point: $21 \, ^{\circ}C \, (70 \, ^{\circ}F)$

• Auto igniting: Product is not selfigniting.

· Danger of explosion: Product is not explosive. However, formation of explosive air/vapor

mixtures are possible.

• **Density at 20 • C** (68 • F): $0.87 \text{ g/cm}^3 (7.26 \text{ lbs/gal})$

· Solubility in / Miscibility with

Water: Fully miscible.

· Viscosity:

Dynamic: Not determined. **Kinematic:** Not determined.

• Other information No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.

(Contd. on page 4)

- IIS

Printing date 11/03/2016 Reviewed on 11/03/2016

Trade name: Futurabond DC Liquid 2

(Contd. of page 3)

· Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin:

Testing according to ISO 10993-1/10993-10 showed no skin irritation for this product when fully cured

- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

The component 64-17-5 Ethanol is listed by IARC as Group 1 but in alcoholic beverages consumption only. This product is not an alcoholic beverage.

64-17-5 ethanol

- 1

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- $\cdot \textit{Bioaccumulative potential No further relevant information available}.$
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information

- · UN-Number
- · DOT, ADR, IMDG, IATA UN1170

(Contd. on page 5)

_ US

Printing date 11/03/2016 Reviewed on 11/03/2016

Trade name: Futurabond DC Liquid 2

(Contd. of page 4)

· UN proper shipping name

DOT Ethanol mixtureADR 1170 Ethanol mixture

· IMDG ETHANOL (ETHYL ALCOHOL) mixture

· IATA ETHANOL mixture

· Transport hazard class(es)

 $\cdot DOT$



· Class 3 Flammable liquids

· Label

· ADR, IMDG, IATA



· Class 3 Flammable liquids

· Label

· Packing group

· DOT, ADR, IMDG, IATA

· Environmental hazards:

· Marine pollutant: No

· Special precautions for user Warning: Flammable liquids

Danger code (Kemler): 33
EMS Number: F-E,S-D
Stowage Category A

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

· UN "Model Regulation": UN 1170 ETHANOL MIXTURE, 3, II

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed

(Contd. on page 6)

Printing date 11/03/2016 Reviewed on 11/03/2016

Trade name: Futurabond DC Liquid 2

(Contd. of page 5)

· Chemicals known to cause developmental toxicity:

64-17-5 ethanol

· Cancerogenity categories

· EPA (Environmental Protection Agency)

Initiator I (oral)

· TLV (Threshold Limit Value established by ACGIH)

64-17-5 ethanol A3

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

- · Hazard pictograms GHS02
- · Signal word Danger
- · Hazard statements

Highly flammable liquid and vapor.

· Precautionary statements

Wear protective gloves / protective clothing.

If skin irritation occurs: Get medical advice/attention.

Dispose of contents/container in accordance with local/regional/national/international regulations.

16 Other information

The information contained herein is based on our present knowledge and is believed to be correct at the date issued. The information is subject to change without notice. However, all information, statements, recommendations or suggestions shall not constitute any guarantee, representation or warranty, expressed or implied.

Final determination whether the product is fit and suitable for a particular purpose and the user's method of use or application is the sole responsibility of the user.

- · Department issuing SDS: Scientific department
- · Contact: Tel.: +49 (0)4721-719-0
- · Date of preparation / last revision 11/03/2016 / 5
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

 $Flam.\ Liq.\ 2:\ Flammable\ liquids-Category\ 2$

Acute Tox. 3: Acute toxicity – Category 3

· * Data compared to the previous version altered.

US

Reviewed on 05/11/2015

1 Identification

- · Product identifier
- · Trade name: Futurabond DC Liquid 2
- · Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Bonding
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

VOCO GmbH

Anton-Flettner-Str. 1-3

D-27472 Cuxhaven

- · Information department: Scientific department tel. +49 (0)4721-719-0
- · Emergency telephone number: Scientific department tel. +49 (0)4721-719-0

2 Hazard(s) identification

Health effects are based on the unmixed/uncured material.

Under FDA regulations this product is classified as a medical device.

Medical devices are exempt from the labelling provisions of GHS according to the Hazard Communication Standard (HCS).

· Classification of the substance or mixture



Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.

- · Label elements
- · Hazard pictograms GHS02
- · Signal word Danger
- · Hazard statements

Highly flammable liquid and vapor.

· Precautionary statements

Wear protective gloves / protective clothing.

If skin irritation occurs: Get medical advice/attention.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Other hazards Use only for intended scope of application
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

Dangero	ous components:	
64-17-5	ethanol	50-100%
	Initiator	2.5-5%

4 First-aid measures

- · Description of first aid measures
- · After inhalation: Seek medical treatment in case of complaints.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 2)

-USA

Reviewed on 05/11/2015

Trade name: Futurabond DC Liquid 2

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

(Contd. of page 1)

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

Dilute with plenty of water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Precautions for safe handling For dental use only.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

See storage instructions on package

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

64-17-5 ethanol (50-100%)

PEL Long-term value: 1900 mg/m³, 1000 ppm

REL Long-term value: 1900 mg/m³, 1000 ppm TLV Short-term value: 1880 mg/m³, 1000 ppm

Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

(Contd. on page 3)

Reviewed on 05/11/2015

Trade name: Futurabond DC Liquid 2

· Breathing equipment: Not required.

(Contd. of page 2)

· Protection of hands:



Protective gloves

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Eye protection: Safety glasses

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Color: Fluid Colorless Characteristic

· Odor: · pH-value:

Not determined.

· Change in condition

Melting point/Melting range: Undetermined.
Boiling point/Boiling range: Undetermined.

· Flash point:

21 °C (70 °F)

· Auto igniting:

Product is not selfigniting.

· Danger of explosion:

Product is not explosive. However, formation of explosive air/vapor mixtures are possible.

Density at 20 °C (68 °F):

0.87 g/cm3 (7.26 lbs/gal)

· Solubility in / Miscibility with

Water:

Fully miscible.

· Viscosity:

Dynamic: Kinematic: Not determined. Not determined.

Other information

No further relevant information available.

10 Stability and reactivity

- · Reactivity
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

TIC A

(Contd. on page 4)

Reviewed on 05/11/2015

Trade name: Futurabond DC Liquid 2

(Contd. of page 3)

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin:

Testing according to ISO 10993-1/10993-10 showed no skin irritation for this product when fully cured

- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

The component 64-17-5 Ethanol is listed by IARC as Group 1 but in alcoholic beverages consumption only. This product is not an alcoholic beverage.

64-17-5 ethanol

1

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

anspor		

- · UN-Number
- · DOT, ADR, IMDG, IATA UN1170
- · UN proper shipping name
- · DOT Ethanol, mixture
- · ADR 1170 Ethanol (Ethyl alcohol), mixture

(Contd. on page 5)

— USA

64-17-5 ethanol

Reviewed on 05/11/2015

(Contd. on page 6)

Trade name: Futurabond DC Liquid 2

	(Contd. of pa
· IMDG · IATA	ETHANOL (ETHYL ALCOHOL), mixture ETHANOL, mixture
Transport hazard class(es)	
DOT	
Class	3 Flammable liquids
Label	3
ADR, IMDG, IATA	
*	
Class	3 Flammable liquids
Label	3
Packing group DOT, ADR, IMDG, IATA	II
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Flammable liquids
Danger code (Kemler):	33
EMS Number:	F-E,S-D
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.
UN "Model Regulation":	UN1170, Ethanol (Ethyl alcohol), mixture, 3, 11

15 Regulatory information · Safety, health and environmental regulations/legislation specific for the substance or mixture · Section 355 (extremely hazardous substances): None of the ingredients are listed. · Section 313 (Specific toxic chemical listings): None of the ingredients are listed. · TSCA (Toxic Substances Control Act): All ingredients are listed. Proposition 65 · Chemicals known to cause cancer: None of the ingredients are listed. · Chemicals known to cause reproductive toxicity for females: None of the ingredients are listed · Chemicals known to cause reproductive toxicity for males: None of the ingredients are listed · Chemicals known to cause developmental toxicity:

Printing date 05/11/2015

Reviewed on 05/11/2015

Trade name: Futurabond DC Liquid 2

· Cancerogenity categories

(Contd. of page 5)

· EPA (Environmental Protection Agency)

Initiator I (oral)

· TLV (Threshold Limit Value established by ACGIH)

64-17-5 ethanol

A3

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

- Hazard pictograms GHS02
- · Signal word Danger
- · Hazard statements

Highly flammable liquid and vapor.

· Precautionary statements

Wear protective gloves / protective clothing.

If skin irritation occurs: Get medical advice/attention.

Dispose of contents/container in accordance with local/regional/national/international regulations.

16 Other information

The information contained herein is based on our present knowledge and is believed to be correct at the date issued. The information is subject to change without notice. However, all information, statements, recommendations or suggestions shall not constitute any guarantee, representation or warranty, expressed or

Final determination whether the product is fit and suitable for a particular purpose and the user's method of use or application is the sole responsibility of the user.

- · Department issuing MSDS: Scientific department
- · Contact: Tel.: +49 (0)4721-719-0
- · Date of preparation / last revision 05/11/2015 / 4
- Abbreviations and acronyms:

ADR: Accord européen sur le transport des morchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMIXG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

Flam. Liq. 2: Flammable liquids, Hazard Category 2