SAFETY DATA SHEETS

This SDS packet was issued with item:

071899574

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

071899558 071899566 071899582 078050395

MATERIAL SAFETY DATA SHEET

CETYLITE® INDUSTRIES, INC. Hazard Rating (NFPA 704) 9051 River Road Health 2 0=Least Pennsauken, NJ 08110 Fire 1 1=Slight Phone: 856-665-6111 Reactivity 0 2=Moderate Special 3=High none

Date Prepared: 03/08/12 4=Extreme

SECTION 1 - IDENTIFICATION

PRODUCT NAME: CETYLCIDE II (Item # 0151)

MAIN HAZARDOUS CHEMICAL INGREDIENTS	OSHA PEL	ACGIH TLV	CAS#
Quat 80 (Dual quaternary ammonium compound)	none	none	68391-01-5 68956-79-6
Sodium carbonate Tergitol NP-10 Versene (ethylenediaminetetra acetic acid)	15 mg/m³ none none	none none none	497-19-8 127087-87-0 64-02-8

Note: Substances listed as hazardous ingredients are those identified as being present at a concentration of 1% or greater, or 0.1% if the substance is classified and listed as a potential carcinogen by OSHA Hazard Communication Standard.

SECTION 2 - PHYSICAL DATA

BOILING POINT:
VAPOR PRESSURE:
VAPOR DENSITY (air=1):
SPECIFIC GRAVITY (H₂O=1):
SOLUBILITY IN WATER:

Not determined.
Not determined.
Very soluble

MELTING POINT: N/A

EVAPORATION RATE: Not determined.

APPEARANCE AND ODOR: liquid, light yellow, slightly pungent odor.

Note: Mixture not tested as a whole.

SECTION 3 - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT:

FLAMMABLE LIMITS:

Not determined.

LFL-not determined.

UFL-not determined.

EXTINGUISHING MEDIA: CO_{2;} dry chemical; alcohol foam; water spray. Not known. Toxic fumes may be released.

FIRE FIGHTING EQUIPMENT: Keep container and nearby structures cool with water spray.

Wear positive-pressure, self contained breathing apparatus.

SECTION 4 - REACTIVITY DATA

STABILITY: (conditions to avoid) Prolonged exposure to heat. Stable under normal conditions.

INCOMPATIBILITY: (specific materials to avoid) Acids; strong oxidizing agents.

HAZARDOUS DECOMPOSITION PRODUCTS: Nitrogen oxides; carbon monoxide; carbon dioxide;

ammonia; hydrogen chloride.

HAZARDOUS POLYMERIZATION: Will not occur.

SECTION 5 - ENVIRONMENTAL AND DISPOSAL INFORMATION

ACTION TO TAKE FOR SPILLS/LEAKS: Eliminate all ignition sources. Contain spilled material. Transfer to secure containers. Prevent entry into drains and sewers. Use suitable absorbent materials.

DISPOSAL METHOD: Remove to permitted waste disposal facility or an approved incinerator in accordance with local, state and federal requirements. Empty container shall be rinsed before disposal.

SECTION 6 - HEALTH HAZARD DATA (Symptoms of Overexposure)

EYE: Corrosive and irritant. Prolonged contact may cause corneal burns.

SKIN CONTACT: Corrosive and irritant.

INGESTION: May be fatal. Burning pain, swelling in digestive tract, paralysis, circulatory shock. **INHALATION:** Will cause irritation of mucous membranes, coughing and shortness of breath.

SYSTEMIC AND OTHER EFFECTS: None reported. Contains trace amount of trisodium nitrilo triacetic acid which is listed as a potential carcinogen under OSHA Std. 20 CFR 1920.1200. Also listed by; NTP, IARC.

SECTION 7 - FIRST AID

EYES: Irrigate immediately with water for at least 30 minutes. Get immediate medical attention.

SKIN: Wash off with soap and water. If irritation persists, get medical attention.

INGESTION: DO NOT induce vomiting. Promptly drink large quantity of egg whites or gelatin solution. If not available large quantities of water. Call a physician.

INHALATION: Remove to fresh air if effects occur. Get medical attention.

NOTE TO PHYSICIAN: Mucosal damage may contraindicate the use of gastric lavage.

SECTION 8 - HANDLING PRECAUTIONS

EXPOSURE GUIDELINE(S): None established.

VENTILATION: Good general ventilation should be adequate.

RESPIRATORY PROTECTION: If respiratory irritation is experienced, use an approved air purifying respirator with particulate/organic vapor cartridge.

SKIN PROTECTION: Use impervious rubber gloves and apron when prolonged or repeated contact could occur. Wash contaminated clothing before reuse.

EYE PROTECTION: Use splashproof safety goggles.

SECTION 9 - ADDITIONAL INFORMATION

SPECIAL PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: Store in a cool, dry, well ventilated place away from heat, open flames and incompatible materials. Keep container tightly closed when not in use. Do not reuse empty container. Avoid repeated skin contact and eye exposure. Do not permit eating, drinking or smoking near material.

EPA-EPCRA - Section 313 (Listed Chemicals): NONE

DISCLAIMER:

The information herein given was derived solely from the Main Hazardous Chemical Ingredients MSDS's on file at the time of this MSDS preparation. The information is given in good faith but no warranty, express or implied to the accuracy, completeness or adequacy of the information contained in this MSDS is made. We assume no warranties of fitness or liability from the use of this product. Since the conditions for use, handling, storage and disposal of this product are beyond Cetylite control, users should make their own investigations to determine the suitability of the information for their particular purposes. Users assume liability for damage, or expense arising out of product's improper use. Various Federal, State, or Provincial agencies may have specific regulations concerning the transportation, handling, storage, use or disposal of this product which may not be reflected in this MSDS. The user should review these regulations to ensure full compliance.



Cetylcide II

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

1.1 Trade Name (as labeled): Cetylcide II

Synonyms: N/A CAS No: Mixture

1.2 Product Use: Hospital disinfectant

1.3 Company Name: Cetylite

Company Address: 9051 River Road
Company Address Cont: Pennsauken, NJ 08110

Business Phone: (800) 257-7740 or (856) 665-6111

Website: www.cetylite.com
1.4 Emergency Telephone Number: (800) 257-7740

Date of Current Revision: November 3, 2016

Date of Last Revision: August 27, 2013

SECTION 2 - HAZARD IDENTIFICATION

EMERGENCY OVERVIEW: This product is a light yellow colored liquid with a slight pungent odor. Corrosive: May cause irreversible eye damage. Causes severe skin burns. Harmful if swallowed.

This product is a non-flammable liquid.

The Environmental effects of this product have not been investigated. Release of this product is anticipated to have adverse effects in the aquatic environment.

US DOT Symbols:

None



EU and GHS Symbols:

Signal Word: Danger!

2.1 CLASSIFICATION OF SUBSTANCE OR MIXTURE IN ACCORDANCE WITH 29 CFR 1200 (OSHA HCS) AND THE EUROPEAN UNION DIRECTIVES:

This product does meet the definition of a hazardous substance or preparation as defined by 29 CFR 1910. 1200 or the European Union Council Directives 67/548/EEC, 1999/45/EC, 1272/2008/EC and subsequent Directives.

EU HAZARD CLASSIFICATION OF INGREDIENTS PER DIRECTIVE 1272/2008/EC:

Index Number:

EC# 231-791-2 this substance is not classified in the Annex VI of Directive 67/548/EEC

EC# 269-919-4 this substance is not classified in the Annex VI of Directive 67/548/EEC

EC# 287-090-7 this substance is not classified in the Annex VI of Directive 67/548/EEC

EC# 207-838-8 Annex VI Index# 011-005-00-2

EC# 500-315-8 this substance is not classified in the Annex VI of Directive 67/548/EEC

EC# 200-573-9 Annex VI Index# 607-428-00-2

Substances not listed either individually or in group entries must be self classified.

Components Contributing to Classification: Alkyl dimethyl benzyl ammonium chloride, Alkyl dimethyl ethyl ammonium

chloride, Sodium Carbonate Monohydrate, Nonylphenol polyethylene glycol

ether, Tetrasodium Ethylenediamine Tetraacetate

2.2 Label Elements:

GHS Hazard Classifications: Acute Toxicity Category 4 (Oral)

Skin Corrosion Category 1B Eye Damage Category 1

Acute Aquatic Toxicity Category 2

Hazard Statements: H302: Harmful if swallowed

H314: Causes severe skin burns and eye damage

H318: Causes serious eye damage

H401: Toxic to aquatic life

Prevention Statements: P260: Do not breathe dusts or mists.

P264: Wash hands thoroughly after handling

P270: Do not eat, drink or smoke when using this product.

P280: Wear protective gloves/protective clothing/eye protection/face protection

P273 Avoid release to the environment

Response Statements: P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water/shower.

P301+P312: IF SWALLOWED: Call a POISON CENTER/doctor if you feel

unwell.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P330: Rinse mouth.

P363: Wash contaminated clothing before reuse.

P310 Immediately call a POISON CENTER/doctor if you feel unwell.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for

breathing.

Storage Statements: P405: Store locked up.

P501 Dispose of contents/container in accordance with local/regional/ **Disposal Statements:**

national/international regulations.

2.3 Other Hazards:

None Applicable

SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Ingredients:	WT%	CAS No.	EINECS No.	Hazard Classification
Water	80 - 90%	7732-18-5	231-791-2	Not Classified
Alkyl dimethyl benzyl ammonium chloride	1 - 5%	68391-01-5	269-919-4	ACUTE TOX CAT 4 (ORAL), SKIN IRRITANT CAT 2, AQUATIC ACUTE CAT 1
Alkyl dimethyl ethyl ammonium chloride	1 - 5%	85409-23-0	287-090-7	ACUTE TOX CAT 4 (ORAL), SKIN CORROSIVE CAT 1, AQUATIC ACUTE CAT 1
Sodium Carbonate Monohydrate	1 - 5%	497-19-8	207-838-8	EYE IRRITANT CAT 2
Nonylphenol polyethylene glycol ether	1 - 5%	127087-87-0	500-315-8	SKIN IRRITANT CAT 2, EYE DAM 1, AQUATIC CHRONIC 3
Tetrasodium Ethylenediamine tetraacetate	1 - 5%	64-02-8	200-573-9	ACUTE TOX CAT 4 (ORAL) EYE DAM 1

Balance of other ingredients are non-hazardous or less than 1% in concentration (or 0.1% for carcinogens, reproductive toxins, or respiratory sensitizers).

Note: All WHMIS required information is included in appropriate sections based on the ANSI Z400.1-2010 format. This product has been classified in accordance with the hazard criteria of the CPR and the SDS contains all the information required by the CPR, EU Directives and the Japanese Industrial Standard JIS Z 7250:2000

SECTION 4 - FIRST AID MEASURES

4.1 Description of First Aid Measures:

If product enters the eyes, flush with plenty of water or eye wash solution for several minutes. Remove contacts if present and easy to **Eye Contact:** do. Seek medical attention if irritation persists.

Wash skin thoroughly with soap and water after handling. Seek medical **Skin Contact:** attention if irritation develops and persists.

If breathing becomes difficult, remove victim to fresh air. If necessary, Inhalation:

use artificial respiration to support vital functions. Seek medical

attention.

If product is swallowed, call physician or poison center immediately. If professional advice is not available, do not induce vomiting. Never induce vomiting or give diluents (milk or water) to someone who is unconscious, having convulsions, or who cannot swallow. Seek medical advice. Take a copy of the label and/or SDS with the victim to the

health professional.

Medical Conditions Generally Aggravated by Exposure:

Pre-existing skin or eye problems may be aggravated by prolonged

contact.

4.2 Symptoms and Effects Both Acute and Delayed:

Exposure to skin or eyes may cause damage.

4.3 Recommendations to Physicians:

Ingestion:

Treat symptoms and eliminate overexposure.

Cetvlite Page 2 of 7

SECTION 5 - FIRE FIGHTING MEASURES

5.1 Fire Extinguishing Materials:

Use the following fire extinguishing materials: Water Spray: Yes Carbon Dioxide: Yes

Foam: Yes Dry Chemical: Yes Halon: Yes Other: Any "C" Class

5.2 Unusual Fire and Explosion Hazards:

5.3 Special Fire-Fighting Procedures:


Flammable concentrations of vapor can accumulate above flash point listed above. Under fire conditions some components may decompose. The smoke may contain unidentified toxic and/or irritating compounds. The material will not burn until the water has evaporated.


Nο

No

Explosive Sensitivity to Mechanical Impact:
Explosive Sensitivity to Static Discharge:

- · Incipient fire responders should wear eye protection.
- Structural firefighters must wear Self-Contained Breathing Apparatus (SCBA) and full protective equipment.
- Isolate materials not yet involved in the fire and protect personnel.
 Move containers from fire area if this can be done without risk;
 otherwise, cool with carefully applied water spray.
- If possible, prevent run-off water from entering storm drains, bodies of water, or other environmentally sensitive areas.





Hazard Scale: 0 = Minimum 1 = Slight 2 = Moderate 3 = Serious 4 = Severe * = Chronic Hazard

SECTION 6 - ACCIDENTAL RELEASE MEASURES (STEPS FOR SPILLS)

6.1 Personal Precautions, Protective Equipment and Emergency Procedures:

Use cautious judgment when cleaning up spill. Wear suitable protective clothing, gloves, and eye/face protection.

6.2 Environmental Precautions:

Construct a dike to prevent spreading. Keep out of sewers, storm drains, surface waters, and soils.

6.3 Spill and Leak Response:

Small Spills:

Large Spills:

- Collect material via broom or mop. Place in tightly sealed container for proper disposal. Approach spill areas with caution.
- If liquid was introduced, create a dike or trench to contain material.
 Soak up with absorbent material such as clay, sand or other suitable non-reactive material.
- Place in leak-proof containers. Seal tightly for proper disposal.

Cetylite Page 3 of 7

Dispose of in accordance with U.S. Federal, State, and local hazardous waste disposal regulations and those of Canada and its Provinces, those of Australia, Japan and EU Member States (see Section 13, Disposal Considerations).

SECTION 7 - HANDLING AND STORAGE

7.1 Precautions for Safe Handling:

To prevent eye contact under the foreseeable conditions of use, wear appropriate safety eyewear. When handling, do not eat, drink, or smoke. Wash thoroughly after handling. Do not handle or store near heat, sparks, or flame.

7.2 Storage and Handling Practices:

Keep away from incompatible materials. Keep container closed when not in use and store in well ventilated area.

7.3 Specific Uses:

Hospital disinfectant.

SECTION 8 - EXPOSURE CONTROL/PERSONAL PROTECTION

8.1 Exposure Parameters:

<u>Ingredients</u>	CAS No.	OSHA PEL	NIOSH PEL
Water	7732-18-5	Not Listed	Not Listed
Alkyl dimethyl benzyl ammonium chloride	68391-01-5	Not Listed	Not Listed
Alkyl dimethyl ethyl ammonium chloride	85409-23-0	Not Listed	Not Listed
Sodium Carbonate Monohydrate	497-19-8	Not Listed	Not Listed
Nonylphenol polyethylene glycol ether	127087-87-0	Not Listed	Not Listed
Tetrasodium Ethylenediamine tetraacetate	64-02-8	Not Listed	Not Listed

8.2 Exposure Controls:

Ventilation and Engineering Controls:

Use with adequate ventilation to ensure exposure levels are maintained below the limits provided above.

The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132), or standards of EU member states (including EN 149 for respiratory PPE, and EN 166 for face/eye protection), and those of Japan. Please reference applicable regulations and standards for relevant details.

Respiratory Protection:

Eye Protection:

Hand Protection:

Body Protection:

Maintain airborne contaminant concentrations below guidelines listed above, if applicable. If necessary, use only respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29 CFR 1910.134), equivalent U.S. State standards, Canadian CSA Standard Z94.4-93, the European Standard EN149, or EU member states.

Safety glasses or goggles are recommended.

If necessary, refer to U.S. OSHA 29 CFR 1910.133, Canadian Standards, and the European Standard EN166, Australian Standards,

or relevant Japanese Standards.

Chemical resistant gloves are recommended to prevent skin contact. If necessary, refer to U.S. OSHA 29 CFR 1910.138, the European Standard DIN EN 374, the appropriate Standards of Canada, Australian

Standards, or relevant Japanese Standards.

Use body protect appropriate to task being performed.

If necessary, refer to appropriate Standards of Canada, or appropriate Standards of the EU, Australian Standards, or relevant Japanese Standards. If a hazard of injury to the feet exists due to falling objects, rolling objects, where objects may pierce the soles of the feet or where employee's feet may be exposed to electrical hazards, use foot

protection, as described in U.S. OSHA 29 CFR 1910.136.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on Basic Physical and Chemical Properties:

Appearance (Physical State and Color): This product is a light yellow colored liquid with a slight pungent odor.

Odor: Slight pungent odor

Odor Threshold: No data available

pH: 11.7

Melting/Freezing Point: No data available

Cetylite Page 4 of 7

Boiling Point: 212°F

Flash Point: No data available
Evaporation Rate: No data available

Flammability (Solid; Gas): No data available

Upper/Lower Flammability or Explosion Limits: No data available

Vapor Pressure (mm Hg @ 20°C (68° F): No data available

Vapor Density: No data available Relative Density: Not Available Specific Gravity: 1.03 @20°C Solubility in Water: No data available Weight per Gallon: No data available

Partition Coefficient (n-octanol/water): No data available

Auto-Ignition Temperature: No data available **Decomposition Temperature:** No data available

Viscosity: <5%

<u>9.2 Other Information:</u>

No data available

SECTION 10 - STABILITY AND REACTIVITY

10.1 Reactivity: This product is not reactive.

10.2 Stability: Stable under conditions of normal storage and use.

10.3 Possibility of Hazardous Reactions: Not identified.

10.4 Conditions to Avoid:Contact with incompatible materials.10.5 Incompatible Substances:Acids; strong oxidizing agents.

<u>10.6 Hazardous Decomposition Products:</u>
When heated to decomposition this product may contain Nitrogen oxides; carbon monoxide; carbon dioxide; ammonia; hydrogen chloride.

SECTION 11 - TOXICOLOGICAL INFORMATION

11.1 Information on Toxicological Effects:

Toxicity Data:

Tetrasodium Ethylenediamine tetraacetate 64-02-8	LD50 Dermal – Rabbit	>5,000 mg/kg
--	----------------------	--------------

Acute toxicity	Acute Toxicity Category 4 (Oral)
Skin corrosion / irritation	Skin Corrosion Category 1B
Serious eye damage / irritation	Eye Damage Category 1
Respiratory or skin sensitization	Based on available data, the classification criteria are not met
Germ cell mutagenicity	Based on available data, the classification criteria are not met
Carcinogenicity	Based on available data, the classification criteria are not met
Reproductive toxicity	Based on available data, the classification criteria are not met
STOT-single exposure	Based on available data, the classification criteria are not met
STOT-repeated exposure	Based on available data, the classification criteria are not met
Aspiration hazard	Based on available data, the classification criteria are not met

Routes of Exposure:

Symptoms of Overexposure by Route of Exposure:

The most significant routes of overexposure for this product are by contact with skin or eyes, ingestion or inhalation. The symptoms of overexposure are described in the following paragraphs.

Acute:

Inhalation: Inhalation of vapors may cause irritation of the upper respiratory system.

Skin Contact: Brief contact with skin may cause skin irritation with local redness. Prolonged contact may cause severe skin burns.

Eye Contact: Vapours and direct contact to the eyes may be damaging.

Ingestion: Swallowing may result in irritation or burns of the mouth, throat and gastrointestinal system..

Chronic: None known Target Organs:

Acute: Skin, Eyes, Respiratory System

Chronic: None known

Cetylite Page 5 of 7

> One of the ingredients are found on the following lists: FEDERAL OSHA Z LIST, NTP, CAL/OSHA, IARC and therefore is considered to be, or suspected to be a cancer-causing agent by these agencies.

Suspected Cancer Agent: Contains trace amount of trisodium nitrilo triacetic acid which is listed

as a potential carcinogen under OSHA Std. 20 CFR 1920.1200. Also

listed by; NTP, IARC.

Irritancy: Contact with this product can be irritating to exposed skin and eyes.

Sensitization to the Product: This product is not expected to cause skin and respiratory

sensitization.

This product does not contain ingredients that are suspected to be a **Germ Cell Mutagenicity:**

germ cell mutagenic.

Reproductive Toxicity: This product is not expected to be a human reproductive toxicant.

SECTION 12 - ECOLOGICAL INFORMATION

12.1 Toxicity: No specific data available on this product. 12.2 Persistence and Degradability: No specific data available on this product. 12.3 Bioaccumulative Potential: No specific data available on this product. 12.4 Mobility in Soil: No specific data available on this product. 12.5 Results of PBT and vPvB Assessment: No specific data available on this product.

12.6 Other Adverse Effects: No data available.

12.7 Water Endangerment Class: At present, there are no ecotoxicological assessments for this product.

SECTION 13 - DISPOSAL CONSIDERATIONS

Waste disposal must be in accordance with appropriate U.S. Federal, 13.1 Waste Treatment Methods:

State, and local regulations, those of Australia, EU Member States

and Japan.

13.2 EU Waste Code: Not determined

SECTION 14 - TRANSPORTATION INFORMATION

14.1 U.S. Department of Transportation (DOT) Shipping Regulations:

This product is classified (per 49 CFR 172.101) by the U.S. Department of Transportation, as follows.

UN Identification Number: None **Proper Shipping Name:** None **Hazard Class Number and Description:** None **Packing Group:** None DOT Label(s) Required: None North American Emergency Response Guidebook None

Number:

14.2 Environmental Hazards:

One of the ingredients are classified by the DOT as a Marine Pollutant

(as defined by 49 CFR 172.101, Appendix B)

This product is not considered as dangerous goods.

14.3 Special Precaution for User: None

14.4 International Air Transport Association Shipping

Information (IATA):

14.5 International Maritime Organization Shipping This product is not considered as dangerous goods.

Information (IMO):

SECTION 15 - REGULATORY INFORMATION

15.1 Safety, Health and Environmental Regulations Specific for the Substance or Mixture:

United States Regulations:

Marine Pollutant:

U.S. SARA Reporting Requirements:

The components of this product are not subject to the reporting requirements of Sections 302, 304, and 313 of Title III of the Superfund Amendments and Reauthorization Act. None known

U.S. SARA 311/312:

Acute Health: Yes; Chronic Health: No; Fire: No; Reactivity; No

U.S. SARA 313: None known

U.S. CERCLA Reportable Quantity:

None known

Cetvlite Page 6 of 7

U.S. TSCA Inventory Status:

The components of this product are listed on the TSCA Inventory or are exempted from listing.

Other U.S. Federal Regulations:

None known

California Safe Drinking Water and Toxic Enforcement Act (Proposition 65): This product does not contain ingredients on the Proposition 65 Lists.

15.2 Canadian Regulations:

Canadian DSL/NDSL Inventory Status:

Components are DSL Listed, NDSL Listed and/or are exempt from listing

Other Canadian Regulations:

Not applicable

Canadian Environmental Protection Act (CEPA) Priorities Substances Lists:

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all of the information required by those regulations.

Canadian WHMIS Classification and Symbols:

Classified per WHMIS 2015 Controlled Product Regulations.

15.3 European Economic Community Information:

This product meets the definition of a hazardous substance or preparation as defined by the European Union Council Directives 67/548/EEC, 1999/45/EC, 1272/2008/EC and subsequent Directives. See Section 2 for Details.

Chemical Safety Assessment:

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

15.4 Australian Information for Product:

Components of this product are listed on the International Chemical Inventory list.

15.5 Japanese Information for Product:

Japanese Minister of International Trade and Industry (MITI) Status: The components of this product are not listed as Class I specified Chemical Substances, or Designated Chemical Substances by the Japanese MITI.

15.6 International Chemical Inventories:

Listing of the components on individual country Chemical Inventories is as follows:

Australian Inventory of Chemical Substances (AICS): Listed

Korean Existing Chemicals List (ECL): Listed

Japanese Existing National Inventory of Chemical Substances (ENCS): Listed Philippines Inventory if Chemicals and Chemical Substances (PICCS): Listed

U.S. TSCA: Listed

SECTION 16 - ADDITIONAL INFORMATION

Prepared By: Chris Eigbrett (MSDS to GHS Compliance)

Date of Printing: November 3, 2016

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of the need that information is current, applicable and suited to the circumstances of use. This safety sheet cannot cover all possible situations which the user may experience during processing. Each aspect of your operation should be examined to determine if, or where, additional precautions may be necessary. All health and safety information contained in this bulletin should be provided to your employees or customers. Cetylite assumes no responsibility for injury to vendee or third party person proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, Cetylite assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Compliance with all applicable federal, state, and local laws and local regulations remains the responsibility of the user.

Revision History:

March 8 2012 - Document creation.

November 3 2016 - Updated template with corrected GHS elements and added data elements for EU

compliance.

END OF SDS SHEET

Cetylite Page 7 of 7