

## **SAFETY DATA SHEETS**

**This SDS packet was issued with item:**

077109267

**The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).**

077109259 077109275 077109283 077111263

# Material Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 02/28/2011

Reviewed on 02/28/2011

## 1 Identification of substance

- **Product details**
- **Trade name:** *Futurabond DC Liquid 1*
- **Application of the substance / the preparation** *Bonding*
- **Manufacturer/Supplier:**  
*VOCO GmbH*  
*Anton-Flettner-Str. 1-3*  
*D-27472 Cuxhaven*
- **Information department:** *Scientific department tel. +49 (0)4721-719-0*
- **Emergency information:** *Scientific department tel. +49 (0)4721-719-0*

## 2 Composition/Data on components

- **Chemical characterization**
- **Description:** *Mixture of the substances listed below with nonhazardous additions.*

- **Dangerous components:**

	<i>Acidic adhesive monomer</i>	<i>50-100%</i>
<i>1565-94-2</i>	<i>BIS-GMA</i>	<i>5-10%</i>
<i>868-77-9</i>	<i>2-hydroxyethyl methacrylate</i>	<i>5-10%</i>

## 3 Hazards identification

- **Hazard description:**  
*Corrosive*
- **Information pertaining to particular dangers for man and environment:**  
*The product has to be labelled due to the calculation procedure of international guidelines.*  
*Causes burns.*  
*May cause sensitization by skin contact.*
- **Classification system:**  
*The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.*
- **NFPA ratings (scale 0 - 4)**



*Health = 2*  
*Fire = 0*  
*Reactivity = 0*

- **HMIS-ratings (scale 0 - 4)**



*Health = 2*  
*Fire = 0*  
*Reactivity = 0*

## 4 First aid measures

- **General information:** *Immediately remove any clothing soiled by the product.*
- **After inhalation:** *Supply fresh air; consult doctor in case of complaints.*
- **After skin contact:** *Immediately wash with water and soap and rinse thoroughly.*
- **After eye contact:**  
*Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.*
- **After swallowing:** *If symptoms persist consult doctor.*

## 5 Fire fighting measures

- **Suitable extinguishing agents:**  
*CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.*

(Contd. on page 2)

USA

# Material Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 02/28/2011

Reviewed on 02/28/2011

Trade name: Futurabond DC Liquid I

(Contd. of page 1)

· **Protective equipment:** No special measures required.

## 6 Accidental release measures

- **Person-related safety precautions:** Ensure adequate ventilation
- **Measures for environmental protection:** Do not allow to enter sewers/ surface or ground water.
- **Measures for cleaning/collecting:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Use neutralizing agent.  
Ensure adequate ventilation.

## 7 Handling and storage

- **Handling:**
- **Information for safe handling:** For dental use only.
- **Information about protection against explosions and fires:** No special measures required.
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**  
Keep receptacle tightly sealed.  
See storage instructions on package

## 8 Exposure controls and personal protection

- **Additional information about design of technical systems:** No further data: see item 7.
- **Components with limit values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists that were valid during the creation were used as basis.
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
Keep away from foodstuffs, beverages and feed.  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes and skin.
- **Breathing equipment:** Not required.
- **Protection of hands:**



Protective gloves

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

- **Material of gloves**  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 3)

USA

# Material Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 02/28/2011

Reviewed on 02/28/2011

Trade name: Futurabond DC Liquid I

· Eye protection: Safety glasses

(Contd. of page 2)

## 9 Physical and chemical properties

### · General Information

Form:	Fluid
Color:	Yellow
Odor:	Characteristic

### · Change in condition

Melting point/Melting range: Undetermined.  
Boiling point/Boiling range: Undetermined.

· Flash point: Not applicable.

· Danger of explosion: Product does not present an explosion hazard.

· Density at 20°C (68°F): 1.2 g/cm<sup>3</sup>

· Solubility in / Miscibility with Water: Partly miscible.

· pH-value at 20°C (68°F): 1.5

## 10 Stability and reactivity

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Dangerous reactions: No dangerous reactions known.
- Dangerous products of decomposition: No dangerous decomposition products known.

## 11 Toxicological information

### · Acute toxicity:

### · LD/LC50 values that are relevant for classification:

Acidic adhesive monomer

Oral LD50 > 2000 mg/kg (rat)

### · Primary irritant effect:

· on the skin: Irritant to skin and mucous membranes.

· on the eye: Irritating effect.

### · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:  
Corrosive

## 12 Ecological information

### · Additional ecological information:

### · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

USA

(Contd. on page 4)

# Material Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 02/28/2011

Reviewed on 02/28/2011

Trade name: Futurabond DC Liquid 1

(Contd. of page 3)

## 13 Disposal considerations

- **Product:**
- **Recommendation:**  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

## 14 Transport information

- **DOT regulations:**
- **Label** 8
- **Land transport ADR/RID (cross-border):**
- **ADR/RID class:** -
- **Maritime transport IMDG:**
- **IMDG Class:** -
- **Marine pollutant:** No
- **Air transport ICAO-TI and IATA-DGR:**
- **ICAO/IATA Class:** -

## 15 Regulations

- **Sara**
- **Section 355 (extremely hazardous substances):**  
None of the ingredients is listed.
- **Section 313 (Specific toxic chemical listings):**  
None of the ingredients is listed.
- **TSCA (Toxic Substances Control Act):**  
Contact Voco for more information  
All ingredients are listed.
- **Proposition 65**
- **Chemicals known to cause cancer:**  
None of the ingredients is listed.
- **Chemicals known to cause reproductive toxicity for females:**  
None of the ingredients is listed.
- **Chemicals known to cause reproductive toxicity for males:**  
None of the ingredients is listed.
- **Chemicals known to cause developmental toxicity:**  
Contact Voco for more information
- **Carcinogenicity categories**
- **EPA (Environmental Protection Agency)**  
Contact Voco for more information
- **IARC (International Agency for Research on Cancer)**  
Contact Voco for more information
- **NTP (National Toxicology Program)**  
Contact Voco for more information

(Contd. on page 5)

USA

# Material Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 02/28/2011

Reviewed on 02/28/2011

Trade name: Futurabond DC Liquid I

(Contd. of page 4)

· **TLV (Threshold Limit Value established by ACGIH)**

Contact Voco for more information

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

Contact Voco for more information

· **OSHA-Ca (Occupational Safety & Health Administration)**

Contact Voco for more information

· **Canadian substance listings:**

· **Canadian Domestic Substances List (DSL)**

All ingredients are listed.

· **Canadian Ingredient Disclosure list (limit 0.1%)**

Contact Voco for more information

· **Canadian Ingredient Disclosure list (limit 1%)**

868-77-9 2-hydroxyethyl methacrylate

· **Product related hazard informations:**

The product has been classified and marked in accordance with directives on hazardous materials.

· **Hazard symbols:**



Corrosive

· **Hazard-determining components of labelling:**

2-hydroxyethyl methacrylate

Acidic adhesive monomer

· **Risk phrases:**

Causes burns.

May cause sensitization by skin contact.

· **Safety phrases:**

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

After contact with skin, wash immediately with plenty of water

Wear suitable gloves and eye/face protection.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing MSDS:** Scientific departement

· **Contact:** Tel.: +49 (0)4721-719-0

USA

# Material Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 02/28/2011

Reviewed on 02/28/2011

## 1 Identification of substance

- **Product details**
- **Trade name:** *Futurabond DC Liquid 2*
- **Application of the substance / the preparation** *Bonding*
- **Manufacturer/Supplier:**  
VOCO GmbH  
Anton-Flettner-Str. 1-3  
D-27472 Cuxhaven
- **Information department:** Scientific department tel. +49 (0)4721-719-0
- **Emergency information:** Scientific department tel. +49 (0)4721-719-0

## 2 Composition/Data on components

- **Chemical characterization**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

- **Dangerous components:**

64-17-5	ethanol	50-100%
	Initiator	2.5-5%

## 3 Hazards identification

- **Hazard description:** Not applicable.
- **Information pertaining to particular dangers for man and environment:**  
The product has to be labelled due to the calculation procedure of international guidelines.  
*Flammable.*
- **Classification system:**  
The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.
- **NFPA ratings (scale 0 - 4)**



Health = 0  
Fire = 3  
Reactivity = 0

- **HMIS-ratings (scale 0 - 4)**



Health = 0  
Fire = 3  
Reactivity = 0

## 4 First aid measures

- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.

## 5 Fire fighting measures

- **Suitable extinguishing agents:** CO<sub>2</sub>, sand, extinguishing powder. Do not use water.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Protective equipment:** No special measures required.

## 6 Accidental release measures

- **Person-related safety precautions:** Wear protective equipment. Keep unprotected persons away.

(Contd. on page 2)

—USA—

# Material Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 02/28/2011

Reviewed on 02/28/2011

Trade name: Futurabond DC Liquid 2

(Contd. of page 1)

- **Measures for environmental protection:**  
Do not allow to enter sewers/ surface or ground water.  
Dilute with plenty of water.
- **Measures for cleaning/collecting:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

## 7 Handling and storage

- **Handling:**
- **Information for safe handling:**  
For dental use only.  
No special measures required.
- **Information about protection against explosions and fires:**  
Keep ignition sources away - Do not smoke.  
Protect against electrostatic charges.
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**  
Keep receptacle tightly sealed.  
See storage instructions on package

## 8 Exposure controls and personal protection

- **Additional information about design of technical systems:** No further data; see item 7.

- **Components with limit values that require monitoring at the workplace:**

64-17-5 ethanol

PEL 1900 mg/m<sup>3</sup>, 1000 ppmREL 1900 mg/m<sup>3</sup>, 1000 ppmTLV Short-term value: 1880 mg/m<sup>3</sup>, 1000 ppm

- **Additional information:** The lists that were valid during the creation were used as basis.

- **Personal protective equipment:**
- **General protective and hygienic measures:** Avoid contact with the eyes and skin.
- **Breathing equipment:** Not required.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 3)

USA



# Material Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 02/28/2011

Reviewed on 02/28/2011

Trade name: Futurabond DC Liquid 2

· Eye protection: Safety glasses

(Contd. of page 2)

## 9 Physical and chemical properties

### · General Information

Form: Fluid  
 Color: Colorless  
 Odor: Characteristic

### · Change in condition

Melting point/Melting range: Undetermined.  
 Boiling point/Boiling range: Undetermined.

· Flash point: 21°C (70°F)

· Ignition temperature: Not determined

· Auto igniting: Product is not selfigniting.

· Danger of explosion: Product is not explosive. However, formation of explosive air/vapor mixtures are possible.

· Density at 20°C (68°F): 0.87 g/cm<sup>3</sup>

· Solubility in / Miscibility with Water: Fully miscible.

## 10 Stability and reactivity

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Dangerous reactions: No dangerous reactions known.
- Dangerous products of decomposition: No dangerous decomposition products known.

## 11 Toxicological information

- Acute toxicity:
- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.

## 12 Ecological information

- Additional ecological information:
- General notes:  
 Water hazard class 1 (Self-assessment): slightly hazardous for water  
 Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

## 13 Disposal considerations

- Product:
- Recommendation:  
 Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 4)

USA

# Material Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 02/28/2011

Reviewed on 02/28/2011

Trade name: Futurabond DC Liquid 2

(Contd. of page 3)

- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

## 14 Transport information

### · DOT regulations:



- **Hazard class:** 3
- **Identification number:** UN1170
- **Packing group:** II
- **Proper shipping name (technical name):** ETHANOL, mixture
- **Label:** 3

### · Land transport ADR/RID (cross-border):



- **ADR/RID class:** 3 Flammable liquids
- **Danger code (Kemler):** 33
- **UN-Number:** 1170
- **Packaging group:** II
- **Label:** 3
- **Description of goods:** 1170 ETHANOL (ETHYL ALCOHOL), mixture

### · Maritime transport IMDG:



- **IMDG Class:** 3
- **UN Number:** 1170
- **Label:** 3
- **Packaging group:** II
- **EMS Number:** F-E,S-D
- **Marine pollutant:** No
- **Propper shipping name:** ETHANOL (ETHYL ALCOHOL), mixture

### · Air transport ICAO-TI and IATA-DGR:



- **ICAO/IATA Class:** 3
- **UN/ID Number:** 1170
- **Label:** 3
- **Packaging group:** II
- **Propper shipping name:** ETHANOL, mixture

## 15 Regulations

### · Sara

#### · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

(Contd. on page 5)

USA

# Material Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 02/28/2011

Reviewed on 02/28/2011

Trade name: Futurabond DC Liquid 2

(Contd. of page 4)

· **Section 313 (Specific toxic chemical listings):**

None of the ingredients is listed.

· **TSCA (Toxic Substances Control Act):**

All ingredients are listed.

· **Proposition 65**

· **Chemicals known to cause cancer:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

64-17-5 ethanol

· **Carcinogenicity categories**

· **EPA (Environmental Protection Agency)**

Contact Voco for more information

· **IARC (International Agency for Research on Cancer)**

Contact Voco for more information

· **NTP (National Toxicology Program)**

Contact Voco for more information

· **TLV (Threshold Limit Value established by ACGIH)**

Contact Voco for more information

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

Contact Voco for more information

· **OSHA-Ca (Occupational Safety & Health Administration)**

Contact Voco for more information

· **Canadian substance listings:**

· **Canadian Domestic Substances List (DSL)**

All ingredients are listed.

· **Canadian Ingredient Disclosure list (limit 0.1%)**

Contact Voco for more information

· **Canadian Ingredient Disclosure list (limit 1%)**

Contact Voco for more information

· **Product related hazard informations:**

Observe the general safety regulations when handling chemicals.

The product has been classified and marked in accordance with directives on hazardous materials.

· **Risk phrases:**

Flammable.

· **Safety phrases:**

Keep container tightly closed.

Keep away from sources of ignition - No smoking.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing MSDS:** Scientific departement

· **Contact:** Tel.: +49 (0)4721-719-0

USA

# Safety Data Sheet

acc. to OSHA HCS

Printing date 11/02/2016

Reviewed on 11/02/2016

## 1 Identification

- **Product identifier**
- **Trade name:** Futurabond DC Liquid 1
- **Application of the substance / the mixture** Bonding
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
VOCO GmbH  
Anton-Flettner-Str. 1-3  
D-27472 Cuxhaven
- **Information department:** Scientific department tel. +49 (0)4721-719-0
- **Emergency telephone number:** Scientific department tel. +49 (0)4721-719-0

## 2 Hazard(s) identification

Health effects are based on the unmixed/uncured material.

Under FDA regulations this product is classified as a medical device.

Medical devices are exempt from the labelling provisions of GHS according to the Hazard Communication Standard (HCS).

- **Classification of the substance or mixture**



Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.



Skin Sens. 1 H317 May cause an allergic skin reaction.

- **Label elements**
- **Hazard pictograms** GHS05, GHS07
- **Signal word** Danger
- **Hazard statements**  
Causes severe skin burns and eye damage.  
May cause an allergic skin reaction.
- **Precautionary statements**  
Wear protective gloves / eye protection.  
Wear protective clothing.  
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
If skin irritation or rash occurs: Get medical advice/attention.  
IF ON SKIN: Wash with plenty of water.  
Dispose of contents/container in accordance with local/regional/national/international regulations.
- **Other hazards** Use only for intended scope of application
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

## 3 Composition/information on ingredients

- **Chemical characterization:** Mixtures
- **Description:** Mixture of the substances listed below with nonhazardous additions.

### · Dangerous components:

	Acidic adhesive monomer	50-100%
	Skin Corr. 1B, H314; Eye Dam. 1, H318	
1565-94-2	BIS GMA	5-10%
	Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317	

(Contd. on page 2)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 11/02/2016

Reviewed on 11/02/2016

Trade name: Futurabond DC Liquid 1

(Contd. of page 1)

868-77-9 2-hydroxyethyl methacrylate

5-10%

Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335

## 4 First-aid measures

- **Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** Supply fresh air and to be sure call for a doctor.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

## 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

## 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Ensure adequate ventilation
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Use neutralizing agent.  
Ensure adequate ventilation.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## 7 Handling and storage

- **Handling:**
- **Precautions for safe handling** For dental use only.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**  
Keep receptacle tightly sealed.  
See storage instructions on package
- **Specific end use(s)** No further relevant information available.

US

(Contd. on page 3)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 11/02/2016

Reviewed on 11/02/2016

Trade name: Futurabond DC Liquid 1

(Contd. of page 2)

## 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:** Avoid contact with the eyes and skin.
- **Breathing equipment:** Not required.
- **Protection of hands:**



Protective gloves

- **Material of gloves**  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Eye protection:** Safety glasses

## 9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**

Form:	Fluid
Color:	According to product specification
- **Odor:** Characteristic
- **Odor threshold:** Not determined.
- **pH-value at 20 °C (68 °F):** 1.5
- **Change in condition**

Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
- **Flash point:** Not applicable.
- **Flammability (solid, gaseous):** Not applicable.
- **Decomposition temperature:** Not determined.
- **Auto igniting:** Product is not selfigniting.
- **Danger of explosion:** Product does not present an explosion hazard.
- **Density at 20 °C (68 °F):** 1.2 g/cm<sup>3</sup> (10.014 lbs/gal)
- **Relative density** Not determined.
- **Vapor density** Not determined.
- **Evaporation rate** Not determined.
- **Solubility in / Miscibility with Water:** Not miscible or difficult to mix.
- **Partition coefficient (n-octanol/water):** Not determined.

(Contd. on page 4)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 11/02/2016

Reviewed on 11/02/2016

Trade name: Futurabond DC Liquid 1

(Contd. of page 3)

- **Viscosity:**
  - Dynamic:** Not determined.
  - Kinematic:** Not determined.
- **Other information** No further relevant information available.

## 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

Acidic adhesive monomer

Oral LD50 &gt; 2000 mg/kg (rat)

- **Primary irritant effect:**

- **on the skin:**

Testing according to ISO 10993-1/10993-10 showed no skin irritation for this product when fully cured

Caustic effect on skin and mucous membranes.

Strong caustic effect on skin and mucous membranes.

- **on the eye:** Strong caustic effect.

- **Sensitization:** Sensitization possible through skin contact.

- **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

Corrosive

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

fumed silica

3

128-37-0 2,6-di-tert-butyl-p-cresol

3

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

## 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.

(Contd. on page 5)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 11/02/2016

Reviewed on 11/02/2016

Trade name: Futurabond DC Liquid 1

(Contd. of page 4)

- **Additional ecological information:**
- **General notes:**  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

## 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

## 14 Transport information

- |  |                 |
|--|-----------------|
| · <b>UN-Number</b>   | -               |
| · <b>UN proper shipping name</b>   | -               |
| · <b>Transport hazard class(es)</b>  | -               |
| · <b>Packing group</b>   | -               |
| · <b>Environmental hazards:</b>  |                 |
| · <b>Marine pollutant:</b>   | No              |
| · <b>Special precautions for user</b>  | Not applicable. |
| · <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b> | Not applicable. |

## 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Sara**

### · Section 355 (extremely hazardous substances):

None of the ingredients are listed.

### · Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

### · TSCA (Toxic Substances Control Act):

All ingredients are listed.

### · Proposition 65

#### · Chemicals known to cause cancer:

None of the ingredients are listed.

#### · Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed

#### · Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed

(Contd. on page 6)

US



# Safety Data Sheet

acc. to OSHA HCS

Printing date 11/02/2016

Reviewed on 11/02/2016

Trade name: **Futurabond DC Liquid 1**

(Contd. of page 5)

· **Chemicals known to cause developmental toxicity:**

None of the ingredients are listed

· **Carcinogenicity categories**

· **EPA (Environmental Protection Agency)**

None of the ingredients are listed

· **TLV (Threshold Limit Value established by ACGIH)**

Contact VOCO for more information.

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients are listed

· **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms** GHS05, GHS07

· **Signal word** Danger

· **Hazard statements**

Causes severe skin burns and eye damage.

May cause an allergic skin reaction.

· **Precautionary statements**

Wear protective gloves / eye protection.

Wear protective clothing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If skin irritation or rash occurs: Get medical advice/attention.

IF ON SKIN: Wash with plenty of water.

Dispose of contents/container in accordance with local/regional/national/international regulations.

## 16 Other information

The information contained herein is based on our present knowledge and is believed to be correct at the date issued. The information is subject to change without notice. However, all information, statements, recommendations or suggestions shall not constitute any guarantee, representation or warranty, expressed or implied.

Final determination whether the product is fit and suitable for a particular purpose and the user's method of use or application is the sole responsibility of the user.

· **Department issuing SDS:** Scientific department

· **Contact:** Tel.: +49 (0)4721-719-0

· **Date of preparation / last revision** 11/02/2016 / 5

· **Abbreviations and acronyms:**

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

Skin Sens. 1: Skin sensitisation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

· **\* Data compared to the previous version altered.**

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 11/03/2016

Reviewed on 11/03/2016

## 1 Identification

- **Product identifier**
- **Trade name:** Futurabond DC Liquid 2
- **Application of the substance / the mixture** Bonding
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
VOCO GmbH  
Anton-Flettner-Str. 1-3  
D-27472 Cuxhaven
- **Information department:** Scientific department tel. +49 (0)4721-719-0
- **Emergency telephone number:** Scientific department tel. +49 (0)4721-719-0

## 2 Hazard(s) identification

Health effects are based on the unmixed/uncured material.  
Under FDA regulations this product is classified as a medical device.  
Medical devices are exempt from the labelling provisions of GHS according to the Hazard Communication Standard (HCS).

- **Classification of the substance or mixture**



Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.

- **Label elements**
- **Hazard pictograms** GHS02
- **Signal word** Danger
- **Hazard statements**  
Highly flammable liquid and vapor.
- **Precautionary statements**  
Wear protective gloves / protective clothing.  
If skin irritation occurs: Get medical advice/attention.  
Dispose of contents/container in accordance with local/regional/national/international regulations.
- **Other hazards** Use only for intended scope of application
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

## 3 Composition/information on ingredients

- **Chemical characterization:** Mixtures
- **Description:** Mixture of the substances listed below with nonhazardous additions.

- **Dangerous components:**

64-17-5	ethanol	Flam. Liq. 2, H225	50-100%
	Initiator	Acute Tox. 3, H301	2.5-5%

## 4 First-aid measures

- **Description of first aid measures**
- **After inhalation:** Seek medical treatment in case of complaints.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.

(Contd. on page 2)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 11/03/2016

Reviewed on 11/03/2016

Trade name: Futurabond DC Liquid 2

(Contd. of page 1)

- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

## 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** CO<sub>2</sub>, sand, extinguishing powder. Do not use water.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

## 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Wear protective clothing.
- **Environmental precautions:**  
Do not allow to enter sewers/ surface or ground water.  
Dilute with plenty of water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## 7 Handling and storage

- **Handling:**
- **Precautions for safe handling** For dental use only.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**  
Keep receptacle tightly sealed.  
See storage instructions on package
- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**  
The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.  
At this time, the remaining constituent has no known exposure limits.

### 64-17-5 ethanol (50-100%)

PEL	Long-term value: 1900 mg/m <sup>3</sup> , 1000 ppm
REL	Long-term value: 1900 mg/m <sup>3</sup> , 1000 ppm
TLV	Short-term value: 1880 mg/m <sup>3</sup> , 1000 ppm

- **Additional information:** The lists that were valid during the creation were used as basis.

(Contd. on page 3)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 11/03/2016

Reviewed on 11/03/2016

Trade name: Futurabond DC Liquid 2

(Contd. of page 2)

- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
The usual precautionary measures for handling chemicals should be followed.
- **Breathing equipment:** Not required.
- **Protection of hands:**



Protective gloves

- **Material of gloves**  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Eye protection:** Safety glasses

## 9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**
  - Form:** Fluid
  - Color:** Colorless
  - Odor:** Characteristic
- **pH-value:** Not determined.
- **Change in condition**
  - Melting point/Melting range:** Undetermined.
  - Boiling point/Boiling range:** Undetermined.
- **Flash point:** 21 °C (70 °F)
- **Auto igniting:** Product is not selfigniting.
- **Danger of explosion:** Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
- **Density at 20 °C (68 °F):** 0.87 g/cm<sup>3</sup> (7.26 lbs/gal)
- **Solubility in / Miscibility with Water:** Fully miscible.
- **Viscosity:**
  - Dynamic:** Not determined.
  - Kinematic:** Not determined.
- **Other information** No further relevant information available.

## 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.

(Contd. on page 4)

US

# Safety Data Sheet

## acc. to OSHA HCS

Printing date 11/03/2016

Reviewed on 11/03/2016

Trade name: Futurabond DC Liquid 2

(Contd. of page 3)

· **Hazardous decomposition products:** No dangerous decomposition products known.

### 11 Toxicological information

· **Information on toxicological effects**· **Acute toxicity:**· **Primary irritant effect:**· **on the skin:**

Testing according to ISO 10993-1/10993-10 showed no skin irritation for this product when fully cured

· **on the eye:** No irritating effect.· **Sensitization:** No sensitizing effects known.· **Additional toxicological information:**· **Carcinogenic categories**· **IARC (International Agency for Research on Cancer)**

The component 64-17-5 Ethanol is listed by IARC as Group 1 but in alcoholic beverages consumption only.

This product is not an alcoholic beverage.

64-17-5 ethanol

1

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

### 12 Ecological information

· **Toxicity**· **Aquatic toxicity:** No further relevant information available.· **Persistence and degradability** No further relevant information available.· **Behavior in environmental systems:**· **Bioaccumulative potential** No further relevant information available.· **Mobility in soil** No further relevant information available.· **Additional ecological information:**· **General notes:**

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· **Results of PBT and vPvB assessment**· **PBT:** Not applicable.· **vPvB:** Not applicable.· **Other adverse effects** No further relevant information available.

### 13 Disposal considerations

· **Waste treatment methods**· **Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packagings:**· **Recommendation:** Disposal must be made according to official regulations.

### 14 Transport information

· **UN-Number**· **DOT, ADR, IMDG, IATA**

UN1170

(Contd. on page 5)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 11/03/2016

Reviewed on 11/03/2016

Trade name: Futurabond DC Liquid 2

(Contd. of page 4)

· **UN proper shipping name**  
 · **DOT** Ethanol mixture  
 · **ADR** 1170 Ethanol mixture  
 · **IMDG** ETHANOL (ETHYL ALCOHOL) mixture  
 · **IATA** ETHANOL mixture

· **Transport hazard class(es)**· **DOT**

· **Class** 3 Flammable liquids  
 · **Label** 3

· **ADR, IMDG, IATA**

· **Class** 3 Flammable liquids  
 · **Label** 3

· **Packing group**· **DOT, ADR, IMDG, IATA** II· **Environmental hazards:**· **Marine pollutant:** No· **Special precautions for user** Warning: Flammable liquids· **Danger code (Kemler):** 33· **EMS Number:** F-E,S-D· **Stowage Category** A

· **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable.

· **UN "Model Regulation":** UN 1170 ETHANOL MIXTURE, 3, II

## 15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**· **Sara**· **Section 355 (extremely hazardous substances):**

None of the ingredients are listed.

· **Section 313 (Specific toxic chemical listings):**

None of the ingredients are listed.

· **TSCA (Toxic Substances Control Act):**

All ingredients are listed.

· **Proposition 65**· **Chemicals known to cause cancer:**

None of the ingredients are listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients are listed

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients are listed

(Contd. on page 6)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 11/03/2016

Reviewed on 11/03/2016

Trade name: Futurabond DC Liquid 2

(Contd. of page 5)

· **Chemicals known to cause developmental toxicity:**

64-17-5 ethanol

· **Cancerogenity categories**

· **EPA (Environmental Protection Agency)**

Initiator

I (oral)

· **TLV (Threshold Limit Value established by ACGIH)**

64-17-5 ethanol

A3

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients are listed

· **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms** GHS02

· **Signal word** Danger

· **Hazard statements**

Highly flammable liquid and vapor.

· **Precautionary statements**

Wear protective gloves / protective clothing.

If skin irritation occurs: Get medical advice/attention.

Dispose of contents/container in accordance with local/regional/national/international regulations.

## 16 Other information

The information contained herein is based on our present knowledge and is believed to be correct at the date issued. The information is subject to change without notice. However, all information, statements, recommendations or suggestions shall not constitute any guarantee, representation or warranty, expressed or implied.

Final determination whether the product is fit and suitable for a particular purpose and the user's method of use or application is the sole responsibility of the user.

· **Department issuing SDS:** Scientific department

· **Contact:** Tel.: +49 (0)4721-719-0

· **Date of preparation / last revision** 11/03/2016 / 5

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flam. Liq. 2: Flammable liquids – Category 2

Acute Tox. 3: Acute toxicity – Category 3

· **\* Data compared to the previous version altered.**

US



# Safety Data Sheet

acc. to OSHA HCS

Printing date 11/03/2016

Reviewed on 11/03/2016

## 1 Identification

- **Product identifier**
- **Trade name:** Futurabond DC Liquid 2
- **Application of the substance / the mixture** Bonding
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
VOCO GmbH  
Anton-Flettner-Str. 1-3  
D-27472 Cuxhaven
- **Information department:** Scientific department tel. +49 (0)4721-719-0
- **Emergency telephone number:** Scientific department tel. +49 (0)4721-719-0

## 2 Hazard(s) identification

Health effects are based on the unmixed/uncured material.  
Under FDA regulations this product is classified as a medical device.  
Medical devices are exempt from the labelling provisions of GHS according to the Hazard Communication Standard (HCS).

- **Classification of the substance or mixture**



Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.

- **Label elements**
- **Hazard pictograms** GHS02
- **Signal word** Danger
- **Hazard statements**  
Highly flammable liquid and vapor.
- **Precautionary statements**  
Wear protective gloves / protective clothing.  
If skin irritation occurs: Get medical advice/attention.  
Dispose of contents/container in accordance with local/regional/national/international regulations.
- **Other hazards** Use only for intended scope of application
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

## 3 Composition/information on ingredients

- **Chemical characterization:** Mixtures
- **Description:** Mixture of the substances listed below with nonhazardous additions.

- **Dangerous components:**

64-17-5	ethanol	Flam. Liq. 2, H225	50-100%
	Initiator	Acute Tox. 3, H301	2.5-5%

## 4 First-aid measures

- **Description of first aid measures**
- **After inhalation:** Seek medical treatment in case of complaints.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.

(Contd. on page 2)

US



# Safety Data Sheet

acc. to OSHA HCS

Printing date 11/03/2016

Reviewed on 11/03/2016

Trade name: Futurabond DC Liquid 2

(Contd. of page 1)

- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

## 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** CO<sub>2</sub>, sand, extinguishing powder. Do not use water.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

## 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Wear protective clothing.
- **Environmental precautions:**  
Do not allow to enter sewers/ surface or ground water.  
Dilute with plenty of water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## 7 Handling and storage

- **Handling:**
- **Precautions for safe handling** For dental use only.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**  
Keep receptacle tightly sealed.  
See storage instructions on package
- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**  
The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.  
At this time, the remaining constituent has no known exposure limits.

### 64-17-5 ethanol (50-100%)

PEL	Long-term value: 1900 mg/m <sup>3</sup> , 1000 ppm
REL	Long-term value: 1900 mg/m <sup>3</sup> , 1000 ppm
TLV	Short-term value: 1880 mg/m <sup>3</sup> , 1000 ppm

- **Additional information:** The lists that were valid during the creation were used as basis.

(Contd. on page 3)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 11/03/2016

Reviewed on 11/03/2016

Trade name: Futurabond DC Liquid 2

(Contd. of page 2)

- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
The usual precautionary measures for handling chemicals should be followed.
- **Breathing equipment:** Not required.
- **Protection of hands:**



Protective gloves

- **Material of gloves**  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Eye protection:** Safety glasses

## 9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**
  - Form:** Fluid
  - Color:** Colorless
  - Odor:** Characteristic
- **pH-value:** Not determined.
- **Change in condition**
  - Melting point/Melting range:** Undetermined.
  - Boiling point/Boiling range:** Undetermined.
- **Flash point:** 21 °C (70 °F)
- **Auto igniting:** Product is not selfigniting.
- **Danger of explosion:** Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
- **Density at 20 °C (68 °F):** 0.87 g/cm<sup>3</sup> (7.26 lbs/gal)
- **Solubility in / Miscibility with Water:** Fully miscible.
- **Viscosity:**
  - Dynamic:** Not determined.
  - Kinematic:** Not determined.
- **Other information** No further relevant information available.

## 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.

(Contd. on page 4)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 11/03/2016

Reviewed on 11/03/2016

Trade name: Futurabond DC Liquid 2

(Contd. of page 3)

· **Hazardous decomposition products:** No dangerous decomposition products known.

## 11 Toxicological information

· **Information on toxicological effects**· **Acute toxicity:**· **Primary irritant effect:**· **on the skin:**

Testing according to ISO 10993-1/10993-10 showed no skin irritation for this product when fully cured

· **on the eye:** No irritating effect.· **Sensitization:** No sensitizing effects known.· **Additional toxicological information:**· **Carcinogenic categories**· **IARC (International Agency for Research on Cancer)**

The component 64-17-5 Ethanol is listed by IARC as Group 1 but in alcoholic beverages consumption only.

This product is not an alcoholic beverage.

64-17-5 ethanol

1

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

## 12 Ecological information

· **Toxicity**· **Aquatic toxicity:** No further relevant information available.· **Persistence and degradability** No further relevant information available.· **Behavior in environmental systems:**· **Bioaccumulative potential** No further relevant information available.· **Mobility in soil** No further relevant information available.· **Additional ecological information:**· **General notes:**

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· **Results of PBT and vPvB assessment**· **PBT:** Not applicable.· **vPvB:** Not applicable.· **Other adverse effects** No further relevant information available.

## 13 Disposal considerations

· **Waste treatment methods**· **Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packagings:**· **Recommendation:** Disposal must be made according to official regulations.

## 14 Transport information

· **UN-Number**· **DOT, ADR, IMDG, IATA**

UN1170

(Contd. on page 5)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 11/03/2016

Reviewed on 11/03/2016

Trade name: Futurabond DC Liquid 2

(Contd. of page 4)

· **UN proper shipping name**  
 · **DOT** Ethanol mixture  
 · **ADR** 1170 Ethanol mixture  
 · **IMDG** ETHANOL (ETHYL ALCOHOL) mixture  
 · **IATA** ETHANOL mixture

· **Transport hazard class(es)**· **DOT**

· **Class** 3 Flammable liquids  
 · **Label** 3

· **ADR, IMDG, IATA**

· **Class** 3 Flammable liquids  
 · **Label** 3

· **Packing group**· **DOT, ADR, IMDG, IATA** II· **Environmental hazards:**· **Marine pollutant:** No· **Special precautions for user** Warning: Flammable liquids· **Danger code (Kemler):** 33· **EMS Number:** F-E,S-D· **Stowage Category** A

· **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable.

· **UN "Model Regulation":** UN 1170 ETHANOL MIXTURE, 3, II

## 15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**· **Sara**· **Section 355 (extremely hazardous substances):**

None of the ingredients are listed.

· **Section 313 (Specific toxic chemical listings):**

None of the ingredients are listed.

· **TSCA (Toxic Substances Control Act):**

All ingredients are listed.

· **Proposition 65**· **Chemicals known to cause cancer:**

None of the ingredients are listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients are listed

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients are listed

(Contd. on page 6)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 11/03/2016

Reviewed on 11/03/2016

Trade name: Futurabond DC Liquid 2

(Contd. of page 5)

· **Chemicals known to cause developmental toxicity:**

64-17-5 ethanol

· **Cancerogenity categories**

· **EPA (Environmental Protection Agency)**

Initiator

I (oral)

· **TLV (Threshold Limit Value established by ACGIH)**

64-17-5 ethanol

A3

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients are listed

· **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms** GHS02

· **Signal word** Danger

· **Hazard statements**

Highly flammable liquid and vapor.

· **Precautionary statements**

Wear protective gloves / protective clothing.

If skin irritation occurs: Get medical advice/attention.

Dispose of contents/container in accordance with local/regional/national/international regulations.

## 16 Other information

The information contained herein is based on our present knowledge and is believed to be correct at the date issued. The information is subject to change without notice. However, all information, statements, recommendations or suggestions shall not constitute any guarantee, representation or warranty, expressed or implied.

Final determination whether the product is fit and suitable for a particular purpose and the user's method of use or application is the sole responsibility of the user.

· **Department issuing SDS:** Scientific department

· **Contact:** Tel.: +49 (0)4721-719-0

· **Date of preparation / last revision** 11/03/2016 / 5

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flam. Liq. 2: Flammable liquids – Category 2

Acute Tox. 3: Acute toxicity – Category 3

· **\* Data compared to the previous version altered.**

US