# **SAFETY DATA SHEETS**

This SDS packet was issued with item: 075215983

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

075217187 075217526



## Material Safety Data Sheet acc. to ISO/DIS 11014

Printing date 05/07/2012

Reviewed on 04/01/2012

#### **1** Identification of the substance/mixture and of the company/undertaking

#### · Product identifier

#### · Trade name: CLEARFIL PHOTO CORE, CLEARFIL PHOTO CORE PLT

- · Article number: US020-101
- · Application of the substance / the preparation Core build-up material

#### · Details of the supplier of the safety data sheet

- · Manufacturer:
- Kuraray Noritake Dental Inc. 1621 Sakazu, Kurashiki, Okayama 710-0801, Japan

Contact information: Kuraray America, Inc.
33 Maiden Lane, 6th Floor, New York, NY 10038 U.S.A.
Tel: 800-879-1676
Fax: 888-700-5200
Website: www.kuraraydental.com

#### 2 Composition/information on ingredients

#### · Chemical characterization: Single Component

 $\cdot$  **Description:** Mixture of substances listed below with nonhazardous additions.

#### · Dangerous components:

0	•		
1565-94-2	bisphenol A diglycidylmethacrylate	🚸 H315; H319	<13%
109-16-0	triethylene glycol dimethacrylate	🚸 H315; H319; H335	<6%

 Other ingredients: Silanated silica filler Silanated barium glass filler dl-Camphorquinone Catalysts Accelerators Others

#### **3 Hazards identification**

#### · Classification of the substance or mixture



H315 Causes skin irritation.

H319 Causes serious eye irritation.

- · Classification according to Directive 67/548/EEC or Directive 1999/45/EC Not applicable.
- · Information concerning particular hazards for human and environment:
- The product does not have to be labelled due to the calculation procedure of international guidelines. Classification system:

The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.

#### · Label elements

#### · GHS label elements

The product is classified and labelled according to the Globally Harmonized System (GHS).


- · Hazard pictograms GHS07
- · Signal word Warning
- · Hazard statements
- H315 Causes skin irritation.

(Contd. on page 2)

USA



## Trade name: CLEARFIL PHOTO CORE, CLEARFIL PHOTO CORE PLT



Material Safety Data Sheet

acc. to ISO/DIS 11014

#### 4 First aid measures

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.

#### **5 Firefighting measures**

· Suitable extinguishing agents:

- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Protective equipment: No special measures required.

#### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: No special measures required.
- Methods and material for containment and cleaning up: Pick up mechanically.
- Reference to other sections No dangerous substances are released.

#### 7 Handling and storage

- · Handling:
- · Precautions for safe handling No special measures required.
- Information about protection against explosions and fires: No special measures required.
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location (2-25°C).
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.

(Contd. on page 3)

USA



#### Reviewed on 04/01/2012

#### Trade name: CLEARFIL PHOTO CORE, CLEARFIL PHOTO CORE PLT

(Contd. of page 2)

· Specific end use(s) No further relevant information available.

### **8 Exposure controls/personal protection**

## • Additional information about design of technical systems: No further data; see item 7.

- · Components with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

acc. to ISO/DIS 11014

- · Additional information: The lists that were valid during the creation were used as basis.
- · Personal protective equipment:
- · General protective and hygienic measures:
- The usual precautionary measures for handling chemicals should be followed.
- · Breathing equipment: Not required.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Not required.

## **9** Physical and chemical properties

· General Information		
· Appearance:		
Form:	Pasty	
Color:	Colored	
· Odor:	Odorless	
· pH-value:	Not applicable	
· Change in condition		
Melting point/Melting range:	Undetermined.	
<b>Boiling point/Boiling range:</b>	Undetermined.	
· Flash point:	Not applicable.	
· Ignition temperature:	Not applicable	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not applicable	
Upper:	Not applicable	
· Vapor pressure:	Not applicable	
· Density:	2.2 g/cm <sup>3</sup> (18.359 lbs/gal)	
· Vapour density	Not applicable	
	(Co	ontd. on page



## **KUGATAN** Material Safety Data Sheet acc. to ISO/DIS 11014

Reviewed on 04/01/2012

# Trade name: CLEARFIL PHOTO CORE, CLEARFIL PHOTO CORE PLT

(Contd. of page 3)

· Solubility in / Miscibility with Water:

Insoluble.

· Segregation coefficient (n-octonol/water): Not applicable

· Other information No further relevant information available.

## **10 Stability and reactivity**

- · Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: Carbon monoxide and carbon dioxide

### **11 Toxicological information**

- · Acute toxicity:
- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

## **12 Ecological information**

· Aquatic toxicity: No further relevant information available.

- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Additional ecological information:
- · General notes: Generally not hazardous for water

#### **13 Disposal considerations**

- · Waste treatment methods
- **Recommendation:** Smaller quantities can be disposed of with household waste.
- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

## **14 Transport information**

- · UN-Number
- · DOT, ADR, ADN, IMDG, IATA
- · UN proper shipping name

Void

Void

· DOT, ADR, ADN, IMDG, IATA

(Contd. on page 5)

USA



#### Reviewed on 04/01/2012

## Trade name: CLEARFIL PHOTO CORE, CLEARFIL PHOTO CORE PLT

		(Contd. of page 4)
· Transport hazard class(es)		
· DOT, ADR, ADN, IMDG, IATA		
· Class	Void	
· Packing group		
· DOT, ADR, IMDG, IATA	Void	
· Environmental hazards:		
· Marine pollutant:	No	
· Special precautions for user	Not applicable.	
· Transport in bulk according to Annex	II of	
MARPOL73/78 and the IBC Code	Not applicable.	
· UN "Model Regulation":	-	

# **15 Regulatory information**

#### · Sara

·Sara	
· Section 355 (extremely hazardous substances):	
None of the ingredient is listed.	
· Section 313 (Specific toxic chemical listings):	
None of the ingredients is listed.	
· TSCA (Toxic Substances Control Act):	
All ingredients are listed.	
· Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
$\cdot$ Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· Cancerogenity categories	
· EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
· IARC (International Agency for Research on Cancer)	
None of the ingredients is listed.	
· TLV (Threshold Limit Value established by ACGIH)	
None of the ingredients is listed.	
· NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
· OSHA-Ca (Occupational Safety & Health Administation)	
None of the ingredients is listed.	

(Contd. on page 6)



## Material Safety Data Sheet acc. to ISO/DIS 11014

Printing date 05/07/2012

Reviewed on 04/01/2012

## Trade name: CLEARFIL PHOTO CORE, CLEARFIL PHOTO CORE PLT

(Contd. of page 5)

USA

### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- $\cdot$  Version: 3
- $\cdot \ \textbf{Relevant phrases}$
- Not applicable
- H315 Causes skin irritation.
- H319 Causes serious eye irritation. H335 May cause respiratory irritation.



# Safety Data Sheet acc. to OSHA HCS

Version 4

Reviewed on 08/01/2017

## **1** Identification

#### · Product identifier

#### Trade name: CLEARFIL PHOTO CORE, CLEARFIL PHOTO CORE PLT

• Article number: US020-101

• **Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.

· Application of the substance / the mixture Core build-up material

#### · Details of the supplier of the safety data sheet

#### · Manufacturer:

Kuraray Noritake Dental Inc. 1621 Sakazu, Kurashiki, Okayama 710-0801, Japan

## Contact information:

Kuraray America, Inc. 33 Maiden Lane, 6th Floor, New York, NY 10038 U.S.A. Tel: 800-879-1676 Fax: 888-700-5200 Website: www.kuraraydental.com **Emergency telephone number:** For chemical emergency spill, leak, fire, exposure or accident Call CHEMTREC day and night Within USA and Canada: 1-800-424-9300 CCN706984 or +1 703-527-3887 (collect calls accepted)

## 2 Hazard(s) identification

· Classification of the substance or mixture GHS07 Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation. · Label elements · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms GHS07 · Signal word Warning · Hazard statements H315 Causes skin irritation. H319 Causes serious eye irritation. Precautionary statements Wash thoroughly after handling. P264 P280 Wear protective gloves / eye protection / face protection. IF ON SKIN: Wash with plenty of water. P302+P352 P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P321 Specific treatment (see on this label). P332+P313 If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. P337+P313 P362+P364 Take off contaminated clothing and wash it before reuse. · Other hazards · Results of PBT and vPvB assessment · PBT: Not applicable. (Contd. on page 2) US



# Safety Data Sheet acc. to OSHA HCS

Version 4

## Trade name: CLEARFIL PHOTO CORE, CLEARFIL PHOTO CORE PLT

• vPvB: Not applicable.

(Contd. of page 1)

### **3** Composition/information on ingredients

#### · Chemical characterization: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

#### Dangerous components:

1565-94-2 bisphenol A diglycidylmethacrylate	<13%		
Skin Irrit. 2, H315; Eye Irrit. 2A, H319			
109-16-0 triethylene glycol dimethacrylate	<6%		
🐼 Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335			
• Other ingredients:			

Silanated silica filler Silanated barium glass filler dl-Camphorquinone Catalysts Accelerators

#### 4 First-aid measures

· Description of first aid measures

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• After swallowing: If symptoms persist consult doctor.

- Information for doctor:

• Most important symptoms and effects, both acute and delayed No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **5** Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

• Special hazards arising from the substance or mixture No further relevant information available.

- · Advice for firefighters
- · Protective equipment: No special measures required.

## 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Not required.

- · Environmental precautions: No special measures required.
- · Methods and material for containment and cleaning up: Pick up mechanically.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

(Contd. on page 3)



# Safety Data Sheet acc. to OSHA HCS

Version 4

Reviewed on 08/01/2017

#### Trade name: CLEARFIL PHOTO CORE, CLEARFIL PHOTO CORE PLT

(Contd. of page 2)

### 7 Handling and storage

#### · Handling:

- · Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.

#### · Conditions for safe storage, including any incompatibilities

- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location (2-25 °C).
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

• Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

- · Control parameters
- Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:
- The usual precautionary measures for handling chemicals should be followed.
- · Breathing equipment: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)

US



# Safety Data Sheet acc. to OSHA HCS

Version 4

#### Trade name: CLEARFIL PHOTO CORE, CLEARFIL PHOTO CORE PLT

(Contd. of page 3)

• Eye protection:



Tightly sealed goggles

# 9 Physical and chemical properties

· Information on basic physical and	chemical properties
General Information	• •
· Appearance:	
Form:	Pasty
Color:	Colored
· Odor:	Odorless
· pH-value:	Not determined
• Change in condition	
Melting point/Melting range:	Not determined
<b>Boiling point/Boiling range:</b>	Not determined
· Flash point:	Not determined
· Ignition temperature:	Not determined
· Decomposition temperature:	Not determined
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined
Upper:	Not determined
· Oxidizing properties	Not determined
· Vapor pressure:	Not determined
· Density:	2.2 g/cm <sup>3</sup>
· Relative density	Not determined
· Vapor density	Not determined
· Evaporation rate	Not determined
· Solubility in / Miscibility with	
Water:	Insoluble.
· Partition coefficient (n-octanol/wat	ter): Not determined.
· Viscosity:	Not determined
• Other information	No further relevant information available.

## **10 Stability and reactivity**

· Reactivity No further relevant information available.

· Chemical stability

\*

- · Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.

(Contd. on page 5)

US



# Safety Data Sheet acc. to OSHA HCS

Version 4

#### Trade name: CLEARFIL PHOTO CORE, CLEARFIL PHOTO CORE PLT

(Contd. of page 4)

· Hazardous decomposition products: Carbon monoxide and carbon dioxide

#### **11 Toxicological information**

- · Information on toxicological effects
- Acute toxicity:
- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

#### · NTP (National Toxicology Program)

None of the ingredients is listed.

## **12 Ecological information**

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Generally not hazardous for water
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

## **13 Disposal considerations**

- · Waste treatment methods
- Recommendation: Smaller quantities can be disposed of with household waste.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

<sup>·</sup> UN-Number <sup>·</sup> DOT, ADR, ADN, IMDG, IATA	Void	
· UN proper shipping name · DOT, ADR, ADN, IMDG, IATA	Void	
· Transport hazard class(es)		
· DOT, ADR, ADN, IMDG, IATA		
· Class	Void	



Version 4

## Trade name: CLEARFIL PHOTO CORE, CLEARFIL PHOTO CORE PLT

		(Contd. of page 5)
<ul> <li>Packing group</li> <li>DOT, ADR, IMDG, IATA</li> </ul>	Void	
• Environmental hazards: • Marine pollutant:	No	
· Special precautions for user	Not applicable.	
• Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.		
UN "Model Regulation":	Void	

## **15 Regulatory information**

 $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $\cdot$  Sara

· Section 355 (extremely hazardous substances):

None of the ingredient is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Cancerogenity categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

Not applicable

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.



# Safety Data Sheet acc. to OSHA HCS

Version 4

Reviewed on 08/01/2017

## Trade name: CLEARFIL PHOTO CORE, CLEARFIL PHOTO CORE PLT

· NFPA ratings (scale 0 - 4)	(Contd. of page 6)
ATTA Tatings (scale 0 - 4)	
Health $= 1$	
Fire = $0$	
Reactivity = $0$	
HMIS-ratings (scale 0 - 4)	
FIRE 0 Fire = 0	
<b>REACTIVITY</b> Reactivity = $0$	
· Abbreviations and acronyms:	
Skin Irrit. 2: Skin corrosion/irritation – Category 2	
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A	
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3	
* * Data compared to the previous version altered.	US —