SAFETY DATA SHEETS

This SDS packet was issued with item:

071718915

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

071718659 071718691 071718907 071718923

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

071718733 071718741

Material Safety Data Sheet

May be used to comply with OSHA's Hazard Communication Standard, 25 CFR 1910.1200. Standard must be consulted for specific requirements.

U.S. Department of Labor

Occupational Safety and Health Administration (Non-Mandatory Form) Form Approved OMB No. 1218–0072



DENTITY (As Used on Label and List) Dycal Base		Note: Blank spaces are not permitted, if any item is not applicable, or no information is available, the space must be marked to indicate that.			
Section I					
Manufacturer's Name Caulk/Pentsply Address (Number, Street, City, State, and ZIP Code) Lakeview C. Clarke Avenues Milford, DE 19963-0359		Emergency Telephone Number (202) 422-4511 Telephone Number for Information (202) 422-4511 Date Prepared 1/13/37 Signature of Preparer (optional)			
Section II — Hazardous Ingredie	nts/Identity Information	1			
Hazardous Components (Specific Chemical	I Identity: Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits Recommended	% (optional
Zinc Oxide			5 mg/m ³ TWA		
Section III — Physical/Chemical Boiling Point		Specific Gravity	/ (H ₂ O = 1)		
Vapor Pressure (mm Hg.)	N.A.	Melting Point			1.98
Vapor Fressure (mm Fig.)	N.A.				N.E.
Vapor Density (AIR = 1)	N.A.	Evaporation Ra (Butyl Acetate			N.A.
Solubility in Water Not soluble					
Appearance and Odor Tan paste with charac		wintergree	en		
Section IV — Fire and Explosion	1 Hazard Data	15		T. 21 T	1151
Flash Point (Method Used) N.A.		Flammable Lin	N.A.	Y.A.	UEL
Extinguishing Media Carbon dioxide, Halon Special Fire Fighting Procedures None Unusual Fire and Explosion Hazards	1 -				
None					

(Reproduce locally)

OSHA 174, Sept. 1985

N.A. Data does not apply to this product.

N.E. Value has not been established for this product.

Obtained by Global Safety Management, www.globalsafetynet.com, (877) 683-7460

Section V	Reactivity Data			
Stability	Unstable		Conditions to Avoid	
	Stable	х	None	
Incompatibility ((Materials to Avoid)	_ <u> </u>	Hotte	
Nor	ne _			
Hazaroous Deco	mposition or Byprodu	CTS		
Hazardous Polymenzation	May Occur		Conditions to Avoid	
,	Will Not Occur	Х	None	
Section VI -	- Health Hazard	ــــــــــــــــــــــــــــــــــــــ		
Route(s) of Entry		авол?	Skin?	Ingestion?
Health Hazards /	Acute and Chronic)	o rsk	Yes in irritation (redness). <i>i</i>	Possibly Avoid prolonged or repeated
sk:	in contact.			
Carcinogenicity:	NTP No		IARC Monograpi No	ns? OSHA Regulated?
Signs and Symp	toms of Exposure Minor sk	<u>in 1</u>	rritation (redness)	
Medical Conditio	ns vated by Exposure			
	in irritatio	n ar	d redness	
. Va:	sh thoroughl	y wi	th soap and water if prol	onged contact is made.
If	irritation	pers	ists please consult a phy	sician.
Section VII -	- Precautions fo	or Sa	e Handling and Use	
	en in Case Material I pe up with c		sed or Spilled cloth or paper towel. Sc	rub area with alcohol.
	-			
Waste Disposal Ap	proved landf	ill		
8	-			
Precautions to E	le Taken in Handling ore at room	temp	ong erature. Avoid storage ab	ove 50°C (122°F)
Other Precaution				
NO	ile			
Section VIII	- Control Meas			
	ection (Specify Type)	43		<u> </u>
Lo				
Ventilation	Local Exhaust Yes		Spe	asi N.A.
Local	Mechanical (Genera	<u>y)</u>	Oth	67
exhaust Protective Glove	! N.A	•	16.5	
	bber gloves		Eye Protection Safe	on ty Shield
Other Protective Rcc	Clothing or Equipme			
Work/Hygienic P	ractices hands with	soar	and water. Avoid excessi	ve contact with skin.
			Page 2	# USGPO. 1988-491-529/45771

N.A. Data does not apply to this product.

N.E. Value has not been established for this product.

Obtained by Global Safety Management,www.globalsafetynet.com, (877) 683-7460

Printing date 23.10.2017 Version number 6 Revision: 23.10.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Dycal Base
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the mixture Material for pulp capping
- · Uses advised against No further relevant information available.
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Dentsply DeTrey GmbH

De-Trey-Str. 1 D-78467 Konstanz GERMANY

Tel.: +49-(0)7531-583-0 *Fax*: +49-(0)7531-583-104

email: KonstanzDEU.info-sdb@dentsplysirona.com

- · Further information obtainable from:
- Departement Research & Development for technical information
- Departement Marketing & Sales for distribution of the safety data sheets
- 1.4 Emergency telephone number: +49-(0)7531-583-0 8:00 17:00 (GMT + 1:00)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation.

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms





GHS07

GHS09

- · Signal word Warning
- · Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

· Precautionary statements

P273 Avoid release to the environment.

P280 Wear protective gloves / eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Additional information:

As this product is a medical device in the meaning of Directive 93/42/EEC and intended for use by the end consumer and is applied in an invasive manner or body contact, it is exempt from the labelling requirements according to regulation 1272/2008.

(Contd. on page 2)

Printing date 23.10.2017 Version number 6 Revision: 23.10.2017

Trade name: Dycal Base

(Contd. of page 1)

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable. · **vPvB**: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:				
CAS: 73240-13-8	1,3- Butylenglykoldisalicylat	25-50%		
	♦ Skin Irrit. 2, H315; Eye Irrit. 2, H319			
		2.5-<10%		
EINECS: 215-222-5	🔖 Aquatic Acute 1, H400; Aquatic Chronic 1, H410			

· Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact Immediately wash with water and soap and rinse thoroughly.
- · After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing If symptoms persist consult doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Information for doctor No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents Water with full jet.
- · 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- · 5.3 Advice for firefighters
- · Protective equipment: Self-contained respiratory protective device.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- · 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

· 6.3 Methods and material for containment and cleaning up:

Pick up mechanically.

Ensure adequate ventilation.

Dispose contaminated material as waste according to item 13.

· 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

(Contd. on page 3)

Printing date 23.10.2017 Version number 6 Revision: 23.10.2017

Trade name: Dycal Base

See Section 13 for disposal information.

(Contd. of page 2)

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Observe normal care for working with chemicals.

Ensure good ventilation/exhaustion at the workplace.

- · Handling Product is intended for dental use only.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- ·Storage
- · Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment
- · General protective and hygienic measures

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- · Respiratory protection: Not necessary if room is well-ventilated.
- · Protection of hands:



Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)


(Contd. of page 3)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.10.2017 Version number 6 Revision: 23.10.2017

Trade name: Dycal Base

· Eye protection:



· **Body protection:** Protective work clothing.

SECTION 9: Physical and chemical properties 9.1 Information on basic physical and chemical properties General Information

· Appearance:
Form: Pasty
Colour: Dark

· Odour: Characteristic · Odour threshold: Not determined.

· pH-value: Not determined.

· Change in condition

Melting point/freezing point: undetermined **Initial boiling point and boiling range:** Undetermined.

Flash point: Not applicable
 Flammability (solid, gaseous) Not applicable.

· Ignition temperature: Not applicable

Decomposition temperature: Not determined.
 Auto-ignition temperature: Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard.

Not determined.

· Explosion limits:

Lower:

Upper:Not determined.· Vapour pressure:Not determined.

Density at 20 °C: 1.98 g/cm³
 Relative density Not determined.
 Vapour density Not determined.
 Evaporation rate Not determined.

· Solubility in / Miscibility with

Water: Not miscible or difficult to mix

· Partition coefficient: n-octanol/water: Not determined.

· Viscosity:

dynamic: Not determined. kinematic: Not determined.

· Solvent content:

Organic solvents: 0.0 %

Solids content: 60.0 %

• 9.2 Other information No further relevant information available.

CI

Printing date 23.10.2017 Version number 6 Revision: 23.10.2017

Trade name: Dycal Base

(Contd. of page 4)

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimate)

Oral LD50 >6,452 mg/kg (rat)

CAS: 1314-13-2 zinc oxide

Oral | *LD50* | >5,000 mg/kg (rat)

- · Primary irritant effect:
- · Skin corrosion/irritation

Causes skin irritation.

· Serious eye damage/irritation

Causes serious eve irritation.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- $\cdot \textit{\textbf{Carcinogenicity}} \ \textit{Based on available data, the classification criteria are not met.}$
- $\cdot \textit{Reproductive toxicity } \textit{Based on available data, the classification criteria are not met.}$
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity:

CAS: 1314-13-2 zinc oxide

LC50/96h 1.1 mg/l (Fish acute toxicity study)

EC50/48h | 0.098 mg/L (daphnia magna)

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Toxic for fish
- · Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.

(Contd. on page 6)

Printing date 23.10.2017 Version number 6 Revision: 23.10.2017

Trade name: Dycal Base

(Contd. of page 5)

- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue		
18 01 06*	chemicals consisting of or containing hazardous substances	
HP 4	Irritant - skin irritation and eye damage	
HP 14	Ecotoxic	

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport inform	ation
· 14.1 UN-Number	
· ADR, IMDG, IATA	UN3082
· 14.2 UN proper shipping name	
$\cdot ADR$	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANC
	LIQUID, N.O.S. (zinc oxide)
· IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANC
· IATA	LIQUID, N.O.S. (zinc oxide), MARINE POLLUTANT ENVIRONMENTALLY HAZARDOUS SUBSTANC
·IAIA	LIQUID, N.O.S. (zinc oxide)
· 14.3 Transport hazard class(es)	
· ADR	
· Class	9 (M6) Miscellaneous dangerous substances and articles
· Label	9
· IMDG, IATA	
· Class	9 Miscellaneous dangerous substances and articles.
· Label	9
· 14.4 Packing group	
· ADR, IMDG, IATA	III
· 14.5 Environmental hazards:	Product contains environmentally hazardous substance
	zinc oxide
· Marine pollutant:	Symbol (fish and tree)

GB

(Contd. on page 7)

Printing date 23.10.2017 Version number 6 Revision: 23.10.2017

Trade name: Dycal Base

	(Contd. of page
Special marking (ADR):	Symbol (fish and tree)
Special marking (IATA):	Symbol (fish and tree)
14.6 Special precautions for user	Warning: Miscellaneous dangerous substances an
	articles.
Danger code (Kemler):	90
EMS Number:	F- A , S - F
Stowage Category	A
14.7 Transport in bulk according to Anne	ex II of
Marpol and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
_	Maximum net quantity per outer packaging: 1000 ml
Transport category	3
Remarks:	Exemption according to ADR special provision 375:
	This substance is not subject to the other provisions of the
	ADR if packed in net quantities of 5L or 5kg per individu or inner packaging, provided that sub-sections 4.1.1.
	4.1.1.2 and 4.1.1.4 to 4.1.1.8 are complied with.
IMDG	111.12 and 111.11 to 1.11.0 are compact with
Limited quantities (LQ)	51.
Excepted quantities (EQ)	Code: E1
Ziropion quantinos (22)	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOU
-	SUBSTANCE, LIQUID, N.O.S. (ZINC OXIDE), 9, III

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category E2 Hazardous to the Aquatic Environment
- Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

The attached safety data sheet covers the dangers and measures to be taken when large quantities of material are released, for example due to accidents during transport or storage by the dealer.

For quantities of material typically used in clinical practice, information necessary for safe use and storage of the product is given in the DFU.

· Relevant phrases

H315 Causes skin irritation.

H319 Causes serious eye irritation.

(Contd. on page 8)

Printing date 23.10.2017 Version number 6 Revision: 23.10.2017

Trade name: Dycal Base

(Contd. of page 7)

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

- · Department issuing SDS: Research & Development
- · Contact: HotLine for urgent technical support: +49-7531-583-350
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

 $Aquatic\ Acute\ 1:\ Hazardous\ to\ the\ aquatic\ environment\ -\ acute\ aquatic\ hazard\ -\ Category\ 1$

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

* Data compared to the previous version altered.

-GB

Printing date 20.10.2017 Version number 7 Revision: 20.10.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Dycal Catalyst
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the mixture Material for pulp capping
- · Uses advised against No further relevant information available.
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Dentsply DeTrey GmbH

De-Trey-Str. 1 D-78467 Konstanz GERMANY

Tel.: +49-(0)7531-583-0 *Fax*: +49-(0)7531-583-104

email: KonstanzDEU.info-sdb@dentsplysirona.com

- · Further information obtainable from:
- Departement Research & Development for technical information
- Departement Marketing & Sales for distribution of the safety data sheets
- 1.4 Emergency telephone number: +49-(0)7531-583-0 8:00 17:00 (GMT + 1:00)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

STOT SE 3 H335 May cause respiratory irritation.

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms







GHS05

IS05 GHS07

GHS09

- · Signal word Danger
- · Hazard-determining components of labelling:

calcium dihydroxide

· Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

H411 Toxic to aquatic life with long lasting effects.

· Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P280 Wear protective gloves / eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

(Contd. on page 2)

Printing date 20.10.2017 Version number 7 Revision: 20.10.2017

Trade name: Dycal Catalyst

(Contd. of page 1)

· Additional information:

As this product is a medical device in the meaning of Directive 93/42/EEC and intended for use by the end consumer and is applied in an invasive manner or body contact, it is exempt from the labelling requirements according to regulation 1272/2008.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:				
	calcium dihydroxide	50-100%		
EINECS: 215-137-3	♦ Eye Dam. 1, H318; ♦ Skin Irrit. 2, H315; STOT SE 3, H335			
CAS: 1314-13-2		2.5-<10%		
EINECS: 215-222-5	🔖 Aquatic Acute 1, H400; Aquatic Chronic 1, H410			

· Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information Immediately remove any clothing soiled by the product.
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

- · After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing

Call a doctor immediately.

Rinse out mouth and then drink plenty of water.

- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Information for doctor No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents Water with full jet.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- \cdot 5.3 Advice for firefighters
- · Protective equipment: Self-contained respiratory protective device.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Pick up mechanically.

Dispose contaminated material as waste according to item 13.

(Contd. on page 3)

Printing date 20.10.2017 Version number 7 Revision: 20.10.2017

Trade name: Dycal Catalyst

(Contd. of page 2)

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Observe normal care for working with chemicals.

- · Handling Product is intended for dental use only.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- ·Storage
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment
- · General protective and hygienic measures

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- · Respiratory protection: Not necessary if room is well-ventilated.
- · Protection of hands:



Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)

(Contd. of page 3)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.10.2017 Version number 7 Revision: 20.10.2017

Trade name: Dycal Catalyst

· Eye protection:



Tightly sealed goggles.

· **Body protection:** Protective work clothing.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Pasty Colour: White

Odour: Product specificOdour threshold: Not determined.

• pH-value at 20 °C: 11.5

· Change in condition

Melting point/freezing point: undetermined Initial boiling point and boiling range: Undetermined.

Flash point: Not applicable
 Flammability (solid, gaseous) Not applicable.

· Ignition temperature: Not applicable

· Decomposition temperature: Not determined.

· Auto-ignition temperature: Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard.

Not determined.

· Explosion limits:

Lower:

 Upper:
 Not determined.

 • Vapour pressure:
 Not determined.

Density at 20 °C: 1.82 g/cm³
 Relative density Not determined.
 Vapour density Not determined.

· Evaporation rate Not determined.

· Solubility in / Miscibility with

Water: Not miscible or difficult to mix

· Partition coefficient: n-octanol/water: Not determined.

· Viscosity:

dynamic: Not determined. kinematic: Not determined.

· Solvent content:

Organic solvents: 0.0 %

Solids content: 65.0 %

• 9.2 Other information No further relevant information available.

CI

Printing date 20.10.2017 Version number 7 Revision: 20.10.2017

Trade name: Dycal Catalyst

(Contd. of page 4)

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values	relevant for	classification:

ATE (Acute Toxicity Estimate)

Oral |LD50| > 3,922 mg/kg (rat)

CAS: 1305-62-0 calcium dihydroxide

Oral | *LD50* | >2,000 mg/kg (rat)

CAS: 1314-13-2 zinc oxide

Oral | *LD50* | >5,000 mg/kg (rat)

- · Primary irritant effect:
- · Skin corrosion/irritation

Causes skin irritation.

· Serious eye damage/irritation

Causes serious eye damage.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure

May cause respiratory irritation.

- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

CAS: 1305-62-0 calcium dihydroxide

LC50/96h 160 mg/l (Fish acute toxicity study)

CAS: 1314-13-2 zinc oxide

LC50/96h 1.1 mg/l (Fish acute toxicity study)

EC50/48h 0.098 mg/L (daphnia magna)

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Toxic for fish

(Contd. on page 6)

Printing date 20.10.2017 Version number 7 Revision: 20.10.2017

Trade name: Dycal Catalyst

(Contd. of page 5)

- · Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue		
18 01 06*	chemicals consisting of or containing hazardous substances	
HP 4	Irritant - skin irritation and eye damage	
HP 5	Specific Target Organ Toxicity (STOT)/Aspiration Toxicity	
HP 14	Ecotoxic	

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

CHOMICA	T 7			C	
	V 2	: Transport	a m	orma	tion
					22444

· 14.1 UN-Number · ADR, IMDG, IATA	UN3077
· 14.2 UN proper shipping name	
$\cdot ADR$	3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE,
	SOLID, N.O.S. (zinc oxide)
· IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE,
	SOLID, N.O.S. (zinc oxide), MARINE POLLUTANT
· IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE,
	SOLID, N.O.S. (zinc oxide)

- · 14.3 Transport hazard class(es)
- $\cdot ADR$



Class
 Label
 9 (M7) Miscellaneous dangerous substances and articles.
 9

(Contd. on page 7)

Printing date 20.10.2017 Version number 7 Revision: 20.10.2017

Trade name: Dycal Catalyst

(Contd. of page 6) · IMDG, IATA · Class 9 Miscellaneous dangerous substances and articles. · Label · 14.4 Packing group · ADR, IMDG, IATA III· 14.5 Environmental hazards: Product contains environmentally hazardous substances: zinc oxide · Marine pollutant: Symbol (fish and tree) · Special marking (ADR): Symbol (fish and tree) Symbol (fish and tree) · Special marking (IATA): Warning: Miscellaneous dangerous substances and · 14.6 Special precautions for user articles. 90 · Danger code (Kemler): F-A,S-F· EMS Number: · Stowage Category SW23 When transported in BK3 bulk container, see · Stowage Code 7.6.2.12 and 7.7.3.9. · 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. · Transport/Additional information: $\cdot ADR$ · Limited quantities (LQ) 5 kgCode: E1 · Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml · Transport category · Remarks: Exemption according to ADR special provision 375: This substance is not subject to the other provisions of the ADR if packed in net quantities of 5L or 5kg per individual or inner packaging, provided that sub-sections 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8 are complied with. · IMDG · Limited quantities (LQ) 5 kg· Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Maximum net quantity per outer packaging: 1000 ml

SUBSTANCE, SOLID, N.O.S. (ZINC OXIDE), 9, III

UN 3077 ENVIRONMENTALLY HAZARDOUS

· Directive 2012/18/EU

· UN ''Model Regulation'':

- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category E2 Hazardous to the Aquatic Environment
- Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t

(Contd. on page 8)

Printing date 20.10.2017 Version number 7 Revision: 20.10.2017

Trade name: Dycal Catalyst

(Contd. of page 7)

· REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

The attached safety data sheet covers the dangers and measures to be taken when large quantities of material are released, for example due to accidents during transport or storage by the dealer.

For quantities of material typically used in clinical practice, information necessary for safe use and storage of the product is given in the DFU.

· Relevant phrases

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

- · Department issuing SDS: Research & Development
- · Contact: HotLine for urgent technical support: +49-7531-583-350
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

 $Aquatic\ Acute\ 1:\ Hazardous\ to\ the\ aquatic\ environment\ -\ acute\ aquatic\ hazard\ -\ Category\ 1$

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

 \cdot * Data compared to the previous version altered.