

SAFETY DATA SHEETS

This SDS packet was issued with item:

077805138

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

077805120 077805146 077805153 077805161 077805179 077805427 077805435 077805443 077805450 077805468

Patterson Item Number: 77632979
Associated Item Numbers: 77632979,77805120
Actio MSDS ID: 802849
Product Name: Kolorz Sixty Second Fluoride Gel

SECTION 1: CHEMICAL PRODUCT and COMPANY IDENTIFICATION

Product Name:

Kolorz Sixty Second Fluoride Gel

Manufacturer Name:

Zenith Dental

Address:

242 South Dean Street Englewood, NJ 07631 USA

Emergency tel:

Call Infotrac at 800-535-5053

Business Phone:

201-894-5500

Business Fax:

201-894-0213

Revision Date:

10/25/06

Revision No:

1 Enhancing dentistry with education and technology«

SECTION 2 : COMPOSITION, INFORMATION ON INGREDIENTS

Ingredient Name CAS# Ingredient Percent

SODIUM FLUORIDE 7681-49-4 1-10%

EINECS: 231-667-8

Hazardous: Yes

EC Index Number: 1

Hazard Symbols: [T], [-], [Xi]

Risk Phrases: R25; R32; R36/38

ORTHOPHOSPHORIC ACID 7664-38-2 1-10%

EINECS: 231-633-2

Hazardous: Yes

EC Index Number: 1

Hazard Symbols: [C]

Risk Phrases: R34

SECTION 3 : HAZARDS IDENTIFICATION

:

(N/A)

Potential Health Effects:

Main hazards:

Contact with acids liberates very toxic gas.

Applies to All Ingredients :

Signs/Symptoms:

Skin contact:

There may be mild irritation at the site of contact.

Eye contact:

There may be irritation and redness.

Ingestion:
There may be irritation of the throat.

Inhalation:
There may be irritation of the throat with a feeling of tightness in the chest.

SECTION 4 : FIRST AID MEASURES

:
(N/A)

Eye Contact:
(SYMPTOMS):
There may be irritation and redness.
(ACTION):
Bathe the eye with running water for 15 minutes.

Skin Contact:
(SYMPTOMS):
There may be mild irritation at the site of contact.
(ACTION):
Wash immediately with plenty of soap and water.

Inhalation:
(SYMPTOMS):
There may be irritation of the throat with a feeling of tightness in the chest.
(ACTION):
Consult a doctor.

Ingestion:
(SYMPTOMS):
There may be irritation of the throat.
(ACTION):
Wash out mouth with water.

SECTION 5 : FIRE FIGHTING MEASURES

Extinguishing Media:
Suitable extinguishing media for the surrounding fire should be used.

Protective Equipment:
Protection of fire-fighters:
Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Exposure hazards:
In combustion emits toxic fumes.

SECTION 6 : ACCIDENTAL RELEASE MEASURES

Personal Precautions:
Refer to section 8 of SDS for personal protection details.

Spill Cleanup Measures:
Wash the spillage site with large amounts of water.

Environmental Precautions:
Do not discharge into drains or rivers.

SECTION 7 : HANDLING and STORAGE

Handling:

Avoid the formation or spread of dust in the air.

Storage:

Conditions:

Store in cool, well ventilated area.

Suitable packaging:

Must only be kept in original packaging.

SECTION 8 : EXPOSURE CONTROLS, PERSONAL PROTECTION

Skin Protection Description:

Protective clothing.

Hand Protection Description:

Protective gloves.

Eye/Face Protection:

Safety glasses. Ensure eye bath is to hand.

Respiratory Protection:

Respiratory protective device with particle filter.

Exposure Limits:

Hazardous ingredients:

ORTHOPHOSPHORIC ACID...100% TWA 1 mg/m3 STEL 2 mg/m3

SECTION 9 : PHYSICAL and CHEMICAL PROPERTIES

Odor:

Characteristic odour

Physical State:

Paste

Solubility:

In water:

Soluble

Evaporation Point:

Negligible

Viscosity:

Viscous

SECTION 10 : STABILITY and REACTIVITY

Chemical Stability:

Stable under normal conditions.

Conditions to Avoid:

Heat.

Incompatibilities with Other Materials to avoid:

Strong oxidising agents. Strong acids.

Materials:

Hazardous Decomposition Products:

In combustion emits toxic fumes.

SECTION 11 : TOXICOLOGICAL INFORMATION

Applies to all ingredients:

Routes of Exposure:

Refer to section 4 of SDS for routes of exposure and corresponding symptoms.

Chronic Effects:

Danger of cumulative effects if swallowed.

SODIUM FLUORIDE :

Acute Health Effects:

SCU RAT LD50 175 mg/kg

Ingestion Effects:

ORL MUS LD50 57 mg/kg ORL RAT LD50 52 mg/kg

ORTHOPHOSPHORIC ACID :

Acute Health Effects:

ORTHOPHOSPHORIC ACID...100%

Ingestion Effects:

ORL RAT LD50 1530 mg/kg

SECTION 12 : ECOLOGICAL INFORMATION

:

(N/A)

Bioaccumulation:

Potential:

No bioaccumulation potential.

Biodegradation:

Persistence and degradability:

Biodegradable.

Other:

Other adverse effects:

Negligible ecotoxicity.

Mobility:

Non-volatile.

SECTION 13 : DISPOSAL CONSIDERATIONS

Waste Disposal:

NB:

The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

SECTION 14 : TRANSPORT INFORMATION

RID/ADR Shipping Name:

NOT CLASSIFIED AS DANGEROUS IN THE MEANING OF TRANSPORT REGULATIONS. (SODIUM FLUORIDE, 1.23%)

SECTION 15 : REGULATORY INFORMATION

Applies to all ingredients:

European Community This safety data sheet is prepared in accordance with EC Directive

Chemical Inventory Status:

2001/58/EC.

Risk Phrases:

R32:

Contact with acids liberates very toxic gas.

R25:

Toxic if swallowed.

R36/38:

R34: Irritating to eyes and skin.

R34: Causes burns.

Safety Phrase:

S7: Keep container tightly closed.

Hazard symbols:
No significant hazard.

Precautionary phrases:
Restricted to professional users.

Note:
The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

SECTION 16 : ADDITIONAL INFORMATION

Copyright- 1996-2009 Actio Corporation. All Rights Reserved.

MSDS Revision Date:
10/25/06

Revision No:
1

Disclaimer:

Legal:
The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

Other information:
This safety data sheet is prepared in accordance with EC Directive 2001/58/EC.

Risk phrases used in s.2:

R25:
Toxic if swallowed.

R32:
Contact with acids liberates very toxic gas.

R36/38:
Irritating to eyes and skin.

R34:
Causes burns.

SAFETY DATA SHEET
KOLORZ SIXTY SECOND 1.23% FLUORIDE FOAM

Page 1 of 6
Revision No. 0
Date: 01/31/2018
395862

SECTION 1: IDENTIFICATION

Product Identifier

Product Name: KOLORZ SIXTY SECOND 1.23% FLUORIDE FOAM

Other Means of Identification

Product Item Code(s): 766201, 766202, 766203, 766204

Recommended use of the chemical and restriction on use

Recommended Use: Topical Fluoride Treatment

Restrictions on Use: For use by dental professional only. Do not swallow

Name, address, telephone number of the supplier:

Company Address: DMG America LLC
 242 South Dean St
 Englewood, NJ 07631
 USA

Information Telephone Number: 201-894-5500

Emergency Telephone Number: 1-800-535-5053 (Infotrac)

SECTION 2: HAZARD(S) IDENTIFICATION

GHS Classification

- Flammable aerosol category 2.
- Acute Toxicity category 3.
- Eye Irritant category 2.

Signal Word: Danger

Hazard Statements:

H225: Highly flammable liquid and vapor.

H302: Harmful if swallowed.

H319: Causes serious eye irritation.

Pictograms:



Flammable Harmful
 Irritant

Precautionary Statements:

P210: Keep away from heat. Sparks, open flames, and hot surfaces. No smoking.

P102: Keep out of the reach of children.

P264: Wash hands thoroughly after handling.

Hazards not otherwise classified: None

Unknown Acute Toxicity: No ingredient with unknown toxicity.

SAFETY DATA SHEET
KOLORZ SIXTY SECOND 1.23% FLUORIDE FOAM

Page 2 of 6
Revision No. 0
Date: 01/31/2018
395862

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients	CAS No./ EINECS No.	Percent (By Weight)
Sodium Fluoride	7681-49-4/231-667-8	2-3%
Isobutane	75-28-5/200-857-2	5-12%

SECTION 4: FIRST AID MEASURES

Eye Contact: Flush eyes with large quantities of water for at least 15 minutes, holding the eyelids apart. Get medical attention if irritation develops or persists.

Skin Contact: Wash skin with plenty of soap and water. Get medical attention if irritation develops.

Ingestion: Do not induce vomiting. If conscious, rinse out mouth with water and give copious amounts of milk, or water if milk is not available. Never give anything by mouth to an unconscious person. If symptoms persist, get immediate medical attention.

Inhalation: Move victim to fresh air. If breathing is difficult have qualified personnel administer oxygen. Get medical attention if irritation persists.

Most Important symptoms/effects, acute and delayed:

May cause eye and skin irritation. May be harmful if swallowed.

Indication of immediate medical attention and special treatment needed:

No information available.

SECTION 5: FIRE FIGHTING MEASURES

Extinguishing Media: Use media appropriate for surrounding fire.

Specific hazards arising from the chemical: Highly flammable liquid and vapor.

Special Protective equipment and precautions for firefighters: Firefighters should wear full emergency equipment and positive pressure self-contained breathing apparatus.

Unusual Fire/Explosion Hazards: None under normal conditions of use. Contents under pressure. Container may rupture under fire conditions.

Known or Anticipated Hazardous Products of Combustion: Carbon monoxide, carbon dioxide and toxic fumes.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures: Avoid contact with eyes, skin and clothing. Use appropriate protective equipment as described in Section 8.

Environmental Precautions: Prevent spill from entering waterways.

Methods and materials for containment and cleaning up: Wipe up or collect using an inert absorbent material and place in appropriate containers for disposal. Rinse spill area with water. Prevent spill from entering sewers and water courses. Report releases as required by local, state and federal authorities.

SAFETY DATA SHEET
KOLORZ SIXTY SECOND 1.23% FLUORIDE FOAM

Page 3 of 6
Revision No. 0
Date: 01/31/2018
395862

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling: Avoid contact with the eyes, skin and clothing. Wear protective clothing and equipment as described in Section 8. Wash thoroughly with soap and water after handling. Keep containers tightly closed when not in use. Avoid spraying towards open flame. Do not puncture or incinerate, or expose to heat, even when empty.

Do not reuse containers. Empty containers retain product residues that can be hazardous. Follow all safety precautions when handling empty containers.

Conditions for safe storage including any incompatibilities: Store at 55-80°F (12.78° - 26.67°C). Keep from freezing. Keep out of direct sunlight. Keep away from heat and ignition sources. Keep out of reach of children.

SECTION 8: EXPOSURE CONTROLS/ PERSONAL PROTECTION

Exposure Control Parameters: The parameters are not provided for the product itself. They are provided for the ingredients listed below:

Occupational Exposure Limits:

Sodium Fluoride (as Fluoride)	2.5mg/m ³ TWA ACGIH 2.5mg/ m ³ TWA OSHA
Isobutane (listed as Alkane C1-4 gas)	1000 ppm TWA ACGIH

Appropriate Engineering Controls: No special ventilation normally required. For bulk handling, use ventilation that is adequate to maintain exposure levels below the occupational exposure limits.

Individual Protection Measures:

Personal Protective Equipment

Eye Protection: Safety glasses recommended.

Skin Protection: Wear impervious gloves.

Respiratory Protection: None should be needed for normal use. If the exposure limits are exceeded an approved respirator with particulate cartridges or supplied air respirator appropriate for the form and concentration of the contaminants should be used. Selection and use of respiratory equipment must be in accordance with applicable regulations and good industrial hygiene practice.

Other Protective Clothing or Equipment: None needed for normal use. Impervious clothing as needed to avoid contamination of personal clothing for bulk handling.

SAFETY DATA SHEET
KOLORZ SIXTY SECOND 1.23% FLUORIDE FOAM

Page 4 of 6
Revision No. 0
Date: 01/31/2018
395862

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance: White aerosol foam
Odor: Characteristic
Odor Threshold: Not available
pH: 5.5-6.5
Melting Point: Not applicable
Freezing Point: Not available
Boiling Point/Range: Not available
Flashpoint: Not available
Evaporation Rate: Not available
Flammability (solid, gas): Not available
Upper/lower flammability or explosive limits:
LEL: Not available
UEL: Not available
Vapor Pressure: Not available
Vapor Density: Not available
Relative Density: Not available
Solubility in water: Soluble
Partition coefficient
(n-octanol/water): Not available
Autoignition Temperature: Not available
Decomposition Temperature: Not available
Viscosity: Not available

SECTION 10: STABILITY AND REACTIVITY

Reactivity: None known
Chemical Stability: Stable
Possibility of Hazardous Reactions: None under normal conditions of use
Conditions to Avoid: Keep away from ignition sources, heat.
Incompatible Materials: Avoid oxidizing agents and strong acids.
Hazardous Decomposition Products: May produce carbon monoxide, carbon dioxide and toxic fumes.

SECTION 11: TOXICOLOGICAL INFORMATION

Information on Toxicological Effects

Toxicological data not available for the product itself. The data provided are for the ingredients listed below.

Sodium Fluoride: Oral rat LD₅₀: 52 mg/kg
Isobutane: Inhalation rat LC₅₀: 658 mg/L 4 hours.

SAFETY DATA SHEET
KOLORZ SIXTY SECOND 1.23% FLUORIDE FOAM

Page 5 of 6
Revision No. 0
Date: 01/31/2018
395862

Likely Routes of Exposure and the Symptoms related to the Physical, Chemical and Toxicological

Characteristics:

Eyes: Direct contact causes eye irritation.

Skin: Prolonged skin contact may cause irritation.

Inhalation: Irritation of the throat may occur.

Ingestion: May cause salivation, nausea, vomiting, abdominal pain, headaches, or dizziness.

Chronic Health Effects: Not expected under normal conditions of use. Repeated overexposure to Sodium Fluoride may cause fluorosis.

Mutagenicity: No data available.

Carcinogenicity: Not known to be as carcinogen or potential carcinogen by NTP (National Toxicological Program), IARC (International Agency for the Research of Cancer) or OSHA (Occupational Safety and Health Administration).

Medical Conditions Aggravated by Exposure: Individuals with pre-existing respiratory problems may be at increased risk from exposure.

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity

Ecological data not available for the product itself. The data provided are for the ingredients listed below:

Sodium Fluoride: 96 hrs. LC₅₀ fish: >100 mg/L

Persistence and degradability

No information available

Bioaccumulative Potential: No data available

Mobility in soil:

No data available

Other adverse effects:

No information available

SECTION 13: DISPOSAL CONSIDERATIONS

Dispose in accordance with national and local regulations.

SECTION 14: TRANSPORT INFORMATION

Please refer to your state and local government regulations.

SECTION 15: REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS

SARA TITLE III:

Hazard Category for Section 311/312: Acute Health, Fire Hazard.

SAFETY DATA SHEET
KOLORZ SIXTY SECOND 1.23% FLUORIDE FOAM

Page 6 of 6
Revision No. 0
Date: 01/31/2018
395862

Section 313 Toxic Chemicals: This product contains the following chemicals subject to Annual Release Reporting Requirements under SARA Title III, Section 313 (40 CFR 372): None at or above reportable quantity.

Section 302 extremely hazardous Substances (TPQ): None at or above reportable quantity

EPA Toxic Substances Control Act (TSCA) Status: This product is a drug and not subject to chemical notification requirements.

Note: The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

SECTION 16: OTHER INFORMATION

Risk phrases used in Section 2	H225: Highly flammable liquid and vapor. H302: Harmful if swallowed. H319: Causes serious eye irritation.
--------------------------------	---

Date of preparation of SDS: November 13, 2014

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.