# **SAFETY DATA SHEETS**

# This SDS packet was issued with item:

077181571

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

077186471 077186489

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

077181563 077181589



according to Regulation (EC) No 1907/2006

# **GI-Mask Universal Separator**

Revision date: 13.02.2018 Print date: 22.02.2018 Page 1 of 7

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

GI-Mask Universal Separator

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Separator

for dental use only

Reserved for industrial and professional use.

\*

## 1.3. Details of the supplier of the safety data sheet

COLTENE/Whaledent AG Company name: Street: Feldwiesenstrasse 20 Place: CH-9450 Altstätten Telephone: +41 (71) 75 75 300 Telefax: +41 (71) 75 75 301 info.ch@coltene.com e-mail: www.coltene.com Internet: Responsible Department: Regulatory Affairs msds@coltene.com

**1.4. Emergency telephone** +41 (0) 44 251 51 51 - Tox Info Suisse (24 h)

number:

### **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

### Regulation (EC) No. 1272/2008

Hazard categories: Aerosol: Aerosol 1

Skin corrosion/irritation: Skin Irrit. 2

Specific target organ toxicity - single exposure: STOT SE 3 Hazardous to the aquatic environment: Aquatic Chronic 2

**Hazard Statements:** 

Extremely flammable aerosol.

Pressurised container: May burst if heated.

Causes skin irritation.

May cause drowsiness or dizziness.

Toxic to aquatic life with long lasting effects.

## 2.2. Label elements

### Regulation (EC) No. 1272/2008

# Hazard components for labelling

hydrocarbons, C6, isoalkanes, < 5 % n-Hexane isopropyl acetate

Signal word: Danger

Pictograms:









according to Regulation (EC) No 1907/2006

# **GI-Mask Universal Separator**

Revision date: 13.02.2018 Print date: 22.02.2018 Page 2 of 7

#### **Hazard statements**

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H411 Toxic to aquatic life with long lasting effects.

### **Precautionary statements**

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P312 Call a doctor if you feel unwell.

## **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

#### Hazardous components

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification according to				
64742-49-0	hydrocarbons, C6, isoalka	30 -50 %			
	931-254-9		01-2119484651-34		
	Flam. Liq. 2, Skin Irrit. 2, S H411	Chronic 2; H225 H315 H336 H304			
74-98-6	propane	15 - 30 %			
	200-827-9	601-003-00-5			
	Flam. Gas 1; H220				
106-97-8	butane	15 - 30 %			
	203-448-7	601-004-00-0			
	Flam. Gas 1; H220				
75-28-5	isobutane				
	200-857-2	601-004-00-0			
	Flam. Gas 1; H220				
108-21-4	isopropyl acetate				
	203-561-1	607-024-00-6			
	Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336 EUH066				

Full text of H and EUH statements: see section 16.

### **Further Information**

\*

## **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

#### After inhalation

Provide fresh air.



according to Regulation (EC) No 1907/2006

## **GI-Mask Universal Separator**

Revision date: 13.02.2018 Print date: 22.02.2018 Page 3 of 7

If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

In all cases of doubt, or when symptoms persist, seek medical advice.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap.

#### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

#### 4.2. Most important symptoms and effects, both acute and delayed

Causes skin irritation.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

### Suitable extinguishing media

Carbon dioxide (CO2).

Sand.

#### Unsuitable extinguishing media

High power water jet.

### 5.2. Special hazards arising from the substance or mixture

Precautions against fire and explosion:

Extremely flammable aerosol.

Caution! Container under pressure. Danger of bursting container.

#### 5.3. Advice for firefighters

DO NOT fight fire when fire reaches explosives.

In case of fire: Wear self-contained breathing apparatus.

### Additional information

Co-ordinate fire-fighting measures to the fire surroundings.

Do not allow water used to extinguish fire to enter drains or waterways.

### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Provide adequate ventilation. Remove persons to safety.

## 6.2. Environmental precautions

Avoid release to the environment. Do not allow to enter into surface water or drains.

## 6.3. Methods and material for containment and cleaning up

Wipe up with absorbent material (eg. cloth, fleece).

## **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

### Advice on safe handling

Avoid contact with skin and eyes.

for professional use only Keep out of the reach of children.

Observe instructions for use.

### Advice on protection against fire and explosion

Do not spray on naked flames or any incandescent material.

Keep away from sources of ignition - No smoking.

## Further information on handling

Do not pierce or burn, even after use. This material and its container must be disposed of as hazardous waste.



according to Regulation (EC) No 1907/2006

# **GI-Mask Universal Separator**

Revision date: 13.02.2018 Print date: 22.02.2018 Page 4 of 7

## 7.2. Conditions for safe storage, including any incompatibilities

# Requirements for storage rooms and vessels

Keep container tightly closed and in a well-ventilated place.

### Further information on storage conditions

Do not expose to temperatures exceeding 50°C/122°F. Recommended storage temperature: 15 - 23 °C

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

### **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
106-97-8	Butane	600	1450		TWA (8 h)	WEL
		750	1810		STEL (15 min)	WEL
108-21-4	Isopropyl acetate	-	-		TWA (8 h)	WEL
		200	849		STEL (15 min)	WEL

### 8.2. Exposure controls

### Protective and hygiene measures

When using do not eat, drink or smoke.

### Eye/face protection

Framed glasses.

### Hand protection

Wear protective gloves.

## Skin protection

Lab apron.

# Respiratory protection

Provide adequate ventilation. Do not breathe aerosol.

## **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: colourless
Odour: characteristic

Test method

## Changes in the physical state

Flash point: < 0 °C

#### 9.2. Other information

Extremely flammable aerosol.

## **SECTION 10: Stability and reactivity**

# 10.2. Chemical stability

Extremely flammable aerosol. Contains gas under pressure; may explode if heated.

Extreme risk of explosion by shock, friction, fire or other sources of ignition.

#### 10.4. Conditions to avoid

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.



according to Regulation (EC) No 1907/2006

# **GI-Mask Universal Separator**

Revision date: 13.02.2018 Print date: 22.02.2018 Page 5 of 7

# **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

#### **Acute toxicity**

Based on available data, the classification criteria are not met.

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
64742-49-0	hydrocarbons, C6, isoalkanes, < 5 % n-Hexane					
	oral	LD50 mg/kg	16750	Rat		
	dermal	LD50 mg/kg	3350	Rabbit		
	inhalative vapour	LC50 mg/l	259354	Rat		
106-97-8	butane					
	inhalative (4 h) gas	LC50	658 ppm	Rat	GESTIS	
108-21-4	isopropyl acetate					
	oral	LD50 mg/kg	6750	Rat	GESTIS	
	dermal	LD50 mg/kg	> 17400	Rabbit	GESTIS	
	inhalative (4 h) vapour	LC50	50,6 mg/l	Rat		

### Irritation and corrosivity

Causes skin irritation.

### STOT-single exposure

May cause drowsiness or dizziness.

# **SECTION 12: Ecological information**

## 12.2. Persistence and degradability

May cause long-term adverse effects in the environment.

## 12.3. Bioaccumulative potential

### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
74-98-6	propane	2,36
106-97-8	butane	2,89
75-28-5	isobutane	2,8
108-21-4	isopropyl acetate	1,02

## 12.6. Other adverse effects

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

### **Further information**

Do not allow to enter into surface water or drains.

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

## Advice on disposal

Dispose of waste according to applicable legislation.



according to Regulation (EC) No 1907/2006

## **GI-Mask Universal Separator**

Revision date: 13.02.2018 Print date: 22.02.2018 Page 6 of 7

# **SECTION 14: Transport information**

### Land transport (ADR/RID)

14.1. UN number:UN 195014.2. UN proper shipping name:AEROSOLS

14.3. Transport hazard class(es):214.4. Packing group:-Hazard label:2.1Classification code:5F

Special Provisions: 190 327 344 625

Limited quantity: 1 L
Excepted quantity: E0
Transport category: 2
Tunnel restriction code: D

### Marine transport (IMDG)

14.1. UN number:UN 195014.2. UN proper shipping name:AEROSOLS

14.3. Transport hazard class(es):2.114.4. Packing group:-Hazard label:2.1Marine pollutant:YES

Special Provisions: 63, 190, 277, 327, 344, 959

Limited quantity: 1000 mL Excepted quantity: E0 EmS: F-D, S-U

## Air transport (ICAO-TI/IATA-DGR)

**14.1. UN number:** UN 1950

14.2. UN proper shipping name: AEROSOLS, flammable

14.3. Transport hazard class(es):2.114.4. Packing group:-Hazard label:2.1

Special Provisions: A145 A167 A802

Limited quantity Passenger: 30 kg G
Passenger LQ: Y203
Excepted quantity: E0

IATA-packing instructions - Passenger:203IATA-max. quantity - Passenger:75 kgIATA-packing instructions - Cargo:203IATA-max. quantity - Cargo:150 kg

### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: yes

Danger releasing substance: Hydrocarbon, C6, isoalkanes, <5% n-hexane

# **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU** regulatory information



according to Regulation (EC) No 1907/2006

# **GI-Mask Universal Separator**

Revision date: 13.02.2018 Print date: 22.02.2018 Page 7 of 7

Restrictions on use (REACH, annex XVII):

Entry 3: hydrocarbons, C6, isoalkanes, < 5 % n-Hexane

Entry 28: butane; isobutane

2010/75/EU (VOC): 92%

**National regulatory information** 

**Additional information** 

-----

## **SECTION 16: Other information**

### Changes

\* Data changed compared with the previous version

### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

# Relevant H and EUH statements (number and full text)

H220	Extremely flammable gas.
H222	Extremely flammable aerosol.
H225	Highly flammable liquid and vapour.
H229	Pressurised container: May burst if heated.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.
EUH066	Repeated exposure may cause skin dryness or cracking

### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)



according to Regulation (EC) No 1907/2006

### **GI-Mask Automix**

Revision date: 16.07.2012 Print date: 23.04.2013 Page 1 of 3

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

**GI-Mask Automix** 

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

for dental use only

## 1.3. Details of the supplier of the safety data sheet

Company name:
Coltène/Whaledent AG
Street:
Feldwiesenstrasse 20
Place:
CH-9450 Altstätten
Telephone:
+41 (71) 75 75 300
Telefax:
+41 (71) 75 75 301
e-mail:
info.ch@coltene.com
Internet:
www.coltene.com

### **Further Information**

Only supplied to dentists and dental laboratories or upon their instructions

### **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

This mixture is classified as not hazardous according to Regulation (EC) 1272/2008 [GHS].

The preparation is not dangerous in the sense of Directive 1999/45/EC.

Preparation/mixture without hazards for human health or environment

### 2.2. Label elements

# Hazardous components which must be listed on the label

According to Directive 1999/45/EC or Appendix VI to Directive 67/548/EEC the preparation requires no special labelling.

## **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

## **Chemical characterization**

Polymer preparations and compounds

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

### **General information**

No special measures are necessary.

### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

### Suitable extinguishing media

Water. Foam. Extinguishing powder. Carbon dioxide (CO2). Sand.

## **Additional information**

Extinguishing materials should be selected according to the surrounding area.



according to Regulation (EC) No 1907/2006

#### **GI-Mask Automix**

Revision date: 16.07.2012 Print date: 23.04.2013 Page 2 of 3

### **SECTION 6: Accidental release measures**

#### 6.2. Environmental precautions

Do not empty into drains or the aquatic environment.

## 6.3. Methods and material for containment and cleaning up

Wipe up with absorbent material (eg. cloth, fleece). Clear contaminated area thoroughly.

## **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

#### Advice on safe handling

No special precautionary measures are necessary.

### 7.2. Conditions for safe storage, including any incompatibilities

### Further information on storage conditions

Keep the packing dry and well sealed to prevent contamination and absorbtion of dampness.

Recommended storage temperature: 15 - 23 °C

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

## 8.2. Exposure controls

## Protective and hygiene measures

When using do not eat, drink or smoke.

## Hand protection

Single-use gloves.

Unsuitable materials: NR (Natural rubber (Caoutchouc), Natural latex).

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state: Paste

Colour:

Test method

## Changes in the physical state

Boiling point: >150 °C
Water solubility: insoluble

(at 23 °C)

### Solubility in other solvents

ketone.

## **SECTION 10: Stability and reactivity**

#### **Further information**

No special measures are necessary.

## **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

### **Acute toxicity**

LD50: >2000 mg/kg (Rat.)

The statement is derived from products of similar composition.



according to Regulation (EC) No 1907/2006

### **GI-Mask Automix**

Revision date: 16.07.2012 Print date: 23.04.2013 Page 3 of 3

# Irritation and corrosivity

Irritant effect on the skin: (Rabbit.)

Not an irritant.

The statement is derived from products of similar composition.

### Sensitising effects

Guinea-pig.

no danger of sensitization.

The statement is derived from products of similar composition.

## **SECTION 12: Ecological information**

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

#### Advice on disposal

Can be burnt together with household waste in compliance with official regulations in contact with approved waste disposal companies and with authorities in charge.

## **SECTION 14: Transport information**

### Other applicable information

Not a hazardous material with respect to these transportation regulations.

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**National regulatory information** 

# **SECTION 16: Other information**

#### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)



according to Regulation (EC) No 1907/2006

#### **GI-Mask Automix**

Revision date: 20.04.2015 Print date: 17.05.2016 Page 1 of 3

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

GI-Mask Automix

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

for dental use only

### 1.3. Details of the supplier of the safety data sheet

Company name: Coltène/Whaledent AG Street: Feldwiesenstrasse 20 Place: CH-9450 Altstätten Telephone: +41 (71) 75 75 300 Telefax: +41 (71) 75 75 301 e-mail: info.ch@coltene.com Internet: www.coltene.com Responsible Department: Regulatory Affairs msds@coltene.com

**1.4. Emergency telephone** +41 (0) 44 251 51 51 - Tox Info Suisse (24 h)

number:

#### **Further Information**

Only supplied to dentists and dental laboratories or upon their instructions

### **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

This mixture is classified as not hazardous according to Regulation (EC) 1272/2008 [GHS].

The preparation is not dangerous in the sense of Directive 1999/45/EC.

Preparation/mixture without hazards for human health or environment

### 2.2. Label elements

### **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

### **Chemical characterization**

Polymer preparations and compounds

## **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

### **General information**

No special measures are necessary.

## After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

# **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

## Suitable extinguishing media

Water. Foam. Extinguishing powder. Carbon dioxide (CO2). Sand.

## **Additional information**

Co-ordinate fire-fighting measures to the fire surroundings.



according to Regulation (EC) No 1907/2006

#### **GI-Mask Automix**

Revision date: 20.04.2015 Print date: 17.05.2016 Page 2 of 3

#### **SECTION 6: Accidental release measures**

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

### 6.3. Methods and material for containment and cleaning up

Wipe up with absorbent material (eg. cloth, fleece). Clear contaminated areas thoroughly.

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

### Advice on safe handling

No special precautionary measures are necessary.

Observe instructions for use.

### 7.2. Conditions for safe storage, including any incompatibilities

### Further information on storage conditions

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity.

Recommended storage temperature: 15 - 23 °C

# **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

## 8.2. Exposure controls

## Protective and hygiene measures

When using do not eat, drink or smoke.

### Hand protection

Single-use gloves.

Unsuitable material: NR (Natural rubber (Caoutchouc), Natural latex).

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state: Paste

Colour:

Test method

## Changes in the physical state

Initial boiling point and boiling range: >150 °C
Water solubility: insoluble

(at 23 °C)

### Solubility in other solvents

ketone.

## **SECTION 10: Stability and reactivity**

### **Further information**

No special measures are necessary.

## **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

# **Acute toxicity**

LD50: >2000 mg/kg (Rat)

The statement is derived from products of similar composition.



according to Regulation (EC) No 1907/2006

#### **GI-Mask Automix**

Revision date: 20.04.2015 Print date: 17.05.2016 Page 3 of 3

### Irritation and corrosivity

Irritant effect on the skin: (Rabbit)

Not an irritant.

The statement is derived from products of similar composition.

#### Sensitising effects

Guinea-pig.

no danger of sensitization.

The statement is derived from products of similar composition.

## **SECTION 12: Ecological information**

#### **Further information**

No special environmental measures are necessary.

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

## Advice on disposal

Can be burnt together with household waste in compliance with official regulations in contact with approved waste disposal companies and with authorities in charge.

# **SECTION 14: Transport information**

### Other applicable information

Not a hazardous material with respect to these transportation regulations.

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information

Additional information

-----

## **SECTION 16: Other information**

### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)