# SAFETY DATA SHEETS

# This SDS packet was issued with item: 070326892

N/A



# **MATERIAL SAFETY DATA SHEET**

1. Product and Company Id	entification
Material name	HP LaserJet CE285A-AC-AD-AF Print Cartridge
Version #	01
Issue date	18-Oct-2013
Product use	This product is a toner preparation that is used in HP LaserJet P1102 and HP LaserJet Prc M1132/M1212/M1214/M1217 mfp series printers.
Company identification	Hewlett-Packard Company 3000 Hanover Street Palo Alto, CA 94304-1185 United States Telephone 650-857-5020
	Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com
2. Hazards Identification	
Potential health effects	
Eyes	May cause transient slight irritation
Skin	Unlikely to cause skin irritation.
Inhalation	Minimal respiratory tract irritation may occur with exposure to large amounts of toner dust. Use of this product as intended does not result in inhalation of excessive amounts of dust.
Ingestion	Low acute toxicity. Ingestion is a minor route of entry for intended use of this product.
Other hazards	None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA. This product is not classified as hazardous according to OSHA CFR

# 3. Composition / Information on Ingredients

Non-hazardous components	CAS #	Percent
Styrene acrylate copolymer	Trade Secret	<55
Ferrite	Trade Secret	<45
Wax	Trade Secret	<10

4. First Aid Measures	
General advice	No information
First aid procedures	
Eye contact	Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician.
Skin contact	Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists.
Inhalation	Move person to fresh air immediately. If irritation persists, consult a physician.
Ingestion	Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician.

5. Fire Fighting Measures		
Flammable properties	Like most organic material in powder form, toner can form explosive dust-air mixtures when finely dispersed in air.	
Extinguishing media		
Suitable extinguishing media	CO2, water, or dry chemical	
Unsuitable extinguishing media	None known.	
Fire fighting equipment/instructions	If fire occurs in the printer, treat as an electrical fire.	
Specific methods	None established.	
Hazardous combustion products	Carbon monoxide and carbon dioxide.	
6. Accidental Release Measu	Ires	
Personal precautions	Minimize dust generation and accumulation.	
Environmental precautions	Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations.	
Other information	considerations. Slowly vacuum or sweep the material into a bag or other sealed container. Clean remainder with a damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of in compliance with federal, state, and local regulations.	
7. Handling and Storage		
Handling	Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames.	
Storage	Keep out of the reach of children. Keep tightly closed and dry. Store at room temperature. Store away from strong oxidizers.	
8. Exposure Controls / Perso	onal Protection	
Exposure guidelines	USA OSHA (TWA/PEL): 15 mg/m3 (Total Dust), 5 mg/m3 (Respirable Fraction)	
	ACGIH (TWA/TLV): 10 mg/m3 (Inhalable Particulate), 3 mg/m3 (Respirable Particulate)	
Engineering controls	Use in a well ventilated area.	
Personal protective equipmen General	t No personal respiratory protective equipment required under normal conditions of use.	
9. Physical & Chemical Prop	erties	
Appearance	Fine powder	
Physical state	Solid.	
Form	solid	
Color	Black.	
Odor	Slight plastic odor	
pH	Not applicable	
Vapor pressure	Not applicable	
Boiling point	Not applicable	
Melting point/Freezing point	Not available.	
Solubility (water)	Negligible in water. Partially soluble in toluene and xylene.	
Specific gravity	1.4 - 1.8	
Flash point	Not applicable	
Viscosity	Not applicable	
-		
Dorcont volatilo	Nealiaible	
Percent volatile Softening point	Negligible 212 - 302 °F (100 - 150 °C)	

Material name: CE285A-AC-AD-AF

12214 Version #: 01 Issue date: 18-Oct-2013

VOC	Not applicable	
Other information	No information available	
Other data		
Decomposition temperature	> 392 °F (> 200 °C)	
10. Chemical Stability & Rea	activity Information	
Chemical stability	Stable under normal storage co	nditions.
Conditions to avoid	Imaging Drum: Exposure to lig	nt
Incompatible materials	Strong oxidizers	
Hazardous decomposition products	Carbon monoxide and carbon o	ioxide.
Possibility of hazardous reactions	Will not occur.	
11. Toxicological Informatio	n	
Sensitization	Not classified as a sensitizer ac HCS (US).	cording to EU Directive 67/548/EEC and as amended, and OSHA
Chronic effects	No information available.	
Carcinogenicity	None of the other ingredients i EU, IARC, MAK, NTP or OSHA.	n this preparation are classified as carcinogens according to ACGIH,
Serious eye damage/eye irritation	Not classified as irritant, accord Directive 67/548/EEC and as a	ing to OSHA Hazard Communication Standard (HCS) and EU nended.
Mutagenicity	Negative, does not indicate mu	tagenic potential (Ames Test: Salmonella typhimurium)
Reproductive effects	Not classified as toxic according and DFG (Germany).	to EU Directive 67/548/EEC and as amended, California Prop. 65,
Further information		available for this specific formulation health effects and Section 4 for first aid measures.
12. Ecological Information		
Ecotoxicological data Product	Species	Test Results
CE285A-AC-AD-AF		
Fish	LL50 Fish	> 1000 mg/l, 96 Hours
Ecotoxicity	LL50: > 1000 mg/l, Fish, 96.00	Hours
Persistence and degradability	Not available.	
13. Disposal Considerations		
Disposal instructions		nless dust-explosion prevention measures are taken. Finely plosive mixtures in air. Dispose of in compliance with federal, state,
	of HP original inkjet and LaserJ	x) supplies recycling program enables simple, convenient recycling et supplies. For more information and to determine if this service ase visit http://www.hp.com/recycle.
14. Transport Information		
<b>DOT</b> Not regulated as dangerous g	oods.	
IATA		
UN number	UN2807	
UN proper shipping name IMDG	Magnetized Material	
Not regulated as dangerous g	oods.	
RID		
Not regulated as dangerous goods	S	
Material name: CE285A-AC-AD-AF 12214 Version #: 01 Issue date:	18-Oct-2013	MSDS US 3 / 5
10000 m m 01 10000 dutter		5,5

105 or more of these cartridges shipped together in a single package (e.g., box, container), by air, are regulated as a magnetized material. These requirements do not apply to single or dual pack cartridges contained in an original HP package and shrink wrapped on a pallet for shipment by air.

15. Regulatory Informatio	n
US federal regulations	US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders
	under TSCA.
Drug Enforcement Admi Chemical Code Number	nistration (DEA). List 2, Essential Chemicals (21 CFR 1310.02(b) and 1310.04(f)(2) and
Not listed.	
-	nistration (DEA). List 1 & 2 Exempt Chemical Mixtures (21 CFR 1310.12(c))
Not regulated. DEA Exempt Chemical M	lixtures Code Number
Not regulated. TSCA Section 12(b) Expension Not regulated.	ort Notification (40 CFR 707, Subpt. D)
CERCLA (Superfund) reporta	able quantity
None	
Superfund Amendments and	I Reauthorization Act of 1986 (SARA)
Hazard categories	Immediate Hazard - No
	Delayed Hazard - No
	Fire Hazard - No Pressure Hazard - No
	Reactivity Hazard - No
SARA 302 Extremely	Νο
hazardous substance	
SARA 311/312 Hazardous chemical	No
Other regulations	All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.
State regulations	Not applicable.
US. Massachusetts RTK	- Substance List
Not regulated. <b>US. Pennsylvania RTK -</b>	Hazardous Substances
Not regulated. US. Rhode Island RTK	
Not regulated.	
16. Other Information	
HMIS® ratings	Health: 1
	Flammability: 1
	Physical hazard: 0
NFPA ratings	Health: 1 Flammability: 1 Instability: 0
Disclaimer	This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.
Other information	This MSDS was prepared in accordance with USA OSHA Hazard Communications regulation (29 CFR 1910.1200).
Issue date	18-Oct-2013
Material name: CE285A-AC-AD-AE	10 000 2015

Material name: CE285A-AC-AD-AF

12214 Version #: 01 Issue date: 18-Oct-2013

This data sheet contains<br/>changes from the previous<br/>version in section(s):1. Product and Company Identification: Alternate Trade Names<br/>Hazards Identification: Other hazards<br/>Physical & Chemical Properties: Multiple PropertiesManufacturer informationHewlett-Packard Company<br/>11311 Chinden Boulevard<br/>Boise, ID 83714 USA<br/>(Direct) 1-503-494-7199<br/>(Toll-free within the US) 1-800-457-4209

#### **Explanation of abbreviations**

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds



# SAFETY DATA SHEET

1. Identification			
Product identifier	HP LaserJet CE285A-AC-AD-AF-L Print Cartridge		
Other means of identification	None.		
Recommended use	ded use This product is a toner preparation that is used in HP LaserJet P1102 and HP LaserJet Pro M1132/M1212/M1214/M1217 mfp series printers.		
Recommended restrictions	None known.		
Manufacturer/Importer/Supplier	/Distributor information		
	HP Inc.		
	1501 Page Mill Road		
	Palo Alto, CA 94304-1112		
	United States		
Telephone	650-857-5020		
HP Inc. health effects line			
(Toll-free within the US)	1-800-457-4209		
(Direct)	1-760-710-0048		
HP Inc. Customer Care Line			
(Toll-free within the US)	1-800-474-6836		
(Direct)	1-208-323-2551		
Email:	hpcustomer.inquiries@hp.com		
2. Hazard(s) identification	1		
Physical hazards	Not classified.		
Health hazards	Not classified.		
Environmental hazards	Not classified.		
OSHA defined hazards	Not classified.		
Label elements			
Hazard symbol	None.		
Signal word	None.		
Hazard statement	Not available.		
Precautionary statement			
Prevention	Not available.		
Response	Not available.		
Storage	Not available.		
Disposal	Not available.		
Hazard(s) not otherwise classified (HNOC)	None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.		

#### 3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Styrene acrylate copolymer		Trade Secret	<55
Ferrite		Trade Secret	<45
Wax	Wax	Trade Secret	<10

Material name: CE285A-AC-AD-AF-L

12214 Version #: 05 Revision date: 06-Sep-2018 Issue date: 02-Dec-2014

4. First-aid measures	
Inhalation	Move person to fresh air immediately. If irritation persists, consult a physician.
Skin contact	Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists.
Eye contact	Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician.
Ingestion	Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician.
Most important symptoms/effects, acute and delayed	Not available.
5. Fire-fighting measures	
Suitable extinguishing media	CO2, water, or dry chemical
Unsuitable extinguishing media	None known.
Specific hazards arising from the chemical	Like most organic material in powder form, toner can form explosive dust-air mixtures when finely dispersed in air.
Special protective equipment and precautions for firefighters	Not available.
Fire fighting equipment/instructions	If fire occurs in the printer, treat as an electrical fire.
Specific methods	None established.
6. Accidental release mea	sures
Personal precautions, protective equipment and emergency procedures	Minimize dust generation and accumulation.
Methods and materials for containment and cleaning up	Slowly vacuum or sweep the material into a bag or other sealed container. Clean remainder with a damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of in compliance with federal, state, and local regulations.
Environmental precautions	Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations.
7. Handling and storage	
Precautions for safe handling	Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames.
Conditions for safe storage, including any incompatibilities	Keep out of the reach of children. Keep tightly closed and dry. Store at room temperature. Store away from strong oxidizers.
8. Exposure controls/pers	onal protection
Occupational exposure limits	This mixture has no ingredients that have PEL, TLV, or other recommended exposure limit.
Biological limit values	No biological exposure limits noted for the ingredient(s).
Exposure guidelines	USA OSHA (TWA/PEL): 15 mg/m3 (Total Dust), 5 mg/m3 (Respirable Fraction)
	ACGIH (TWA/TLV): 10 mg/m3 (Inhalable Particulate), 3 mg/m3 (Respirable Particulate)
	TRGS 900 (Luftgrenzwert) - 10 mg/m3 (Einatembare partikel), 3 mg/m3 (Alveolengängige fraktion
Appropriate engineering controls	Use in a well ventilated area.
Individual protection measures, Eye/face protection	such as personal protective equipment Not available.
Skin protection	
Hand protection	Not available.
Other	Not available.
Respiratory protection	Not available.
Thormal bazards	Not available

Material name: CE285A-AC-AD-AF-L

Thermal hazards

12214 Version #: 05 Revision date: 06-Sep-2018 Issue date: 02-Dec-2014

Not available.

#### 9. Physical and chemical properties

Appearance	Fine powder
Physical state	Solid.
Form	solid
Color	Black.
Odor	Slight plastic odor
Odor threshold	Not available.
рН	Not applicable
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not applicable
Flash point	Not applicable
Evaporation rate	Not applicable
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not flammable
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not applicable
Vapor density	Not applicable
Solubility(ies)	
Solubility (water)	Negligible in water. Partially soluble in toluene and xylene.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not applicable
Decomposition temperature	> 392 °F (> 200 °C)
Viscosity	Not applicable
Other information	
Oxidizing properties	No information available.
Percent volatile	Negligible
Softening point	212 - 302 °F (100 - 150 °C)
Specific gravity	1.4 - 1.8
VOC	Not applicable

## 10. Stability and reactivity

Not available.
Stable under normal storage conditions.
Will not occur.
Imaging Drum: Exposure to light
Strong oxidizers
Carbon monoxide and carbon dioxide.

#### 11. Toxicological information

#### Information on likely routes of exposure

Inhalation	Under normal conditions of intended use, this material is not expected to be an inhalation hazard.
Skin contact	Contact with skin may result in mild irritation.
Eye contact	Contact with eyes may result in mild irritation.

Material name: CE285A-AC-AD-AF-L

12214 Version #: 05 Revision date: 06-Sep-2018 Issue date: 02-Dec-2014

Ingestion	Ingestion is not a likely route of exposure.	
Symptoms related to the physical, chemical and toxicological characteristics	Not available.	
Information on toxicological effe	ects	
Acute toxicity	Based on available data, the classification criteria are not met.	
Skin corrosion/irritation	Based on available data, the classification criteria are not met.	
Serious eye damage/eye irritation	Based on available data, the classification criteria are not met.	
Respiratory or skin sensitizatior	1	
<b>Respiratory sensitization</b>	Based on available data, the classification criteria are not met.	
Skin sensitization	Based on available data, the classification criteria are not met.	
Germ cell mutagenicity	Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium) Based on available data, the classification criteria are not met.	
Carcinogenicity	Based on available data, the classification criteria are not met.	
IARC Monographs. Overall Evaluation of Carcinogenicity Not listed. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) Not regulated. US. National Toxicology Program (NTP) Report on Carcinogens		
Not listed.		
Reproductive toxicity	Based on available data, the classification criteria are not met.	
Specific target organ toxicity - single exposure	Based on available data, the classification criteria are not met.	
Specific target organ toxicity - repeated exposure	Based on available data, the classification criteria are not met.	
Aspiration hazard	Based on available data, the classification criteria are not met.	
Further information	Complete toxicity data are not available for this specific formulation Refer to Section 2 for potential health effects and Section 4 for first aid measures.	

# 12. Ecological information

Ecotoxicity	LL50: > 1000	mg/I, Fish, 96.00 Hours	
Product		Species	Test Results
CE285A-AC-AD-AF-L			
Aquatic			
Fish	LL50	Fish	> 1000 mg/l, 96 Hours
Persistence and degradability	Not available.		
Bioaccumulative potential	Not available.		
Mobility in soil	Not available.		
Other adverse effects	Not available.		

#### 13. Disposal considerations

Disposal instructions	Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.
	HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

# 14. Transport information

#### DOT

Not regulated as dangerous goods.

#### ΙΑΤΑ

UN number	UN2807
UN proper shipping name	Magnetized Material

Material name: CE285A-AC-AD-AF-L

12214 Version #: 05 Revision date: 06-Sep-2018 Issue date: 02-Dec-2014

#### Transport hazard class(es)

Class	Not available.
Subsidiary risk	-
Packing group	Not available.
Environmental hazards	No.
Special precautions for user	Not available.

IMDG

Not regulated as dangerous goods.

#### ADR

Not regulated as dangerous goods.

Further information	105or more of these cartridges shipped together in a single package (e.g., box, container), by air, are regulated as a magnetized material. These requirements do not apply to single or dual pack
	cartridges contained in an original HP package and shrink wrapped on a pallet for shipment by air.

#### 15. Regulatory information

**US** federal regulations

US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.

## TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated. CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories	Immediate Hazard - No Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No
SARA 302 Extremely hazard	dous substance
Not listed.	
SARA 311/312 Hazardous chemical	No

# Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated.

(SDWA)

**US state regulations** Not applicable.

**Regulatory information** All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

#### 16. Other information, including date of preparation or last revision

	• • •
Issue date	02-Dec-2014
Revision date	06-Sep-2018
Version #	05
Other information	This SDS was prepared in accordance with USA OSHA Hazard Communications regulation (29 CFR 1910.1200).

Disclaimer	This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.
	This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.
Revision information	Fire-fighting measures: Specific hazards arising from the chemical Accidental release measures: Methods and materials for containment and cleaning up Toxicological information: Eye contact Toxicological information: Ingestion Toxicological information: Inhalation Toxicological information: Skin contact Transport information: Further information Other information, including date of preparation or last revision: Disclaimer
Explanation of abbreviations	

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds