

## **SAFETY DATA SHEETS**

**This SDS packet was issued with item:**

076344923

**The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).**

076344931 076345037

**The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).**

076344600

"Reviewed September 2010: No Changes"

# Material Safety Data Sheet

May be used to comply with  
OSHA's Hazard Communication Standard,  
29 CFR 1910.1200. Standard must be  
consulted for specific requirements.

## U.S. Department of Labor

Occupational Safety and Health Administration  
(Non-Mandatory Form)

Form Approved  
OMB No. 1218-0072



IDENTITY (As Used on Label and Use)  
CoreShade Glasionomer Base Liquid

Note: Blank spaces are not permitted. If any item is not applicable, or no  
information is available, the space must be marked to indicate that.

### Section I

|   |  |
|---|--|
| Manufacturer's Name<br>Shofu Dental Corporation                         | Emergency Telephone Number<br>1-800-535-5053     |
| Address (Number, Street, City, State, and ZIP Code)<br>1225 Stone Drive | Telephone Number for Information<br>760-736-3277 |
| San Marcos, CA 92078  | Date Prepared<br>OCTOBER 1, 2002                 |
|   | Signature of Preparer (optional)                 |

### Section II — Hazardous Ingredients/Identity Information

| Hazardous Components (Specific Chemical Identity, Common Name(s)) | OSHA PEL | ACGIH TLV | Other Limits<br>Recommended | % (optional) |
|---|----------|-----------|-----------------------------|--------------|
|---|----------|-----------|-----------------------------|--------------|

No hazardous material present in concentration greater than 1% (0.1% for carcinogens).

### Section III — Physical/Chemical Characteristics

|                         |                           |   |           |
|-------------------------|---------------------------|---|-----------|
| Boiling Point           | N/A                       | Specific Gravity (H <sub>2</sub> O = 1) | Above 1.0 |
| Vapor Pressure (mm Hg)  | N/A                       | Melting Point                           | N/A       |
| Vapor Density (AIR = 1) | N/A                       | Evaporation Rate<br>(Butyl Acetate = 1) | About 1.0 |
| Solubility in Water     | Complete                  |   |           |
| Appearance and Odor     | Colorless, viscous liquid |   |           |

### Section IV — Fire and Explosion Hazard Data

|                                    |     |                  |     |     |     |
|------------------------------------|-----|------------------|-----|-----|-----|
| Flash Point (Method Used)          | N/A | Flammable Limits | N/A | LEL | UEL |
| Extinguishing Media                | N/A |                  |     |     |     |
| Special Fire Fighting Procedures   | N/A |                  |     |     |     |
| Unusual Fire and Explosion Hazards | N/A |                  |     |     |     |

### CoreShade Glasionomer Base Liquid

#### Section V — Reactivity Data

|           |          |                     |
|-----------|----------|---------------------|
| Stability | Unstable | Conditions to Avoid |
|           | Stable   | X                   |

Incompatibility (Materials to Avoid)

N/A

Hazardous Decomposition or Byproducts

N/A

|                          |                |                     |
|--------------------------|----------------|---------------------|
| Hazardous Polymerization | May Occur      | Conditions to Avoid |
|                          | Will Not Occur | X                   |

#### Section VI — Health Hazard Data

|                    |             |          |            |
|--------------------|-------------|----------|------------|
| Route(s) of Entry: | Inhalation? | Skin?    | Ingestion? |
|                    | N/A         | Possible | Possible   |

Health Hazards (Acute and Chronic) Avoid skin & eye contact. Could cause irritation.

|                  |      |                  |                 |
|------------------|------|------------------|-----------------|
| Carcinogenicity: | NTP? | MARC Monographs? | OSHA Regulated? |
|                  | N/A  | N/A              | N/A             |

Signs and Symptoms of Exposure Skin or eye irritation

Medical Conditions  
Generally Aggravated by Exposure Unknown

Emergency and First Aid Procedures  
Eyes: Flush promptly w/flowing water. Consult physician if necessary. Skin contact: Wash  
area w/mild soap & water. Ingestion: Drink plenty of water. Consult physician if necessary.

#### Section VII — Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled

Wipe up and discard in a suitable container.

Waste Disposal Method

Disposal in accordance with federal, state, and local regulations.  
Precautions to Be Taken in Handling and Storing

Store in a cool area with lid tightly closed.

Other Precautions  
Handling of product exclusively by dental specialists according to  
instructions for use.

#### Section VIII — Control Measures

Respiratory Protection (Specify Type)

|             |                      |         |
|-------------|----------------------|---------|
| Ventilation | Local Exhaust        | Special |
| N/A         | Mechanical (General) | Other   |

Protective Gloves N/A Eye Protection May be required

Other Protective Clothing or Equipment N/A

Work/Hygiene Practices N/A

# Material Safety Data Sheet

May be used to comply with  
OSHA's Hazard Communication Standard,  
29 CFR 1910.1200. Standard must be  
consulted for specific requirements.

## U.S. Department of Labor

Occupational Safety and Health Administration  
(Non-Mandatory Form)  
Form Approved  
OMB No. 1218-0072



IDENTITY (As Used on Label and LHM)  
CoreShade GlasIonomer Base Powder

Note: Blank spaces are not permitted. If any item is not applicable, or no  
information is available, the space must be marked to indicate that.

### Section I

|   |  |
|---|--|
| Manufacturer's Name<br>Shofu Dental Corporation   | Emergency Telephone Number<br>1-800-535-5053     |
| Address (Number, Street, City, State, and ZIP Code)<br>1225 Stone Drive<br>San Marcos, CA 92078 | Telephone Number for Information<br>760-736-3277 |
| Date Prepared<br>01/10/2013   | Signature of Preparer (optional)                 |

### Section II — Hazardous Ingredients/Identity Information

| Hazardous Components (Specific Chemical Identity, Common Name(s)) | OSHA PEL | ACGIH TLV | Other Limits Recommended | W (optional) |
|---|----------|-----------|--------------------------|--------------|
|---|----------|-----------|--------------------------|--------------|

No hazardous material is present in concentration greater than 1% (0.1% for carcinogens).

### Section III — Physical/Chemical Characteristics

|                         |                        |   |     |
|-------------------------|------------------------|---|-----|
| Boiling Point           | N/A                    | Specific Gravity (H <sub>2</sub> O = 1) | N/A |
| Vapor Pressure (mm Hg.) | N/A                    | Melting Point                           | N/A |
| Vapor Density (AIR = 1) | N/A                    | Evaporation Rate<br>(Butyl Acetate = 1) | N/A |
| Solubility in Water     | Insoluble              |   |     |
| Appearance and Color    | White, odorless powder |   |     |

### Section IV — Fire and Explosion Hazard Data

|                           |     |                  |     |     |     |
|---------------------------|-----|------------------|-----|-----|-----|
| Flash Point (Method Used) | N/A | Flammable Limits | N/A | LEL | UEL |
|---------------------------|-----|------------------|-----|-----|-----|

Extinguishing Media  
N/A

Special Fire Fighting Procedures  
N/A

Unusual Fire and Explosion Hazards  
N/A

### CoreShade GlasIonomer Base Powder

#### Section V — Reactivity Data

|                                       |                |                     |
|---------------------------------------|----------------|---------------------|
| Stability                             | Unstable       | Conditions to Avoid |
|                                       | Stable         | X                   |
| Incompatibility (Materials to Avoid)  | N/A            |                     |
| Hazardous Decomposition or Byproducts | N/A            |                     |
| Hazardous Polymerization              | May Occur      | Conditions to Avoid |
|                                       | Will Not Occur | X                   |

#### Section VI — Health Hazard Data

|                                    |                 |       |                 |
|------------------------------------|-----------------|-------|-----------------|
| Route(s) of Entry:                 | Inhalation?     | Shin? | Ingestion?      |
|                                    | May be possible | N/A   | May be possible |
| Health Hazards (Acute and Chronic) | No data         |       |                 |

|                  |      |                  |                 |
|------------------|------|------------------|-----------------|
| Carcinogenicity: | NTP? | MARC Monographs? | OSHA Regulated? |
|                  | N/A  | N/A              | N/A             |

Signs and Symptoms of Exposure  
Contact with eyes may cause irritation due to foreign body reaction.

|  |         |
|--|---------|
| Medical Conditions<br>Generally Aggravated by Exposure | Unknown |
|--|---------|

Emergency and First Aid Procedures  
Eye contact: Flush promptly with flowing water. If irritation develops, consult a  
physician. Ingestion: Drink plenty of water. Consult a physician if necessary.

#### Section VII — Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled

Wipe up and discard in a suitable container.

Waste Disposal Method  
Disposal must be in accordance with federal, state, and local regulations.

Precautions to Be Taken in Handling and Storage  
Store in a cool area with lid tightly closed.

Other Precautions  
Handling of the product exclusively by dental specialists according to the  
instructions for use.

#### Section VIII — Control Measures

|  |                      |                |                 |
|--|----------------------|----------------|-----------------|
| Respiratory Protection (Specify Type)  | N/A                  |                |                 |
| Ventilation                            | Local Exhaust        | Special        |                 |
|  | Mechanical (General) | Other          |                 |
| Protective Gloves                      | N/A                  | Eye Protection | May be required |
| Other Protective Clothing or Equipment | N/A                  |                |                 |
| Work/Hygiene Practices                 | Avoid eye contact    |                |                 |



# SAFETY DATA SHEET

page 1/5  
CoreShade Glaslonomer Base Cement  
LIQUID  
Printing date: August 26, 2019

## SECTION 1. Identification of the substance or mixture and of the supplier

### 1.1 Product identifier

Trade Name:

**CoreShade Glaslonomer Base Cement "LIQUID"**

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Dental material

Uses advised against: No further data

### 1.3 Details of the supplier of the safety data sheet

Company/Undertaking identification

Manufacturer's Name: **SHOFU DENTAL CORPORATION**

Address: 1225 Stone Drive, San Marcos, CA 92078 USA

Toll Free: 1-800-827-4638

Phone: 760-736-3277

Fax: 760-736-3276

E-Mail: customer-service@shofu.com

Section in Charge: Quality Management & Regulatory Affairs

### 1.4 Emergency Telephone Number

For emergencies only. Call CHEMTREC: +1 703-741-5970 / 1-800-424-9300 (24 hours)

## SECTION 2. Hazards identification

### 2.1 GHS Classification

PHYSICAL HAZARDS

FLAMMABLE LIQUIDS

Not Classified

The thing without mention is out of a classification object. Or cannot classify it.

### 2.2 Label elements

SYMBOL Void

SIGNAL WORD Void

HAZARD STATEMENTS Void

### PRECAUTIONARY STATEMENTS

[Prevention]

Obtain special instruction before use.

Do not handle until all safety precautions have been read and understood.

[Response]

Get medical advice/attention if you feel unwell.

[Storage]

Store in a cool and dark area.

[Disposal]

Dispose of contents and container in accordance with regulation.

### 2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.

Version Number 7  
Revision date: August 8, 2019



# SAFETY DATA SHEET

page 2/5  
CoreShade Glaslonomer Base Cement  
LIQUID  
Printing date: August 26, 2019

vPvB: Not applicable.

## SECTION 3. Composition/information on ingredients

- 3.1 Chemical characterization: Mixtures
- 3.2 Description: -
- 3.3 Dangerous components: Void
  - Copolymer of acrylic acid and tricarboxylic acid (Water solution) 90-99 %
  - Tartaric acid [Cas No.87-69-4] 1-10 %
  - Others
- 3.4 Additional information: For the wording of the listed risk phrases refer to section 2

## SECTION 4. First-aid measures

- 4.1 Description of first aid measures
  - Eye contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present. and easy to do. If eye irritation persists, get medical advice/attention.
  - Skin contact: Wash immediately with soap and plenty of water. If on skin, skin irritation, get medical advice/attention.
  - Ingestion: Rinse mouth and seek medical advice if necessary.
  - Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If symptom concerning breath goes out, call a POISON CENTER or doctor.
- 4.2 Most important symptoms and effects, both acute and delayed
  - No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed
  - No further relevant information available.

## SECTION 5. Fire-fighting measures

- 5.1 Extinguishing Media:
  - Foam, CO<sub>2</sub>, Powder, Dry sand
- 5.2 Special hazards arising from the substance or mixture:
  - No further relevant information available.
- 5.3 Advice for firefighters:
  - No special measures required.

## SECTION 6. Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures:
  - Avoid contact with eyes and skin.
- 6.2 Environmental Precautions:
  - Send to approved treatment/disposal company or dispose according to local, state and federal regulations.
- 6.3 Methods and material for containment and cleaning Up:
  - Wipe up and discard in a suitable container.
- 6.4 Reference to other section:
  - See Section 7 for information on safe handling.
  - See Section 8 for information on personal protection equipment.
  - See Section 13 for disposal information.

Version Number 7  
Revision date: August 8, 2019



# SAFETY DATA SHEET

page 3/5  
CoreShade Glaslonomer Base Cement  
LIQUID  
Printing date: August 26, 2019

## SECTION 7. Handling and storage

- 7.1 Precautions for safe handling:  
Avoid inhaling and contact with eyes and skin.  
Keep away from ignition sources and separate from strong oxidizer.
- 7.2 Conditions for safe storage, including any incompatibilities:  
Store in a cool and dry place out of direct sunlight and source of ignition.  
Separated from organic peroxide. Keep containers closed.
- 7.3 Specific end use(s):  
No further relevant information available.

## SECTION 8. Exposure controls/personal protection

- 8.1 Control parameters:  
Ingredients with limit values that require monitoring at the workplace:  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- 8.2 Exposure controls:  
Respiratory Protection:  
Dust mask
- Skin Protection: Hand Protection  
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/the chemical mixture.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.
- Material of gloves  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
  - Penetration time of glove material  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
  - For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:  
Butyl rubber, BR  
Nitrile rubber, NBR
- Eye Protection: Safety goggles

## SECTION 9. Physical and chemical properties

- 9.1 Information on basic physical and chemical properties
- |                         |                              |
|-------------------------|------------------------------|
| Appearance/Odor/Colour: | Odourless, color less liquid |
| Odour threshold         | Not determined.              |
| pH                      | 2-3 (as a 10% solution)      |

Version Number 7  
Revision date: August 8, 2019



# SAFETY DATA SHEET

page 4/5  
CoreShade Glaslonomer Base Cement  
LIQUID  
Printing date: August 26, 2019

|  |                 |
|--|-----------------|
| Melting point/freezing point                 | Not determined. |
| Boiling Point:                               | ≈ 100 °C        |
| Flash point:                                 | Not determined. |
| Evaporation rate                             | Not determined. |
| Flammability (solid, gas)                    | Not applicable. |
| Upper/lower flammability or explosive limits | Not determined. |
| Vapour pressure                              | Not determined. |
| Vapour density                               | Not determined. |
| Relative Density:                            | 1.27 (water=1)  |
| Solubility: water solubility                 | Soluble.        |
| Partition coefficient: n-octanol/water       | Not determined. |
| Auto-ignition temperature                    | Not determined. |
| Decomposition temperature                    | Not determined. |
| Viscosity                                    | Not determined. |
| Explosive properties                         | Not applicable. |
| Oxidising properties                         | Not applicable. |
| 9.2 Other information                        |                 |
| No further relevant information available.   |                 |

## SECTION 10. Stability and reactivity

- 10.1 Reactivity:  
No further relevant information available.
- 10.2 Chemical stability:  
Stable under normal temperatures and pressures.
- 10.3 Possibility of hazardous reactions:  
No dangerous reactions known.
- 10.4 Condition to Avoid:  
Avoid direct sunlight and high temperature.
- 10.5 Incompatible materials:  
No further relevant information available.
- 10.6 Hazardous Decomposition Products:  
None under normal conditions of storage and use.

## SECTION 11. Toxicological information

- 11.1 Information on toxicological effects:
- |   |   |
|---|---|
| Acute toxicity:                         | Based on available data, the classification criteria are not met. |
| Skin corrosion/irritation:              | Based on available data, the classification criteria are not met. |
| Eye damage/irritation:                  | Based on available data, the classification criteria are not met. |
| Sensitization to the respiratory tract: |   |
|   | Based on available data, the classification criteria are not met. |
| Skin sensitization:                     | Based on available data, the classification criteria are not met. |
| Germ cell mutagenicity/Genotoxicity:    |   |
|   | Based on available data, the classification criteria are not met. |
| Carcinogenicity:                        | Based on available data, the classification criteria are not met. |
| Reproductive toxicity:                  | Based on available data, the classification criteria are not met. |
| Effects on or via lactation:            | Lack of data.   |

Version Number 7  
Revision date: August 8, 2019



# SAFETY DATA SHEET

page 5/5  
CoreShade Glaslonomer Base Cement  
LIQUID  
Printing date: August 26, 2019

Specific target organ toxicity (single exposure):  
Based on available data, the classification criteria are not met.

Specific target organ toxicity (repeated exposure):  
Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

## SECTION 12. Ecological information

- 12.1 Toxicity:  
No further relevant information available.
- 12.2 Persistence and degradability:  
No further relevant information available.
- 12.3 Bioaccumulative potential:  
No further relevant information available.
- 12.4 Mobility in soil:  
No further relevant information available.
- 12.5 Results of PBT and vPvB assessment:  
Not applicable.
- 12.6 Other adverse effects:  
No further relevant information available.

## SECTION 13. Disposal considerations

- 13.1 Waste treatment methods:  
Dispose of contents/container to in accordance with local/regional/national/international regulations.

## SECTION 14. Transport information

- 14.1 UN number: Void
- 14.2 UN proper shipping name: Void
- 14.3 Transport hazard class(es): Void
- 14.4 Packing group: Void
- 14.5 Environmental hazards: No
- 14.6 Special precautions for user: Not applicable.
- 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:  
Not applicable.

## SECTION 15. Regulatory informati

Follow all regulations in your country.

## SECTION 16. Other information

This product is intended for use by dental professionals. (instrument/material)

Abbreviations and acronyms:

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Version Number 7  
Revision date: August 8, 2019





# SAFETY DATA SHEET

page 1/6  
CoreShade Glaslonomer Base Cement  
POWDER  
Printing date: August 26, 2019

## SECTION 1. Identification of the substance or mixture and of the supplier

- 1.1 Product identifier  
Trade Name:  
**CoreShade Glaslonomer Base Cement "POWDER"**
- 1.2 Relevant identified uses of the substance or mixture and uses advised against  
Relevant identified uses: Dental material  
Uses advised against: No further data
- 1.3 Details of the supplier of the safety data sheet  
Company/Undertaking identification  
Manufacturer's Name: **SHOFU DENTAL CORPORATION**  
Address: 1225 Stone Drive, San Marcos, CA 92078 USA  
Toll Free: 1-800-827-4638  
Phone: 760-736-3277  
Fax: 760-736-3276  
E-Mail: customer-service@shofu.com  
Section in Charge: Quality Management & Regulatory Affairs
- 1.4 Emergency Telephone Number  
For emergencies only. Call CHEMTREC: +1 703-741-5970 / 1-800-424-9300 (24 hours)

## SECTION 2. Hazards identification

- 2.1 GHS Classification  
HEALTH HAZARDS
- |   |                  |
|---|------------------|
| ACUTE TOXICITY-ORAL   | Not Classified   |
| EYE DAMAGE/IRRITATION                                       | Category 2B      |
| SPECIFIC TARGET ORGAN SYSTEMIC TOXICITY (REPEATED EXPOSURE) | Category 2(lung) |

The thing without mention is out of a classification object. Or cannot classify it.

- 2.2 Label elements  
SYMBOL



GHS08

SIGNAL WORD Warning

### HAZARD STATEMENTS

Causes serious eye irritation.  
May cause damage to organs through prolonged or repeated exposure (lung).

### PRECAUTIONARY STATEMENTS

[Prevention]  
Obtain special instruction before use.  
Do not handle until all safety precautions have been read and understood.  
Do not breathe dust.

Version Number 8  
Revision date: August 8, 2019



# SAFETY DATA SHEET

page 2/6  
CoreShade Glaslonomer Base Cement  
POWDER  
Printing date: August 26, 2019

Wear protective gloves/protective clothing/eye protection/face protection.

Wash hand thoroughly after handling.

[Response]

Get medical advice/attention if you feel unwell.

IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

[Storage]

Store in a cool and dark area.

[Disposal]

Dispose of contents and container in accordance with regulation.

## 2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

## SECTION 3. Composition/information on ingredients

3.1 Chemical characterization: Mixtures

3.2 Description: -

3.3 Dangerous components: Void

Alumino fluoro silicate glass [Cas No.65997-18-4]

Barium sulphate [Cas No.7727-43-7] 10-20 %

Others

3.4 Additional information: For the wording of the listed risk phrases refer to section 2

## SECTION 4. First-aid measures

4.1 Description of first aid measures

Eye contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. If eye irritation persists, get medical advice/attention.

Skin contact: Wash immediately with soap and plenty of water. If on skin, skin irritation, get medical advice/attention.

Ingestion: Rinse mouth and seek medical advice if necessary.

Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If symptom concerning breath goes out, call a POISON CENTER or doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## SECTION 5. Fire-fighting measures

5.1 Extinguishing Media:

This product is not flammable.

5.2 Special hazards arising from the substance or mixture:

No further relevant information available.

Version Number 8  
Revision date: August 8, 2019



# SAFETY DATA SHEET

page 3/6  
CoreShade Glaslonomer Base Cement  
POWDER  
Printing date: August 26, 2019

- 5.3 Advice for firefighters:  
No special measures required.

## SECTION 6. Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures:  
Avoid contact with eyes and skin. Do not breathe dust.
- 6.2 Environmental Precautions:  
Send to approved treatment/disposal company or dispose according to local, state and federal regulations.
- 6.3 Methods and material for containment and cleaning Up:  
Wipe up and discard in a suitable container.
- 6.4 Reference to other section:  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## SECTION 7. Handling and storage

- 7.1 Precautions for safe handling:  
Handle in a well ventilated area. Avoid prolonged inhalation.
- 7.2 Conditions for safe storage, including any incompatibilities:  
Store in a cool and dry conditions with lid tightly closed.
- 7.3 Specific end use(s):  
No further relevant information available.

## SECTION 8. Exposure controls/personal protection

- 8.1 Control parameters:  
Ingredients with limit values that require monitoring at the workplace:  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- 8.2 Exposure controls:  
Respiratory Protection:  
Dust mask
- Skin Protection: Hand Protection  
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/the chemical mixture.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.
- Material of gloves  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Version Number 8  
Revision date: August 8, 2019



# SAFETY DATA SHEET

page 4/6  
CoreShade Glaslonomer Base Cement  
POWDER  
Printing date: August 26, 2019

- Penetration time of glove material  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:  
Butyl rubber, BR  
Nitrile rubber, NBR

Eye Protection: Safety goggles

## SECTION 9. Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

|  |                      |
|--|----------------------|
| Appearance/Odor/Colour:                      | Gray odorless powder |
| Odour threshold                              | Not determined.      |
| pH   | Not determined.      |
| Melting point/freezing point                 | Not determined.      |
| Boiling Point:                               | Not determined.      |
| Flash point:                                 | Not determined.      |
| Evaporation rate                             | Not determined.      |
| Flammability (solid, gas)                    | Not applicable.      |
| Upper/lower flammability or explosive limits | Not determined.      |
| Vapour pressure                              | Not determined.      |
| Vapour density                               | Not determined.      |
| Relative Density:                            | ≈ 2.3 (water=1)      |
| Solubility: water solubility                 | Insoluble.           |
| Partition coefficient: n-octanol/water       | Not determined.      |
| Auto-ignition temperature                    | Not determined.      |
| Decomposition temperature                    | Not determined.      |
| Viscosity                                    | Not determined.      |
| Explosive properties                         | Not applicable.      |
| Oxidising properties                         | Not applicable.      |

### 9.2 Other information

No further relevant information available.

## SECTION 10. Stability and reactivity

### 10.1 Reactivity:

No further relevant information available.

### 10.2 Chemical stability:

Stable under normal temperatures and pressures.

### 10.3 Possibility of hazardous reactions:

No dangerous reactions known.

### 10.4 Condition to Avoid:

Avoid direct sunlight and high temperature.

### 10.5 Incompatible materials:

No further relevant information available.

### 10.6 Hazardous Decomposition Products:

None under normal conditions of storage and use.

Version Number 8  
Revision date: August 8, 2019



# SAFETY DATA SHEET

page 5/6  
CoreShade Glaslonomer Base Cement  
POWDER  
Printing date: August 26, 2019

## SECTION 11. Toxicological information

### 11.1 Information on toxicological effects:

|   |   |
|---|---|
| Acute toxicity:                                     | Based on available data, the classification criteria are not met.                         |
| Skin corrosion/irritation:                          | Based on available data, the classification criteria are not met.                         |
| Eye damage/irritation:                              | Eye Irrit. 2B; H319 Causes serious eye irritation.  |
| Sensitization to the respiratory tract:             | Based on available data, the classification criteria are not met.                         |
| Skin sensitization:                                 | Based on available data, the classification criteria are not met.                         |
| Germ cell mutagenicity/Genotoxicity:                | Based on available data, the classification criteria are not met.                         |
| Carcinogenicity:                                    | Based on available data, the classification criteria are not met.                         |
| Reproductive toxicity:                              | Based on available data, the classification criteria are not met.                         |
| Effects on or via lactation:                        | Lack of data.   |
| Specific target organ toxicity (single exposure):   | Based on available data, the classification criteria are not met.                         |
| Specific target organ toxicity (repeated exposure): | STOT RE 2; H373 May cause damage to organs through prolonged or repeated exposure (lung). |
| Aspiration hazard:                                  | Based on available data, the classification criteria are not met.                         |

## SECTION 12. Ecological information

- 12.1 Toxicity:  
No further relevant information available.
- 12.2 Persistence and degradability:  
No further relevant information available.
- 12.3 Bioaccumulative potential:  
No further relevant information available.
- 12.4 Mobility in soil:  
No further relevant information available.
- 12.5 Results of PBT and vPvB assessment:  
Not applicable.
- 12.6 Other adverse effects:  
No further relevant information available.

## SECTION 13. Disposal considerations

- 13.1 Waste treatment methods:  
Dispose of contents/container to in accordance with local/regional/national/international regulations.

## SECTION 14. Transport information

- |                                    |                 |
|------------------------------------|-----------------|
| 14.1 UN number:                    | Void            |
| 14.2 UN proper shipping name:      | Void            |
| 14.3 Transport hazard class(es):   | Void            |
| 14.4 Packing group:                | Void            |
| 14.5 Environmental hazards:        | No              |
| 14.6 Special precautions for user: | Not applicable. |

Version Number 8  
Revision date: August 8, 2019



# SAFETY DATA SHEET

page 6/6  
CoreShade Glaslonomer Base Cement  
POWDER  
Printing date: August 26, 2019

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:  
Not applicable.

## SECTION 15. Regulatory informati

Follow all regulations in your country.

## SECTION 16. Other information

This product is intended for use by dental professionals. (instrument/material)

Relevant phrases:

H319 Causes serious eye irritation.

H373 May cause damage to organs through prolonged or repeated exposure (lung).

Abbreviations and acronyms:

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Version Number 8  
Revision date: August 8, 2019