

SAFETY DATA SHEETS

This SDS packet was issued with item:

071017052

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

078273178

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

071705284



DentsplySirona Safety Data Sheet

546899

1. Product and Company Identification

Product Name CAULK® 50% Tooth CONDITIONER LIQUID CAULK® 34% Tooth CONDITIONER GEL	MSDS Code Number 546899
Trade Name & Synonyms CAULK® 50% Tooth CONDITIONER LIQUID CAULK® 34% Tooth CONDITIONER GEL	Date of Last Revision 9/9/19
Manufacturer DENTSPLY Milford	Address 38 West Clarke Avenue Milford DE 19963-1805 http://www.dentsplysirona.com
Grades or Minor Variant Identities Bottles and Syringes	Company Telephone Number (Product Inquiries) (302) 422-4511 (8:00 AM – 4:30 PM Eastern Time)
Product Use (for Canada) Not Applicable	Emergency Telephone Number CHEMTREC: 1-800-424-9300 (24 hours) (Outside U.S. +1-703-527-3887) CCN6510

2. Hazard(s) Identification

**Danger****Causes severe skin burns and eye damage
(GHS05)****Do not breathe in dust or mist.****Wash hands thoroughly after handling.****Wear protective gloves.****If SWALLOWED: Rinse mouth. Do NOT induce vomiting.****IF ON SKIN: Remove immediately all contaminated clothing. Rinse skin with water.****IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.****Immediately call a POISON Center or physician.****IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing.****Store locked up.****Dispose of contents/container in accordance with local regulations.**

3. Composition of Ingredients – Tooth Conditioner Liquid

Hazardous Components	C.A.S. Number	Exposure Limits	%
Phosphoric Acid	7664-38-2	1 mg/M ³	50

3. Composition of Ingredients – Tooth Conditioner Gel

Hazardous Components	C.A.S. Number	Exposure Limits	%
Phosphoric Acid	7664-38-2	1 mg/M ³	34

Other Information: Blue colorant is a fluorescent organic dye.

4. First Aid Measures

Routes of Exposure	First Aid Instructions	Immediate Medical Attention	Delayed Effects
Eye	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If symptoms persist consult physician.	Not Applicable	Not Applicable
Skin	IF ON SKIN: Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. If symptoms persist consult physician.	Not Applicable	Not Applicable

Inhalation	IF INHALED: Remove victim to fresh air and keep at a rest position comfortable for breathing. Immediately call a poison center or if symptoms persist, consult physician.	Not Applicable	Not Applicable
Ingestion	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. If symptoms persist consult physician.	Not Applicable	Not Applicable
Other	Not Applicable	Not Applicable	Not Applicable
Note to Physicians (Treating, Testing and Monitoring): Treat symptomatically.			

5. Fire and Explosion Data

Flashpoint Method: Not Applicable	Flammable (Explosive) Limits in Air LEL: Not Established UEL: Not Established	Autoignition Temperature: Not Applicable	Other: Not Applicable
Flame Propagation or Burning Rate (for Solids): Not Applicable	Properties Contributing to Fire Intensity: Not Applicable	Flammability Classification: Not Applicable	
Extinguishing Media: Use extinguishing media suitable for surrounding area.		Extinguishing Media to Avoid: Water with full jet.	
Protection and Procedures for Firefighters: Firefighters should wear self-contained respiratory protective devices.			
Unusual Fire and Explosion Hazards: Formation of toxic gases is possible during heating or in case of fire.			


6. Accidental Release Measures

Containment Techniques: For Liquid: Absorb with liquid binding material (sand, vermiculite, diatomite, acid binders, universal binders or sawdust). For Gel, since material is a paste, scoop up bulk material and place in a suitable waste container.		
Spill/Leak Clean-up Procedures and Equipment: Absorb with liquid binding material (sand, vermiculite, diatomite, acid binders, universal binders or sawdust). Scoop up bulk material and place in a suitable waste container.		
Evacuation Procedures: Not Applicable	Special Instructions: Not Applicable	Reporting Requirements: Not Applicable

7. Handling and Storage

Handling Practices and Warnings: Product is intended for dental use only. Handling of this product should be by trained dental healthcare professionals only. Observe normal care for working with chemicals.
Storage Practices and Warnings: Store only in the original package. Keep package tightly sealed. Store in a dry area. Store away from food and beverages.

8. Exposure Control / Personal Protection



Ventilation: None required during normal intended use of this product		Other Engineering Controls: Not Applicable
Routes of Entry	Personal Protective Equipment (PPE) for Normal Use	PPE for Emergencies
Eye/Face	Safety Glasses	Not Applicable
Skin	The glove material has to be impermeable and resistant to the product.	Not Applicable
Inhalation	Not required for normal volumes used in Dental office.	Not Applicable
Body Protection	Protective work clothing	Not Applicable
General Hygiene Considerations and Work Practices: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at end of work. Avoid contact with the eyes and skin.		
Protective Measures During Repair and Maintenance of Contaminated Equipment: Not Applicable		
Other Protective Measures and Equipment: Not Applicable		

9. Physical and Chemical Characteristics

Appearance: Liquid is clear. Gel is blue colored paste.		Odor: Acrid.
Normal Physical State: Liquid, Gel is a paste.		Melting Point: Not Applicable
Specific Gravity: 1.3 g/cm ³	Solubility in Water: Not Soluble	pH: < 2
Vapor Pressure (mm Hg): Not Established	Vapor Density (AIR=1): Not Applicable	Evaporation Rate (Butyl Acetate =1) Not Applicable

10. Stability and Reactivity Data

Incompatibility (Materials to Avoid): Not Applicable		
Hazardous Products Produced During Decomposition: Not Applicable.		
Hazardous Polymerization: <input type="checkbox"/> May Occur <input checked="" type="checkbox"/> May Not Occur	Conditions to Avoid: High Temperatures, ignition sources.	
Stability? <input checked="" type="checkbox"/> Stable <input type="checkbox"/> Unstable	Conditions to Avoid: High Temperatures, ignition sources.	

11. Toxicological Information

Toxicity Data, Epidemiology Studies, Carcinogenicity, Neurological Effects, Genetic Effects, Reproductive Effects, or Structure Activity Data: Material is a corrosive acid and as such is irritating to skin and mucous membranes.
Emergency Overview: Material is corrosive.

Routes of Exposure	Signs and Symptoms	Single, Repeated, or Lifetime Exposure	Severity (Mild, Moderate, Severe)	Acute and Chronic Health Effect(s)	Target Organ(s)
Eye	Material is corrosive and may cause irritation.	Single & Repeated	Severe	Irritation and possible corneal damage due to the corrosive nature of product.	Not Applicable
Skin	Material is corrosive and may cause irritation.	Single & Repeated	Moderate to severe depending on contact time.	Irritation due to the corrosive nature of the product.	Not Applicable
Inhalation	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Ingestion	Material is corrosive and may cause irritation.	Not Applicable	Moderate	Irritation due to the corrosive nature of the product.	Not Applicable
Other	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Medical Conditions Aggravated by Exposure: Open sores and wounds of the skin.					
Carcinogenicity NTP?: Not listed IARC monographs?: Not listed OSHA regulated?: No All components of this product are in compliance with the inventory listing Requirements of the U. S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.					
Potential Environmental Effects Do not allow to enter sewers/ surface or ground water.					
NFPA Hazard Classification Ratings (Scale 0-4), Health = 3, Fire = 0, Reactivity = 0 Specific Hazard = Corrosive / Acid					

12. Ecological Information

Toxicity Data, Environmental Fate, Physical/Chemical Data, or other Data Supporting Environmental Hazard Statements: Water Hazard class1 (Self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water streams or sewage system. Toxic to fish. Also poisonous for fish and plankton in water bodies. Toxic for aquatic organisms.

13. Disposal Considerations

Regulations: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
Dispose of material as solid waste in a closed container. Dispose of in accordance with Federal, State and Local regulations
Properties (Physical/Chemical) Affecting Disposal: Dispose of material as solid waste in a closed container.



14. Transport Information

Regulated for Shipping: Yes	DOT Shipping Name: Corrosive Liquid, n.o.s. (contains Phosphoric Acid)	Packing Group: II
Do Changes in Quantities, packaging, or shipment method change product classification? Yes	Hazard Class: 8	UN Identification Number: 1760

15. Regulatory Information

This product has been classified in accordance with the hazard criteria of the Globally Harmonized System of Classification and Labeling of Chemicals and the SDS contains all of the information required by the Canadian Controlled Products Regulations.
U.S. Federal Regulations: <u>CERCLA 103 Reportable Quantity</u> : CAS# 7664-38-2 Phosphoric Acid 5000 pounds (2268Kg) Many states have more stringent release reporting requirements. Report spills required under federal, state and local regulations
<u>Section 313 Toxic Chemicals</u> : This product contains the following chemicals subject to Annual Release Reporting Requirements Under SARA Title III, Section 313 (40 CFR 372): None
<u>Section 302 Extremely Hazardous Substances (TPQ)</u> : None
<u>EPA Toxic Substances Control Act (TSCA) Status</u> : All of the components of this product are listed on the TSCA inventory.
<u>U.S. State Regulations California Proposition 65</u> : This product does not contain any chemicals, which are on the California Proposition 65 list.
<u>Canada WHMIS, Workplace Hazardous Materials Information System</u> : This product is not a controlled product.
<u>International Regulations: Canadian Environmental Protection Act</u> : This product is a medical device and not subject to chemical notification requirements.
<u>European Community Labeling</u> : Not a dangerous preparation. These R and S phrases apply to base and catalyst: R36/38 Irritating to eyes and skin. R51/53 Toxic to aquatic organisms, may cause long-term effects in the environment. S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S28 After contact with skin, wash immediately with plenty of water. S37 Wear suitable gloves. S57 Use appropriate container to avoid environmental contamination. S60 This material and its container must be disposed of as hazardous waste. These R and S phrases apply to catalyst: R41 Risk of serious damage to eyes. R50/53 Very toxic to aquatic organisms, may cause long-term effects in the environment. S24 Avoid contact with skin.
<u>European Inventory of New and Existing Chemicals Substances (EINECS)</u> : This product is a medical device and not subject to chemical notification requirements. Phosphoric Acid is known as EINECS #: 231-633-2 and CAS# 7664-38-2.
Other: Not Applicable.

16. Other Information

To the best of our knowledge this product does not contain gluten, wheat grains, flaxseed, natural rubber, or natural latex.
All components are synthetically produced; none are derived from animal products.
This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific products features and shall not establish a legally valid contractual relationship.
The attached safety data sheet covers the dangers and measures to be taken when large quantities of material are released, for example due to accidents during transport or storage by the dealer. For quantities of material typically used in clinical practice, information necessary for safe use and storage of the product is given in the DFU.

DENTSPLY Milford
Safety Data Sheet

593899

1. Product and Company Identification

Product Name XP BOND® Universal Total-Etch Adhesive	SDS Code Number 593899
Trade Name & Synonyms XP BOND® Universal Total-Etch Adhesive XP BOND® Unidose - Universal Total-Etch Adhesive	Date of Last Revision 11/04/16
Manufacturer Address DENTSPLY/DeTrey GmbH DeTrey-Str.1 78467 Konstanz, Germany	Distributor Address DENTSPLY/Caulk 38 West Clarke Avenue Milford DE 19963-1805 http://www.dentsply.com
Grades or Minor Variant Identities Not Applicable	Information Telephone Number (302) 422-4511 (8:00 AM – 4:30 PM Eastern Time)
Product Use (for Canada) Dental Bonding Agent	Emergency Telephone Number (302) 422-4511 (8:00 AM – 4:30 PM Eastern Time)

2. Hazard(s) Identification



Warning
Highly Flammable Liquid and Vapour



Warning
Causes Skin Irritation

Keep away from heat/sparks/open flames / hot surfaces.
No smoking.

Keep container tightly closed.

Wear protective gloves/eye protection/face protection.

Ground / Bond container and receiving equipment.

Use explosion-proof electrical lighting equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

IF ON SKIN or Hair: Remove / take off immediately all contaminated clothing. Rinse skin with water / shower.

In case of fire: Use CO₂ sand or extinguishing powder.

Wash hands thoroughly after handling.

Wear protective gloves

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation occurs: Get Medical Advice/attention.

Take off contaminated clothing and wash before reuse.

3. Composition/Information on Ingredients

Hazardous Components	C.A.S. Number	Exposure Limits	%
Methacrylates	Proprietary	Not Applicable	25 – 50
Tert-butyl alcohol	75-65-0	100 ppm	10 – 25
Acrylates	Proprietary	Not Applicable	10 – 25

4. First Aid Measures

Routes of Exposure	First Aid Instructions	Immediate Medical Attention	Delayed Effects
Eye	Rinse opened eye for several minutes under running water. If symptoms persist consult physician.	Not Applicable	Not Applicable
Skin	Immediately wash with soap and water and rinse thoroughly	Not Applicable	Not Applicable
Inhalation	Supply fresh air	Not Applicable	Not Applicable
Ingestion	If symptoms persist consult physician	Not Applicable	Not Applicable
Other	Not Applicable	Not Applicable	Not Applicable
Note to Physicians (Treating, Testing and Monitoring): Treat symptomatically.			

5. Fire and Explosion Data

Flashpoint Method: 19°C (66°F) Tag Closed Cup	Flammable (Explosive) Limits in Air LEL: 2.4 vol % UEL: 8 vol %	Autoignition Temperature: Not Applicable	Other: Not Applicable
Flame Propagation or Burning Rate (for Solids): Not Applicable	Properties Contributing to Fire Intensity: Not Applicable	Flammability Classification: 3	
Extinguishing Media: CO ₂ , sand or extinguishing powder.		Extinguishing Media to Avoid: Do not use water or water with full jet.	
Protection and Procedures for Firefighters: Firefighters should wear self-contained respiratory protective devices.			
Unusual Fire and Explosion Hazards: Formation of toxic gases is possible during heating or in case of fire.			

6. Accidental Release Measures

Containment Techniques: Wear protective clothing. Absorb with liquid binding material (sand, vermiculite, diatomite, acid binders, universal binders or sawdust). Scoop up bulk material and place in a labeled plastic or metal container.		
Spill/Leak Clean-up Procedures and Equipment: Wear protective clothing. Absorb with liquid binding material (sand, vermiculite, diatomite, acid binders, universal binders or sawdust). Scoop up bulk material and place in a labeled plastic or metal container. Avoid gross skin contact to minimize the possibility of contact dermatitis to susceptible persons. Ensure adequate ventilation.		
Evacuation Procedures: Not Applicable	Special Instructions: Not Applicable	Reporting Requirements: Not Applicable

7. Handling and Storage

Handling Practices and Warnings: Handling of this product should be by trained dental healthcare professionals only. Observe normal care for working with chemicals.
Storage Practices and Warnings: Store in a well-ventilated place. Keep cool. Store only in the original package. Keep package tightly sealed. Protect from exposure to direct light. Store away from food and beverages.

8. Exposure Control / Personal Protection



Ventilation: None required during normal intended use of this product		Other Engineering Controls: Not Applicable
Routes of Entry	Personal Protective Equipment (PPE) for Normal Use	PPE for Emergencies
Eye/Face	Safety Glasses	Not Applicable
Skin	The glove material has to be impermeable and resistant to the product.	Not Applicable
Inhalation	Not required for normal volumes used in Dental office.	Not Applicable
Body Protection	Protective work clothing	Not Applicable
General Hygiene Considerations and Work Practices: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at end of work. Avoid contact with the eyes and skin.		
Protective Measures During Repair and Maintenance of Contaminated Equipment: Not Applicable		
Other Protective Measures and Equipment: Not Applicable		

9. Physical and Chemical Characteristics

Appearance: Clear liquid.	Odor: Sweet acrylic ester odor.	
Normal Physical State: Liquid	Boiling Point: Not Established.	
Specific Gravity: ~0.9 g/cm ³	pH: 2.5	pH: Not Applicable
Vapor Pressure (mm Hg): Not Established	Evaporation Rate (Butyl Acetate =1) Not Applicable	Evaporation Rate (Butyl Acetate =1) Not Applicable

10. Stability and Reactivity Data

Incompatibility (Materials to Avoid): Visible light, high temperatures, strong acids, strong oxidizing agents. Keep away from sparks and sources of ignition.		
Hazardous Products Produced During Decomposition: Methacrylates, acrylates, carbon dioxide, carbon monoxide, and irritating gases.		
Hazardous Polymerization: <input type="checkbox"/> May Occur <input checked="" type="checkbox"/> May Not Occur	Conditions to Avoid: High Temperatures, ignition sources.	
Stability? <input checked="" type="checkbox"/> Stable <input type="checkbox"/> Unstable	Conditions to Avoid: High Temperatures, ignition sources.	

11. Toxicological Information

Emergency Overview: Material is flammable. Material is irritating to eyes, respiratory system and skin.					
Toxicity Data, Epidemiology Studies, Carcinogenicity, Neurological Effects, Genetic Effects, Reproductive Effects, or Structure Activity Data: Product is an irritant to skin and mucous membranes. The unpolymerized product may be an irritant to the skin in susceptible persons. On the eye the product has an irritating effect. Sensitization: Repeated or prolonged contact with the unpolymerized material may cause sensitization for persons allergic to acrylates and methacrylates. This product shows the following dangers according to internally approved calculation methods for composite materials: Irritant.					
Routes of Exposure	Signs and Symptoms	Single, Repeated, or Lifetime Exposure	Severity (Mild, Moderate, Severe)	Acute and Chronic Health Effect(s)	Target Organ(s)
Eye	Material can cause irritation.	Single	Moderate	Irritation and possible corneal damage	Yes
Skin	Material may be an irritant and may be absorbed through the skin.	Single & Repeated	Moderate	Irritation or possible allergic response. Severe allergic response may result in breathing difficulties.	Yes
Inhalation	Inhalation of high concentrations	Repeated	Moderate	Chronic inhalation may cause effects similar to	Yes

	may cause central nervous system effects characterized by nausea, headache, dizziness, unconsciousness and coma.			those of acute inhalation. Causes respiratory tract irritation. May cause motor incoordination and speech abnormalities.	
Ingestion	May cause irritation of the digestive tract.	Single & Repeated	Mild	Not Applicable	No
Other: Central nervous system	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Medical Conditions Aggravated by Exposure: Open sores and wounds of the skin. Individuals with known sensitivity to methacrylates, acrylates, or urethane dimethacrylate resin used in Dental restorative products.					
Carcinogenicity NTP?: Not listed IARC monographs?: Not listed OSHA regulated?: No. All components of this product are in compliance with the inventory listing Requirements of the U. S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.					
Potential Environmental Effects Do not allow to enter sewers/ surface or ground water.					
NFPA Hazard Classification Ratings (Scale 0-4) Health = 2, Fire = 3, Reactivity = 1 Specific Hazard = None					

12. Ecological Information

Toxicity Data, Environmental Fate, Physical/Chemical Data, or other Data Supporting Environmental Hazard Statements: Harmful to fish. Harmful to aquatic organisms.

13. Disposal Considerations

Regulations: Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Absorb any spilled material with liquid binding material (sand, vermiculite, diatomite, acid binders, universal binders or sawdust). Scoop up bulk material and place in a labeled plastic or metal container. Dispose of contents / container in accordance with Federal, State and Local regulations.

Properties (Physical/Chemical) Affecting Disposal: Dispose of material as solid waste in a closed container.

RCRA P-Series: None Listed, RCRA U-Series: Waste Number D001 (Ignitable Waste)

14. Transport Information

Regulated for Shipping: Yes	Proper Shipping Name: Flammable Liquid N.O.S. (2-Methylpropanol-2, Acrylate, mixture)	Packing Group: II
Do Changes in Quantities, packaging, or shipment method change product classification? Yes	Hazard Class: 3	UN Identification Number: 1993
Other: Not Applicable		



Flammable Liquid

15. Regulatory Information

This product has been classified in accordance with the hazard criteria of the Globally Harmonized System of Classification and Labeling of Chemicals and the SDS contains all of the information required by the Canadian Controlled Products Regulations.

U.S. Federal Regulations: CERCLA 103 Reportable Quantity: No chemicals have a reportable quantity. Report spills required under federal, state and local regulations. Many states have more stringent release reporting requirements.

RCRA U-Series Hazardous Waste Code Not Applicable.

Section 313 Toxic Chemicals: This product contains CAS#75-65-0 tert-butyl alcohol, which is subject to Annual Release Reporting Requirements Under SARA Title III, Section 313 (40 CFR 372).

Section 302 Extremely Hazardous Substances (TPQ): None

EPA Toxic Substances Control Act (TSCA) Status: All of the components of this product are listed on the TSCA inventory.

U.S. State Regulations California Proposition 65: This product does not contain any chemicals, which are on the California Proposition 65 list.

Federal Regulations: The product has been classified and marked in accordance with directives on hazardous materials. Hazard Symbol: Flammable Water Hazard class1 (Self-assessment): slightly hazardous for water.

International Regulations: Hazard Symbol: Flammable X1 F Risk Phrases: R11 Highly Flammable, R36/37/38 Irritating to eyes, respiratory system and skin. R52/53 Harmful to aquatic organisms may cause long-term adverse effects in the aquatic environment. Safety Phrases: S9 Keep container in a well – ventilated place. S16 Keep away from sources of ignition – No Smoking, S23 Do not breathe gas/fumes/vapor/spray (appropriate wording to be specified by the manufacturer. S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice, S28 After contact with skin, wash immediately with plenty of water. S33 Take precautionary measures against static discharges.

16. Other Information

To the best of our knowledge this product does not contain gluten, wheat grains, flaxseed, natural rubber, or natural latex.

All components are synthetically produced; none are derived from animal products.

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific products features and shall not establish a legally valid contractual relationship.

The attached safety data sheet covers the dangers and measures to be taken when large quantities of material are released, for example due to accidents during transport or storage by the dealer. For quantities of material typically used in clinical practice, information necessary for safe use and storage of the product is given in the DFU.



DentsplySirona Safety Data Sheet

507805

1. Identification

Product Name CALIBRA® Veneer Try-In Paste	SDS Code Number 507805
Substance Identity CALIBRA® Veneer Esthetic Resin Cement Try-In Paste	Date of Last Revision 03/16/17
Manufacturer: DENTSPLY Caulk	Address 38 West Clarke Avenue Milford DE 19963-1805 http://www.dentsply.com
Grades or Minor Variant Identities Not Applicable	Company Telephone Number (Product Inquiries) (302) 422-4511 (8:00 AM – 4:30 PM Eastern Time)
Product Use (for Canada) Not Applicable	Emergency Telephone Number CHEMTREC: 1-800-424-9300 (24 hours) (Outside U.S. +1-703-527-3887) CCN6510

2. Hazard(s) Identification



WARNING
CAUSES MILD SKIN IRRITATION
If irritation occurs: Get medical advice/attention

3. Composition/Information on Ingredients

Hazardous Components	C.A.S. Number	Exposure Limits	%
Glycerine	56-81-5	10 mg/M ³	> than 70
Amorphous Fumed Silica	7631-86-9	2 mg/M ³	< than 20
Titanium Dioxide	13463-67-7	10 mg/M ³	< than 2

Other Information: Colorants are inorganic iron oxides.

3. Hazard Identification

Emergency Overview: Material may be irritating to eyes. No significant hazards for emergency responses are known.					
Routes of Exposure	Signs and Symptoms	Single, Repeated, or Lifetime Exposure	Severity (Mild, Moderate, Severe)	Acute and Chronic Health Effect(s)	Target Organ(s)
Eye	Material may cause slight transient (temporary) irritation.	Single & Repeated	Moderate	Irritation and possible corneal damage due to the fillers used in the product.	Not Applicable
Skin	Material may be an irritant after repeated and prolonged exposure.	Repeated	Mild	Irritation or possible allergic response.	Not Applicable
Inhalation	Vapors are minimal due to physical properties.	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Ingestion	Material is probably not harmful if swallowed	Not Applicable	Mild	Not Applicable	Not Applicable
Other	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Medical Conditions Aggravated by Exposure Open sores and wounds of the skin.					
Carcinogenicity NTP?: Not listed IARC monographs?: Not listed OSHA regulated?: No All components of this product are in compliance with the inventory listing Requirements of the U. S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.					
Potential Environmental Effects Do not allow to enter sewers/ surface or ground water.					
NFPA Hazard Classification Ratings (Scale 0-4), Health = 1, Fire = 0, Reactivity = 0					

4. First Aid Measures

Routes of Exposure	First Aid Instructions	Immediate Medical Attention	Delayed Effects
Eye	Rinse opened eye for several minutes under running water. If symptoms persist consult physician	Not Applicable	Not Applicable
Skin	Immediately wash with soap and water and rinse thoroughly.	Not Applicable	Not Applicable
Inhalation	Supply fresh air, consult physician if symptoms persist.	Not Applicable	Not Applicable
Ingestion	If symptoms persist consult physician. Do not induce vomiting unless instructed to do so by medical personnel.	Not Applicable	Not Applicable
Other	Not Applicable	Not Applicable	Not Applicable
Note to Physicians (Treating, Testing and Monitoring): Treat symptomatically.			

5. Fire and Explosion Data

Flashpoint Method: 390°F (199°C) for Glycerine. Pensky-Martin Closed Cup	Flammable (Explosive) Limits in Air LEL: Not Applicable UEL: Not Applicable	Autoignition Temperature: 698°F (370°C)	Other: Not Applicable
Flame Propagation or Burning Rate (for Solids) Not Applicable	Properties Contributing to Fire Intensity: Not Applicable	Flammability Classification: Not Applicable	
Extinguishing Media: CO ₂ , Water fog or fine spray, foam, carbon dioxide or alcohol resistant foams (ATC Type).		Extinguishing Media to Avoid: Water with full jet.	
Protection and Procedures for Firefighters: Firefighters should wear self-contained respiratory protective devices.			
Unusual Fire and Explosion Hazards: During a fire, smoke may contain glycerine in addition to unidentified toxic and/or irritating compounds. Hazardous combustion products may include but not limited to aldehydes, carbon monoxide and carbon dioxide.			

6. Accidental Release Measures

Containment Techniques: Material is a high viscosity paste, but will flow somewhat.		
Spill/Leak Clean-up Procedures and Equipment: Wear protective clothing and scoop up bulk material and place in a labeled plastic or metal container.		
Evacuation Procedures: Not Applicable	Special Instructions: Not Applicable	Reporting Requirements: Not Applicable

7. Handling and Storage

Handling Practices and Warnings: Product is intended for dental use only. Handling of this product should be by trained dental healthcare professionals only. Observe normal care for working with chemicals.
Storage Practices and Warnings: Store only in the original package. Keep package tightly sealed. Store in a dry area. Store away from food and beverages. Glycerine freezes at 64°F (18°C). Product should be kept above 64°F (18°C) but less than 130°F (54°C).

8. Exposure Control / Personal Protection



Individual Protection Measures	Personal Protective Equipment for Normal Use	Personal Protective Equipment for Emergencies
Eye/Face	Safety Glasses	Not Applicable
Skin	The glove material has to be impermeable and resistant to the product.	Not Applicable
Inhalation	Not Required	Not Applicable
Body Protection	Protective work clothing	Not Applicable
Occupational Exposure Limits: Not Applicable		Engineering Controls: Not Applicable

9. Physical and Chemical Characteristics

Appearance: Creamy viscous paste. Multiple shades.	Odor: Mild odor.	
Normal Physical State: High Viscosity Liquid (Paste)	Melting Point: Not Applicable	
Specific Gravity: 1.4 g/cm ³	Solubility in Water: Partially soluble.	pH: Not Applicable
Vapor Pressure (mm Hg): Not Applicable	Vapor Density (AIR=1): Not Applicable	Evaporation Rate (Butyl Acetate =1): N A
Flashpoint Method: Not Applicable	Flammable (Explosive) Limits in Air LEL: Not Applicable UEL: Not Applicable	Autoignition Temperature: Not Applicable
Other: Not Applicable		

10. Stability and Reactivity Data

Incompatibility (Materials to Avoid): Strong Oxidizing materials such as Sodium Hypochlorite or Hypochlorous Acid		
Hazardous Products Produced During Decomposition: Acrolein.		
Hazardous Polymerization: <input type="checkbox"/> May Occur <input checked="" type="checkbox"/> May Not Occur	Conditions to Avoid: None known	
Stability? <input checked="" type="checkbox"/> Stable <input type="checkbox"/> Unstable	Conditions to Avoid: None known	

11. Toxicological Information

Toxicity Data, Epidemiology Studies, Carcinogenicity, Neurological Effects, Genetic Effects, Reproductive Effects, or Structure Activity Data: For ingestion, the LD ₅₀ for glycerine in Rats is 17,000 – 27,000 mg/Kg.					
Emergency Overview: Material may be mildly irritating to eyes.					
Routes of Exposure	Signs and Symptoms	Single, Repeated, or Lifetime Exposure	Severity (Mild, Moderate, Severe)	Acute and Chronic Health Effect(s)	Target Organ(s)
Eye	Material may cause slight transient (temporary) irritation.	Single & Repeated	Moderate	Irritation and possible corneal damage due to the fillers used in the product.	Not Applicable
Skin	Material may be an irritant after repeated and prolonged exposure.	Repeated	Mild	Irritation or possible allergic response.	Not Applicable
Inhalation	Vapors are minimal due to physical properties.	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Ingestion	Material is probably not harmful if swallowed	Not Applicable	Mild	Not Applicable	Not Applicable
Other	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable

Medical Conditions Aggravated by Exposure Open sores and wounds of the skin.			
Carcinogenicity	NTP?: Not listed	IARC monographs?: Not listed	OSHA regulated?: No All components of this product are in compliance with the inventory listing Requirements of the U. S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.
Potential Environmental Effects: Potential Environmental Effects Do not allow to enter sewers/ surface or ground water.			
NFPA Hazard Classification Ratings (Scale 0-4), Health = 0, Fire = 1, Reactivity = 0			

12. Ecological Information

Toxicity Data, Environmental Fate, Physical/Chemical Data, or other Data Supporting Environmental Hazard Statements: Water Hazard class1 (Self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water streams or sewage system.

13. Disposal Considerations

Regulations: Must not be disposed of together with household garbage. Dispose of material as solid waste in a closed container.
Dispose of in accordance with Federal, State and Local regulations
Properties (Physical/Chemical) Affecting Disposal: Dispose of material as solid waste in a closed container.

14. Transport Information

Regulated for Shipping: No. Not Regulated	DOT Shipping Name: Not Regulated	Packing Group: Not Applicable
Do Changes in Quantities, packaging, or shipment method change product classification? No	DOT Hazard Class: Not Applicable	UN Number: Not Applicable

15. Regulatory Information

This product has been classified in accordance with the hazard criteria of the Globally Harmonized System of Classification and Labeling of Chemicals and the SDS contains all of the information required by the Canadian Controlled Products Regulations.
U.S. Federal Regulations: <u>CERCLA 103 Reportable Quantity</u> : This product is not subject to CERCLA reporting requirements. Many states have more stringent release reporting requirements. Report spills required under federal, state and local regulations
Section 313 Toxic Chemicals: This product contains the following chemicals subject to Annual Release Reporting Requirements Under SARA Title III, Section 313 (40 CFR 372): None
Section 302 Extremely Hazardous Substances (TPQ): None
EPA Toxic Substances Control Act (TSCA) Status: All of the components of this product are listed on the TSCA inventory.
U.S. State Regulations California Proposition 65: This product does not contain any chemicals, which are on the California Proposition 65 list.
International Regulations: Canadian Environmental Protection Act: This product is a medical device and not subject to chemical notification requirements.
European Community Labeling: Not a dangerous preparation.
European Inventory of New and Existing Chemicals Substances (EINECS): This product is a medical device and not subject to chemical notification requirements.
Other: Not Applicable

16. Other Information

<p>To the best of our knowledge this product does not contain gluten, wheat grains, flaxseed, natural rubber, or natural latex. All components are synthetically produced; none are derived from animal products.</p> <p>This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific products features and shall not establish a legally valid contractual relationship.</p> <p>The attached safety data sheet covers the dangers and measures to be taken when large quantities of material are released, for example due to accidents during transport or storage by the dealer. For quantities of material typically used in clinical practice, information necessary for safe use and storage of the product is given in the DFU.</p>



DentsplySirona Safety Data Sheet

507803

1. Identification

Product Name CALIBRA® Veneer Esthetic Resin Cement	SDS Code Number 507803
Substance Identity CALIBRA® Veneer Esthetic Resin Cement	Date of Last Revision 01/03/20
Manufacturer: DENTSPLY Milford	Address 38 West Clarke Avenue Milford DE 19963-1805 http://www.dentsplysirona.com
Grades or Minor Variant Identities Not Applicable	Company Telephone Number (Product Inquiries) (302) 422-4511 (8:00 AM – 4:30 PM Eastern Time)
Product Use (for Canada) Visible Light Curing Dental Veneer Cement	Emergency Telephone Number CHEMTREC: 1-800-424-9300 (24 hours) (Outside U.S. +1-703-527-3887) CCN6510

2. Hazard(s) Identification

**WARNING****CAUSES SKIN IRRITATION****Wash hands thoroughly after handling.****Wear protective gloves.****IF ON SKIN: Wash with plenty of soap and water.****If skin irritation occurs: Get Medical Advice/attention.****Take off contaminated clothing and wash before reuse.**

3. Composition/Information on Ingredients – Base Shade

Hazardous Components	C.A.S. Number	Exposure Limits	%
Barium boron fluoro alumino silicate glass	65997-18-4	10 mg/m ³	< than 70
Bis-GMA	1565-94-2	Not Established	< than 20
Polymerizable dimethacrylate resins	24448-20-2/109-16-0	Not Established	< than 15
Hydrophobic Amorphous Silica	67762-90-7	3 mg/m ³	< than 5

Other Information: Colorants are inorganic iron oxides and titanium dioxide.

4. First Aid Measures

Routes of Exposure	First Aid Instructions	Immediate Medical Attention	Delayed Effects
Eye	Rinse opened eye for several minutes under running water. If symptoms persist consult physician	Not Applicable	Not Applicable
Skin	Immediately wash with soap and water and rinse thoroughly	Not Applicable	Not Applicable
Inhalation	Not Applicable	Not Applicable	Not Applicable
Ingestion	Not Applicable	Not Applicable	Not Applicable
Mucosa	Rinse tissue for several minutes under running water. If symptoms persist consult physician	Not Applicable	Not Applicable
Note to Physicians (Treating, Testing and Monitoring): Treat symptomatically.			

5. Fire Fighting Measures

Flame Propagation or Burning Rate (for Solids) Not Applicable	Properties Contributing to Fire Intensity Not Applicable	Flammability Classification: Not Applicable	Other: Not Applicable
Extinguishing Media: CO ₂ , extinguishing powder, foam carbon dioxide or water spray. Fight larger fires with water spray or alcohol resistant foam.		Extinguishing Media to Avoid: Water with full jet.	
Protection and Procedures for Firefighters: Firefighters should wear self-contained respiratory protective devices.			
Unusual Fire and Explosion Hazards: Formation of toxic, irritating gases is possible from the decomposition of the dimethacrylate resins. Product does not present an explosion hazard.			

6. Accidental Release Measures


Containment Techniques: Material is a paste and as such will not flow.
Spill/Leak Clean-up Procedures and Equipment: Wear protective clothing and scoop up bulk material and place in a labeled plastic or metal container.

Avoid gross skin contact to minimize the possibility of contact dermatitis to susceptible persons. Ensure adequate ventilation.		
Evacuation Procedures: Not Applicable	Special Instructions: Not Applicable	Reporting Requirements: Not Applicable

7. Handling and Storage

Handling Practices and Warnings: Product is intended for dental use only. Handling of this product should be by trained dental healthcare professionals only. Observe normal care for working with chemicals.
Storage Practices and Warnings: Store only in the original package. Keep package tightly sealed. Store in a dry area. Protect from exposure to direct light. Store away from food and beverages.

8. Exposure Control / Personal Protection



Occupational Exposure Limits: Not Applicable		
Engineering Controls: Not Applicable		
Individual Protection Measures	Personal Protective Equipment for Normal Use	Personal Protective Equipment for Emergencies
Eye/Face	Safety Glasses	Not Applicable
Skin	The glove material has to be impermeable and resistant to the product.	Not Applicable
Inhalation	Not Required	Not Applicable
Body Protection	Protective work clothing	Not Applicable

9. Physical and Chemical Characteristics

Appearance: Creamy viscous paste. Multiple shades.		Odor: Characteristic sweet acrylic ester odor.
Normal Physical State: High Viscosity Liquid (Paste)		Melting Point: Not Applicable
Specific Gravity: 1.8 g/cm ³	Solubility in Water: Not soluble	pH: Not Applicable
Vapor Pressure (mm Hg): Not Applicable	Vapor Density (AIR=1): Not Applicable	Evaporation Rate (Butyl Acetate =1): Not Applicable
Flashpoint Method: Not Applicable	Flammable (Explosive) Limits in Air LEL: Not Applicable UEL: Not Applicable	Autoignition Temperature: Not Applicable, Product will not autoignite.
Other: Not Applicable		

10. Stability and Reactivity Data

Incompatibility (Materials to Avoid): Strong Oxidizing materials.		
Hazardous Products Produced During Decomposition: No dangerous decomposition products known if used according to Directions for Use.		
Hazardous Polymerization: <input type="checkbox"/> May Occur <input checked="" type="checkbox"/> May Not Occur	Conditions to Avoid: None known	
Stability? <input checked="" type="checkbox"/> Stable <input type="checkbox"/> Unstable	Conditions to Avoid: None known	

11. Toxicological Information

Toxicity Data, Epidemiology Studies, Carcinogenicity, Neurological Effects, Genetic Effects, Reproductive Effects, or Structure Activity Data: Product is an irritant to the skin and mucous membranes. The unpolymerized product may be an irritant to the skin in susceptible persons. On the eye the product has an irritating effect. Sensitization: Repeated or prolonged contact with the unpolymerized material may cause sensitization for persons allergic to acrylates and methacrylates. This product shows the following dangers according to internally approved calculation methods for composite materials: Irritant.					
Emergency Overview Material is irritating to eyes, respiratory system and skin.					
Routes of Exposure	Signs and Symptoms	Single, Repeated, or Lifetime Exposure	Severity (Mild, Moderate, Severe)	Acute and Chronic Health Effect(s)	Target Organ(s)
Eye	Material can cause irritation.	Single	Moderate	Irritation and possible corneal damage	Not Applicable
Skin	Material may be an irritant	Single & Repeated	Moderate	Irritation or possible allergic response. Severe allergic response may result in breathing difficulties.	Not Applicable
Inhalation	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Ingestion	Material is not harmful if swallowed using clinically relevant quantities	Not Applicable	Mild	Not Applicable	Not Applicable
Mucosa	Material can cause irritation.	Single	Mild	Inflammation of the mucosa	Not Applicable
Medical Conditions Aggravated by Exposure Open sores and wounds of the skin. Individuals with known sensitivity to methacrylates, acrylates, or urethane dimethacrylate resin used in Dental restorative products.					
Carcinogenicity NTP?: Not listed IARC monographs?: Not listed OSHA regulated?: No All components of this product are in compliance with the inventory listing Requirements of the U. S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.					
Potential Environmental Effects Do not allow to enter sewers/ surface or ground water.					
NFPA Hazard Classification Ratings (Scale 0-4), Health = 1, Fire = 1, Reactivity = 0					

12. Ecological Information

Toxicity Data, Environmental Fate, Physical/Chemical Data, or other Data Supporting Environmental Hazard Statements: Water Hazard class1 (Self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water streams or sewage system.

13. Disposal Considerations

Regulations: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Dispose of material as solid waste in a closed container. Dispose of in accordance with Federal, State and Local regulations

Properties (Physical/Chemical) Affecting Disposal: Dispose of material as solid waste in a closed container.

14. Transport Information

Regulated for Shipping: No. Not Regulated	DOT Shipping Name: Not Regulated	Packing Group: Not Applicable
Do Changes in Quantities, packaging, or shipment method change product classification? No	DOT Hazard Class: Not Applicable	UN Number: Not Applicable

15. Regulatory Information

This product has been classified in accordance with the hazard criteria of the Globally Harmonized System of Classification and Labeling of Chemicals and the SDS contains all of the information required by the Canadian Controlled Products Regulations.

U.S. Federal Regulations: CERCLA 103 Reportable Quantity: This product is not subject to CERCLA reporting requirements. Many states have more stringent release reporting requirements. Report spills required under federal, state and local regulations

Section 313 Toxic Chemicals: This product contains the following chemicals subject to Annual Release Reporting Requirements Under SARA Title III, Section 313 (40 CFR 372): None

Section 302 Extremely Hazardous Substances (TPQ): None

EPA Toxic Substances Control Act (TSCA) Status: All of the components of this product are listed on the TSCA inventory.

U.S. State Regulations California Proposition 65: This product does not contain any chemicals, which are on the California Proposition 65 list.

International Regulations: Canadian Environmental Protection Act:

This product is a medical device and not subject to chemical notification requirements.

European Community Labeling: Not a dangerous preparation.

European Inventory of New and Existing Chemicals Substances (EINECS):

This product is a medical device and not subject to chemical notification requirements.

Other: Not Applicable

16. Other Information

To the best of our knowledge this product does not contain gluten, wheat grains, flaxseed, natural rubber, or natural latex.

All components are synthetically produced; none are derived from animal products.

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific products features and shall not establish a legally valid contractual relationship.

The attached safety data sheet covers the dangers and measures to be taken when large quantities of material are released, for example due to accidents during transport or storage by the dealer. For quantities of material typically used in clinical practice, information necessary for safe use and storage of the product is given in the DFU.



DentsplySirona Safety Data Sheet

507891

1. Identification

Product Name CALIBRA[®] Silane Coupling Agent	MSDS Code Number 507891
Trade Name & Synonyms CALIBRA[®] Silane Coupling Agent	Date of Last Revision 11/18/19
Manufacturer DENTSPLY Milford	Address 38 West Clarke Avenue Milford DE 19963-1805 http://www.dentsplysirona.com
Grades or Minor Variant Identities Not Applicable	Company Telephone Number (Product Inquiries) (302) 422-4511 (8:00 AM – 4:30 PM Eastern Time)
Product Use (for Canada) Not Applicable	Emergency Telephone Number CHEMTREC: 1-800-424-9300 (24 hours) (Outside U.S. +1-703-527-3887) CCN6510

2. Hazard(s) Identification



Danger
Highly Flammable Liquid and Vapor



WARNING
CAUSES SKIN IRRITATION
CAUSES SERIOUS EYE IRRITATION

Keep away from heat/sparks/open flames/hot surfaces-No Smoking
Keep container tightly closed.
Use only non-sparking tools.
Take precautionary measures against static discharge.
In case of fire: Use Dry chemical, alcohol, alcohol foam, or carbon dioxide for extinction.
Store in a well ventilated place. Keep cool.
Contaminated work clothing should not be allowed out of the workplace.
Wash thoroughly after handling.
Wear protective gloves.
IF IN EYES: Rinse cautiously with water for several minutes.
Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get Medical attention.
IF ON SKIN: Remove immediately all contaminated clothing. Rinse with water.
If skin irritation or rash occurs: get medical attention.
Wash contaminated clothing before reuse.
Dispose of contents/container in accordance with local regulations.

3. Composition/Information on Ingredients

Hazardous Components	C.A.S. Number	Exposure Limits	%
Ethyl Alcohol	64-17-5	1000 ppm	92.6
Acetone	67-64-1	500 ppm	7.4

4. First Aid Measures

Routes of Exposure	First Aid Instructions	Immediate Medical Attention	Delayed Effects
Eye	Rinse opened eye for several minutes under running water. If symptoms persist consult physician	Not Applicable	Not Applicable
Skin	Immediately wash with soap and water and rinse thoroughly	Not Applicable	Not Applicable
Inhalation	Supply fresh air	Not Applicable	Not Applicable
Ingestion	If symptoms persist consult physician	Not Applicable	Not Applicable
Other	Not Applicable	Not Applicable	Not Applicable

Note to Physicians (Treating, Testing and Monitoring): Treat symptomatically.

5. Fire Fighting Measures

Section 10: Fire Fighting Measures			
Flashpoint Method: 6°C (43°F) Tag Closed Cup	Flammable (Explosive) Limits in Air LEL: 3.3 vol. % UEL: 19 vol. %	Autoignition Temperature: 423°C (793°F)	Other: Not Applicable
Flame Propagation or Burning Rate (for Solids): Not Applicable	Properties Contributing to Fire Intensity: Not Applicable	Flammability Classification: 3	
Extinguishing Media: Dry chemical, alcohol foam, or carbon dioxide. Water may be ineffective, but should be used to keep fire-exposed containers cool.		Extinguishing Media to Avoid: Water with full jet.	
Protection and Procedures for Firefighters: Firefighters should wear self-contained respiratory protective devices.			
Unusual Fire and Explosion Hazards: Formation of toxic gases is possible during heating or in case of fire.			

6. Accidental Release Measures

Containment Techniques: Wear proper personal protective equipment as described in section 8. Absorb spill with inert material (e.g. vermiculite, sand, earth), then place material in suitable labeled plastic or metal container.		
Spill/Leak Clean-up Procedures and Equipment: Absorb spill with inert material (e.g. vermiculite, sand, and earth), then place material in suitable labeled plastic or metal container. Ensure adequate ventilation.		
Evacuation Procedures: Not Applicable	Special Instructions: Not Applicable	Reporting Requirements: Not Applicable

7. Handling and Storage

Handling Practices and Warnings: Wash thoroughly after handling. Handling of this product should be by trained dental healthcare professionals only. Observe normal care for working with chemicals. Avoid ingestion and inhalation.
Storage Practices and Warnings: Store only in the original package. Keep package tightly sealed. Protect from exposure to direct light. Store away from extreme heat, food and beverages. For small quantities (as in this product): Keep syringe tightly closed, in a well ventilated area, away from heat, sparks, direct sunlight, and oxidizing agents. Protect container against physical damage. Take these same precautions when container is empty, as residual product is hazardous.

8. Exposure Control / Personal Protection



Occupational Exposure Limits: Not Applicable		
Engineering Controls: Not Applicable		
Individual Protection Measures	Personal Protective Equipment for Normal Use	Personal Protective Equipment for Emergencies
Eye/Face	Safety Glasses	Not Applicable
Skin	The glove material has to be impermeable and resistant to the product.	Not Applicable
Inhalation	Not required for normal volumes used in Dental office.	Not Applicable
Body Protection	Protective work clothing	Not Applicable
General Hygiene Considerations and Work Practices: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at end of work. Avoid contact with the eyes and skin.		
Protective Measures During Repair and Maintenance of Contaminated Equipment: Not Applicable		
Other Protective Measures and Equipment: Not Applicable		

9. Physical and Chemical Characteristics

Appearance: Clear liquid.	Odor: Characteristic alcohol odor.	
Normal Physical State: Low Viscosity Liquid	Melting Point: -114°C (-173°F) Boiling Point: 78°C (173°F)	
Specific Gravity: 0.8 g/cm ³	Solubility in Water: Completely	pH: Not Applicable
Vapor Pressure (mm Hg): 44.6	Vapor Density (AIR=1): 1.59	Evaporation Rate (Butyl Acetate =1) Not Established
Other: Not Applicable		

10. Stability and Reactivity Data

Incompatibility (Materials to Avoid): High temperatures, strong oxidizing agents and acetyl chloride.	
Hazardous Products Produced During Decomposition: Carbon dioxide, and carbon monoxide from incomplete combustion.	
Hazardous Polymerization: <input type="checkbox"/> May Occur <input checked="" type="checkbox"/> May Not Occur	Conditions to Avoid: High Temperatures, ignition sources.
Stability? <input checked="" type="checkbox"/> Stable <input type="checkbox"/> Unstable	Conditions to Avoid: High Temperatures, ignition sources.

11. Toxicological Information

Toxicity Data, Epidemiology Studies, Carcinogenicity, Neurological Effects, Genetic Effects, Reproductive Effects, or Structure Activity Data:
Product is an irritant to the skin and mucous membranes. On the eye the product has an irritating effect.
Emergency Overview Material causes severe eye irritation. Breathing vapors may cause drowsiness and dizziness.

Routes of Exposure	Signs and Symptoms	Single, Repeated, or Lifetime Exposure	Severity (Mild, Moderate, Severe)	Acute and Chronic Health Effect(s)	Target Organ(s)
Eye	Material causes severe eye irritation.	Single	Moderate	Irritation and possible corneal damage	Yes
Skin	Material may be an irritant and may be absorbed through the skin.	Single & Repeated	Moderate	Irritation or possible allergic response. Severe allergic response may result in breathing difficulties.	Yes
Inhalation	Inhalation of high concentrations may cause central nervous system effects characterized by nausea, headache, dizziness, unconsciousness and coma. This may not be of concern when using clinically relevant quantities.	Repeated	Moderate	Chronic inhalation may cause effects similar to those of acute inhalation. Causes respiratory tract irritation. May cause motor incoordination and speech abnormalities.	Yes
Ingestion	May cause irritation of the digestive tract. This may not be of concern when using clinically relevant quantities.	Single & Repeated	Mild	Not Applicable	No
Other: Central nervous system	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Medical Conditions Aggravated by Exposure Open sores and wounds of the skin. Individuals with known sensitivity to methacrylates, acrylates, or urethane dimethacrylate resin used in Dental restorative products.					
Carcinogenicity NTP?: Not listed IARC monographs?: Not listed OSHA regulated?: No. All components of this product are in compliance with the inventory listing Requirements of the U. S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.					
Potential Environmental Effects Do not allow to enter sewers/ surface or ground water.					
NFPA Hazard Classification Ratings (Scale 0-4) Health =2, Fire =3, Reactivity=2 Specific Hazard = None					

12. Ecological Information



Danger
Hazardous to aquatic life

Toxicity Data, Environmental Fate, Physical/Chemical Data, or other Data Supporting Environmental Hazard Statements: Water Hazard class2 (Self-assessment): The ethyl alcohol in the product is apt to volatilizes, leech into the ground water, but no data on the rates of these processes can be found. Its fate in ground water is unknown. When released into water it will volatilize and probably degrade. It would not be expected to adsorb to sediment or bioconcentrate in fish. When released to the atmosphere it will photo degrade in hours to an estimated range of 4 – 6 days in less polluted areas.

13. Disposal Considerations

Regulations: Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Dispose of material as solid waste in a closed container. Dispose of in accordance with Federal, State and Local regulations

Properties (Physical/Chemical) Affecting Disposal: Dispose of material as liquid waste in a closed container.

RCRA P-Series: None Listed, RCRA U-Series: None Listed. Waste Number D001 (Ignitable Waste)

14. Transport Information



Flammable Liquid

Regulated for Shipping: Yes	Proper Shipping Name: Ethyl Alcohol Solution	Packing Group: II
Do Changes in Quantities, packaging, or shipment method change product classification? No	Hazard Class: 3	UN Identification Number: 1170
Other: Not Applicable		

15. Regulatory Information

This product has been classified in accordance with the hazard criteria of the Globally Harmonized System of Classification and Labeling of Chemicals and the SDS contains all of the information required by the Canadian Controlled Products Regulations.
<u>U.S. Federal Regulations: CERCLA 103 Reportable Quantity:</u> No chemicals have a reportable quantity. Report spills required under federal, state and local regulations. Many states have more stringent release reporting requirements.
<u>RCRA U-Series Hazardous Waste Code :</u> Not Applicable
<u>Section 313 Toxic Chemicals:</u> This product does not contain any chemicals subject to Annual Release Reporting Requirements Under SARA Title III, Section 313 (40 CFR 372).
<u>SARA Codes:</u> CAS# 64-17-5 Ethyl Alcohol: immediate, delayed, fire.
<u>Section 302 Extremely Hazardous Substances (TPQ):</u> None
<u>EPA Toxic Substances Control Act (TSCA) Status:</u> All of the components of this product are listed on the TSCA inventory.
<u>U.S. State Regulations California Proposition 65:</u> This product does not contain any chemicals, which are on the California Proposition 65 list.
<u>Clean Air Act:</u> CAS# 64-17-5 Ethyl Alcohol: is not listed as a hazardous air pollutant (HAP). This material does not contain any Class 1 ozone depleters. This material does not contain any Class 2 depleters.
<u>Clean Water Act:</u> CAS# 64-17-5 Ethyl Alcohol: is not listed as a Hazardous Substance under the CWA. None of the chemicals in this product are listed as Priority Pollutants under the CWA. None of the chemicals in this product are listed as Toxic Pollutants under the CWA.
<u>OSHA:</u> None of the chemicals in this product are considered highly hazardous by OSHA.
<u>WGK (Water Danger /Protection):</u> CAS# 64-17-5 Ethyl Alcohol: 0
<u>International Regulations:</u> Hazard Symbol: Flammable XI F Risk Phrases: R11 Highly Flammable, R20/21/22 Harmful by inhalation, in contact with skin and if swallowed. R36/37/38 Irritating to eyes, respiratory system. R68 Possible risks of irreversible effects. Safety Phrases: S7/9 Keep container tightly closed and in a well ventilated place. S16 Keep away from sources of ignition – No Smoking. S23 Do not breathe fumes. S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S36/37 Wear suitable protective clothing and gloves. S60 This material and its container must be disposed of as hazardous waste.
Canada WHMIS for the CAS# 64-17-5 Ethyl Alcohol, classification of B2 D2A, Flammable Liquid is on the Canadian Ingredient Disclosure List.

16. Other Information

To the best of our knowledge this product does not contain gluten, wheat grains, flaxseed, natural rubber, or natural latex. All components are synthetically produced; none are derived from animal products.

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific products features and shall not establish a legally valid contractual relationship.

The attached safety data sheet covers the dangers and measures to be taken when large quantities of material are released, for example due to accidents during transport or storage by the dealer. For quantities of material typically used in clinical practice, information necessary for safe use and storage of the product is given in the DFU.