SAFETY DATA SHEETS

This SDS packet was issued with item: 074597399

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

070753517 070884213 070951293 071038520 071043686 071095546 071106863 074595674 074596169 074596193 074596227 074596250 074596284 074596318 074596342 074596375 074596409 074596433 074596466 074596474 074596490 074596524 074596532 074596540 074596557 074596987 074596995 074597019 074597043 074597076 074597100 074597134 074597167 074597191 074597225 074597258 074597282 074597316 074597332 074597340 074597357 074597365 074597373 074597381 074597407 074597415 074597423 074597431 074597449 074597456 074597464 074597472 074597480 074597498 074597506 074598371

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

071365485 074597944 074598058



SAFETY DATA SHEET

Effective Date 24-May-2021

Version 5

| 1. IDENTIFICATION | | | | |
|--|--|--|--|--|
| <u>Product Identifier</u> Product Name | JET TOOTH SHADE POWDER | | | |
| Other means of identification SDS# Product Code | 018 1410, 1412, 1420, 1430, 1450, 1470, 1480, 1484, 1493 | | | |
| Recommended use of the cher Recommended Use | mical and restrictions on use Fabrication of provisional crowns and bridges | | | |
| Details of the supplier of the safety data sheet Supplier Address Lang Dental Mfg. Co., Inc. 175 Messner Dr. Wheeling, IL 60090 USA | | | | |
| Emergency telephone number Company Phone Number Emergency Telephone (INFOT | +1 847-215-6622 | | | |
| Authorized European Representative MediMark® Europe SARL 11, rue Emile Zola. BP 2332 38033 Grenoble Cedex 2 France Tel: +33 476 86 43 22 Fax: +33 476 17 19 82 Email: info@medimark-europe.com | | | | |
| | 2. HAZARDS IDENTIFICATION | | | |
| | 2. HAZARDS IDENTIFICATION | | | |

Classification of the substance or mixture

| Eye Damage/Irrita Skin sensitization | tion | | 2A 1 | | | |
|---|---|---|---|----------------------------------|------|--------------------|
| Signal word | Warning | | | | | |
| Hazard statements | | se an allergic skin react serious eye irritation. | ion. | | | |
| Physical State | Powder | Appearance | Fine, white or | pigmented | Odor | Faint odor in bulk |
| Precautionary Stat | P261 Avoid bre P264 Wash ha P272 Contamir | tion eathing dust, fumes, gas nds and exposed skin t nated work clothing sho | horoughly after har uld not be allowed | ndling. out of the workplace. | | |

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary Statements - Response

P363 Wash contaminated clothing before reuse.

P302+P352 IF ON SKIN: Wash with soap and water.

- P305+P351 IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy
- to do continue rinsing. +P338

P308+P313 If exposed or concerned: Get medical advice/attention.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 If eye irritation persists, get medical advice/attention.

Precautionary Statements - Disposal

P501 Dispose of contents/container to an approved waste disposal plant.

3. COMPOSITION / INFORMATION ON INGREDIENTS

| Chemical Name | CAS No | Weight - % |
|------------------------------|-----------|------------|
| 2-Propenoic acid, 2-methyl-, | 9011-14-7 | 80-90 |
| methyl ester, homopolymer | | |
| Diethyl phthalate | 84-66-2 | 10-20 |
| Benzoyl Peroxide | 94-36-0 | 1-5 |

*Specific chemical weight has been withheld as a trade secret.

4. FIRST AID MEASURES First aid measures Inhalation Remove to fresh air. Keep at rest in a position comfortable for breathing. Get medical attention if discomfort persists. Rinse immediately with plenty of water, including under the eyelids, for at least 15 minutes. If irritation persists, Eye contact get medical advice / attention. Ingestion Do NOT induce vomiting. Drink plenty of water or milk immediately. If vomiting, continue to offer water or milk. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately and provide an estimate of when and how much material was ingested. Skin Contact Wash with soap and water. If irritation persists, call a physician. Take off contaminated clothing and wash before reuse. Most important symptoms and effects, both acute and delayed Skin contact may aggravate an existing dermatitis. Direct contact with eyes may cause temporary irritation. Symptoms

Indication of any immediate medical attention and special treatment needed Note to physicians Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable: Water, chemical (alcohol-resistant) foam, dry chemical, or carbon dioxide (CO₂), Unsuitable: Water may not be effective in extinguishing this fire.

Specific hazards arising from the chemical

For bulk size: Polymers are combustible dusts, care should be taken to avoid creating explosive concentrations in the air. Follow grounding and bonding procedures.

Special Fire Fighting Procedures:

Avoid extinguishing methods, which may generate dust clouds. Water stream can disperse dust into air producing a fire hazard and possible explosion hazard if exposed to ignition source. Firefighters should wear self-contained breathing apparatus.

Protective equipment and precautions for firefighters

For bulk size: Polymer dust is combustible. The explosive limits of the polymer particles suspended in air are approximately those of coal dust. Polymers are sensitive to static charge, follow grounding and bounding procedures. Polymers are not sensitive to mechanical impacts.

| | 6. ACCIDENTAL RELEASE MEASURES | | | | |
|--|--|--|--|--|--|
| Dereand pressuriance protective equin | | | | | |
| Personal precautions, protective equipment and emergency procedures Personal precautions Use personal protective equipment as required. Remove any contaminated clothing and wash | | | | | |
| · · · · · · · · · · · · · · · · · · · | thoroughly before reuse. | | | | |
| Methods and material for containment | and clean-up | | | | |
| Methods and material for containment | Prevent further leakage or spillage if safe to do so. Dike and contain spill with inert material, sand | | | | |
| | or earth. May contaminate water supply. | | | | |
| Method for clean-up | Sweep up to avoid slipping hazard. Keep airborne particulates at a minimum when cleaning up | | | | |
| | spills. Clean up in accordance with all applicable regulations. Wash all affected areas with plenty of warm water and soap. | | | | |
| | warm water and soap. | | | | |
| 7. HANDLING AND STORAGE | | | | | |
| | | | | | |
| Precautions for safe handling | | | | | |
| Advice on safe handling | Use only in well-ventilated areas. Avoid contact with skin, eyes or clothing. Avoid breathing dust or fume. Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly | | | | |
| | after handling. Do not eat, drink or smoke when using this product. | | | | |
| | | | | | |
| Conditions for safe storage, including any incompatibilities | | | | | |
| Storage Conditions | Keep container tightly closed to prevent water absorption and contamination. Store in a dry, cool and well-ventilated place away from direct sunlight or other sources of light or intense heat. | | | | |
| | Temperature not to exceed 35°C. | | | | |
| | | | | | |
| Packaging materials | Keep in original container. | | | | |
| Incompatible materials | Strong oxidizing agents | | | | |
| | 5 5 5 | | | | |

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure guidelines

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH | | |
|--|--|--------------------------|---------------------------------------|--|--|
| 2-Propenoic acid, 2-methyl-, methyl | | | | | |
| ester, homopolymer | | | | | |
| 9011-14-7 | | | | | |
| Diethyl phthalate | TWA: 5 mg/m ³ | | TWA: 5 mg/m ³ | | |
| 84-66-2 | · · · · · · · · · · · · · · · · · · · | | · · · · · · · · · · · · · · · · · · · | | |
| Benzoyl peroxide | TWA: 5 mg/m ³ | TWA: 5 mg/m ³ | TWA: 5 mg/m ³ | | |
| 94-36-0 | 0 | Ŭ, | Ğ | | |
| Appropriate engineering controls | Apply technical measures to comply with the occupational exposure limits. When working with large quantities of product, provide adequate ventilation (e.g. local exhaust ventilation, fans). Ensure that an eyewash station, sink or washbasin is available in case of exposure to eyes. Use good local exhaust at processing equipment, including buffers, sanders, grinders and polishers. | | | | |
| Individual protection measures, such as personal protective equipment Eye / face protection Depending on the use of this product, safety glasses or goggles may be worn. If necessary, refer t US OCULA 20 05D 051010102 000 05D 0510101000000000000000000000000 | | | | | |
| Skin and body protection | US OSHA 29 CFR SS1910.133, Canadian standards or the European Standard EN 166. Ensure that an eyewash station, sink or washbasin is available in case of exposure to eyes. If anticipated that prolonged and repeated skin contact will occur during use of this product, wear gloves for routine industrial use. If necessary, refer to US OSHA 29 CFR SS1910.138 or the appropriate standards of Canada or the EC member states. | | | | |
| Respiratory protection General hygiene considerations | No special respiratory protection is required under typical circumstances of use or handling. If necessary, use only respiratory protection authorized per US OSHA requirement in 29 CFR SS 1910.134, or applicable US state regulations, or the appropriate standards of Canada, its provinces, EC member states or Australia. VENTILATION: Local exhaust at processing equipment. Handle in accordance with good industrial hygiene and safety practice. | | | | |
| | | | | | |

9. PHYSICAL AND CHEMICAL PROPERTIES

Faint odor in bulk

Information on basic physical and chemical properties

| Physical state Appearance Color | Powder Fine White or pigmented | Odor |
|--|---|------|
| <u>Property</u> Boiling point / boiling range Auto ignition temperature Flash point | <u>Values</u> 295°C 80°C 304°C / 579°F | |
| Flammability limits in air Upper flammability limit Lower flammability limit Specific gravity | Not applicable Not applicable 0.00 | |

10. STABILITY AND REACTIVITY

Reactivity Chemical stability Possibility of hazardous reactions Hazardous polymerization Incompatible materials Hazardous decomposition products

Not reactive under normal conditions Stable under recommended storage conditions None under normal processing Does not occur. Strong oxidizing agents Methacrylate monomer, oxides of carbon when burned

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposures

Product information Inhalation Eye contact Skin contact Ingestion

This product has not been tested on animals to obtain toxicology data. Not expected to be an inhalation hazard under normal conditions of intended use Avoid contact with eyes. Avoid contact with skin. Do not taste or swallow.

Information on physical, chemical and toxicological effects Symptoms

See Section 4.

12. ECOLOGICAL INFORMATION

Component Ecotoxicity

There is no specific data available for this product; however, very large releases may be harmful or fatal to overexposed aquatic life.

| For Diethyl Phthalate: | | | | | |
|------------------------|-------------------------|------------------------|-------------------------|------------------------|-------------------------|
| Pimephales promeias | 96 Hr: LC50 | 17 mg/L (flow-through) | Desmodesmus subspicatus | 72 Hr EC50 | 23 mg/L |
| Pimephales promeias | 96 Hr: LC50 | 16.8 mg/L (static) | Desmodesmus subspicatus | 72 Hr EC50 | 23 mg/L |
| Lepornis macrochirus | 96 Hr: LC50 | 16.7 mg/L (static) | Desmodesmus subspicatus | 96 Hr EC50 | 21 mg/L |
| Onchorhynchus mykiss | 96 Hr: LC50 | 12 mg/L (flow-through) | Desmodesmus subspicatus | 96 Hr EC50 | 21 mg/L (static) |
| Daphnia magna | 48 Hr: EC ₅₀ | 36-74 mg/L | Pseudokirchneriella | 96 Hr EC ₅₀ | 42-255 mg/L |
| | | - | subcapitata | | - |
| Daphnia magna | 48 Hr: EC50 | 86 mg/L (static) | Pseudokirchneriella | 96 Hr EC50 | 2.11-4.29 mg/L (static) |
| · • | | | subcapitata | | |

13. DISPOSAL CONSIDERATIONS

Waste treatment methods Disposal of wastes

Follow all local and national government regulations in disposing material or contaminated packaging.

Contaminated Packaging

For bulk only: Reuse of empty drums or containers is not recommended. Employees should be advised of the potential hazards due to residual material associated with empty containers. Dispose of all empty containers properly in accordance with federal, state and local regulations.

14. TRANSPORTATION INFORMATION

| DOT | |
|------|--|
| IATA | |
| IMDG | |

Not regulated Not regulated Not regulated

15. REGULATORY INFORMATION

International Inventories

EINECS This product is a medical device and not subject to chemical notification requirements.

US Federal Regulations

TSCA This product is an FDA regulated device and not subject to TSCA regulations.

SARA 302 - Extremely Hazardous - Not Listed

SARA 311 / 312 Hazard Categories - This product is an FDA regulated device and not subject to reporting requirements.

16. OTHER INFORMATION

| HMIS | Health Hazards | Flammability | Physical Hazards |
|------|----------------|--------------|------------------|
| | 1 | 1 | 0 |

Effective 24-May-2021

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release. It is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet