SAFETY DATA SHEETS

This SDS packet was issued with item:

070890350

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

070496695 070890376



According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 12.01.2004 Page 1 of 11

Revision date: 04.22.2022

Patterson Etch 40% Phosphoric Acid Etch Gel

SECTION 1: Identification

Product Identifier

Product Name: Patterson Etch 40% Phosphoric Acid Etch Gel

Product code: 070496695

Recommended Use of the Product and Restriction on Use

Relevant Identified Uses: Dental etching gel for use by dental

professional only.

Uses Advised Against: Any use other than recommended above.

Reasons Why Uses Advised Against: Not determined or not applicable.

Manufacturer or Supplier Details

Supplier:

United States

Patterson Companies, Inc. 1031 Mendota Heights Road St. Paul, MN 55120 1-800-328-5536 www.pattersoncompanies.com

Emergency Telephone Number:

United States

CHEMTREC

Within USA and Canada: 1-800-424-9300 (24 hours)

SECTION 2: Hazard(s) Identification

GHS Classification:

Skin corrosion, category 1B Serious eye damage, category 1

Label elements

Hazard Pictograms:



Signal Word: Danger

Hazard statements:

H314 Causes severe skin burns and eye damage

H318 Causes serious eye damage

Precautionary Statements:

P260 Do not breathe dust, fumes, gas, mist, vapors or spray.

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves, protective clothing, eye protection and face protection.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 12.01.2004

Revision date: 04.22.2022

Patterson Etch 40% Phosphoric Acid Etch Gel

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P310 Immediately call a POISON CENTER or doctor.

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing .

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P321 Specific treatment (see Sections 4-8 of this SDS and any supplemental information on the product label).

P363 Wash contaminated clothing before reuse

P405 Store locked up

P501 Dispose of contents and container in accordance with local, regional, national, and international regulations.

Hazards Not Otherwise Classified: None

SECTION 3: Composition/Information on Ingredients

Identification	Name	Weight %
CAS Number: 7664-38-2	Phosphoric Acid	15-45

Additional Information:

The specific chemical identity and/or exact percentages (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of the OSHA Hazard Communication Standard (29 CFR §1910.1200).

SECTION 4: First Aid Measures

Description of First Aid Measures

General Notes:

Show this Safety Data Sheet to the doctor in attendance.

After Inhalation:

If inhaled, remove person to fresh air and place in a position comfortable for breathing. Keep person at rest. If breathing is difficult, administer oxygen. If breathing has stopped, provide artificial respiration. If experiencing respiratory symptoms, seek medical advice/attention.

After Skin Contact:

Treatment is urgent. Seek emergency medical treatment. Remove contaminated clothing and shoes. Rinse skin with copious amounts of water [shower] for several minutes. Launder contaminated clothing before reuse. If symptoms develop or persist, seek medical advice/attention.

After Eye Contact:

Immediately rinse eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 15 minutes. If eye irritation develops or persists, seek medical advice/attention.

After Swallowing:

If swallowed, DO NOT induce vomiting unless told to do so by a physician or poison control center. Rinse mouth with water. Never give anything by mouth to an unconscious person. If spontaneous vomiting occurs, place on the left side with head down to prevent aspiration of liquid into the lungs. Seek immediate medical attention.

Most Important Symptoms and Effects, Both Acute and Delayed

Page 2 of 11

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 12.01.2004

Revision date: 04.22.2022

Patterson Etch 40% Phosphoric Acid Etch Gel

Acute Symptoms and Effects:

Exposure to skin may result in redness, pain, burning, inflammation and tissue damage. Exposure to eyes may result in irritation, redness, pain, inflammation, itching, burning, tearing, corneal damage and loss of vision. Exposure via inhalation may result in cough, sore throat, burning sensation and shortness of breath. Exposure via ingestion may result in burns of the mouth and throat, abdominal pain, burning sensation in the throat and chest, nausea, vomiting, shock or collapse.

Delayed Symptoms and Effects:

Effects are dependent on exposure (dose, concentration, contact time).

Immediate Medical Attention and Special Treatment

Specific Treatment:

In case of skin contact, seek prompt medical attention while rinsing is continued.

In case of ingestion, seek prompt medical attention.

In case of eye contact, seek prompt medical attention while rinsing is continued.

Notes for the Doctor:

Treat symptomatically.

SECTION 5: Firefighting Measures

Extinguishing Media

Suitable Extinguishing Media:

Water mist/fog, carbon dioxide, dry chemical or alcohol resistant foam.

Unsuitable Extinguishing Media:

Do not use water jet.

Specific Hazards During Fire-Fighting:

Phosphoric acid can react with metals to liberate hydrogen, a flammable gas. Thermal decomposition may produce irritating and toxic combustion by-products include oxides of phosphorus.

Special Protective Equipment for Firefighters:

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full-face piece operated in positive pressure mode.

Special precautions:

Avoid contact with skin, eyes, hair and clothing. Do not breathe fumes/gas/mists/aerosols/vapors/dusts. Move containers from fire area if safe to do so. Use water spray/fog for cooling fire exposed containers. Avoid unnecessary run-off of extinguishing media which may cause pollution.

SECTION 6: Accidental Release Measures

Personal Precautions, Protective Equipment, and Emergency Procedures:

Evacuate unnecessary personnel. Ventilate area. Extinguish any sources of ignition. Wear recommended personal protective equipment (see Section 8). Avoid contact with skin, eyes and clothing. Avoid breathing mist, vapor, dust, fume and spray. Do not walk through spilled material. Wash thoroughly after handling.

Environmental Precautions:

Prevent further leakage or spillage if safe to do so. Prevent from reaching drains, sewers and waterways. Discharge into the environment must be avoided.

Methods and Material for Containment and Cleaning Up:

Do not touch damaged containers or spilled material unless wearing appropriate personal protective clothing. Stop leak if you can do it without risk. Contain and collect spillage and place in suitable container for future disposal. Dispose of in accordance with all applicable regulations (see Section 13).

Reference to Other Sections:

Page 3 of 11

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 12.01.2004

Revision date: 04.22.2022

Patterson Etch 40% Phosphoric Acid Etch Gel

For personal protective equipment see Section 8. For disposal see Section 13.

SECTION 7: Handling and Storage

Precautions for Safe Handling:

Use appropriate personal protective equipment (see Section 8). Prevent skin contact. Do not get in eyes. Use only with adequate ventilation. Do not add water to the corrosive product. If it is necessary to mix a corrosive product with water, do so slowly adding the corrosive to cold water, in small amounts, and stir frequently. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Wash affected areas thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not in use. Keep only in original packaging.

Conditions for Safe Storage, Including Any Incompatibilities:

Store in cool, dry, well-ventilated location out of direct sunlight and away from exit paths. Store in a corrosion-resistant container with a resistant inner liner. Inspect containers and storage area regularly for signs of leak and damage. Store containers at a convenient height for handling, below eye level if possible. High shelving increases the risk of dropping containers, personal injury and exposure. Ensure that appropriate fire fighting and spill-clean up equipment is readily available. Keep away from food and beverages. Protect from freezing and physical damage. Store away from heat, open flames and other sources of ignition. Store separately. Keep container tightly sealed. Store away from incompatible materials (See Section 10).

SECTION 8: Exposure Controls/Personal Protection

Only those substances with limit values have been included below.

Occupational Exposure Limit Values:

Country (Legal Basis)	Substance	Identifier	Permissible concentration
ACGIH	Phosphoric Acid	7664-38-2	8-Hour TWA: 1 mg/m ³
	Phosphoric Acid	7664-38-2	15-Minute STEL: 3 mg/m ³
NIOSH	Phosphoric Acid	7664-38-2	REL-TWA: 1 mg/m³ (up to 10 hr)
	Phosphoric Acid	7664-38-2	STEL: 3 mg/m³
	Phosphoric Acid	7664-38-2	IDLH: 1000 mg/m³
OSHA	Phosphoric Acid	7664-38-2	8-Hour TWA-PEL: 1 mg/m³ (Table Z-1)
	Phosphoric Acid	7664-38-2	TWA: 1 mg/m³ (Table Z-1-A)
	Phosphoric Acid	7664-38-2	STEL: 3 mg/m³ (Table Z-1-A)
United States(California)	Phosphoric Acid	7664-38-2	8-Hour TWA-PEL: 1 mg/m ³
	Phosphoric Acid	7664-38-2	15-Minute STEL: 3 mg/m ³
	Phosphoric Acid	7664-38-2	REL: 7 ug/m³ (8 hr; Chronic inhalation)

Biological Limit Values:

No biological exposure limits noted for the ingredient(s).

Information on Monitoring Procedures:

Not determined or not applicable.

Appropriate Engineering Controls:

Emergency eye wash stations and safety showers should be available in the immediate vicinity of use or handling. Provide adequate ventilation to maintain the airborne concentrations of vapor, mists, and/or dusts below the applicable workplace exposure limits, while observing recognized national standards (or equivalent).

Page 4 of 11

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 12.01.2004

Revision date: 04.22.2022

Patterson Etch 40% Phosphoric Acid Etch Gel

Personal Protection Equipment

Eye and Face Protection:

Use safety glasses with side shields or goggles. Consider the use of a face shield for splash protection. Use eye protection equipment that has been tested and approved by recognized national standards (or equivalent).

Skin and Body Protection:

Chemical resistant, impervious gloves approved by the appropriate standards. Gloves must be inspected prior to use. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. Avoid skin contact with used gloves. Appropriate techniques should be used to remove used gloves and contaminated clothing. Full body protection should be worn. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Ensure that all personal protective equipment is approved by recognized national standards (or equivalent).

Respiratory Protection:

If engineering controls do not maintain airborne concentrations below the applicable workplace exposure limits, or to an acceptable level (if exposure limits have not been established), a respirator approved by recognized national standards (or equivalent) must be worn.

General Hygienic Measures:

When handling chemical products, do not eat, drink or smoke. Wash hands after handling, before breaks, and at the end of the workday. Avoid contact with skin, eyes and clothing. Wash contaminated clothing before reuse. Perform routine housekeeping.

SECTION 9: Physical and Chemical Properties

Information on Basic Physical and Chemical Properties

Appearance	Medium blue, thixotropic gel.
Odor	Mild, characteristic
Odor threshold	Not determined or not available.
рН	1
Melting point/freezing point	Not determined or not available.
Initial boiling point/range	275 °F (135 °C)
Flash point (closed cup)	Not combustible
Evaporation rate	Not determined or not available.
Flammability (solid, gas)	Not combustible
Upper flammability/explosive limit	Not determined or not available.
Lower flammability/explosive limit	Not determined or not available.
Vapor pressure	2.933 mbar / ld: C
Vapor density	Not determined or not available.
Density	Not determined or not available.
Relative density	1.380
Solubilities	Completely soluble in water
Partition coefficient (n-octanol/water)	Not determined or not available.
Auto/Self-ignition temperature	Not determined or not available.

Page 5 of 11

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 12.01.2004

Revision date: 04.22.2022

Patterson Etch 40% Phosphoric Acid Etch Gel

Decomposition temperature	Not determined or not available.
Dynamic viscosity	Not determined or not available.
Kinematic viscosity	Not determined or not available.
Explosive properties	Not determined or not available.
Oxidizing properties	Not determined or not available.

SECTION 10: Stability and Reactivity

Reactivity:

Not reactive under recommended handling and storage conditions.

Chemical Stability:

Stable under recommended handling and storage conditions.

Possibility of Hazardous Reactions:

Hazardous reactions are not anticipated under recommended conditions of handling and storage.

Conditions to Avoid:

Avoid generation of aerosols and mists, extreme heat, open flames, hot surfaces, sparks, ignition sources and incompatible materials.

Incompatible Materials:

Avoid contact with materials such as sulfides and sulfites that could release toxic gases. Avoid strong alkalis because high heat of reaction can generate steam. Avoid most metals because phosphoric acid can react to liberate hydrogen, a flammable gas.

Hazardous Decomposition Products:

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological Information

Acute Toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data: No data available.

Substance Data:

Name	Route	Result
Phosphoric Acid	inhalation	LC50 Rat: > 850 mg/m³ (1 hr)
	oral	LD50 Rat: 1530 mg/kg
	dermal	LD50 Rabbit: 2740 mg/kg

Skin Corrosion/Irritation

Assessment:

Causes severe skin burns and eye damage.

Product Data:

Corrosive. May cause burns or irritation to eyes, skin, mouth, throat or gastrointestinal tract. Not expected to be an inhalation hazard unless product is misted or heated at high temperatures.

Substance Data:

Name	Result
Phosphoric Acid	Causes severe skin burns.

Serious Eye Damage/Irritation

Assessment:

Page 6 of 11

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 12.01.2004

Revision date: 04.22.2022

Patterson Etch 40% Phosphoric Acid Etch Gel

Causes serious eye damage.

Product Data:No data available. **Substance Data:**

Name	Result
Phosphoric Acid	Causes serious eye damage.

Respiratory or Skin Sensitization

Assessment: Based on available data, the classification criteria are not met.

Product Data:No data available.

Substance Data: No data available.

Carcinogenicity

Assessment: Based on available data, the classification criteria are not met.

Product Data: No data available.

Substance Data: No data available.

International Agency for Research on Cancer (IARC):

Name	Classification
Phosphoric Acid	Not Applicable

National Toxicology Program (NTP):

Name	Classification
Phosphoric Acid	Not Applicable

OSHA Carcinogens: Not applicable

Germ Cell Mutagenicity

Assessment: Based on available data, the classification criteria are not met.

Product Data:No data available.

Substance Data: No data available.

Reproductive Toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data:No data available.

Substance Data: No data available.

Specific Target Organ Toxicity (Single Exposure)

Assessment: Based on available data, the classification criteria are not met.

Product Data:No data available.

Substance Data: No data available.

Specific Target Organ Toxicity (Repeated Exposure)

Assessment: Based on available data, the classification criteria are not met.

Product Data: No data available. Substance Data: Page 7 of 11

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 12.01.2004

Revision date: 04.22.2022

Patterson Etch 40% Phosphoric Acid Etch Gel

Name	Result
·	Repeated and/or prolonged exposure may have effects on the upper respiratory tract and lungs. This may result in chronic inflammation and reduced lung function.

Aspiration toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data:No data available.

Substance Data: No data available. **Information on Likely Routes of Exposure:**

Skin, eyes and ingestion.

Symptoms Related to the Physical, Chemical, and Toxicological Characteristics:

No data available. **Other Information:**No data available.

SECTION 12: Ecological Information

Acute (Short-Term) Toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data: No data available.

Substance Data:

Name	Result
Phosphoric Acid	Aquatic Invertebrates EC50 Daphnia magna: > 100 mg/L (48 hr)
	Aquatic Plants EC50 Desmodesmus subspicatus: > 100 mg/L (72 hr)

Chronic (Long-Term) Toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data: No data available.

Substance Data: No data available.

Persistence and Degradability

Product Data: No data available. **Substance Data:** No data available.

Bioaccumulative Potential

Product Data: No data available.

Substance Data: No data available.

Mobility in Soil

Product Data: No data available.
Substance Data: No data available.
Results of PBT and vPvB assessment

Product Data:

PBT assessment: This product does not contain any substances that are assessed to be a PBT. **vPvB assessment:** This product does not contain any substances that are assessed to be a vPvB.

Substance Data:

PBT assessment:

Phosphoric Acid The PBT assessment does not apply to inorganic substances.	
vPvB assessment:	
Phosphoric Acid	The vPvB assessment does not apply to inorganic substances.

Page 8 of 11

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 12.01.2004

Revision date: 04.22.2022

Patterson Etch 40% Phosphoric Acid Etch Gel

Other Adverse Effects:

Use according to good working practices. Avoid release into the environment as it may cause pH variation.

SECTION 13: Disposal Considerations

Disposal Methods:

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities

Contaminated packages:

Not determined or not applicable.

SECTION 14: Transport Information

United States Transportation of Dangerous Goods (49 CFR DOT)

UN Number	1805	
UN Proper Shipping Name	Phosphoric acid	
UN Transport Hazard Class(es)	8	¥2
Packing Group	III	
Environmental Hazards	Marine Pollutant Phosphoric acid	
Special Precautions for User	None	
Reportable Quantity	5000	
Passenger Air/Rail	5 L	
Cargo Aircraft Only	60 L	
Stowage Category	A	

International Maritime Dangerous Goods (IMDG)

UN Number	1805
UN Proper Shipping Name	Phosphoric acid
UN Transport Hazard Class(es)	8
Packing Group	III
Environmental Hazards	Marine Pollutant Phosphoric acid
Special Precautions for User	None

International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN Number	1805
UN Proper Shipping Name	Phosphoric acid
UN Transport Hazard Class(es)	8
Packing Group	III

Page 9 of 11

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 12.01.2004

Revision date: 04.22.2022

Patterson Etch 40% Phosphoric Acid Etch Gel

	Marine Pollutant Phosphoric acid	
Special Precautions for User	None	
Passenger and Cargo	5 L	
Cargo Aircraft Only	60 L	

SECTION 15: Regulatory Information

United States Regulations

Inventory Listing (TSCA): All ingredients are listed-active or exempt.

Significant New Use Rule (TSCA Section 5): None of the ingredients are listed. **Export Notification under TSCA Section 12(b):** None of the ingredients are listed.

SARA Section 302 Extremely Hazardous Substances: None of the ingredients are listed.

SARA Section 313 Toxic Chemicals:

	7664-38-2 Phosphoric Acid			Listed
CERCLA:				
	7664-38-2	Phosphoric Acid	Listed	5000 lb

RCRA: None of the ingredients are listed.

Section 112(r) of the Clean Air Act (CAA): None of the ingredients are listed.

Massachusetts Right to Know:

	u			
	7664-38-2	Phosphoric Acid	Listed	
New Jersey Right to Know:				
	7664-38-2	Phosphoric Acid	Listed	
New York Right to Know:				
	7664-38-2	Phosphoric Acid	Listed	

Pennsylvania Right to Know:

7664-38-2	Phosphoric Acid	Listed

California Proposition 65: None of the ingredients are listed.

Additional information:

US FDA Class II medical device

SECTION 16: Other Information

Abbreviations and Acronyms: None **Disclaimer:**

This product has been classified in accordance with OSHA HCS 2012 guidelines. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

NFPA: 3-0-0-cor **HMIS:** 3-0-0-D

Initial Preparation Date: 12.01.2004

Revision date: 04.22.2022

Revision Notes:

Page 10 of 11

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 12.01.2004 Page 11 of 11

Revision date: 04.22.2022

Patterson Etch 40% Phosphoric Acid Etch Gel

Revision Date	Notes
2022-04-22	Rev. 5

End of Safety Data Sheet