# **SAFETY DATA SHEETS**

# This SDS packet was issued with item: 070226852

# The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

070217091 070217117 070217125 070217133 070217141 070226084 070226134 070226621 070226639 070226647 070226654 070226688 070226845 070226860 070226878

# Iveri Whitening Inc. SAFETY DATA SHEET CP PEROXIDE

SECTION 1 – CHEMICAL PRODUCT AND COMPANY INDENTIFICATION				
Product Identifier		WHIMIS Classification		
Teeth whitening gel. In office or at home		9		
Product Use				
Dental Whitening Ge	el			
Manufacturer's Name		Supplier's Nar	ne	
Iveri Whitening Inc.				
Street Address		Street Address		
7-1900 Clark Blvd.				
City	Province	City		Province
Brampton	Ontario			Ontario
Postal Code	Emergency Telephone	Postal Code		Emergency Telephone
L6T0E9 1.888.451.0555				
Date MSDS Prepared DSD Prepared by			Pho	ne Number
Jan 3, 2017 Jag Dhamrait		it	41	6.231.9444

#### 

#### SECTION 2 – COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Ingredients (specific)	%	CAS Number	LD 50 of Ingredient (specify species and route)	LC 50 of Ingredient (specify species)
Carbamide Urea Peroxide	15-36%	124-43-6	1.4 mg/m3 (8hr)	1.4 mg/m3 (8hr)
Hydrogen Peroxide	6-14%	7722-84-1	1.4 mg/m3 (8hr)	1.4 mg/m3 (8hr)

# SECTION 3 – HAZARDS IDENTIFICATION

(Emergency Overview) Main Hazards:	
<b>O</b>	
"O" – Oxidizing R: Phrases R34 Causes Burns R36/37/38 Irritating to eyes, res 41 Risk of serious damage to e	

WHIMIS Symbols		
Potential Health Effects		

Irritation to the eyes and skin.

#### SECTION 4 – FIRST AID MEASURES

Skin Contact

#### Immediately rinse with plenty of water.

Eye Contact

Rinse opened eye with plenty of water for several minutes, then consult a doctor. Inhalation

Remove from exposure to fresh air immediately. If breathing is difficult give OXYGEN. Ingestion

Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water to ....

#### SECTION 5 – FIRE FIGHTING MEASURES

Flammable If yes, under which conditions?		which conditions?		
YES				
Means of Extinction				
Use water only. Evac	Use water only. Evacuate all personnel. Use protective equipment for fire			
fighting. Use self cont	tained breathing ap	paratus w	hen the product is involved in	
a fire. Contact profess				
Flashpoint (° C) and Method	Upper Flammable Limit (%		Lower Flammable Limit (% by volume)	
60	2.6		12.5	
Autoignition Temperature (° C)	Explosion Date – Sensitivi	ty to Impact	Explosion Date – Sensitivity to Static	
415	N/A		Discharge N/A	
Hazardous Combustion Products			IN/A	
	9			
SECTION 6 – ACCIDI	ENTAL RELEASE		-9	
			_0	
Leak and Spill Procedures				
Scoop up, wash with plenty of water. Mop and dispose of in DOT approved				
containers.				
SECTION 7 – HANDLING AND STORAGE				
SECTION 7 - HANDEING AND STONAGE				
Handling Procedures and Equipment				
Observe normal safety regulations when handling chemicals. Wash hands				
thoroughly after handling.				
Store Requirements				
Store in a cool dry place, protected from sunlight.				
SECTION 8 – EXPOSURE CONTROL/PERSONAL PROTECTION				
SECTION 6 - EXPOSURE CONTROL/PERSONAL PROTECTION				
Exposure Limits				
	OSHA PEL	0	ther (specify)	
	Specific Engineering Controls (such as ventilation, enclosed process)			
Provide general or loc	al exhaust ventilati	on.		
Demonal Dratactive Convincent		<b>– – – –</b>		
Personal Protective Equipment	Gloves Respirato	or Eye	Footwear Clothing Other	

If checked, please specify type Protective gloves and	l eyewear.	
Section 9 – Physical	and Chemical Properties	
Physical State	Odour and Appearance	Odour Threshold (ppm)
Clear,thick gel.	Slight mint odor.	n/a
Specify Gravity	Vapour Density (air = 1)	Vapour Pressure (mmHg)
1.063	2.62	n/a
Evaporation Rate	Boiling Point	Freezing Point (° C)
< 0.1	187	n/a
рН	Coefficient of Water/Oil Distsribution	Solubility in Water
6.5 approx	n/a	Complete

# SECTION 10 – STABILITY AND REACTIVITY

Chemical Stability	If no, under which conditions?		
Stable – Yes			
Incompatible with Other Substances	If yes, which ones?		
Yes	Strong alkalies, strong acids. Most metals.		
	Peroxides are strong oxidizing agent.		
Reactivity, and under what conditions?	5 5 5 5		
Acts as an oxidizing agent.	Avoid excessive heat and direct sunlight.		
Hazardous Decomposition Products			
Oxygen. Burning may liberate nitrogen oxides, ammonia, carbon dioxide and			
carbon monoxide.			
SECTION 11 – TOXICOLC	GICAL INFORMATION		
Effects of Acute Exposure	Effects of Acute Exposure		
Irritant			
Effects of Chronic Exposure			
n/a	n/a		
Irritancy of Product			
	Irritant to the skin and eyes.		
Skin Sensitization Respiratory Sensitization			
No sensitization effects known n/a			
Carcinogenicity – IARC Carcinogenicity - ACGIH			
n/a n/a			
Embrotoxicity	,		
n/a	n/a n/a		
Name of synergistic products/effects			
n/a	n/a		

#### SECTION 12 – ECOLOGICAL INFORMATION

Aquatic Toxicity

No data is available on the effects of this material on the environment. Biological decomposability. Biodegradable. No ecological problems to be anticipated if properly handled and used.

# SECTION 13 – DISPOSAL CONSIDERATIONS

Waste Disposal

Take to a waste incineration plant, under conditions approved by the local authority. Consult local, state and federal environmental protection agencies before disposing on any chemical.

# SECTION 14 – TRANSPORT INFORMATION

Land Transport
Special Shipping Information
Non-Hazardous for transport in small amounts.
PIN
N/A
DOT
Not regulated

Land Transport ADR/RID Class: Danger Code: Packing Group: Secondary Hazard: UN-Number: HS Code: Hazard Label:	5.1 Oxidizing substances 58 III 8 1511 2847-00-00 5.1 + 8
AIR Transport	5.1 Oxidizing substances
ICAO/IATA Class:	58
Danger Code:	III
Packing Group:	8
Secondary Hazard:	1511
UN-Number:	2847-00-00
HS Code:	5.1 + 8
Hazard Label:	Oxidizing Liquid, Corrosive, N.O.S. (Urea Hydrogen
Proper shipping name:	Peroxide, Sodium Hydroxide)
<u>SEA Transport</u>	5.1 Oxidizing substances
IMDG Class:	58
Danger Code:	III
Packing Group:	8
Secondary Code:	1511
UN-Number:	2847-00-00
HS Code:	5.1 + 8
Hazard Label:	Oxidizing Liquid, Corrosive, N.O.S. (Urea Hydrogen
Proper shipping name:	Peroxide, Sodium Hydroxide)

### SECTION 15 – REGULATORY INFORMATION



#### **R** Phrases

R10 Flammable R41 Contact with acids liberates toxic gas R36/37/38 Irritating to eyes, skin and respiratory system R43 May cause sensitization by skin contact R8 Corrosive

### **S** Phrases

S24/25 Avoid contact with skin and eyes S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical attention.

WHMIS Classification	OSHA	
SERA	TSCA	
This product has been classified in accordance with the hazard criteria of the		
Controlled Products Regulations (CPR) and the SDS contains all of the		
information required by CPR.		

#### SECTION 16 – OTHER INFORMATION

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Health Hazard: 1; Fire Hazard:1; Reactivity:0;

R10 Flammable

R36/37/38 Irritating to eyes, skin and respiratory system

R43 May cause sensitization by skin contact