

## SAFETY DATA SHEETS

**This SDS packet was issued with item:**

070909713

N/A

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

**Initial Preparation Date:** 06.08.2000

Page 1 of 10

**Revision date:** 05.31.2024

### Patterson Ultra Type 4 Tartar and Stain Remover

#### SECTION 1: Identification

##### Product Identifier

**Product Name:** Patterson Ultra Type 4 Tartar and Stain Remover

**Synonyms:** Sulfamic Acid Solution

**Product code:** 070909713

##### Recommended Use of the Product and Restriction on Use

**Relevant Identified Uses:** Tartar and stain removing ultrasonic solution.

**Uses Advised Against:** Any use other than recommended above.

**Reasons Why Uses Advised Against:** Not determined or not applicable.

##### Manufacturer or Supplier Details

###### Manufacturer:

###### United States

Patterson Companies, Inc.

1031 Mendota Heights Road

St. Paul, MN 55120

1-800-328-5536

www.pattersoncompanies.com

##### Emergency Telephone Number:

###### United States

CHEMTREC

Within USA and Canada: 1-800-424-9300 (24 hours)

#### SECTION 2: Hazard(s) Identification

##### GHS Classification:

Skin corrosion, category 1C

Serious eye damage, category 1

##### Label elements

###### Hazard Pictograms:



**Signal Word:** Danger

##### Hazard statements:

H318 Causes serious eye damage

H314 Causes severe skin burns and eye damage

##### Precautionary Statements:

P102 Keep out of reach of children

P260 Do not breathe dust/fume/gas/mist/vapors/spray

P264 Wash any exposed skin thoroughly after handling

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 06.08.2000

Page 2 of 10

Revision date: 05.31.2024

### Patterson Ultra Type 4 Tartar and Stain Remover

P280 Wear protective gloves/protective clothing/eye protection/face protection

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P310 Immediately call a POISON CENTER or doctor

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

P321 Specific treatment (see Sections 4-8 of this SDS and any supplemental information on the product label)

P363 Wash contaminated clothing before reuse

P405 Store locked up

P501 Dispose of contents and container in accordance with federal, state and local regulations

**Hazards Not Otherwise Classified:** None

### SECTION 3: Composition/Information on Ingredients

Identification	Name	Weight %
CAS Number: 5329-14-6	Sulfamic Acid	5-10

#### Additional Information:

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of the OSHA Hazard Communication Standard (29 CFR §1910.1200).

### SECTION 4: First Aid Measures

#### Description of First Aid Measures

##### General Notes:

Show this Safety Data Sheet to the doctor in attendance. Take precautions to ensure your own safety before attempting rescue. Wear appropriate safety eyewear, gloves, protective clothing and respiratory protection to prevent exposure. See Section 8 of this SDS for personal protective equipment recommendations. Do not use the mouth to mouth method if victim has ingested or inhaled the product. Give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper device.

##### After Inhalation:

If inhaled, remove person to fresh air and place in a position comfortable for breathing. Keep person at rest. If breathing is difficult, administer oxygen. If breathing has stopped, provide artificial respiration. If experiencing respiratory symptoms, seek medical advice/attention.

##### After Skin Contact:

Treatment is urgent. Seek emergency medical treatment. Remove contaminated clothing and shoes. Rinse skin with copious amounts of water [shower] for several minutes. Launder contaminated clothing before reuse.

##### After Eye Contact:

Immediately rinse eyes with plenty of gently flowing lukewarm water for 15 minutes. Remove contact lenses if present and easy to do so. Protect unexposed eye. Seek immediate medical attention, preferably from an ophthalmologist.

##### After Swallowing:

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 06.08.2000

Page 3 of 10

Revision date: 05.31.2024

### Patterson Ultra Type 4 Tartar and Stain Remover

If swallowed, DO NOT induce vomiting unless told to do so by a physician or poison control center. Rinse mouth with water. Never give anything by mouth to an unconscious person. If spontaneous vomiting occurs, place on the left side with head down to prevent aspiration of liquid into the lungs. Seek immediate medical attention.

#### Most Important Symptoms and Effects, Both Acute and Delayed

##### Acute Symptoms and Effects:

Exposure to skin may result in redness, pain, burning, inflammation and tissue damage. Exposure to eyes may result in irritation, redness, pain, inflammation, itching, burning, tearing, corneal damage and loss of vision. Exposure via inhalation may result in cough, sore throat, burning sensation and shortness of breath. Exposure via ingestion may result in burns of the mouth and throat, abdominal pain, burning sensation in the throat and chest, nausea, vomiting, shock or collapse.

##### Delayed Symptoms and Effects:

Effects are dependent on exposure (dose, concentration, contact time).

#### Immediate Medical Attention and Special Treatment

##### Specific Treatment:

In case of eye contact, seek prompt medical attention while rinsing is continued.

In case of skin contact, seek prompt medical attention while rinsing is continued.

In case of ingestion, seek prompt medical attention.

##### Notes for the Doctor:

Treat symptomatically.

### SECTION 5: Firefighting Measures

#### Extinguishing Media

##### Suitable Extinguishing Media:

Water mist/fog, carbon dioxide, dry chemical or alcohol resistant foam.

##### Unsuitable Extinguishing Media:

Do not use water jet.

#### Specific Hazards During Fire-Fighting:

During a fire, pressure increase inside of containers may result in container rupture. Thermal decomposition may produce irritating and toxic fumes/gases including sulfur oxides and ammonia.

#### Special Protective Equipment for Firefighters:

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full-face piece operated in positive pressure mode.

#### Special precautions:

Avoid contact with skin, eyes, hair and clothing. Do not breathe fumes/gas/mists/aerosols/vapors/dusts.

Move containers from fire area if safe to do so. Use water spray/fog for cooling fire exposed containers.

Avoid unnecessary run-off of extinguishing media which may cause pollution.

### SECTION 6: Accidental Release Measures

#### Personal Precautions, Protective Equipment, and Emergency Procedures:

Evacuate unnecessary personnel. Ventilate area. Extinguish any sources of ignition. Wear recommended personal protective equipment (see Section 8). Avoid contact with skin, eyes and clothing. Avoid breathing mist, vapor, dust, fume and spray. Do not walk through spilled material. Wash thoroughly after handling.

#### Environmental Precautions:

Prevent further leakage or spillage if safe to do so. Prevent from reaching drains, sewers and waterways.

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 06.08.2000

Page 4 of 10

Revision date: 05.31.2024

### Patterson Ultra Type 4 Tartar and Stain Remover

Discharge into the environment must be avoided.

#### Methods and Material for Containment and Cleaning Up:

Do not touch damaged containers or spilled material unless wearing appropriate personal protective clothing. Stop leak if you can do it without risk. Contain and collect spillage and place in suitable container for future disposal. Dispose of in accordance with all applicable regulations (see Section 13).

#### Reference to Other Sections:

For personal protective equipment see Section 8. For disposal see Section 13.

### SECTION 7: Handling and Storage

#### Precautions for Safe Handling:

Use appropriate personal protective equipment (see Section 8). Prevent skin contact. Do not get in eyes. Use only with adequate ventilation. Do not add water to the corrosive product. If it is necessary to mix a corrosive product with water, do so slowly adding the corrosive to cold water, in small amounts, and stir frequently. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Wash affected areas thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not in use. Keep only in original packaging.

#### Conditions for Safe Storage, Including Any Incompatibilities:

Store in cool, dry, well-ventilated location out of direct sunlight and away from exit paths. Store in a corrosion-resistant container with a resistant inner liner. Inspect containers and storage area regularly for signs of leak and damage. Store containers at a convenient height for handling, below eye level if possible. High shelving increases the risk of dropping containers, personal injury and exposure. Ensure that appropriate fire fighting and spill-clean up equipment is readily available. Keep away from food and beverages. Protect from freezing and physical damage. Store away from heat, open flames and other sources of ignition. Store separately. Keep container tightly sealed. Store away from incompatible materials (See Section 10).

### SECTION 8: Exposure Controls/Personal Protection

Only those substances with limit values have been included below.

#### Occupational Exposure Limit Values:

No occupational exposure limits noted for the ingredient(s).

#### Biological Limit Values:

No biological exposure limits noted for the ingredient(s).

#### Information on Monitoring Procedures:

Not determined or not applicable.

#### Appropriate Engineering Controls:

Emergency eye wash stations and safety showers should be available in the immediate vicinity of use or handling. Provide adequate ventilation to maintain the airborne concentrations of vapor, mists, and/or dusts below the applicable workplace exposure limits, while observing recognized national standards (or equivalent).

#### Personal Protection Equipment

##### Eye and Face Protection:

Use safety glasses with side shields or goggles. Consider the use of a face shield for splash protection. Use eye protection equipment that has been tested and approved by recognized national standards (or equivalent).

##### Skin and Body Protection:

Chemical resistant, impervious gloves approved by the appropriate standards. Gloves must be inspected prior to use. Considering the parameters specified by the glove manufacturer, check during use that the

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 06.08.2000

Page 5 of 10

Revision date: 05.31.2024

### Patterson Ultra Type 4 Tartar and Stain Remover

gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. Avoid skin contact with used gloves. Appropriate techniques should be used to remove used gloves and contaminated clothing. Full body protection should be worn. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Ensure that all personal protective equipment is approved by recognized national standards (or equivalent).

#### Respiratory Protection:

If engineering controls do not maintain airborne concentrations below the applicable workplace exposure limits, or to an acceptable level (if exposure limits have not been established), a respirator approved by recognized national standards (or equivalent) must be worn.

#### General Hygienic Measures:

When handling chemical products, do not eat, drink or smoke. Wash hands after handling, before breaks, and at the end of the workday. Avoid contact with skin, eyes and clothing. Wash contaminated clothing before reuse. Perform routine housekeeping.

### SECTION 9: Physical and Chemical Properties

#### Information on Basic Physical and Chemical Properties

Appearance	Clear liquid
Odor	Sweet
Odor threshold	Not determined or not available.
pH	0.3 - 0.7
Melting point/freezing point	Not determined or not available.
Initial boiling point/range	214 °F (101 °C)
Flash point (closed cup)	210 °F (99 °C) [Tag Closed Cup]
Evaporation rate	Not determined or not available.
Flammability (solid, gas)	Not determined or not available.
Upper flammability/explosive limit	Not determined or not available.
Lower flammability/explosive limit	Not determined or not available.
Vapor pressure	Not determined or not available.
Vapor density	Not determined or not available.
Density	Not determined or not available.
Relative density	1.09 (Ref: water = 1)
Solubilities	Water soluble
Partition coefficient (n-octanol/water)	Not determined or not available.
Auto/Self-ignition temperature	Not determined or not available.
Decomposition temperature	Not determined or not available.
Dynamic viscosity	Not determined or not available.
Kinematic viscosity	Not determined or not available.
Explosive properties	Not determined or not available.
Oxidizing properties	Not determined or not available.

#### Other Information

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 06.08.2000

Page 6 of 10

Revision date: 05.31.2024

### Patterson Ultra Type 4 Tartar and Stain Remover

Percent volatile	86%
------------------	-----

#### SECTION 10: Stability and Reactivity

##### Reactivity:

Not reactive under recommended handling and storage conditions.

##### Chemical Stability:

Stable under recommended handling and storage conditions.

##### Possibility of Hazardous Reactions:

Sulphamidic acid reacts violently with chlorine, nitric acid and strong bases. Attacks many metals to produce highly flammable hydrogen gas.

##### Conditions to Avoid:

Avoid generation of aerosols and mists, extreme heat, open flames, hot surfaces, sparks, ignition sources and incompatible materials.

##### Incompatible Materials:

Chlorine; Nitric acid; Strong Bases; Oxidizing agents; Ammonia; Amines; Isocyanates; Metals

##### Hazardous Decomposition Products:

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

#### SECTION 11: Toxicological Information

##### Acute Toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:** No data available.

##### Substance Data:

Name	Route	Result
Sulfamic Acid	dermal	LD50 Rat: >2000 mg/kg
	oral	LD50 Rat: 2065 mg/kg

##### Skin Corrosion/Irritation

##### Assessment:

Causes severe skin burns and eye damage.

##### Product Data:

No data available.

##### Substance Data:

Name	Result
Sulfamic Acid	Causes skin irritation.

##### Serious Eye Damage/Irritation

##### Assessment:

Causes serious eye damage.

##### Product Data:

No data available.

##### Substance Data:

Name	Result
Sulfamic Acid	Causes serious eye irritation.

##### Respiratory or Skin Sensitization

**Assessment:** Based on available data, the classification criteria are not met.

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 06.08.2000

Page 7 of 10

Revision date: 05.31.2024

### Patterson Ultra Type 4 Tartar and Stain Remover

#### Product Data:

No data available.

**Substance Data:** No data available.

#### Carcinogenicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:** No data available.

**Substance Data:** No data available.

**International Agency for Research on Cancer (IARC):** None of the ingredients are listed.

**National Toxicology Program (NTP):** None of the ingredients are listed.

**OSHA Carcinogens:** Not applicable

#### Germ Cell Mutagenicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:**

No data available.

**Substance Data:** No data available.

#### Reproductive Toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:**

No data available.

**Substance Data:** No data available.

#### Specific Target Organ Toxicity (Single Exposure)

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:**

No data available.

**Substance Data:** No data available.

#### Specific Target Organ Toxicity (Repeated Exposure)

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:**

No data available.

**Substance Data:** No data available.

#### Aspiration toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:**

No data available.

**Substance Data:** No data available.

#### Information on Likely Routes of Exposure:

Skin contact, ingestion, inhalation, eye contact.

#### Symptoms Related to the Physical, Chemical, and Toxicological Characteristics:

See section 4 of this SDS.

#### Other Information:

No data available.

### SECTION 12: Ecological Information

#### Acute (Short-Term) Toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:** No data available.

**Substance Data:**



## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 06.08.2000

Page 8 of 10

Revision date: 05.31.2024

### Patterson Ultra Type 4 Tartar and Stain Remover

Name	Result
Sulfamic Acid	Fish LC50 Pimephales promelas: 70.3 mg/L (96 hr)
	Aquatic Invertebrates EC50 Daphnia magna: 71.6 mg/L (48 hr [mobility])
	Aquatic Plants EC50 Desmodemus subspicatus: 48 mg/L (72 hr [growth rate])

#### Chronic (Long-Term) Toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:** No data available.

##### Substance Data:

Name	Result
Sulfamic Acid	Fish NOEC Danio rerio: >60 mg/L (34 d)
	Aquatic Invertebrates NOEC Daphnia magna: 19 mg/L (21 d [reproduction])
	Aquatic Invertebrates EC50 Daphnia magna: >60 mg/L (21 d [reproduction])

#### Persistence and Degradability

**Product Data:** No data available.

##### Substance Data:

Name	Result
Sulfamic Acid	Persistence and degradability studies do not apply to inorganic substances.

#### Bioaccumulative Potential

**Product Data:** No data available.

##### Substance Data:

Name	Result
Sulfamic Acid	Considering the central role of sulfamic acid in metabolism, the bioaccumulation concept does not apply to this substance. The high water solubility inorganic substance indicates that there is no body lipid storage potential or potential for bioaccumulation via the food chain.

#### Mobility in Soil

**Product Data:** No data available.

##### Substance Data:

Name	Result
Sulfamic Acid	The substance is inorganic and well soluble in water. Thus, adsorption to organic matter is not expected and the substance is considered mobile in the environment.

#### Results of PBT and vPvB assessment

##### Product Data:

**PBT assessment:** This product does not contain any substances that are assessed to be a PBT.

**vPvB assessment:** This product does not contain any substances that are assessed to be a vPvB.

##### Substance Data:

###### PBT assessment:

Sulfamic Acid	This substance is inorganic, PBT assessment does not apply.
---------------	---

###### vPvB assessment:

Sulfamic Acid	This substance is inorganic, vPvB assessment does not apply.
---------------	--

**Other Adverse Effects:** No data available.

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 06.08.2000

Page 9 of 10

Revision date: 05.31.2024

### Patterson Ultra Type 4 Tartar and Stain Remover

#### SECTION 13: Disposal Considerations

##### Disposal Methods:


It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory agencies. Dispose of in accordance with all applicable local, regional and national regulations.

##### Contaminated packages:


Not determined or not applicable.

#### SECTION 14: Transport Information


##### United States Transportation of Dangerous Goods (49 CFR DOT)

UN Number	3264
UN Proper Shipping Name	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S (Sulphamidic acid)
UN Transport Hazard Class(es)	8 
Packing Group	III
Environmental Hazards	None
Special Precautions for User	None
Passenger Air/Rail	5 L
Cargo Aircraft Only	60 L
Stowage Category	Category A

##### International Maritime Dangerous Goods (IMDG)

UN Number	3264
UN Proper Shipping Name	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S (Sulphamidic acid)
UN Transport Hazard Class(es)	8 
Packing Group	III
Environmental Hazards	None
Special Precautions for User	None
EmS Number	F-A, S-B
Stowage Category	Category A
Excepted Quantities	E1
Limited Quantity	5 L

##### International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN Number	3264
UN Proper Shipping Name	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S (Sulphamidic acid)
UN Transport Hazard Class(es)	8 
Packing Group	III
Environmental Hazards	None

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 06.08.2000

Page 10 of 10

Revision date: 05.31.2024

### Patterson Ultra Type 4 Tartar and Stain Remover

Special Precautions for User	None
ERG Code	8L
Excepted Quantities	E1
Passenger and Cargo	5 L
Cargo Aircraft Only	60 L
Limited Quantity	1 L

### SECTION 15: Regulatory Information

#### United States Regulations

**Inventory Listing (TSCA):** All ingredients are listed-active or exempt.

**Significant New Use Rule (TSCA Section 5):** None of the ingredients are listed.

**Export Notification under TSCA Section 12(b):** None of the ingredients are listed.

**SARA Section 302 Extremely Hazardous Substances:** None of the ingredients are listed.

**SARA Section 313 Toxic Chemicals:** None of the ingredients are listed.

**CERCLA:** None of the ingredients are listed.

**RCRA:** None of the ingredients are listed.

**Section 112(r) of the Clean Air Act (CAA):** None of the ingredients are listed.

**Massachusetts Right to Know:** None of the ingredients are listed.

**New Jersey Right to Know:**

5329-14-6	Sulfamic Acid	Listed
-----------	---------------	--------

**New York Right to Know:**

5329-14-6	Sulfamic Acid	Listed
-----------	---------------	--------

**Pennsylvania Right to Know:** None of the ingredients are listed.

**California Proposition 65:** None of the ingredients are listed.

**Additional information:** Not determined.

### SECTION 16: Other Information

**Abbreviations and Acronyms:** None

#### Disclaimer:

This product has been classified in accordance with OSHA HCS 2012 guidelines. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

Initial Preparation Date: 06.08.2000

Revision date: 05.31.2024

#### Revision Notes:

Revision Date	Notes
2024-05-28	Version 2; Supersedes Version 1 (6.08.2000)

End of Safety Data Sheet