SAFETY DATA SHEETS

This SDS packet was issued with item:

070911974

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

070911909 070911958 078545294 078586621



According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 04.01.2005 Page 1 of 12

Revision date: 03.18.2022

Patterson Developer Solution

SECTION 1: Identification

Product Identifier

Product Name: Patterson Developer Solution **Product code:** 070911958, 070911974, 070911909

Recommended Use of the Product and Restriction on Use

Relevant Identified Uses: Photographic solution

Uses Advised Against: Not determined or not applicable.

Reasons Why Uses Advised Against: Not determined or not applicable.

Manufacturer or Supplier Details

Supplier:

United StatesPatterson Companies, Inc.

Patterson Companies, Inc. 1031 Mendota Heights Road St. Paul, MN 55120 1-800-328-5536

www.pattersoncompanies.com

Emergency Telephone Number:

United States

CHEMTREC

Within USA and Canada: 1-800-424-9300 (24 hours)

SECTION 2: Hazard(s) Identification

GHS Classification:

Skin irritation, category 2
Serious eye damage, category 1
Skin sensitization, category 1
Germ cell mutagenicity, category 2
Carcinogenicity, category 2

Label elements

Hazard Pictograms:







Signal Word: Danger

Hazard statements:

H341 Suspected of causing genetic defects.

H351 Suspected of causing cancer.

H315 Causes skin irritation

H318 Causes serious eye damage

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 04.01.2005

Revision date: 03.18.2022

Patterson Developer Solution

H317 May cause an allergic skin reaction

Precautionary Statements:

P201 Obtain special instructions before use

P202 Do not handle until all safety precautions have been read and understood

P261 Avoid breathing dust, fumes, gas, mist, vapors or spray.

P264 Wash any exposed skin thoroughly with soap and water for 15 minutes after handling.

P280 Wear protective gloves, protective clothing, eye protection and face protection.

P272 Contaminated work clothing must not be allowed out of the workplace

P308+P313 If exposed or concerned: Get medical advice and attention.

P310 Immediately call a POISON CENTER or doctor

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P302+P352 IF ON SKIN: Wash with plenty of soap and water

P332+P313 If skin irritation occurs: Get medical attention.

P333+P313 If skin irritation or rash occurs: Get medical attention.

P362 Take off contaminated clothing and wash it before reuse

P363 Wash contaminated clothing before reuse

P321 Specific treatment (see Sections 4 - 8 of this SDS and any supplemental information on the product label)

P405 Store locked up

P501 Dispose of contents and container in accordance with local, regional, national, and international regulations.

Hazards Not Otherwise Classified: None

SECTION 3: Composition/Information on Ingredients

Identification	Name	Weight %
CAS Number: 7732-18-5	Water	75-85
CAS Number: 7681-57-4	Sodium metabisulfite	<4
CAS Number: 1310-58-3	Potassium hydroxide	<3
CAS Number: 123-31-9	Hydroquinone	<2

Additional Information:

The specific chemical identity and/or exact percentages (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of the OSHA Hazard Communication Standard (29 CFR §1910.1200)

SECTION 4: First Aid Measures

Description of First Aid Measures

General Notes:

Show this Safety Data Sheet to the doctor in attendance.

After Inhalation:

If inhaled, remove person to fresh air and place in a position comfortable for breathing. Keep person at rest. If breathing is difficult, administer oxygen. If breathing has stopped, provide artificial respiration. If

Page 2 of 12

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 04.01.2005

Revision date: 03.18.2022

Patterson Developer Solution

symptoms develop or persist, seek medical advice/attention.

After Skin Contact:

Remove contaminated clothing and shoes. Rinse skin with copious amounts of water [shower] for several minutes. Launder contaminated clothing before reuse. If symptoms develop or persist, seek medical advice/attention.

After Eye Contact:

Immediately rinse eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 15 minutes. If eye irritation develops or persists, seek medical advice/attention.

After Swallowing:

If swallowed, DO NOT induce vomiting unless told to do so by a physician or poison control center. Rinse mouth with water. Never give anything by mouth to an unconscious person. If spontaneous vomiting occurs, place on the left side with head down to prevent aspiration of liquid into the lungs. If symptoms develop or persist, seek medical advice/attention.

Most Important Symptoms and Effects, Both Acute and Delayed

Acute Symptoms and Effects:

Skin contact may result in redness, pain, burning and inflammation.

Eye contact may result in irritation, redness, pain, inflammation, itching, burning, tearing, corneal damage and loss of vision.

Dermal exposure may cause an allergic skin reaction. Symptoms may include irritation, redness, pain, rash, inflammation, itching, burning and dermatitis.

Delayed Symptoms and Effects:

Exposure may cause genetic defects. Effects are dependent on exposure (dose, concentration, contact time).

Suspected of causing cancer. Effects are dependent on exposure (dose, concentration, contact time).

Immediate Medical Attention and Special Treatment

Specific Treatment:

In case of eye contact, seek prompt medical attention while rinsing is continued.

Notes for the Doctor:

Treat symptomatically.

SECTION 5: Firefighting Measures

Extinguishing Media

Suitable Extinguishing Media:

Water mist/fog, carbon dioxide, dry chemical or alcohol resistant foam.

Unsuitable Extinguishing Media:

Do not use water jet.

Specific Hazards During Fire-Fighting:

On combustion, forms carbon oxides (CO and CO2) and sulphur oxides.

Special Protective Equipment for Firefighters:

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full-face piece operated in positive pressure mode.

Special precautions:

Avoid contact with skin, eyes, hair and clothing. Do not breathe fumes/gas/mists/aerosols/vapors/dusts. Move containers from fire area if safe to do so. Use water spray/fog for cooling fire exposed containers. Avoid unnecessary run-off of extinguishing media which may cause pollution.

Page 3 of 12

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 04.01.2005

Revision date: 03.18.2022

Patterson Developer Solution

SECTION 6: Accidental Release Measures

Personal Precautions, Protective Equipment, and Emergency Procedures:

Evacuate unnecessary personnel. Ventilate area. Extinguish any sources of ignition. Wear recommended personal protective equipment (see Section 8). Do not get on skin, eyes or on clothing. Avoid breathing mist, vapor, dust, fume and spray. Do not walk through spilled material. Wash thoroughly after handling. Remove contaminated clothing and launder before reuse.

Environmental Precautions:

Prevent further leakage or spillage if safe to do so. Prevent from reaching drains, sewers and waterways. Discharge into the environment must be avoided.

Methods and Material for Containment and Cleaning Up:

Do not touch damaged containers or spilled material unless wearing appropriate personal protective clothing. Avoid breathing dust, mist, fumes, vapors or spray. Stop leak if you can do it without risk. Contain and collect spillage and place in suitable container for future disposal. Dispose of in accordance with all applicable regulations (see Section 13).

Reference to Other Sections:

For personal protective equipment see Section 8. For disposal see Section 13.

SECTION 7: Handling and Storage

Precautions for Safe Handling:

Use appropriate personal protective equipment (see Section 8). Use only with adequate ventilation. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Do not get in eyes. Avoid contact with skin and clothing. Wash affected areas thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not in use.

Conditions for Safe Storage, Including Any Incompatibilities:

Store in cool, dry, well-ventilated location out of direct sunlight. Keep away from food and beverages. Protect from freezing and physical damage. Store away from heat, open flames and other sources of ignition. Keep container tightly sealed. Store away from incompatible materials (See Section 10).

SECTION 8: Exposure Controls/Personal Protection

Only those substances with limit values have been included below.

Occupational Exposure Limit Values:

Country (Legal Basis)	Substance	Identifier	Permissible concentration
ACGIH	Sodium metabisulfite	7681-57-4	8-Hour TWA: 5 mg/m ³
	Hydroquinone	123-31-9	TLV-TWA: 1 mg/m³ (8 hr)
	Potassium hydroxide	1310-58-3	Ceiling Limit: 2 mg/m³
NIOSH	Sodium metabisulfite	7681-57-4	REL-TWA: 5 mg/m³ (for up to a 10-hour workday)
	Hydroquinone	123-31-9	Ceiling Limit: 2 mg/m³
	Hydroquinone	123-31-9	IDLH: 50 mg/m³
	Hydroquinone	123-31-9	REL: 2 mg/m³ (15 min.)
	Potassium hydroxide	1310-58-3	Ceiling Limit: 2 mg/m³
OSHA	Sodium metabisulfite	7681-57-4	8-Hour TWA-PEL: 5 mg/m ³
	Hydroquinone	123-31-9	PEL: 2 mg/m ³
	Hydroquinone	123-31-9	TWA: 2 mg/m ³
	Potassium hydroxide	1310-58-3	Ceiling Limit: 2 mg/m³

Page 4 of 12

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 04.01.2005

Revision date: 03.18.2022

Patterson Developer Solution

Country (Legal Basis)	Substance	Identifier	Permissible concentration
United States(California)	Sodium metabisulfite	7681-57-4	8-Hour TWA-PEL: 5 mg/m ³
	Hydroquinone	123-31-9	8-Hour TWA: 2 mg/m³
	Potassium hydroxide	1310-58-3	Ceiling Limit: 2 mg/m³

Biological Limit Values:

No biological exposure limits noted for the ingredient(s).

Information on Monitoring Procedures:

Not determined or not applicable.

Appropriate Engineering Controls:

Emergency eye wash stations and safety showers should be available in the immediate vicinity of use or handling. Provide adequate ventilation to maintain the airborne concentrations of vapor, mists, and/or dusts below the applicable workplace exposure limits, while observing recognized national standards (or equivalent).

Personal Protection Equipment

Eye and Face Protection:

Use safety glasses with side shields or goggles. Consider the use of a face shield for splash protection. Use eye protection equipment that has been tested and approved by recognized national standards (or equivalent).

Skin and Body Protection:

Chemical resistant, impervious gloves approved by the appropriate standards. Gloves must be inspected prior to use. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. Avoid skin contact with used gloves. Appropriate techniques should be used to remove used gloves and contaminated clothing. Full body protection should be worn. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Ensure that all personal protective equipment is approved by recognized national standards (or equivalent).

Respiratory Protection:

If engineering controls do not maintain airborne concentrations below the applicable workplace exposure limits, or to an acceptable level (if exposure limits have not been established), a respirator approved by recognized national standards (or equivalent) must be worn. Use a positive pressure air supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air purifying respirators may not provide adequate protection.

General Hygienic Measures:

When handling chemical products, do not eat, drink or smoke. Wash hands after handling, before breaks, and at the end of the workday. Avoid contact with skin, eyes and clothing. Wash contaminated clothing before reuse. Perform routine housekeeping.

SECTION 9: Physical and Chemical Properties

Information on Basic Physical and Chemical Properties

Appearance Light red liquid	
Odor	Odorless
Odor threshold	Not determined or not available.

Page 5 of 12

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 04.01.2005

Revision date: 03.18.2022

Patterson Developer Solution

рН	10.2
Melting point/freezing point	< 0 °C / 32 °F
Initial boiling point/range	> 100 °C / 212 °F
Flash point (closed cup)	Not determined or not available.
Evaporation rate	Not determined or not available.
Flammability (solid, gas)	Not determined or not available.
Upper flammability/explosive limit	Not determined or not available.
Lower flammability/explosive limit	Not determined or not available.
Vapor pressure	<17 mm Hg
Vapor density	0.6 mm Hg
Density	Not determined or not available.
Relative density	1.08
Solubilities	Completely soluble in water.
Partition coefficient (n-octanol/water)	Not determined or not available.
Auto/Self-ignition temperature	Not determined or not available.
Decomposition temperature	Not determined or not available.
Dynamic viscosity	Not determined or not available.
Kinematic viscosity	Not determined or not available.
Explosive properties	Not determined or not available.
Oxidizing properties	Not determined or not available.

Other Information

% Volatile (By volume)	80 - 90 % as water

SECTION 10: Stability and Reactivity

Reactivity:

Not reactive under recommended handling and storage conditions.

Chemical Stability:

Stable under recommended handling and storage conditions.

Possibility of Hazardous Reactions:

Hazardous reactions are not anticipated under recommended conditions of handling and storage.

Conditions to Avoid:

Extreme heat, open flames, hot surfaces, sparks, ignition sources and incompatible materials.

Incompatible Materials:

Stong oxidizing agents, strong acids.

Hazardous Decomposition Products:

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological Information

Acute Toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data: No data available.

Substance Data:

Page 6 of 12

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 04.01.2005

Revision date: 03.18.2022

Patterson Developer Solution

Name	Route	Result
Sodium metabisulfite	oral	LD50 Rat: 1131 mg/kg
	inhalation	LC50 Rat: > 5.5 mg/L (4 hr [dust/aerosol])
	dermal	LD50 Rat: > 2000 mg/kg
Hydroquinone	oral	LD50 Rat: 367.3 mg/kg
	dermal	LD50 Rabbit: > 2000 mg/kg
Potassium hydroxide	oral	LD50 Rat: 273 mg/kg

Skin Corrosion/Irritation

Assessment:

Causes skin irritation.

Product Data:

No data available.

Substance Data:

Name	Result
Potassium hydroxide	Causes severe skin burns.

Serious Eye Damage/Irritation

Assessment:

Causes serious eye damage.

Product Data:

No data available.

Substance Data:

Name	Result
Sodium metabisulfite	Causes serious eye damage.
Hydroquinone	Causes serious eye damage.
Potassium hydroxide	Causes serious eye damage.

Respiratory or Skin Sensitization

Assessment:

May cause an allergic skin reaction.

Product Data:

No data available.

Substance Data:

Name	Result
Hydroquinone	May cause an allergic skin reaction.

Carcinogenicity

Assessment:

Suspected of causing cancer. **Product Data:** No data available.

Substance Data:

Name	Species	Result
Hydroquinone		Suspected of causing cancer.

International Agency for Research on Cancer (IARC):

Page 7 of 12

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 04.01.2005

Revision date: 03.18.2022

Patterson Developer Solution

Name	Classification
Sodium metabisulfite	Group 3
Hydroquinone	Group 3

National Toxicology Program (NTP): None of the ingredients are listed.

OSHA Carcinogens: Not applicable

Germ Cell Mutagenicity

Assessment:

Suspected of causing genetic defects.

Product Data: No data available. Substance Data:

Name	Result
Hydroquinone	Suspected of causing genetic defects.

Reproductive Toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data:No data available.

Substance Data: No data available.

Specific Target Organ Toxicity (Single Exposure)

Assessment: Based on available data, the classification criteria are not met.

Product Data:No data available.

Substance Data: No data available.

Specific Target Organ Toxicity (Repeated Exposure)

Assessment: Based on available data, the classification criteria are not met.

Product Data:No data available.

Substance Data: No data available.

Aspiration toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data:No data available.

Substance Data: No data available.

Information on Likely Routes of Exposure:

Skin and eye contact, ingestion, inhalation.

Symptoms Related to the Physical, Chemical, and Toxicological Characteristics:

See section 4 of this SDS.

Other Information:

No data available.

SECTION 12: Ecological Information

Acute (Short-Term) Toxicity

Assessment:

Harmful to aquatic life.

Product Data: No data available.

Page 8 of 12

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 04.01.2005

Revision date: 03.18.2022

Patterson Developer Solution

Substance Data:

Name	Result
Sodium metabisulfite	Fish LC50 Oncorhynchus mykiss: 147 - 215 mg/L (96 hr)
	Aquatic Invertebrates EC50 Daphnia magna: 89 mg/L (48 hr)
	Aquatic Plants EC50 Desmodesmus subspicatus: 43.8 mg/L (72 hr)
Hydroquinone	Fish LC50 Oncorhynchus mykiss (rainbow trout): 0.638 mg/L (96 hr)
	Aquatic Invertebrates EC50 Daphnia magna (Water flea): 0.061 mg/L (48 hr)
	Aquatic Plants EC50 Pseudokirchneriella subcapitata (green algae): 0.041 mg/L (72 hr)

Chronic (Long-Term) Toxicity

Assessment:

Harmful to aquatic life with long lasting effects.

Product Data: No data available.

Substance Data:

Name	Result
Sodium metabisulfite	Aquatic Invertebrates NOEC Daphnia magna: > 10 mg/L (21 d)
Hydroquinone	Aquatic Invertebrates NOEC Daphnia magna: 0.003 mg/L (21 d)

Persistence and Degradability

Product Data: No data available.

Substance Data:

Name	Result
Sodium metabisulfite	The substance is an inorganic compound and is not subject to biodegradation.
Hydroquinone	This substance is readily biodegradable in water (calculated 80% degradation after 28 days, test mat. analysis).
Potassium hydroxide	The study on degradability does not need to be conducted as the substance is inorganic.

Bioaccumulative Potential

Product Data: No data available.

Substance Data:

Name	Result
	Because of the highly anionic nature of the substance and its instability in aqueous media, aquatic bioaccumulation is unlikely, and testing is not considered necessary.
Hydroquinone	Accumulation in organisms is not to be expected (calculated BCF: 3.162 L/kg: log Kow: 0.59).
Potassium hydroxide	Not expected to bioaccumulate, as it completely dissociates in water.

Mobility in Soil

Product Data: No data available.

Substance Data:

Name	Result
	Because of the anionic nature, any quantitatively relevant adsorption onto soil, sediments or suspended matter for disodium disulfite as well as its dissociation products is not to be expected.

Page 9 of 12

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 04.01.2005

Revision date: 03.18.2022

Patterson Developer Solution

Name	Result
	This substance is mobile; therefore, adsorption to soil is not expected (Calculated Koc 38.47/log Koc: 1.585).
1	Low potential for adsorption. If emitted to surface water, sorption to sediment will be negligible.

Results of PBT and vPvB assessment

Product Data:

PBT assessment: This product does not contain any substances that are assessed to be a PBT. **vPvB assessment:** This product does not contain any substances that are assessed to be a vPvB.

Substance Data:

PBT assessment:

Sodium metabisulfite	PBT assessment is not required for inorganic substances such as this.
Hydroquinone	Though hydroquinone fulfills the criteria for toxic substances, the data indicate that hydroquinone does not fulfill the criteria for persistent and bioaccumulative (PBT-substances).
Potassium hydroxide	The substance is not PBT.
vPvB assessment:	
Sodium metabisulfite	vPvB assessment is not required for inorganic substances such as this.

Sodium metabisulfite	vPvB assessment is not required for inorganic substances such as this.
	Though hydroquinone fulfills the criteria for toxic substances, the data indicate that hydroquinone does not fulfill the criteria for very persistent and very bioaccumulative substances (vPvB-substances).
Potassium hydroxide	The substance is not vPvB.

Other Adverse Effects: No data available.

SECTION 13: Disposal Considerations

Disposal Methods:

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities

Contaminated packages:

Not determined or not applicable.

SECTION 14: Transport Information

United States Transportation of Dangerous Goods (49 CFR DOT)

UN Number	Not regulated
UN Proper Shipping Name	Not regulated
UN Transport Hazard Class(es)	None
Packing Group	None
Environmental Hazards	None
Special Precautions for User	None

International Maritime Dangerous Goods (IMDG)

UN Number	Not regulated
UN Proper Shipping Name	Not regulated
UN Transport Hazard Class(es)	None

Page 10 of 12

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 04.01.2005

Revision date: 03.18.2022

Patterson Developer Solution

Packing Group	None
Environmental Hazards	None
Special Precautions for User	None

International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN Number	Not regulated
UN Proper Shipping Name	Not regulated
UN Transport Hazard Class(es)	None
Packing Group	None
Environmental Hazards	None
Special Precautions for User	None

SECTION 15: Regulatory Information

United States Regulations

Inventory Listing (TSCA): All ingredients are listed-active or exempt.

Significant New Use Rule (TSCA Section 5): None of the ingredients are listed.

Export Notification under TSCA Section 12(b): None of the ingredients are listed.

SARA Section 302 Extremely Hazardous Substances:

	123-31-9	Hydroquinone	Listed	
SA	SARA Section 313 Toxic Chemicals:			
	123-31-9	Hydroquinone	Listed	
CERCIA.				

CERCLA:

123-31-9	Hydroquinone	Listed	100 lb
1310-58-3	Potassium hydroxide	Listed	1000 lb

RCRA: None of the ingredients are listed.

Section 112(r) of the Clean Air Act (CAA): None of the ingredients are listed.

Massachusetts Right to Know:

7681-57-4	Sodium metabisulfite	Listed
123-31-9	Hydroquinone	Listed
1310-58-3	Potassium hydroxide	Listed

New Jersey Right to Know:

7681-57-4	Sodium metabisulfite	Listed
123-31-9	Hydroquinone	Listed
1310-58-3	Potassium hydroxide	Listed

New York Right to Know:

7681-57-4	Sodium metabisulfite	Listed
123-31-9	Hydroquinone	Listed
1310-58-3	Potassium hydroxide	Listed

Pennsylvania Right to Know:

	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
7681-57-4	Sodium metabisulfite	Listed
123-31-9	Hydroquinone	Listed
1310-58-3	Potassium hydroxide	Listed

Page 11 of 12

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 04.01.2005 Page 12 of 12

Revision date: 03.18.2022

Patterson Developer Solution

California Proposition 65: None of the ingredients are listed.

Additional information: Not determined.

SECTION 16: Other Information

Abbreviations and Acronyms: None

Disclaimer:

This product has been classified in accordance with OSHA HCS 2012 guidelines. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

NFPA: 3-0-0 **HMIS:** 3-0-0

Initial Preparation Date: 04.01.2005

Revision date: 03.18.2022

Revision Notes:

Revision Date	Notes
2022-03-18	Rev. 5

End of Safety Data Sheet