SAFETY DATA SHEETS

This SDS packet was issued with item:

071069996

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

071070010 071072339



Version 1.1	Revision Date: 02/10/2015	MSDS Number: 33227-00002	Date of last issue: 12/02/2014 Date of first issue: 12/02/2014				
SECTIO	N 1. IDENTIFICATION						
Pro	duct name		: PURELL® Advanced Hand Sanitizer ULTRA NOURISHING™ Luxurious Foam				
Ma	nufacturer or supplier's	details					
Cor	npany name of supplier	: GOJO Indust	ries, Inc.				
Ado	lress	: One GOJO P Akron OH 443	laza, Suite 500 311				
Tel	ephone	: 1 (330) 255-6	000				
Em	ergency telephone	: 1-800-424-93	00 CHEMTREC				
Recommended use of the o		chemical and restr	ictions on use				
Red	commended use	: Hand Sanitize	er				
Res	strictions on use	consumers ar foreseeable u specifically de exempt from While this ma contains value proper use of as well as un spills. This SE employees ar intended-use	onal care or cosmetic product that is safe for nd other users under normal and reasonably se. Cosmetics and consumer products, efined by regulations around the world, are the requirement of an SDS for the consumer. terial is not considered hazardous, this SDS able information critical to the safe handling and the product for industrial workplace conditions usual and unintended exposures such as large DS should be retained and available for nd other users of this product. For specific guidance, please refer to the information ne package or instruction sheet.				

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Flammable liquids	: Category 3
Eye irritation	: Category 2A
GHS Label element Hazard pictograms	
Signal Word	: Warning

SAFETY DATA SHEET

PURELL® Advanced Hand Sanitizer ULTRA NOURISHING[™] Luxurious Foam



Version 1.1	Revision Date: 02/10/2015	MSDS Number: 33227-00002	Date of last issue: 12/02/2014 Date of first issue: 12/02/2014
Haza	rd Statements	: H226 Flammable H319 Causes se	e liquid and vapor. prious eye irritation.
Preca	autionary Statements	No smoking. P233 Keep cont P241 Use explose equipment. P242 Use only r P243 Take prect P264 Wash skin P280 Wear prote Response: P303 + P361 + F all contaminated P305 + P351 + F for several minu- to do. Continue f P337 + P313 If e attention. Storage: P403 + P235 Ste Disposal:	y from heat/sparks/open flames/hot surfaces ainer tightly closed. sion-proof electrical/ ventilating/ lighting/ non-sparking tools. autionary measures against static discharge. thoroughly after handling. ective gloves/ eye protection/ face protection. P353 IF ON SKIN (or hair): Take off immediately clothing. Rinse skin with water/shower. P338 IF IN EYES: Rinse cautiously with water tes. Remove contact lenses, if present and easy rinsing. eye irritation persists: Get medical advice/ ore in a well-ventilated place. Keep cool. f contents/ container to an approved waste

Other hazards

Vapors may form explosive mixture with air.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous ingredients

Chemical Name	CAS-No.	Concentration (%)
Ethanol	64-17-5	>= 50 - < 70
Propan-2-ol	67-63-0	>= 1 - < 5

SECTION 4. FIRST AID MEASURES

General advice	In the case of accident or if you feel unwell, seek me advice immediately. When symptoms persist or in all cases of doubt seel advice.	
If inhaled	If inhaled, remove to fresh air. Get medical attention if symptoms occur.	
In case of skin contact	Wash with water and soap as a precaution. Get medical attention if symptoms occur.	

2/16

GOJO

PURELL® Advanced Hand Sanitizer ULTRA NOURISHING™ Luxurious Foam

Version 1.1	Revision Date: 02/10/2015	MSDS Number: 33227-00002	Date of last issue: 12/02/2014 Date of first issue: 12/02/2014	
In cas	se of eye contact	for at least 15	emove contact lens, if worn.	
If swallowed		: If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.		
Most important symptoms and effects, both acute and delayed		: Causes seriou	is eye irritation.	
Prote	ction of first-aiders	and use the re	onders should pay attention to self-protection, ecommended personal protective equipment ential for exposure exists.	
Notes	s to physician	: Treat symptor	natically and supportively.	

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Dry chemical Carbon dioxide (CO2)
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during fire fighting	:	Do not use a solid water stream as it may scatter and spread fire. Flash back possible over considerable distance. Vapors may form explosive mixtures with air. Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Carbon oxides Silicon oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES



Version 1.1	Revision Date: 02/10/2015	MSDS Number: 33227-00002	Date of last issue: 12/02/2014 Date of first issue: 12/02/2014
prot	sonal precautions, ective equipment and rgency procedures	Follow safe ha	urces of ignition. protective equipment. ndling advice and personal protective ommendations.
Envi	ronmental precautions	Prevent further Prevent spread barriers). Retain and dis	the environment must be avoided. I leakage or spillage if safe to do so. ding over a wide area (e.g. by containment or oil pose of contaminated wash water. es should be advised if significant spillages tained.
	nods and materials for ainment and cleaning up	Soak up with in Suppress (kno jet. For large spills containment to can be pumpe container. Clean up rema absorbent. Local or nation disposal of this employed in th determine whit Sections 13 ar	ools should be used. hert absorbent material. ck down) gases/vapors/mists with a water spray , provide diking or other appropriate keep material from spreading. If diked material d, store recovered material in appropriate hining materials from spill with suitable hal regulations may apply to releases and material, as well as those materials and items e cleanup of releases. You will need to ch regulations are applicable. In 15 of this SDS provide information regarding mational requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures	: See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	: Use with local exhaust ventilation. Use only in an area equipped with explosion proof exhaust ventilation.
Advice on safe handling	 Do not breathe vapors or spray mist. Do not swallow. Do not get in eyes. Avoid prolonged or repeated contact with skin. Handle in accordance with good industrial hygiene and safety practice. Non-sparking tools should be used. Keep container tightly closed. Keep away from heat and sources of ignition. Take precautionary measures against static discharges. Take care to prevent spills, waste and minimize release to the environment.
Conditions for safe storage	: Keep in properly labeled containers.

4 / 16



Version 1.1	Revision Date: 02/10/2015	MSDS Number: 33227-00002	Date of last issue: 12/02/2014 Date of first issue: 12/02/2014
		Store in accorda	sed. well-ventilated place. ance with the particular national regulations. n heat and sources of ignition.
Mater	ials to avoid	Strong oxidizing Organic peroxid Flammable solic Pyrophoric liquic Pyrophoric solid Self-heating sub	es ds ds ls sostances and mixtures d mixtures which in contact with water emit

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ethanol	64-17-5	TWA	1,000 ppm 1,900 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,900 mg/m3	OSHA Z-1
		STEL	1,000 ppm	ACGIH
Propan-2-ol	67-63-0	TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
		TWA	400 ppm 980 mg/m3	NIOSH REL
		ST	500 ppm 1,225 mg/m3	NIOSH REL
		TWA	400 ppm 980 mg/m3	OSHA Z-1

Ingredients with workplace control parameters

Biological occupational exposure limits

Ingredients	CAS-No.	Control parameters	Biological specimen	Sam- pling time	Permissible concentratio n	Basis
Propan-2-ol	67-63-0	Acetone	Urine	End of shift at end of work- week	40 mg/l	ACGIH BEI
Use ven		imize workpla e only in an aro tilation. e with local exl	ea equipped	with explos	ions. sion proof exha	aust

5/16



Version	Revision Date:	MSDS Number:	Date of last issue: 12/02/2014
1.1	02/10/2015	33227-00002	Date of first issue: 12/02/2014

Personal protective equipment

Respiratory protection	:	General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.
Hand protection Material		Impervious gloves
Material		Flame retardant gloves
Material	•	rane relation gives
Remarks	:	Choose gloves to protect hands against chemicals depending on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.
Eye protection	:	Wear the following personal protective equipment: Safety goggles
Skin and body protection	:	Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential. Wear the following personal protective equipment: Flame retardant antistatic protective clothing. Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).
Hygiene measures	:	Ensure that eye flushing systems and safety showers are located close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Color	:	clear



Vers 1.1	sion	Revision Date: 02/10/2015		DS Number: 27-00002	Date of last issue: 12/02/2014 Date of first issue: 12/02/2014
	Odor		:	fruity	
	Odor T	hreshold	:	No data available	9
	pН		:	6.5 - 8.5	
	Melting	point/freezing point	:	No data available	9
	Initial b range	oiling point and boiling	:	No data available	9
	Flash p	point	:	23 °C	
	Evapor	ration rate	:	No data available	9
	Flamm	ability (solid, gas)	:	Not applicable	
	Upper	explosion limit	:	No data available	9
	Lower	explosion limit	:	No data available	9
	Vapor pressure		:	No data available	9
	Relative vapor density		:	No data available	9
	Density	ý	:	0.8810 g/cm3	
	Solubil Wate	ity(ies) er solubility	:	soluble	
	Partitio octano	n coefficient: n- l/water	:	Not applicable	
	Autoig	nition temperature	:	No data available	9
	Decom	position temperature	:	The substance o	r mixture is not classified self-reactive.
	Viscos Visc	ity osity, kinematic	:	10 - 20 mm2/s (2	20 °C)
	Explos	ive properties	:	Not explosive	
	Oxidizi	ng properties	:	The substance o	r mixture is not classified as oxidizing.

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reac-	: Flammable liquid and vapor.



Version 1.1	Revision Date: 02/10/2015	MSDS Number: 33227-00002	Date of last issue: 12/02/2014 Date of first issue: 12/02/2014	
tions		Vapors may form explosive mixture with air. Can react with strong oxidizing agents.		
Conditions to avoid		: Heat, flames and sparks.		
Incompatible materials		: Oxidizing agents		
Hazardous decomposition products		: No hazardous	decomposition products are known.	

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure Inhalation Skin contact Ingestion Eye contact				
Acute toxicity				
Not classified based on avail	able information.			
Product:				
Acute oral toxicity	: Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method			
Ingredients:				
Ethanol: Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg			
	. ED50 (Rat). > 5,000 mg/kg			
Acute inhalation toxicity	: LC50 (Rat): 124.7 mg/l Exposure time: 4 h Test atmosphere: vapor			
Propan-2-ol:				
Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg			
Acute inhalation toxicity	: LC50 (Rat): 72.6 mg/l Exposure time: 4 h Test atmosphere: vapor			
Acute dermal toxicity	: LD50 (Rat): > 5,000 mg/kg			

Skin corrosion/irritation

Not classified based on available information.

Product:

Result: No skin irritation

Ingredients:

Ethanol: Species: Rabbit Method: OECD Test Guideline 404



Version	Revision Date:	MSDS Number:	Date of last issue: 12/02/2014
1.1	02/10/2015	33227-00002	Date of first issue: 12/02/2014

Result: No skin irritation

Propan-2-ol:

Species: Rabbit Result: No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Ingredients:

Ethanol: Species: Rabbit Result: Irritation to eyes, reversing within 21 days Method: OECD Test Guideline 405

Propan-2-ol:

Species: Rabbit Result: Irritation to eyes, reversing within 21 days

Respiratory or skin sensitization

Skin sensitization: Not classified based on available information. Respiratory sensitization: Not classified based on available information.

Product:

Assessment: Does not cause skin sensitization.

Ingredients:

Ethanol: Test Type: Local lymph node assay (LLNA) Routes of exposure: Skin contact Species: Mouse Result: negative

Propan-2-ol:

Test Type: Buehler Test Routes of exposure: Skin contact Species: Guinea pig Method: OECD Test Guideline 406 Result: negative

Germ cell mutagenicity

Not classified based on available information.

Ingredients:

Ethanol: Genotoxicity in vitro	: Test Type: In vitro mammalian cell gene mutation test Result: negative
Genotoxicity in vivo	: Test Type: Rodent dominant lethal test (germ cell) (in vivo) Species: Mouse Application Route: Ingestion



Version 1.1	Revision Date: 02/10/2015	MSDS Number: 33227-00002	Date of last issue: 12/02/2014 Date of first issue: 12/02/2014
		Result: negati	ve
	p an-2-ol: otoxicity in vitro	: Test Type: Ba Result: negati	cterial reverse mutation assay (AMES) ve
Genc	otoxicity in vivo	cytogenetic as Species: Mou	se pute: Intraperitoneal injection
Carc	inogenicity		
Not c	classified based on availa	able information.	
Prop Spec Appli Expo Meth	edients: pan-2-ol: cies: Rat cation Route: inhalation psure time: 104 weeks od: OECD Test Guidelin ilt: negative		
IAR	C		this product present at levels greater than or identified as probable, possible or confirmed en by IARC.
OSH	IA		this product present at levels greater than or identified as a carcinogen or potential carcino-
NTP			this product present at levels greater than or identified as a known or anticipated carcinogen
-	roductive toxicity classified based on availa	able information.	
	edients:		
Etha Effec	nol: ets on fertility	Species: Mou Application Re	oute: Ingestion D Test Guideline 416
	a n-2-ol: ts on fertility	Species: Rat	vo-generation reproduction toxicity study pute: Ingestion ve
Effec	ts on fetal development	: Test Type: En	nbryo-fetal development



Version	Revisior
1.1	02/10/20

on Date: 2015 MSDS Number: 33227-00002 Date of last issue: 12/02/2014 Date of first issue: 12/02/2014

Species: Rat Application Route: Ingestion Result: negative

STOT-single exposure

Not classified based on available information.

Ingredients:

Propan-2-ol: Assessment: May cause drowsiness or dizziness.

STOT-repeated exposure

Not classified based on available information.

Repeated dose toxicity

Ingredients:

Ethanol: Species: Rat NOAEL: 2,400 mg/kg Application Route: Ingestion Exposure time: 2 y

Propan-2-ol:

Species: Rat NOAEL: 5000 ppm Application Route: inhalation (vapor) Exposure time: 104 w Method: OECD Test Guideline 413

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity	
Ingredients: Ethanol: Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 48 h
Toxicity to algae	: EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates	: NOEC (Daphnia magna (Water flea)): 9.6 mg/l Exposure time: 9 d

SAFETY DATA SHEET

PURELL® Advanced Hand Sanitizer ULTRA NOURISHING™ Luxurious Foam



rsion	Revision Date: 02/10/2015		SDS Number: 227-00002	Date of last issue: 12/02/2014 Date of first issue: 12/02/2014
(Chroi	nic toxicity)			
Toxici	ty to bacteria	:	EC50 (Photobad Exposure time: (cterium phosphoreum): 32.1 mg/l).25 h
	an-2-ol: ty to fish	:	LC50 (Pimephal Exposure time: 9	es promelas (fathead minnow)): 10,000 mg/l 96 h
	ty to daphnia and other ic invertebrates	:	EC50 (Daphnia Exposure time: 2	magna (Water flea)): > 10,000 mg/l 24 h
Toxici	ty to algae	:	ErC50 (Scenede mg/l Exposure time: 8	esmus quadricauda (Green algae)): > 1,800 3 d
Toxici	ty to bacteria	:	EC50 (Pseudom Exposure time:	ionas putida): > 1,050 mg/l 16 h
Persis	stence and degradabil	ity		
	dients:			
Ethan Biode	i ol: gradability	:	Result: Readily Biodegradation: Exposure time: 2	84 %
	a n-2-ol: gradability	:	Result: rapidly d	egradable
Bioac	cumulative potential			
Ingree	dients:			
	n ol: on coefficient: n- ol/water	:	log Pow: -0.35	
Partiti	a n-2-ol: on coefficient: n- ol/water	:	log Pow: 0.05	
	ity in soil ta available			
	adverse effects			
No da	ta available			

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues

: Dispose of in accordance with local regulations.



Version 1.1	Revision Date: 02/10/2015	MSDS Number: 33227-00002	Date of last issue: 12/02/2014 Date of first issue: 12/02/2014		
Conta	aminated packaging	: Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not burn, or use a cutting torch on, the empty drum.			
SECTION	14. TRANSPORT INF	ORMATION			
Interi	national Regulation				
	TDG umber er shipping name	: UN 1987 : ALCOHOLS, (Ethanol, Pro			
Class Packi Label	ing group	: 3 : III : 3	pan-2-01)		
UN/IE	-DGR D No. er shipping name	: UN 1987 : Alcohols, n.o (Ethanol, Pro			
Label Packi aircra Packi	ing group ls ing instruction (cargo	: 3 : III : Flammable L : 366 : 355			
UN n Prope)-Code umber er shipping name	: UN 1987 : ALCOHOLS, (Ethanol, Pro			
Label EmS	ing group	: 3 : III : 3 : F-E, S-D : no			

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR UN/ID/NA number Proper shipping name	: UN 1987 : ALCOHOLS, N.O.S.
Class	: 3
Packing group	: III



Version	Revision Date:	MSDS Number:	Date of last issue: 12/02/2014
1.1	02/10/2015	33227-00002	Date of first issue: 12/02/2014
Labels ERG (Marine	-	: FLAMMABLE L : 127 : no	IQUID

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 I	Hazards :	Fire Hazard Acute Health Hazard		
SARA 302	:	No chemicals in this materi requirements of SARA Title		reporting
SARA 313	:	The following components a established by SARA Title I		ng levels
		Propan-2-ol	67-63-0	3.4086 %
US State Regulations				
Pennsylvania R	Right To Know Ethanol Water Propan-2-ol		64-17-5 7732-18-5 67-63-0	50 - 70 % 30 - 50 % 1 - 5 %
New Jersey Rig	Jht To Know Ethanol Water Propan-2-ol Dimethyl Siloxan Dimethyl(propyl(oxide))hydroxy)s	polyethylene	64-17-5 7732-18-5 67-63-0 102783-01-7	50 - 70 % 30 - 50 % 1 - 5 % 1 - 5 %
California Prop 65		This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.		
The ingredients of this product are reported in the following inventories:AICS: All ingredients listed or exempt.				

Inventories




Version	Revision Date:	MSDS Number:	Date of last issue: 12/02/2014
1.1	02/10/2015	33227-00002	Date of first issue: 12/02/2014

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), NECSI (Taiwan), TSCA (USA)

SECTION 16. OTHER INFORMATION





Full text of other abbreviations

ACGIH ACGIH BEI NIOSH REL OSHA Z-1	:	USA. ACGIH Threshold Limit Values (TLV) ACGIH - Biological Exposure Indices (BEI) USA. NIOSH Recommended Exposure Limits USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim- its for Air Contaminants
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL		Short-term exposure limit
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	:	STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
OSHA Z-1 / TWA	:	8-hour time weighted average
Sources of key data used to compile the Material Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/
Revision Date	:	02/10/2015

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, in-



VersionRevision Date:MSDS N1.102/10/201533227-0

MSDS Number: 33227-00002

Date of last issue: 12/02/2014 Date of first issue: 12/02/2014

cluding an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8