SAFETY DATA SHEETS

This SDS packet was issued with item: 071149814

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

071149798 071149822 071149830 071149848 073424991 074842019 074842027

Page 1 of 3

 $\Gamma \Pi \Box$

Patterson Companies, Inc.

NFPA

1

HMIS

Denspro Prophylaxis Paste with Fluoride

0

1

| HEALTH | 1 |
|------------|---|
| FIRE | 0 |
| REACTIVITY | 1 |
| PPE | I |

0

SECTION 1 : Chemical Product and Company Identification

MSDS Name: Denspro Prophylaxis Paste with Fluoride Manufacturer Name: Patterson Companies, Inc. Address:

1031 Mendota Heights Road St. Paul, MN 55120

Contact Phone- 800.424.9300

Trade Names: Denspro NFPA Health: 1 Flammability: 0 Reactivity: 1 Other: HMIS Health Hazard: 1 Fire Hazard: 0 Reactivity: 1 Personal Protection: 0

Distributor Name: Patterson Companies, Inc. NFPA: Protection: 0

> Hazard Rating: 4 = Extreme

3 = High

2 = Moderate

0 = Insignificant

Obtained by Global Safety Management, www.globalsafetynet.com, (877) 683-7460

http://www.msdsvault.com/msds_customers.cfm?aa=111&ab=70890459&ac=JDSF7685... 11/11/2009

| Chemical Name | Percent | |
|--|----------------------------------|-----|
| Sodium Fluoride in phosphate mixture | 1.23% | |
| | | TOF |
| · | hysical And Chemical Characteris | |
| • | - , | |
| Physical And Chemical Cha | racteristics: Does Not Apply | |
| Q | | TOF |
| SECTION | 4 : Fire And Explosion Hazards | |
| Fire And Explosion Hazard | Data: Does Not Apply | |
| e, | | TQI |
| SE | CTION 5 : Health Hazards | |
| Codium Elucrido in nhocnhot | a mixtura | |
| Sodium Fluoride in phosphat Route of Exposure: | e mixture: | |
| Inhalation: Not Applicable | | |
| Skin: Not Applicable | | |
| Ingestion: Yes | | |
| Potential Health Effects: | | |
| Health Hazards(Acute): No Chronic Health Effects: | Аррисаріе | |
| Health Hazards: Not Applic | able | |
| Carcinogenicity: | | |
| Monographs: Not Applicabl | e | |
| Signs/Symptoms: | | |
| Not Applicable | | |
| Q . | | TÕI |
| SECTION 6 : I | mergency And First Aid Procedur | es |
| ye Contact: | | |
| , | n persists, contact physician. | |
| ngestion: | | |
| Induce vomiting, consult ph | ysician. | |
| Q, | | TO |
| | CTION 7 : Reactivity Data | |
| Chemical Stability: | | |
| Stable incompatibilities with Other Mat | erials | |
| Materials to Avoid: Not App | | |
| Hazardous Polymerization: | | |
| Not Applicable | | |
| Conditions to Avoid: Not A | nlicable | |
| Conditions to Avolu, NOUA | phicapie | |

۰.

Obtained by Global Safety Management, www.globalsafetynet.com, (877) 683-7460

http://www.msdsvault.com/msds_customers.cfm?aa=111&ab=70890459&ac=JDSF7685... 11/11/2009

| GL TOP Ignitable (Yes/No): No TOP GL TOP SECTION 9 : Control Measures TOP GL SECTION 9 : Control Measures GL SECTION 10 : Other Information HMIS: Health Hazard: 1 = Slight Health Hazard: 0 = Insignificant Reactivity: 1 = Slight Personal Protection: 0 = Insignificant NFPA: Protection: 0 = Insignificant Health: 1 = Slight NFPA: Protection: 0 = Insignificant Heatin: 1 = Slight NFPA: Protection: 0 = Insignificant Hazard Rating: 4 = Extreme 3 = High 2 = Moderate 1 = Slight 0 = Insignificant Abbreviation: N/A: Not Applicable | Not Applicable | |
|--|---|-----|
| Ignitable (Yes/No): No G SECTION 9 : Control Measures G SECTION 10 : Other Information HMIS: Health Hazard: 1 = Slight Fire Hazard: 0 = Insignificant Reactivity: 1 = Slight Personal Protection: 0 = Insignificant Health: 1 = Slight Reactivity: 1 = Slight NFPA: Fire Hazard Rating: 4 = Extreme 3 = High 2 = Moderate 1 = Slight 0 = Insignificant Abbreviation: | Q | TOP |
| G TOP SECTION 9 : Control Measures TOP SECTION 10 : Other Information HMIS: Health Hazard: 1 = Slight Fire Hazard: 0 = Insignificant Reactivity: 1 = Slight Personal Protection: 0 = Insignificant NFPA: Fire Hazard: 0 = Insignificant Health: 1 = Slight Reactivity: 1 = Slight NFPA: Protection: 0 = Insignificant Hazard Rating: 4 = Extreme 3 = High 2 = Moderate 1 = Slight 0 = Insignificant Abbreviation: | SECTION 8 : Precautions For Safe Handling | |
| G TOP SECTION 9 : Control Measures TOP SECTION 10 : Other Information HMIS: Health Hazard: 1 = Slight Fire Hazard: 0 = Insignificant Reactivity: 1 = Slight Personal Protection: 0 = Insignificant NFPA: Fire Hazard: 0 = Insignificant Health: 1 = Slight Reactivity: 1 = Slight NFPA: Protection: 0 = Insignificant Hazard Rating: 4 = Extreme 3 = High 2 = Moderate 1 = Slight 0 = Insignificant Abbreviation: | · · | |
| SECTION 9 : Control Measures C TOP SECTION 10 : Other Information HMIS: Health Hazard: 1 = Slight Fire Hazard: 0 = Insignificant Reactivity: 1 = Slight Personal Protection: 0 = Insignificant NFPA: Fire Hazard: 0 = Insignificant Health: 1 = Slight Reactivity: 1 = Slight NFPA: Protection: 0 = Insignificant Hazard Rating: 4 = Extreme 3 = High 2 = Moderate 1 = Slight 0 = Insignificant Abbreviation: | Ignitable (Yes/No): No | |
| SECTION 10 : Other Information HMIS: Health Hazard: 1 = Slight Fire Hazard: 0 = Insignificant Reactivity: 1 = Slight Personal Protection: 0 = Insignificant NFPA: Fire Hazard: 0 = Insignificant Health: 1 = Slight Reactivity: 1 = Slight NFPA: Protection: 0 = Insignificant Hazard Rating: 4 = Extreme 3 = High 2 = Moderate 1 = Slight 0 = Insignificant Abbreviation: | E. | TOP |
| SECTION 10 : Other Information HMIS: Health Hazard: 1 = Slight Fire Hazard: 0 = Insignificant Reactivity: 1 = Slight Personal Protection: 0 = Insignificant NFPA: Fire Hazard: 0 = Insignificant Health: 1 = Slight Reactivity: 1 = Slight NFPA: Protection: 0 = Insignificant Hazard Rating: 4 = Extreme 3 = High 2 = Moderate 1 = Slight 0 = Insignificant Abbreviation: | SECTION 9 : Control Measures | |
| HMIS: Health Hazard: 1 = Slight Fire Hazard: 0 = Insignificant Reactivity: 1 = Slight Personal Protection: 0 = Insignificant NFPA: Fire Hazard: 0 = Insignificant Health: 1 = Slight Reactivity: 1 = Slight NFPA: Protection: 0 = Insignificant Hazard Rating: 4 = Extreme 3 = High 2 = Moderate 1 = Slight 0 = Insignificant Abbreviation: | | TOP |
| Health Hazard: 1 = Slight Fire Hazard: 0 = Insignificant Reactivity: 1 = Slight Personal Protection: 0 = Insignificant NFPA: Fire Hazard: 0 = Insignificant Health: 1 = Slight Reactivity: 1 = Slight NFPA: Protection: 0 = Insignificant Hazard Rating: 4 = Extreme 3 = High 2 = Moderate 1 = Slight 0 = Insignificant Abbreviation: | SECTION 10 : Other Information | |
| Health Hazard: 1 = Slight Fire Hazard: 0 = Insignificant Reactivity: 1 = Slight Personal Protection: 0 = Insignificant NFPA: Fire Hazard: 0 = Insignificant Health: 1 = Slight Reactivity: 1 = Slight NFPA: Protection: 0 = Insignificant Hazard Rating: 4 = Extreme 3 = High 2 = Moderate 1 = Slight 0 = Insignificant Abbreviation: | | |
| Fire Hazard: 0 = Insignificant Reactivity: 1 = Slight Personal Protection: 0 = Insignificant NFPA: Fire Hazard: 0 = Insignificant Health: 1 = Slight Reactivity: 1 = Slight NFPA: Protection: 0 = Insignificant Hazard Rating: 4 = Extreme 3 = High 2 = Moderate 1 = Slight 0 = Insignificant Abbreviation: | HMIS: | |
| Reactivity: 1 = Slight Personal Protection: 0 = Insignificant NFPA: Fire Hazard: 0 = Insignificant Health: 1 = Slight Reactivity: 1 = Slight NFPA: Protection: 0 = Insignificant Hazard Rating: 4 = Extreme 3 = High 2 = Moderate 1 = Slight 0 = Insignificant Abbreviation: | Health Hazard: 1 = Slight | |
| Personal Protection: 0 = Insignificant NFPA: Fire Hazard: 0 = Insignificant Health: 1 = Slight Reactivity: 1 = Slight NFPA: Protection: 0 = Insignificant Hazard Rating: 4 = Extreme 3 = High 2 = Moderate 1 = Slight 0 = Insignificant Abbreviation: | Fire Hazard: 0 = Insignificant | |
| <pre>NFPA: Fire Hazard: 0 = Insignificant Health: 1 = Slight Reactivity: 1 = Slight NFPA: Protection: 0 = Insignificant Hazard Rating: 4 = Extreme 3 = High 2 = Moderate 1 = Slight 0 = Insignificant Abbreviation:</pre> | Reactivity: 1 = Slight | |
| <pre>Fire Hazard: 0 = Insignificant Health: 1 = Slight Reactivity: 1 = Slight NFPA: Protection: 0 = Insignificant Hazard Rating: 4 = Extreme 3 = High 2 = Moderate 1 = Slight 0 = Insignificant Abbreviation:</pre> | Personal Protection: $0 = $ Insignificant | |
| Health: 1 = Slight Reactivity: 1 = Slight NFPA: Protection: 0 = Insignificant Hazard Rating: 4 = Extreme 3 = High 2 = Moderate 1 = Slight 0 = Insignificant Abbreviation: | NFPA: | |
| Reactivity: 1 = Slight NFPA: Protection: 0 = Insignificant Hazard Rating: 4 = Extreme 3 = High 2 = Moderate 1 = Slight 0 = Insignificant Abbreviation: | Fire Hazard: 0 = Insignificant | |
| NFPA: Protection: 0 = Insignificant Hazard Rating: 4 = Extreme 3 = High 2 = Moderate 1 = Slight 0 = Insignificant Abbreviation: | Health: $1 = $ Slight | |
| Protection: 0 = Insignificant Hazard Rating: 4 = Extreme 3 = High 2 = Moderate 1 = Slight 0 = Insignificant Abbreviation: | Reactivity: 1 = Slight | |
| Hazard Rating: 4 = Extreme 3 = High 2 = Moderate 1 = Slight 0 = Insignificant Abbreviation: | NFPA: | |
| 4 = Extreme 3 = High 2 = Moderate 1 = Slight 0 = Insignificant Abbreviation: | Protection: $0 = Insignificant$ | |
| 4 = Extreme 3 = High 2 = Moderate 1 = Slight 0 = Insignificant Abbreviation: | Hazard Rating: | |
| 2 = Moderate 1 = Slight 0 = Insignificant Abbreviation: | - | |
| 1 = Slight 0 = Insignificant Abbreviation: | | |
| 0 = Insignificant Abbreviation: | | |
| Abbreviation: | | |
| | | |
| N/A: Not Applicable | | |
| | N/A: Not Applicable | |

, . . **.**

Copyright© 1996-2009 Actio Corporation. All Rights Reserved.

Obtained by Global Safety Management, www.globalsafetynet.com, (877) 683-7460

http://www.msdsvault.com/msds_customers.cfm?aa=111&ab=70890459&ac=JDSF7685... 11/11/2009



Safety Data Sheet: Dental Prophylaxis Paste with Sodium Fluoride

| SECTION 1: IDENTI | SECTION 1: IDENTIFICATION | | | | |
|---------------------------------|---|--|--|--|--|
| Product Name: | Dental Prophylaxis Paste with Fluoride | | | | |
| Catalog Numbers: | 10031-CCH, 10031-CM, 10031-CPC, 10031-FBG, 10031-FM, 10031-MCH 10031-MM, 10031-MPC, 10047-CCH, 10047-CM, 10047-CPC, 10047-CRB 10047-FBG, 10047-FM, 10047-MCH, 10047-MM, 10047-MPC | | | | |
| Product Classification: | Prophylaxis Paste | | | | |
| Active Ingredient: | Sodium Fluoride | | | | |
| Manufactured By: | A.R. Medicom Inc. 1200 55 th Avenue, Montreal, Quebec H8T 3J8 | | | | |
| Issue Date: Supersedes Date: | 01-Dec-2014 None | | | | |
| Product Use: | For cleaning and polishing procedures as a part of a professionally administered prophylaxis treatment. | | | | |

SECTION 2: HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This information is based on findings from related and/or similar materials

- Will cause eye irritation
- May cause skin irritation
- Prolonged exposure may cause respiratory system irritation
- Ingestion may cause nausea, vomiting, headache, or dizziness
- Please read entire SDS for additional information



Potential Health Effects, Signs, and Symptoms of Exposure:

| Eye: | Splashing into eye may cause redness of the eye. |
|-------------|--|
| Skin: | Repeated/prolonged contact with skin may cause irritation of the skin. Symptoms include: redness, burning, itching. |
| Inhalation: | Fine/small particles, if inhaled, may lead to respiratory irritation. Symptoms include: a feeling of tightness of the chest. |
| Ingestion: | Ingesting small amounts during normal handling and use is not likely to cause harmful effects. Symptoms include: nausea, vomiting, headache, or dizziness. |

Please refer to Section 11, Toxicological Information for details



| SECTION | SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS | | | | | | | | |
|--|---|-----------|---|---|-------------------------------------|------------|------------------|--|--|
| Chemical ID CAS # | | EINECS # | INCI Name | Exposure OSHA (TWA/STEL) | Limits ACGIH | Carcinogen | % (By Weight) | | |
| Sodium Fluoride | 761-49-4 | 231-667-8 | Sodium Fluoride | 3ppm/6ppm | 2.5mg/m ³ | Not Listed | 2 – 3 | | |
| Glycerol | 56-81-5 | 200-289-5 | Glycerin | (as respirable, mist) TWA=5mg/m ³ | (as mist) TWA=5mg/m ³ | Not Listed | 20 - 40 | | |
| Sodium F | luoride: | Hazard St | ger Symbol: GHS06 (T), GHS07 (Xi) ard Statement: H301 (R25), EUH032 (R32), H315 (R38), H31 (R36) autionary Statement: P102 (S2), P260 (S23), P280 (S36/37/39), P309+314 (S45) | | | | , | | |
| Glycerin: Danger Symbol: GHS07 (Xi) Hazard Statement: H315 (R38), H319 (R36) Precautionary Statement: P404 (S7), P403+235 (S3/9) | | | | | | | | | |

Please refer to Section 16 for Hazard and Precautionary Statement Key

SECTION 4: FIRST AID MEASURES

The following first aid recommendations are based on an assumption that appropriate personal hygiene and industrial hygiene practices are followed.

| Eye Contact: | Flush eyes with large amounts of water, including under eyelids. If signs/symptoms persist, seek medical attention. |
|---------------|---|
| Skin Contact: | Wash thoroughly with soap and water. Remove contaminated clothing. If signs/symptoms persist, seek medical attention. |
| Inhalation: | Move into fresh air. If having difficulty breathing, administer oxygen. If signs/symptoms persist, seek medical attention. |
| Ingestion: | Induce vomiting and seek medical attention. In the case of a child who has swallowed approximately 10g of paste, seek immediate medical attention. In the case of an adult who has swallowed approximately 100g of paste, seek immediate medical attention. |

| SECTION 5: FIRE FIGHTING MEASURES | | | | | | |
|---|------------------------------------|---|--|--|--|--|
| Flash Point (°F/°C) Flammable Limit (vol%) Auto-Ignition Temperature (vol%) | | | | | | |
| N/A | N/A | N/A | | | | |
| Extinguishing Media: | Suitable extinguishing ma used. | Suitable extinguishing material for the surrounding fire should be used. | | | | |
| Firing Fighting Instruction | by thermal decomposition | highly toxic gases may be generated a. If potential for exposure, wear | | | | |

complete personal protective equipment, including: selfcontained breathing apparatus. Fight fire from a safe distance.

Unusual Hazards: Evacuate all personnel.



SECTION 6: ACCIDENTAL RELEASE MEASURES

Spill or Release Procedures

| Minor Spills: | Clean-up immediately, avoid contact with skin and eyes. Mop area and clean with soapy water. |
|---------------|---|
| Major Spills: | Clear area of personnel. Restrict access to area. Avoid contact with skin and eyes, mop/s. Collect contaminated water squeegee area with soapy water and dispose of properly. |

SECTION 7: HANDLING AND STORAGE

| Handling: | Limit all unnecessary a contact. Avoid breathing dust/vapors. Wear appropriate PPE. |
|-----------|---|
| Storage: | Store in a cool, well ventilated area away from heat, sparks, and flame. Keep containers closed when not in use. Keep in original container provided by manufacturer. |

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

| Engineering Controls: | General exhaust is adequate under normal operating conditions. |
|-------------------------|---|
| General PPE: | To identify additional Personal Protective Equipment (PPE) requirements, it is recommended that a hazard assessment done in accordance with OSHA PPE Standard (229CFR1910.132) or with European Standard EN166, be completed before using this product. |
| Eye/Face Protection: | Safety glasses/goggles, or splash shields, are required when handling. Ensure an eye-wash station is on-hand. |
| Skin Protection: | No special equipment for minor exposure (i.e. when handling small quantities), but, it is recommended that impermeable dothing (gloves, apron, boots, or whole body suit) to prevent any contact with this product. |
| Respiratory Protection: | In case of insufficient ventilation, wear suitable respiratory equipment. |

| SECTION 9: | PHYSICAL AN | ND CHEMICAL | PRO | PERT | IES | | | | |
|--------------------------------------|------------------------------|--|-----------------|------------------|----------------------------------|---------------------|----------|----------------------------------|--|
| Appearance Odor & Od | | or Threshold pl | | Specific Gravity | | Viscosity | % | % Volatile | |
| Colored paste | Odor of Sta | ted Flavor 6 | 6-8 (H2 | | 0 = 1): N/A | N/A | | | |
| Boiling Point / Freezing Point | Decomposition Temperature | Octanol/Water Partitioning Coefficient (Log Po/w) | | por ssure | Vapor Density | Evaporation Rate | Ignition | Solubility in Water (20°C) | |
| N/A | N/DA | N/DA | N | I/A | N/A | N/A | N/A | N/A | |
| Flash Poin | | Flammable I | flammable Limit | | Auto-Ignition Temperature (vol%) | | | /01%) | |



SECTION 10: STABILITY AND REACTIVITY

| Stability: | Stable. |
|-------------------------------|----------------------------|
| Materials and Conditions to A | Avoid: Strong Acids. Heat. |

Hazardous Decomposition Products: Toxic Fumes (HF).

Hazardous Polymerization:

Hazardous polymerization will not occur.

SECTION 11: TOXICOLOGY INFORMATION

| Active Oral Toxicity | Active Toxicity to Invertebrates | Acute Inhalation Toxicity | Irritation – Skin | Irritation - Eye |
|-------------------------|-------------------------------------|------------------------------|-------------------|------------------|
| N/DA | N/DA | N/DA | N/DA | N/DA |
| Sensitization | n Mutagenicity | | Sub-Chronic | Toxicity |
| N/DA | | N/DA | N/DA | |

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicological Information: Not determined.

Chemical Fate Information: Not determined.

SECTION 13: DISPOSAL CONSIDERATION

Dispose of in compliance with governmental regulations.

Dispose of container and unused contents in accordance with local, state, and federal requirements. For EU Member States, please refer to any relevant Community provisions relating to waste. In their absence, it is useful to remind the user that national or regional provisions may be in force.

SECTION 14: TRANSPORTATION INFORMATION

| DOT (49CFR172) Proper Shipping Name: Identification Number: Marine Pollutant: Special Provisions: | Non-Regulated Material N/A No N/A |
|--|---|
| Emergency Response Guidebook (ERG) # Proper Shipping Name: Class or Division: UN or ID Number: Packaging Instructions: | Non-Regulated Material N/A N/A N/A |
| Emergency Response Guidance (ICAO) # Proper Shipping Name: Class or Division: UN or ID Number: Special Provisions & Stowage/Segregation: | Non-Regulated Material N/A N/A N/A |
| Emergency Schedule (EMS) #: | N/A |



Other Information:

| SECTION 15: REGULATORY INFORMATION | | | | |
|-------------------------------------|--|--|--|--|
| U.S. Federal Regulations: | | | | |
| Clean Air Act HAP/ODS: | This product contains the following HAPs or ODSs: NONE. | | | |
| Clean Water Act: Priority Pollutant | : This product contains the following chemicals listed under the US Clean Water Act Priority Pollutant and Hazardous Substance List: NONE. | | | |
| FDA: Food Packaging Status: | This product has not been cleared by the USFDA for use in food packaging and/or other applications as an indirect food-packaging additive. | | | |
| Occupational Safety and Health: | This product is considered to be hazardous under the Its hazards are: NONE . | | | |
| RCRA: | This product contains the following chemicals which are considered to be hazardous waste under RCRA (40CFR261): NONE . | | | |
| SARA Title III: Section 302 (RQ): | This product contains no chemicals regulated under Section 302 as extremely hazardous substances. | | | |
| SARA Title III: Section 304 (TPQ): | This product is considered hazardous under the OSHA Hazard Communication Standard and is regulated under Section 311-312 (40CFR370). Its hazards are: SODIUM FLUORIDE (CAS # 7681-49-4, Corrosive). | | | |
| SARA Title III: Section 311-312: | This product contains chemicals regulated under Section 304 as extremely hazardous chemicals for emergency release notification (CERCLA List): SODIUM FLUORIDE (CAS # 7681-49-4, 1000 RQ #). | | | |
| SARA Title III: Section 313: | This product contains the following chemicals which are subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40CFR372: NONE . | | | |
| TSCA Section 8(b): Inventory: | This product contains chemicals listed on the TSCA Inventory, or otherwise complies with TSCA pre- manufacture notification requirements: SODIUM FLUORIDE (CAS # 7681-49-4). | | | |
| TSCA Significant New Use Rule: | None of the chemicals in this material have an SNUR under TSCA. | | | |
| State Regulations: | Contact E. C. Moore for more information | | | |
| International Regulations: | | | | |
| CDSL: Canadian Inventory: | Sodium Fluoride (CAS # 7681-49-4) Glycerol (CAS # 56-81-5) | | | |

N/A



Labeling According to EC Directives – 1272/2008 (CLP) and 1999/45/EC (items in parenthesis relate to 1999/45/EC)

European Community:

- DANGER SYMBOLS: GHS07 (Xi) Warning/Irritant
- HAZARD STATEMENTS: H316 (N/A), Causes mild skin irritation; H319 (R36), Causes serious eye irritation; H335 (R37), May cause respiratory irritation; H303 (N/A), May be harmful if swallowed.
- PRECAUTIONARY STATEMENTS: P102 (S2), Keep out of reach of children; P261 (S24), Avoid breathing dust/fumes/gas mist/vapor sprays; P280 (S36/37/39), Wear protective gloves/clothing/eye protection/face protection; P309+314 (S45), If exposed, or you feel unwell, seek medical advice/attention.

SECTION 16: OTHER INFORMATION


EU Classes and Risk/Safety Phases for Referenced Ingredients (See Section 2)

Items in parenthesis relate to 1999/45/EC

| Danger Symbols: | GHS06 (T) – Toxic GHS07 (Xi) – Warning/Irritant |
|---------------------------|---|
| Hazard Statements: | H301 (R25) – Toxic if swallowed H315 (R38) – Causes skin irritation H316 (N/A) – Causes mild skin irritation H319 (R36) – Causes serious eye irritation H335 (R37) – May cause respiratory irritation H336 (R67) – May cause drowsiness or dizziness EUH032 (R32) – Contact with acid liberates toxic gas H303 (N/A) – May be harmful if swallowed |
| Precautionary Statements: | P102 (S2) – Keep out of reach of children P261 (S24) – Avoid breathing dust/fumes/gas mist/vapor/sprays P280 (S36/37/39) – Wear protective gloves/clothing/eye protection/face protection P309+314 (S45) – If exposed, or you feel unwell, seek medical advice/attention P309+314 (S45) – If exposed, or you feel unwell, seek medical advice/attention |



Hazard Rating System (Pictograms)



The information presented herein was obtained from sources considered to be reliable. However, this information is provided without any warranty, expressed or implied, regarding its correctness or suitability for consumers intended use and/or application. For this and other reasons, EC Moore assumes no responsibility and expressly disclaims liability for loss, damage, or expense arising out of any way connected with the handling, storage, use, or disposal of this product. This SDS was expressly prepared for this product. Use the materials only as directed. If the product is used as a component in another product, the information contained within this SDS may not be applicable.

1

0

0

Rev.00