SAFETY DATA SHEETS

This SDS packet was issued with item:

071167964

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

071156546 071156553 071156561 071156587 071156595 071156611 071156629 071167949

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

070413161 070413179 070413187 071167972



Printing date 05/10/2019 Version 1 Reviewed on 04/10/2019

1 Identification

· Product identifier

· Trade name: PANAVIA SA Cement Universal

· Article number: US231

· Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Resin-based dental adhesive cement
- · Details of the supplier of the safety data sheet
- · Manufacturer:

Kuraray Noritake Dental Inc.

1621 Sakazu, Kurashiki, Okayama 710-0801,

Japan

· Contact information:

Kuraray America, Inc.

33 Maiden Lane, 6th Floor, New York,

NY 10038 U.S.A. Tel: 800-879-1676 Fax: 888-700-5200

Website: www.kuraraydental.com

· Emergency telephone number:

For chemical emergency spill, leak, fire, exposure or accident

Call CHEMTREC day and night

Within USA and Canada: 1-800-424-9300 CCN706984 or

+1 703-527-3887 (collect calls accepted)

2 Hazard(s) identification

· Classification of the substance or mixture

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard-determining components of labeling:

bisphenol A diglycidylmethacrylate triethylene glycol dimethacrylate sodium fluoride

2-hydroxyethyl methacrylate

· Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

· Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P264 Wash thoroughly after handling.

P280 Wear protective gloves / eye protection / face protection.

(Contd. on page 2)



Printing date 05/10/2019 Version 1 Reviewed on 04/10/2019

Trade name: PANAVIA SA Cement Universal

(Contd. of page 1)

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P362+P364 Take off contaminated clothing and wash it before reuse.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P321 Specific treatment (see on this label).

P337+P313 If eye irritation persists: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable. · **vPvB:** Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

U	· Dangerous components:		
1565-94-2	1565-94-2 bisphenol A diglycidylmethacrylate		
	Skin Irrit. 2, H315; Eye Irrit. 2A, H319		
109-16-0	triethylene glycol dimethacrylate	1-10%	
	♦ Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335		
868-77-9	2-hydroxyethyl methacrylate	1-3%	
	2-hydroxyethyl methacrylate Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317		
7681-49-4	sodium fluoride	<1%	
	♦ Acute Tox. 3, H301; ♦ Skin Irrit. 2, H315; Eye Irrit. 2A, H319	1	

· Other ingredients:

Silanated barium glass filler

Silanated colloidal silica

Aluminum oxide filler

10-Methacryloyloxydecyl dihydrogen phosphate

Hydrophobic aromatic dimethacrylate

Silane coupling agent

dl-Camphorquinone

Peroxide

Accelerators

Catalysts

Pigments

4 First-aid measures

- · Description of first aid measures
- · General information:

Avoid contact with eyes.

Avoid contact with skin.

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

(Contd. on page 3)



Printing date 05/10/2019 Version 1 Reviewed on 04/10/2019

Trade name: PANAVIA SA Cement Universal

(Contd. of page 2)

- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- \cdot Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Wear fully protective suit.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures See Section 8.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up: Pick up mechanically.
- · Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:		
109-16-0	triethylene glycol dimethacrylate	33 mg/m ³
868-77-9	2-hydroxyethyl methacrylate	1.9 mg/m ³
7681-49-4	sodium fluoride	17 mg/m ³
· PAC-2:		
109-16-0	triethylene glycol dimethacrylate	360 mg/m³
868-77-9	2-hydroxyethyl methacrylate	21 mg/m³
7681-49-4	sodium fluoride	90 mg/m³
· PAC-3:		
109-16-0	triethylene glycol dimethacrylate	$2,100 \text{ mg/m}^3$
868-77-9	2-hydroxyethyl methacrylate	1,000 mg/m³
7681-49-4	sodium fluoride	1,100 mg/m³

7 Handling and storage

- · Handling:
- · Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location (2-25°C).
- · Information about storage in one common storage facility:

Store away from oxidizing agents.

Store away from reducing agents.

· Further information about storage conditions:

Keep receptacle tightly sealed.

(Contd. on page 4)



Printing date 05/10/2019 Version 1 Reviewed on 04/10/2019

Trade name: PANAVIA SA Cement Universal

(Contd. of page 3)

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

7681-49-4 sodium fluoride

7001	-45-4 Soutum muoriue
PEL	Long-term value: 2.5 mg/m³
	as F
REL	Long-term value: 2.5 mg/m³ as F
TLV	Long-term value: 2.5 mg/m³ as F, BEI

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- · Breathing equipment: Not required.
- · Protection of hands:

Neoprene gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling.

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Pasty
Color: Coloured
• Odor: Odorless

(Contd. on page 5)



Printing date 05/10/2019 Version 1 Reviewed on 04/10/2019

Trade name: PANAVIA SA Cement Universal

	(Contd. of page
Odor threshold:	Not determined
pH-value:	Not determined
Change in condition	
Melting point/Melting range:	Not determined
Boiling point/Boiling range:	Not determined
Flash point:	Not determined
Flammability (solid, gaseous):	Not determined
Ignition temperature:	Not determined
Decomposition temperature:	Not determined
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined
Upper:	Not determined
Oxidizing properties	Not determined
Vapor pressure:	Not determined
Density:	1.8-1.9g/cm ³
Relative density	Not determined
· Vapor density	Not determined
Evaporation rate	Not determined
Solubility in / Miscibility with	
Water:	Insoluble.
Partition coefficient (n-octanol/water):	Not determined
Viscosity:	Not determined
Dynamic:	Not determined
Kinematic:	Not determined
Other information	No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · **Incompatible materials:** No further relevant information available.
- · Hazardous decomposition products: Carbon monoxide and carbon dioxide

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50	values that a	re relevant for	classification:

868-77-9 2-hydroxyethyl methacrylate

Oral LD50 4,680 mg/kg (guinea pig) 3,275 mg/kg (mouse)

(Contd. on page 6)



Printing date 05/10/2019 Version 1 Reviewed on 04/10/2019

Trade name: PANAVIA SA Cement Universal

(Contd. of page 5)

5,050 mg/kg (rat)

- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

7681-49-4 sodium fluoride

3

· NTP (National Toxicology Program)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · **Recommendation:** Disposal must be made according to official regulations.

14 Transport information		
· UN-Number · DOT, ADR, ADN, IMDG, IATA	Void	
· UN proper shipping name		
· DOT	Void	
· ADR, ADN, IMDG, IATA	Void	

(Contd. on page 7)

-US



Printing date 05/10/2019 Version 1 Reviewed on 04/10/2019

Trade name: PANAVIA SA Cement Universal

	(Contd. of J	page 6)
· Transport hazard class(es)		
· DOT, ADR, ADN, IMDG, IATA · Class	Void	
· Packing group	Yolu	
· DOT, ADR, IMDG, IATA	Void	
· Environmental hazards:		
· Marine pollutant:	No	
· Special precautions for user	Not applicable.	
· Transport in bulk according to Annex I	I of	
MARPOL73/78 and the IBC Code	Not applicable.	
· UN ''Model Regulation'':	Void	

15 Regulatory information

·Sara

· Section 355 (extremely hazardous substances):

None of the ingredient is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

- · SARA 311/312: See Section 2 for the information on physical and health hazards.
- · Proposition 65
- \cdot Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Cancerogenity categories :

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

7681-49-4 sodium fluoride

A4

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· NFPA ratings (scale 0 - 4)



(Contd. on page 8)

(Contd. of page 7)



Safety Data Sheet acc. to OSHA HCS

Printing date 05/10/2019 Version 1 Reviewed on 04/10/2019

Trade name: PANAVIA SA Cement Universal

· HMIS-ratings (scale 0 - 4)

,

FIRE 0 Health = 2 Fire = 0 REACTIVITY 0 Reactivity = 0

· Abbreviations and acronyms:

Acute Tox. 3: Acute toxicity – Category 3 Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

Skin Sens. 1: Skin sensitisation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

110