# **SAFETY DATA SHEETS**

# This SDS packet was issued with item:

071363134

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

071363126 071363142

# Bosworth<sup>®</sup> Company SAFETY DATA SHEET

NAME OF PRODUCT: FASTRAY™ LC

### SECTION 1: IDENTIFICATION

PRODUCT NAME: PRODUCT CODES: IDENTIFIED USES: USES ADVISED AGAINST: MANUFACTURER: ADDRESS: TELEPHONE: FAX: EMAIL: EMERGENCY PHONE:

#### FASTRAY LC (BLUE, PINK, WHITE)

0921405, 0921406, 0921407 Dentistry Non-dental use Harry J. Bosworth Company 7227 North Hamlin Avenue, Skokie, Illinois 60076-3999, USA 847-679-3400 847-679-2080 hjbinfo@bosworth.com 800-535-5053 (US and Canada) 352-323-3500 (International) FILE NO.: SDS405

SDS DATE: 06/19/2014

#### **SECTION 2: HAZARDS IDENTIFICATION**

CLASSIFICATION:	Skin irritation (Category 2)			
	Skin sensitization (Category 1)			
		Eye irritation (Category 2A)		
	Specific target organ toxicity - single exposure (Category 3), Respiratory system			
LABELING:	FDA regulated device - exempt from Regulation (US) 29 CFR 1910.1200.			
PICTOGRAM:				
SIGNAL WORD:	Warning			
HAZARD STATEMENTS:	H315	Causes skin irritation.		
	H317	May cause an allergic skin reaction.		
	H319	Causes serious eye irritation.		
	H335	May cause respiratory irritation.		
PRECAUTIONARY STATEMENTS:	P201	Obtain special instructions before use.		
	P202	Do not handle until all safety precautions have been read and understood.		
	P234	Keep only in original container.		
	P235+P410	Keep cool. Protect from sunlight.		
	P261	Avoid breathing dust/fume/gas/mist/vapors/spray.		
	P264	Wash thoroughly after handling.		
	P270	Do not eat, drink or smoke when using this product.		
	P272	Contaminated work clothing should not be allowed out of the workplace.		
	P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.		
	P301+P330	IF SWALLOWED: Rinse mouth.		
	P302+P352	IF ON SKIN: Wash with plenty of soap and water.		
	P304+P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.		
	P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		
	P308+P313	IF exposed or concerned: Get medical advice/ attention.		
	P321	Specific treatment (see supplemental first aid instructions on this label).		
	P333+P313	If skin irritation or rash occurs: Get medical advice/attention.		
	P337+P313	If eye irritation of rash occurs, oer medical advice/attention.		
	P342+P313	If experiencing respiratory symptoms: Get medical advice/attention.		
	P362	Take off contaminated clothing and wash before reuse.		
	P302 P391	Collect spillage.		
	P391 P402	Store in a dry place.		
	P402	Store in a well-ventilated place. Keep container tightly closed.		
	P501	Dispose of contents/container to an approved waste disposal plant.		
	P501	Dispose of contents/container to an approved waste disposal plant.		

#### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

COMPONENT	CAS NO.	%WT	OSHA PEL - TWA	ACGIH TLV - TWA	CLASSIFICATION
Polyfunctional Methacrylate Resin	Proprietary	< 20	N/E	N/E	Skin Irrit. 2; Eye Irrit. 2A; Skin Sens. 1; STOT SE 3; H315, H317, H319, H335

For full text of H-statements mentioned in this section, see section 16.

PREPARED BY: SS

## FILE NO.: SDS405 SDS DATE: 06/19/2014

#### SECTION 4: FIRST-AID MEASURES

INHALATION:	Move person into fresh air. If not breathing, give artificial respiration. If symptoms persist, get medical attention.
SKIN: EYE:	Wash off with soap and plenty of water. Get medical attention if irritation develops and persists. Rinse thoroughly with plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.
INGESTION:	persons. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

#### **SECTION 5: FIRE-FIGHTING MEASURES**

SUITABLE EXTINGUISHING MEDIA:	Water spray, alcohol-resistant foam, dry chemical or carbon dioxide.	
HAZARDOUS DECOMPOSITION PRODUCTS: Oxides of carbon.		
SPECIAL HAZARDS:	No further relevant information available.	
ADVICE FOR FIREFIGHTERS:	Wear self contained breathing apparatus for firefighting if necessary.	
	· · · · · · · · · · · · · · · · · · ·	

#### SECTION 6: ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS:	Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.	
ENVIRONMENTAL PRECAUTIONS:	Prevent further leakage or spillage if safe to do so. Do not let product enter drains.	
CONTAINMENT AND CLEANUP:	Pick up material mechanically. Place in suitable, closed container for disposal according to official regulations.	
SECTION 7: HANDLING AND STO	DRAGE	
PRECAUTIONS FOR SAFE HANDLING:	Product is intended for dental use only. Handling of this product should be by trained dental healthcare professionals only. Observe normal care for working with chemicals. Avoid contact with the eyes and skin. Avoid inhalation of vapor or mist. Keep away from foodstuffs, beverages and animal feed.	
CONDITIONS FOR SAFE STORAGE:	Store only in the original package. Keep container tightly sealed in a dry and well-ventilated place. from heat and direct sunlight. Store away from food and beverages.	
CONDITIONS FOR SAFE STORAGE.		
SECTION 8: EXPOSURE CONTRO	from heat and direct sunlight. Store away from food and beverages.	
	from heat and direct sunlight. Store away from food and beverages.	
SECTION 8: EXPOSURE CONTRO	from heat and direct sunlight. Store away from food and beverages. <b>PLS/PERSONAL PROTECTION</b> Handle in accordance with good industrial hygiene and safety practice. Use with adequate general or local exhaust ventilation to maintain exposure levels below the occupational exposure limits. Local exhaust ventilation is preferred since it prevents contamination dispersion into the work area by controlling it at its source. Provide eyewash and safety shower if contact or splash hazard exists. Wash hands before breaks and at the end of work.	
SECTION 8: EXPOSURE CONTRO ENGINEERING CONTROLS: EYE/FACE PROTECTION:	from heat and direct sunlight. Store away from food and beverages. <b>DLS/PERSONAL PROTECTION</b> Handle in accordance with good industrial hygiene and safety practice. Use with adequate general or local exhaust ventilation to maintain exposure levels below the occupational exposure limits. Local exhaust ventilation is preferred since it prevents contamination dispersion into the work area by controlling it at its source. Provide eyewash and safety shower if contact or splash hazard exists. Wash hands before breaks and	
SECTION 8: EXPOSURE CONTRO	from heat and direct sunlight. Store away from food and beverages. <b>DLS/PERSONAL PROTECTION</b> Handle in accordance with good industrial hygiene and safety practice. Use with adequate general or local exhaust ventilation to maintain exposure levels below the occupational exposure limits. Local exhaust ventilation is preferred since it prevents contamination dispersion into the work area by controlling it at its source. Provide eyewash and safety shower if contact or splash hazard exists. Wash hands before breaks and at the end of work. Safety glasses.	
SECTION 8: EXPOSURE CONTRO ENGINEERING CONTROLS: EYE/FACE PROTECTION: SKIN PROTECTION:	from heat and direct sunlight. Store away from food and beverages. <b>DLS/PERSONAL PROTECTION</b> Handle in accordance with good industrial hygiene and safety practice. Use with adequate general or local exhaust ventilation to maintain exposure levels below the occupational exposure limits. Local exhaust ventilation is preferred since it prevents contamination dispersion into the work area by controlling it at its source. Provide eyewash and safety shower if contact or splash hazard exists. Wash hands before breaks and at the end of work. Safety glasses. Glove material impermeable and resistant to the product.	

#### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE/COLOR: ODOR: FLASH POINT: RELATIVE DENSITY (H2O=1.0): WATER SOLUBILITY: Blue, pink and natural wafer-shaped kneadable mass Slight characteristic > 302°F (> 150°C) 1.71 g/cm<sup>3</sup> Insoluble

#### SECTION 10: STABILITY AND REACTIVITY

 CHEMICAL STABILITY:
 Stable under recommended storage conditions.

 HAZARDOUS REACTIONS:
 No further relevant information available.

 CONDITIONS TO AVOID:
 Heat. Extremes of temperature and direct sunlight.

 INCOMPATIBLE MATERIALS:
 Peroxides, metal powders, strong oxidizers, free radical initiators.

 HAZARDOUS DECOMPOSITION PRODUCTS: Oxides of carbon.
 Oxides of carbon.

PREPARED BY: SS

PAGE 2 OF 4

# Bosworth Company SAFETY DATA SHEET

NAME OF PRODUCT: FASTRAY™ LC

.

## FILE NO.: SDS405 SDS DATE: 06/19/2014

## SECTION 11: TOXICOLOGICAL INFORMATION

POTENTIAL HEALTH EFFECTS:	EYES: May cause eye irritation with redness, tearing and stinging.
	SKIN: May cause skin irritation with redness, swelling and itching. Repeated or prolonged contact may cause
	drying, defatting of the skin and dermatitis.
	INGESTION: May cause mucous membrane and gastrointestinal irritation with nausea, vomiting and diarrhea. May cause nervous system depression with symptoms of headache, dizziness, nausea, vomiting, weakness,
	fatigue, confusion, and unconsciousness.
	INHALATION: May cause mucous membrane and respiratory irritation and central nervous system depression
	with symptoms of headache, dizziness, drowsiness, nausea, vomiting, and unconsciousness.
SKIN SENSITIZATION:	May cause allergic skin reaction.
CARCINOGENICITY:	OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a
	carcinogen or possible carcinogen by OSHA.
	ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a
	carcinogen or potential carcinogen by ACGIH.
	NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or
	anticipated carcinogen by NTP.
	IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable,
	possible or confirmed human carcinogen by IARC.
SECTION 12: ECOLOGICAL INFORM	
ADVERSE EFFECTS:	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
SECTION 13: DISPOSAL CONSIDER	IATIONS
PRODUCT:	Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional
	waste disposal service to dispose of this material. Must not be disposed of together with household garbage.
	Do not allow product to reach sewage system. Disposal must be made according to official regulations.
CONTAMINATED PACKAGING:	Dispose of as unused product.
SECTION 14: TRANSPORT INFORM	
SECTION 14. TRANSPORT APOR	
UN NUMBER:	N/A
PROPER SHIPPING NAME:	N/A
HAZARD CLASS:	N/A
PACKING GROUP:	N/A
LABEL STATEMENT:	N/A
SECTION 15: REGULATORY INFOR	MATION
US FEDERAL REGULATIONS	
TSCA:	This product is an FDA regulated device and not subject to TSCA regulations.
CERCLA:	This product is an FDA regulated device and not subject to reporting requirements. There may be specific
	reporting requirements at the local, regional, or state level.
SARA 313 TOXIC CHEMICALS:	The following components are subject to reporting levels established by SARA Title III, Section 313 (40 CFR
	372}: None.
SARA 311/312 HAZARDS:	This product is an FDA regulated device and not subject to reporting requirements.
US STATE REGULATIONS	
CALIFORNIA PROPOSITION 65:	This product may contain a chemical known to the State of California to cause cancer and/or reproductive
	toxicity.
INTERNATIONAL REGULATIONS	
CANADIAN ENVIRONMENTAL	
CANADIAN ENVIRONMENTAL PROTECTION ACT:	This product is a medical device and not subject to chemical notification requirements.
EUROPEAN INVENTORY OF EXISTING	The broader is a supplied we fire and the englisher a supplied to the supplied of the supplice of the supplied of the supplied
COMMERCIAL CHEMICAL SUBSTANCES	
(EINECS):	This product is a medical device and not subject to chemical notification requirements.
(	,

PAGE 3 OF 4

# Bosworth Company SAFETY DATA SHEET

NAME OF PRODUCT: FASTRAY™ LC

## FILE NO.: SDS405 SDS DATE: 06/19/2014

#### **SECTION 16: OTHER INFORMATION**

#### FULL TEXT OF H STATEMENTS REFERRED TO UNDER SECTION 3

Eye irrit.	Eye irritation
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H335	May cause respiratory respiration.
Skin Irrit.	Skin irritation
Skin Sens.	Skin sensitization
STOT SE	Specific target organ toxicity – single exposure

#### NFPA RATING

Health Hazard	1
Fire Hazard	1
Reactivity Hazard	1

PREPARATION INFORMATION: This SDS was prepared in accordance with the requirements of the OSHA Hazard Communication Standard (29 CFR 1910.1200) and is to be used only for this product.

DISCLAIMER: To the best of our knowledge, the information contained herein is accurate. However, The Harry J. Bosworth Company does not assume any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown health hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.