

SAFETY DATA SHEETS

This SDS packet was issued with item:

071365485

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

070858043 070891341 070997395 071069566 071365402 071365436 071385921 071403021 071403039 071403054
071403062 071403070 071412691 074582375 074582383 074582391 074582417 074582425 074582433 074582466
074582631 074591889 074591897 074591905 074591921 074591939 074592382 074592390 074592416 074592606
074592614 074592630 074592648 074592655 074592879 074592903 074592994 074593075 074593109 074593125
078914187

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

071379510 071379528 071379536 071379544 071379551 074582409



SAFETY DATA SHEET

Effective Date 24-May-2021

Version 5

1. IDENTIFICATION

Product Identifier

Product Name JET TOOTH SHADE POWDER

Other means of identification

SDS# 018

Product Code 1410, 1412, 1420, 1430, 1450, 1470, 1480, 1484, 1493

Recommended use of the chemical and restrictions on use

Recommended Use Fabrication of provisional crowns and bridges

Details of the supplier of the safety data sheet

Supplier Address Lang Dental Mfg. Co., Inc.
175 Messner Dr.
Wheeling, IL 60090
USA

Emergency telephone number

Company Phone Number +1 847-215-6622
Emergency Telephone (INFOTRAC) +1 352-323-3500 (International)
800-535-5053 (North America)

Authorized European Representative

MediMark® Europe SARL
11, rue Emile Zola. BP 2332
38033 Grenoble Cedex 2
France
Tel: +33 476 86 43 22
Fax: +33 476 17 19 82
Email: info@medimark-europe.com

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

| | |
|-----------------------|----|
| Eye Damage/Irritation | 2A |
| Skin sensitization | 1 |

Signal word Warning

Hazard statements H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.



Physical State Powder Appearance Fine, white or pigmented Odor Faint odor in bulk

Precautionary Statements – Prevention

P261 Avoid breathing dust, fumes, gas, mist, vapors or spray.
P264 Wash hands and exposed skin thoroughly after handling.
P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary Statements – Response

P363 Wash contaminated clothing before reuse.
P302+P352 IF ON SKIN: Wash with soap and water.
P305+P351 IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy
+P338 to do – continue rinsing.
P308+P313 If exposed or concerned: Get medical advice/attention.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P337+P313 If eye irritation persists, get medical advice/attention.

Precautionary Statements – Disposal

P501 Dispose of contents/container to an approved waste disposal plant.

3. COMPOSITION / INFORMATION ON INGREDIENTS

| Chemical Name | CAS No | Weight - % |
|--------------------------------------------------------|-----------|------------|
| 2-Propenoic acid, 2-methyl-, methyl ester, homopolymer | 9011-14-7 | 80-90 |
| Diethyl phthalate | 84-66-2 | 10-20 |
| Benzoyl Peroxide | 94-36-0 | 1-5 |

*Specific chemical weight has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures

| | |
|--------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Inhalation | Remove to fresh air. Keep at rest in a position comfortable for breathing. Get medical attention if discomfort persists. |
| Eye contact | Rinse immediately with plenty of water, including under the eyelids, for at least 15 minutes. If irritation persists, get medical advice / attention. |
| Ingestion | Do NOT induce vomiting. Drink plenty of water or milk immediately. If vomiting, continue to offer water or milk. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately and provide an estimate of when and how much material was ingested. |
| Skin Contact | Wash with soap and water. If irritation persists, call a physician. Take off contaminated clothing and wash before reuse. |

Most important symptoms and effects, both acute and delayed

Symptoms Skin contact may aggravate an existing dermatitis. Direct contact with eyes may cause temporary irritation.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable: Water, chemical (alcohol-resistant) foam, dry chemical, or carbon dioxide (CO₂),
Unsuitable: Water may not be effective in extinguishing this fire.

Specific hazards arising from the chemical

For bulk size: Polymers are combustible dusts, care should be taken to avoid creating explosive concentrations in the air. Follow grounding and bonding procedures.

Special Fire Fighting Procedures:

Avoid extinguishing methods, which may generate dust clouds. Water stream can disperse dust into air producing a fire hazard and possible explosion hazard if exposed to ignition source. Firefighters should wear self-contained breathing apparatus.

Protective equipment and precautions for firefighters

For bulk size: Polymer dust is combustible. The explosive limits of the polymer particles suspended in air are approximately those of coal dust. Polymers are sensitive to static charge, follow grounding and bonding procedures. Polymers are not sensitive to mechanical impacts.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment as required. Remove any contaminated clothing and wash thoroughly before reuse.

Methods and material for containment and clean-up

Method for containment Prevent further leakage or spillage if safe to do so. Dike and contain spill with inert material, sand or earth. May contaminate water supply.

Method for clean-up Sweep up to avoid slipping hazard. Keep airborne particulates at a minimum when cleaning up spills. Clean up in accordance with all applicable regulations. Wash all affected areas with plenty of warm water and soap.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Use only in well-ventilated areas. Avoid contact with skin, eyes or clothing. Avoid breathing dust or fume. Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling. Do not eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed to prevent water absorption and contamination. Store in a dry, cool and well-ventilated place away from direct sunlight or other sources of light or intense heat. Temperature not to exceed 35°C.

Packaging materials Keep in original container.

Incompatible materials Strong oxidizing agents

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure guidelines

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|---------------------------------------------------------------------|--------------------------|--------------------------|--------------------------|
| 2-Propenoic acid, 2-methyl-, methyl ester, homopolymer 9011-14-7 | | | |
| Diethyl phthalate 84-66-2 | TWA: 5 mg/m ³ | | TWA: 5 mg/m ³ |
| Benzoyl peroxide 94-36-0 | TWA: 5 mg/m ³ | TWA: 5 mg/m ³ | TWA: 5 mg/m ³ |

Appropriate engineering controls

Apply technical measures to comply with the occupational exposure limits. When working with large quantities of product, provide adequate ventilation (e.g. local exhaust ventilation, fans). Ensure that an eyewash station, sink or washbasin is available in case of exposure to eyes. Use good local exhaust at processing equipment, including buffers, sanders, grinders and polishers.

Individual protection measures, such as personal protective equipment

Eye / face protection Depending on the use of this product, safety glasses or goggles may be worn. If necessary, refer to US OSHA 29 CFR SS1910.133, Canadian standards or the European Standard EN 166. Ensure that an eyewash station, sink or washbasin is available in case of exposure to eyes.

Skin and body protection If anticipated that prolonged and repeated skin contact will occur during use of this product, wear gloves for routine industrial use. If necessary, refer to US OSHA 29 CFR SS1910.138 or the appropriate standards of Canada or the EC member states.

Respiratory protection No special respiratory protection is required under typical circumstances of use or handling. If necessary, use only respiratory protection authorized per US OSHA requirement in 29 CFR SS 1910.134, or applicable US state regulations, or the appropriate standards of Canada, its provinces, EC member states or Australia. VENTILATION: Local exhaust at processing equipment.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

| | | | |
|----------------|--------------------|------|--------------------|
| Physical state | Powder | Odor | Faint odor in bulk |
| Appearance | Fine | | |
| Color | White or pigmented | | |

| Property | Values |
|-------------------------------|----------------|
| Boiling point / boiling range | 295°C |
| Auto ignition temperature | 80°C |
| Flash point | 304°C / 579°F |
| Flammability limits in air | |
| Upper flammability limit | Not applicable |
| Lower flammability limit | Not applicable |
| Specific gravity | 0.00 |

10. STABILITY AND REACTIVITY

| | |
|-------------------------------------------|----------------------------------------------------|
| <u>Reactivity</u> | Not reactive under normal conditions |
| <u>Chemical stability</u> | Stable under recommended storage conditions |
| <u>Possibility of hazardous reactions</u> | None under normal processing |
| Hazardous polymerization | Does not occur. |
| <u>Incompatible materials</u> | Strong oxidizing agents |
| <u>Hazardous decomposition products</u> | Methacrylate monomer, oxides of carbon when burned |

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposures

| | |
|---------------------|---------------------------------------------------------------------------------|
| Product information | This product has not been tested on animals to obtain toxicology data. |
| Inhalation | Not expected to be an inhalation hazard under normal conditions of intended use |
| Eye contact | Avoid contact with eyes. |
| Skin contact | Avoid contact with skin. |
| Ingestion | Do not taste or swallow. |

Information on physical, chemical and toxicological effects

| | |
|----------|----------------|
| Symptoms | See Section 4. |
|----------|----------------|

12. ECOLOGICAL INFORMATION

| | |
|------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|
| <u>Component Ecotoxicity</u> | There is no specific data available for this product; however, very large releases may be harmful or fatal to overexposed aquatic life. |
|------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|

For Diethyl Phthalate:

| | | | | | |
|----------------------|-------------------------|------------------------|---------------------------------|------------------------|-------------------------|
| Pimephales promelas | 96 Hr: LC ₅₀ | 17 mg/L (flow-through) | Desmodemus subspicatus | 72 Hr EC ₅₀ | 23 mg/L |
| Pimephales promelas | 96 Hr: LC ₅₀ | 16.8 mg/L (static) | Desmodemus subspicatus | 72 Hr EC ₅₀ | 23 mg/L |
| Lepomis macrochirus | 96 Hr: LC ₅₀ | 16.7 mg/L (static) | Desmodemus subspicatus | 96 Hr EC ₅₀ | 21 mg/L |
| Onchorhynchus mykiss | 96 Hr: LC ₅₀ | 12 mg/L (flow-through) | Desmodemus subspicatus | 96 Hr EC ₅₀ | 21 mg/L (static) |
| Daphnia magna | 48 Hr: EC ₅₀ | 36-74 mg/L | Pseudokirchneriella subcapitata | 96 Hr EC ₅₀ | 42-255 mg/L |
| Daphnia magna | 48 Hr: EC ₅₀ | 86 mg/L (static) | Pseudokirchneriella subcapitata | 96 Hr EC ₅₀ | 2.11-4.29 mg/L (static) |

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

| | |
|--------------------|-------------------------------------------------------------------------------------------------------|
| Disposal of wastes | Follow all local and national government regulations in disposing material or contaminated packaging. |
|--------------------|-------------------------------------------------------------------------------------------------------|

| | |
|------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Contaminated Packaging | For bulk only: Reuse of empty drums or containers is not recommended. Employees should be advised of the potential hazards due to residual material associated with empty containers. Dispose of all empty containers properly in accordance with federal, state and local regulations. |
|------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

14. TRANSPORTATION INFORMATION

| | |
|-------------|---------------|
| <u>DOT</u> | Not regulated |
| <u>IATA</u> | Not regulated |
| <u>IMDG</u> | Not regulated |

15. REGULATORY INFORMATION

International Inventories

EINECS This product is a medical device and not subject to chemical notification requirements.

US Federal Regulations

TSCA This product is an FDA regulated device and not subject to TSCA regulations.

SARA 302 – Extremely Hazardous – Not Listed

SARA 311 / 312 Hazard Categories – This product is an FDA regulated device and not subject to reporting requirements.

16. OTHER INFORMATION

| HMIS | Health Hazards | Flammability | Physical Hazards |
|------|----------------|--------------|------------------|
| | 1 | 1 | 0 |

Effective 24-May-2021

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release. It is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

1. IDENTIFICATION

Product Identifier

Product Name SELF CURING DENTURE POWDER / JET DENTURE REPAIR POWDER

Other means of identification

SDS# 004

Product Code 0830, 0834, 0850, 0856, 0870, 0880 / 1212, 1220, 1223, 1230, 1234, 1250, 1256, 1270, 1280

Recommended use of the chemical and restrictions on use

Recommended Use Fabrication of dentures

Details of the supplier of the safety data sheet

Supplier Address Lang Dental Mfg. Co., Inc.
175 Messner Dr.
Wheeling, IL 60090
USA

Emergency telephone number

Company Phone Number +1 847-215-6622
Emergency Telephone (INFOTRAC) +1 352-323-3500 (International)
800-535-5053 (North America)

Authorized European Representative

MediMark® Europe SARL
11, rue Emile Zola. BP 2332
38033 Grenoble Cedex 2
France
Tel: +33 476 86 43 22
Fax: +33 476 17 19 82
Email: info@medimark-europe.com

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

| | |
|--------------------|------------|
| Skin sensitization | Category 1 |
|--------------------|------------|

Signal word Warning

Hazard statements H317 May cause an allergic skin reaction.



Physical State Powder **Appearance** Fine, white to pigmented **Odor** Faint odor in bulk

Precautionary Statements – Prevention

P261 Avoid breathing dust, fumes, gas, mist, vapors or spray.
P264 Wash hands and exposed skin thoroughly after handling.
P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary Statements – Response

P363 Wash contaminated clothing before reuse.
P302+P352 IF ON SKIN: Wash with soap and water.
P305+P351 IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing.
P308+P313 If exposed or concerned: Get medical advice/attention.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 If eye irritation persists, get medical advice/attention.

Precautionary Statements – Disposal

P501 Dispose of contents/container to an approved waste disposal plant.

3. COMPOSITION / INFORMATION ON INGREDIENTS

| Chemical Name | CAS No | Weight - % | Trade Secret |
|------------------|-----------|------------|--------------|
| Polymer | 9011-14-7 | < 90 | * |
| Benzoyl peroxide | 94-36-0 | < 2 | * |

*Specific chemical weight has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures

| | |
|---------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Inhalation | Remove to fresh air. Keep at rest in a position comfortable for breathing. Get medical attention if discomfort persists. |
| Eye contact | Rinse immediately with plenty of water, including under the eyelids, for at least 15 minutes. If irritation persists, get medical advice / attention. |
| Ingestion | Do NOT induce vomiting. Drink plenty of water or milk immediately. If vomiting, continue to offer water or milk. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately and provide an estimate of when and how much material was ingested. |
| Skin Contact | Wash with soap and water. If irritation persists, call a physician. Take off contaminated clothing and wash before reuse. |

Most important symptoms and effects, both acute and delayed

Symptoms Skin contact may aggravate an existing dermatitis. Direct contact with eyes may cause temporary irritation.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable: Water, chemical (alcohol-resistant) foam, dry chemical, or carbon dioxide (CO₂),

Unsuitable: Water may not be effective in extinguishing this fire.

Specific hazards arising from the chemical

For bulk size: Polymers are combustible dusts, care should be taken to avoid creating explosive concentrations in the air. Follow grounding and bonding procedures.

Special Fire Fighting Procedures:

Avoid extinguishing methods, which may generate dust clouds. Water stream can disperse dust into air producing a fire hazard and possible explosion hazard if exposed to ignition source. Firefighters should wear self-contained breathing apparatus.

Protective equipment and precautions for firefighters

For bulk size: Polymer dust is combustible. The explosive limits of the polymer particles suspended in air are approximately those of coal dust. Polymers are sensitive to static charge, follow grounding and bonding procedures. Polymers are not sensitive to mechanical impacts.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment as required. Remove any contaminated clothing and wash thoroughly before reuse.

Methods and material for containment and clean-up

Method for containment Prevent further leakage or spillage if safe to do so. Dike and contain spill with inert material, sand or earth. May contaminate water supply.

Method for clean-up Sweep up to avoid slipping hazard. Keep airborne particulates at a minimum when cleaning up spills. Clean up in accordance with all applicable regulations. Wash all affected areas with plenty of warm water and soap.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling

Use only in well-ventilated areas. Avoid contact with skin, eyes or clothing. Avoid breathing dust or fume. Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling. Do not eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep containers tightly closed to prevent water absorption and contamination. Store in a dry, cool and well-ventilated place away from direct sunlight or other sources of light or intense heat. Temperature not to exceed 35°C.

Packaging materials

Keep in original container.

Incompatible materials

Strong oxidizing agents

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure guidelines

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|-----------------------------|--------------------------|--------------------------|--------------------------|
| Benzoyl peroxide 94-36-0 | TWA: 5 mg/m ³ | TWA: 5 mg/m ³ | TWA: 5 mg/m ³ |

Appropriate engineering controls

Apply technical measures to comply with the occupational exposure limits. When working with large quantities of product, provide adequate ventilation (e.g. local exhaust ventilation, fans). Ensure that an eyewash station, sink or washbasin is available in case of exposure to eyes. Use good local exhaust at processing equipment, including buffers, sanders, grinders and polishers.

Individual protection measures, such as personal protective equipment

Eye / face protection

Depending on the use of this product, safety glasses or goggles may be worn. If necessary, refer to US OSHA 29 CFR SS1910.133, Canadian standards or the European Standard EN 166. Ensure that an eyewash station, sink or washbasin is available in case of exposure to eyes.

Skin and body protection

If anticipated that prolonged and repeated skin contact will occur during use of this product, wear gloves for routine industrial use. If necessary, refer to US OSHA 29 CFR SS1910.138 or the appropriate standards of Canada or the EC member states.

Respiratory protection

No special respiratory protection is required under typical circumstances of use or handling. If necessary, use only respiratory protection authorized per US OSHA requirement in 29 CFR SS 1910.134, or applicable US state regulations, or the appropriate standards of Canada, its provinces, EC member states or Australia. VENTILATION: Local exhaust at processing equipment.

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

| | | | |
|----------------------------|--------------------|------|--------------------|
| Physical state | Powder | Odor | Faint odor in bulk |
| Appearance | Fine | | |
| Color | White to pigmented | | |
| Property | Values | | |
| Flash point | 304°C / 579°F | | |
| Autoignition Temperature | 80°C | | |
| Evaporation rate | Not applicable | | |
| Flammability limits in air | | | |
| Upper flammability limit | Not applicable | | |
| Lower flammability limit | Not applicable | | |
| Specific gravity | 0 | | |

10. STABILITY AND REACTIVITY

| | |
|-------------------------------------------|----------------------------------------------------|
| <u>Reactivity</u> | Not reactive under normal conditions |
| <u>Chemical stability</u> | Stable under recommended storage conditions |
| <u>Possibility of hazardous reactions</u> | None under normal processing |
| <u>Hazardous polymerization</u> | Does not occur. |
| <u>Incompatible materials</u> | Strong oxidizing agents |
| <u>Hazardous decomposition products</u> | Methacrylate monomer, oxides of carbon when burned |

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposures

| | |
|----------------------------|---------------------------------------------------------------------------------|
| <u>Product information</u> | This product has not been tested on animals to obtain toxicology data. |
| <u>Inhalation</u> | Not expected to be an inhalation hazard under normal conditions of intended use |
| <u>Eye contact</u> | Avoid contact with eyes. |
| <u>Skin contact</u> | Avoid contact with skin. |
| <u>Ingestion</u> | Do not taste or swallow. |

Information on physical, chemical and toxicological effects

| | |
|-----------------|----------------|
| <u>Symptoms</u> | See Section 4. |
|-----------------|----------------|

Delayed and immediate effects as well as chronic effects from short and long-term exposure

| | |
|----------------------------------|-------------------|
| <u>Component Carcinogenicity</u> | No data available |
|----------------------------------|-------------------|

12. ECOLOGICAL INFORMATION

| | |
|--------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|
| <u>Component Ecotoxicity</u> | There is no specific data available for this product; however, very large releases may be harmful or fatal to overexposed aquatic life. |
| <u>Persistence and degradability</u> | Not determined |
| <u>Bioaccumulation</u> | Not determined |
| <u>Mobility</u> | Not determined |
| <u>Other adverse effects</u> | Not determined |

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

| | |
|-------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <u>Disposal of wastes</u> | Follow all local and national government regulations in disposing material or contaminated packaging. |
| <u>Contaminated Packaging</u> | For bulk only: Reuse of empty drums or containers is not recommended. Employees should be advised of the potential hazards due to residual material associated with empty containers. Dispose of all empty containers properly in accordance with federal, state and local regulations. |

14. TRANSPORTATION INFORMATION

| | |
|-------------|---------------|
| <u>DOT</u> | Not regulated |
| <u>IATA</u> | Not regulated |
| <u>IMDG</u> | Not regulated |

15. REGULATORY INFORMATION

International Inventories

EINECS This product is a medical device and not subject to chemical notification requirements.

US Federal Regulations

TSCA This product is an FDA regulated device and not subject to TSCA regulations.

SARA 302 – Extremely Hazardous – Not Listed

SARA 311 / 312 Hazard Categories – This product is an FDA regulated device and not subject to reporting requirements.

SARA 313 – Toxic Chemicals, component Benzoyl peroxide 94-36-0 Listed

US State Regulations

California Proposition 65 – This product contains the following chemicals which are listed by the State of California as carcinogenic or a reproductive toxin: None

16. OTHER INFORMATION

| HMIS | Health Hazards | Flammability | Physical Hazards |
|------|----------------|--------------|------------------|
| | 1 | 1 | 0 |

Effective Date 26-May-2021

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release. It is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet