## **SAFETY DATA SHEETS**

# This SDS packet was issued with item:

071435247

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).


071435254 071435569

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

071435130 071435148 071435155 071435163 071436500 071436534 071436567 071436591

## MATERIAL SAFETY DATA SHEET


HARRY J. BOSWORTH COMPANY 7227 North Hamlin Avenue Skokie, Illinois 60076-3999 Information Phone: 847.679.3400 Emergency Phone: 800.535.5053



# PRODUCT: New Truliner™ Powder (pink, vein, clear)

DATE PREPARED: 4/14/09

| INGREDIENTS  1. Nuisance, dust 2. Organic Peroxide 3. Residual Monomer 4. Cadmium Pigment (not in case of clear) 5. TiO <sub>2</sub>                        | PERCENTAGE 1. N/A 2. N/A 3. N/A 4. N/A 5. N/A                  |
|---|--|
| COMMON NAMES AND SYNONYMS  1. Polyethyl Methacrylate 2. Benzoyl Peroxide 3. Titanium-dioxide 4. Residual Monomer 5. Cadmium Pigments (not in case of clear) | CAS NUMBER 1. N/D 2. 94-36-0 3. 13463-67-7 4. N/D 5. 7440-43-9 |
| PEL. 1. 15 mg/m³ 2. 5 mg/m³ 3. N/A 4. 0.05 mg/m³ 5. 15 mg/m³  | UN NUMBER 1. N/A 2. 3102 3. N/A 4. N/A 5. N/A                  |



|                                 | REACTIVITY DATA   |
|---------------------------------|---|
| STABILITY<br>Stable at norma    | temperatures and storage conditions.                      |
| CONDITIONS T<br>Heating over 30 |   |
| HAZARDOUS D<br>Meythyl methacr  | ECOMPOSITION PRODUCTS ylate monomers and oxides of carbon |
| HAZARDOUS P<br>Will not occur.  | OLYMERIZATION   |
| CONDITIONS TO                   | O AVOID   |

| BOILING POINT/FLASH POINT   | MELTING POINT                                  |
|---|--|
| N/A   | N/D  |
| SPECIFIC GRAVITY  | VAPOR DENSITY                                  |
| (Water = 1)   | (Air = 1)                                      |
| 1,25 @ 20°C   | N/A  |
| VAPOR PRESSURE<br>N/A   | EVAPORATION RATE<br>(Butyl Acetate = 1)<br>N/A |
| APPEARANCE/ODOR<br>Fine pink/vein/clear powder with<br>faint odor when in bulk. | SOLUBILITY IN WATER<br>Insoluble               |

| FLASH POINT<br>579°F (304°C)  | LIMITS<br>LEL N/A<br>UEL N/A  |
|---|---|
| EXTINGUISHING MEDIA<br>Water, carbon dioxide, dry   | chemical  |
| clouds. Water stream can o  | PROCEDURES<br>ds which may generate dust<br>disperse dust into air, producing<br>explosion hazard if exposed to   |
| UNUSUAL FIRE AND EXP<br>Polymer dust is combustible<br>the polymer particles suspe-<br>those of coal dust. Fire fight<br>breathing apparatus. | LOSION HAZARDS<br>e. The explosive limits of<br>ended in air are approximately<br>ters should wear self-contained |

FIRE AND EXPLOSION HAZARD DATA

| CARCINOGENICITY California Proposition 65 Warning: This product may contain a chemical known to the state of California to cause cancer and/or birth defects. | NTP<br>N/A     |
|---|----------------|
| IARC  | OSHA REGULATED |
| No evidence,  | No             |

| AZARDS OF OVEREXPOSURE (ACUTE & CHRONIC)   |
|--|
| RDS OF EYE CONTACT gross overexposure.     |
| RDS OF SKIN CONTACT<br>gross overexposure. |
| RDS OF INHALATION (BREATHING)              |
| RDS OF INGESTION (SWALLOWING)              |
|  |

|                            | CONTROL MEASURES  |
|----------------------------|---|
|                            | ORY PROTECTION particulates not otherwise classified, if needed |
| VENTILATION                | ON.   |
| LOCAL EXP<br>Use if neces  | HAUST VENTILATION ssary.  |
| SPECIAL VI<br>Use if neces | ENTILATION sary.  |
| MECHANIC<br>Use if neces   | AL (GENERAL) VENTILATION sary.                                  |
| OTHER VEI<br>Open windo    | NTILATION<br>w if necessary.                                    |
| PROTECTION I               | ON GLOVES<br>gloves.  |
| EYE PROTE<br>Safety glass  |   |
| OTHER PRO                  | DTECTIVE EQUIPMENT  |
| v                          | GIENIC PRACTICES before eating and smoking.                     |

| EMERGEN      | CY & FIRST AID PROCEDURES                               |
|--------------|---|
|              | OR EYE CONTACT<br>h eyes with water, contact physician. |
| TREATMENT FO | OR SKIN CONTACT<br>loap and water.                      |
| TREATMENT FO | DR INHALATION (BREATHING)                               |
| TREATMENT FO | OR INGESTION (SWALLOWING) with water.                   |

PRECAUTIONS FOR SAFE HANDLING & USE

|   | STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED Sweep up with sweeping compound. Avoid dusting.   |
|---|--|
|   | WASTE DISPOSAL METHOD May be disposed of in landfill or incinerated. Follow Federal, state, and local regulations for disposal                             |
|   | PRECAUTIONS TO BE TAKEN IN HANDLING<br>Handle with care. Store in coot, dry place, Keep container<br>closed to prevent water absorption and contamination. |
| ı | OTHER PRECAUTIONS  |

| ADDITIONAL INFORMATION   |  |
|--|--|
| This MSDS was prepared in accordance with the requirements OSHA Hazard Communication Standard (29CFR 1910.1200) ar |  |

This product is for professional use only as stated in directions. It is the responsibility of the dentist to train personnel.

| HEALTH HAZARD INDEX SEVERE HAZARD | RATINGS |
|-----------------------------------|---------|
| SERIOUS HAZARD<br>MODERATE HAZARD | 2 3     |
| SLIGHT HAZARD<br>MINIMUM HAZARD   | 4 5     |

be used only for this product. The information contained in this sheet

| MODERATE HAZARU                 | 3   |
|---------------------------------|-----|
| SLIGHT HAZARD<br>MINIMUM HAZARD | 4 5 |
| SHIPPING INFORMATION            |     |
| REGULATED IATA<br>N/A           |     |
| PROPER SHIPPING NAME<br>N/A     |     |
| HAZARD CLASS<br>N/A             |     |
| IDENTIFICATION NUMBER<br>N/A    |     |
| PACKAGING GROUP<br>N/A          |     |
| LABEL<br>N/A                    |     |

To the best of our knowledge, the information contained herein is accurate. However, the Harry J. Bosworth Company does not assume any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown health hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

# Bosworth Company **SAFETY DATA SHEET**

NAME OF PRODUCT: NEW TRULINER® Powder

**SECTION 1: IDENTIFICATION** 

PRODUCT NAME: NEW TRULINER Powder (PINK, VEIN, CLEAR)

PRODUCT CODES: 0921970, 0921971, 0921972, 0921973, 0921974, 0921975, 0921977, 0921978, 0921979, 0921980, 0921981,

FILE NO.: SDS973

**SDS DATE:** 06/19/2014

0921982

**IDENTIFIED USES:** Dentistry **USES ADVISED AGAINST:** Non-dental use

MANUFACTURER: Harry J. Bosworth Company

7227 North Hamlin Avenue, Skokie, Illinois 60076-3999, USA ADDRESS:

**TELEPHONE:** 847-679-3400 FAX. 847-679-2080 **EMAIL:** hjbinfo@bosworth.com **EMERGENCY PHONE:** 800-535-5053 (US and Canada) 352-323-3500 (International)

**SECTION 2: HAZARDS IDENTIFICATION** 

**CLASSIFICATION:** Acute toxicity, Oral (Category 5)

Acute toxicity, Dermal (Category 5) Skin sensitization (Category 1) Eye irritation (Category 2B)

Acute toxicity, Inhalation (Category 5)

Specific target organ toxicity - single exposure (Category 3), Respiratory system

Germ cell mutagenicity (Category 2) Carcinogenicity (Category 2) Reproductive toxicity (Category 2)

Specific target organ toxicity - repeated exposure (Category 2)

Chronic aquatic toxicity (Category 4)

FDA regulated device - exempt from Regulation (US) 29 CFR 1910.1200. LABELING:

PICTOGRAM:

SIGNAL WORD: Warning

**HAZARD STATEMENTS:** H303 May be harmful if swallowed. H313 May be harmful in contact with skin. H317 May cause an allergic skin reaction.

> H320 Causes eye irritation. H333 May be harmful if inhaled. May cause respiratory irritation. H335 H341 Suspected of causing genetic defects.

H351 Suspected of causing cancer.

Suspected of damaging fertility or the unborn child. H361

H373 May cause damage to organs through prolonged or repeated exposure.

H413 May cause long lasting harmful effects to aquatic life.

PRECAUTIONARY STATEMENTS: Obtain special instructions before use. P201

Do not handle until all safety precautions have been read and understood. P202

Keep only in original container. P234 P235+P410 Keep cool. Protect from sunlight.

Avoid breathing dust/fume/gas/mist/vapors/spray. P261

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

Contaminated work clothing should not be allowed out of the workplace. P272

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P301+P330 IF SWALLOWED: Rinse mouth.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention. P312 Call a POISON CENTER or doctor/ physician if you feel unwell. Specific treatment (see supplemental first aid instructions on this label). P321

P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention.

PAGE 1 OF 4 PREPARED BY: SS



NAME OF PRODUCT: NEW TRULINER® Powder

FILE NO.: SDS973 SDS DATE: 06/19/2014

P342+P313 If experiencing respiratory symptoms: Get medical advice/attention.

P362 Take off contaminated clothing and wash before reuse.

P391 Collect spillage.
P402 Store in a dry place.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.
P501 Dispose of contents/container to an approved waste disposal plant.

#### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

| COMPONENT     | CAS NO.    | %WT     | OSHA PEL - TWA                                    | ACGIH TLV - TWA                                   | CLASSIFICATION                                   |
|---------------|------------|---------|---|---|--|
| Poly(ethyl    | 9003-42-3  | 60-100  | 15 mg/m <sup>3</sup> (T); 5 mg/m <sup>3</sup> (R) | 10 mg/m <sup>3</sup> (T); 3 mg/m <sup>3</sup> (R) | N/A  |
| methacrylate) |            |         |   |   |  |
| Benzoyl       | 94-36-0    | 1-5     | 5 mg/m <sup>3</sup>                               | 5 mg/m <sup>3</sup>                               | Org. Perox. B; Eye Irrit. 2A; Skin Sens. 1;      |
| Peroxide      |            |         |   |   | H241, H317, H319                                 |
| Cadmium       | 7440-43-9  | 0.5-1.5 | 0.005 mg/m <sup>3</sup> (as Cd)                   | 0.01 mg/m <sup>3</sup> (T); 0.002                 | Acute Tox. 3; Acute Tox. 4; Acute Tox. 2;        |
| Pigments      |            |         |   | mg/m <sup>3</sup> (R) (as Cd)                     | Muta. 2; Carc. 1B; Repr. 2; STOT RE 1;           |
|               |            |         |   |   | Aquatic Acute 1; Aquatic Chronic 1; H301,        |
|               |            |         |   |   | H312, H330, H341, H350, H361, H372, H410         |
| Titanium      | 13463-67-7 | 0.5-1.5 | 15 mg/m <sup>3</sup> (T)                          | 10 mg/m <sup>3</sup>                              | Acute Tox. 4; Skin Irrit. 2; Eye Irrit. 2A; STOT |
| Dioxide       |            |         |   |   | SE 3; H315, H319, H332, H335                     |

Cadmium pigments and Titanium Dioxide are not included in clear shade. For full text of H-statements mentioned in this section, see section 16.

#### **SECTION 4: FIRST-AID MEASURES**

INHALATION: Move person into fresh air. If not breathing, give artificial respiration. If symptoms persist, get medical

attention.

**SKIN:** Wash off with soap and plenty of water. Get medical attention if irritation develops and persists.

**EYE:** Flush eyes with water for 15 minutes as a precaution. Get medical attention if irritation develops and persists. **INGESTION:** Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

#### **SECTION 5: FIRE-FIGHTING MEASURES**

SUITABLE EXTINGUISHING MEDIA: Water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

 $\textbf{HAZARDOUS DECOMPOSITION PRODUCTS:} \ Methacrylate \ monomers \ and \ oxides \ of \ carbon.$ 

SPECIAL HAZARDS: Polymer dust is combustible. The explosive limits of the polymer particles suspended in air are approximately

those of coal dust.

ADVICE FOR FIREFIGHTERS: Avoid extinguishing methods which may generate dust clouds. Water stream can disperse dust into air,

producing a fire hazard and possible explosion hazard if exposed to ignition source. Wear self contained

breathing apparatus for firefighting if necessary.

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

PERSONAL PRECAUTIONS: Use personal protective equipment. Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure

adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

**ENVIRONMENTAL PRECAUTIONS:** Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the

environment must be avoided.

CONTAINMENT AND CLEANUP: Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers

for disposal.

### SECTION 7: HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING: Product is intended for dental use only. Handling of this product should be by trained dental healthcare

professionals only. Observe normal care for working with chemicals. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Avoid inhalation of dust. Provide appropriate exhaust ventilation at places

where dust is formed. Keep away from foodstuffs, beverages and animal feed.

CONDITIONS FOR SAFE STORAGE: Store only in the original package. Keep container tightly closed in a dry and well-ventilated place. Protect

from heat and direct sunlight. Store away from food and beverages.

#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS: Handle in accordance with good industrial hygiene and safety practice. Use with adequate general or local

exhaust ventilation to maintain exposure levels below the occupational exposure limits. Local exhaust

PREPARED BY: SS PAGE 2 OF 4

# Bosworth Company

## SAFETY DATA SHEET

NAME OF PRODUCT: NEW TRULINER® Powder

ER® Powder SDS DATE: 06/19/2014 ventilation is preferred since it prevents contamination dispersion into the work area by controlling it at its

source. Provide eyewash and safety shower if contact or splash hazard exists. Wash hands before breaks and

FILE NO.: SDS973

at the end of work.

**EYE/FACE PROTECTION:** Safety glasses.

**SKIN PROTECTION:** Glove material impermeable and resistant to the product.

**BODY PROTECTION:** Protective work clothing.

**RESPIRATORY PROTECTION:** NIOSH (US) or CEN (EU) approved respirators and components.

ENVIRONMENTAL EXPOSURE: Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the

environment must be avoided.

#### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

APPEARANCE/COLOR: Fine pink, pink/vein or white powder

ODOR: Faint odor in bulk FLASH POINT: 579°F (304°C)
RELATIVE DENSITY (H2O=1.0): 1.25 g/cm³
WATER SOLUBILITY: Insoluble

#### **SECTION 10: STABILITY AND REACTIVITY**

CHEMICAL STABILITY:Stable under recommended storage conditions.HAZARDOUS REACTIONS:No further relevant information available.CONDITIONS TO AVOID:Temperatures above 464°F (240°C).

**INCOMPATIBLE MATERIALS:** Strong oxidizing agents.

HAZARDOUS DECOMPOSITION PRODUCTS: Methacrylate monomers and oxides of carbon.

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

POTENTIAL HEALTH EFFECTS: <u>EYES:</u> May cause eye irritation.

**SKIN:** May be harmful if absorbed through skin. May cause skin irritation.

**INGESTION:** May be harmful if swallowed.

**INHALATION:** May be harmful if inhaled. May cause respiratory tract irritation.

**CARCINOGENICITY:** OSHA: Cadmium is a regulated carcinogen by OSHA.

<u>ACGIH</u>: Cadmium is identified as a suspected human carcinogen by ACGIH. NTP: Cadmium is identified as a known human carcinogen by NTP.

<u>IARC:</u> Cadmium is identified as a human carcinogen by IARC. Titanium dioxide is identified as a possible human carcinogen by IARC. Benzoyl peroxide is identified as not classifiable as to its carcinogenicity to

humans by IARC.

REPRODUCTIVE TOXICITY: Cadmium is a suspected human reproductive toxicant. Overexposure may cause reproductive disorders based

on tests with laboratory animals.

#### **SECTION 12: ECOLOGICAL INFORMATION**

ADVERSE EFFECTS: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. May cause

long lasting harmful effects to aquatic life. Avoid release to the environment.

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

**PRODUCT:** Offer surplus and non-recyclable solutions to a licensed disposal company. Must not be disposed of together

with household garbage. Do not allow product to reach sewage system. Disposal must be made according to

official regulations.

CONTAMINATED PACKAGING: Dispose of as unused product.

#### **SECTION 14: TRANSPORT INFORMATION**

UN NUMBER: N/A
PROPER SHIPPING NAME: N/A
HAZARD CLASS: N/A
PACKING GROUP: N/A
LABEL STATEMENT: N/A

#### **SECTION 15: REGULATORY INFORMATION**

PREPARED BY: SS PAGE 3 OF 4

# Bosworth Company

NAME OF PRODUCT: NEW TRULINER® Powder

**US FEDERAL REGULATIONS** 

**TSCA:** This product is an FDA regulated device and not subject to TSCA regulations.

CERCLA: This product is an FDA regulated device and not subject to reporting requirements. There may be specific

reporting requirements at the local, regional, or state level.

SARA 313 TOXIC CHEMICALS: The following components are subject to reporting levels established by SARA Title III, Section 313 (40 CFR

372): Cadmium, CAS NO. 7440-43-9; Benzoyl Peroxide, CAS NO. 94-36-0.

FILE NO.: SDS973

**SDS DATE:** 06/19/2014

SARA 311/312 HAZARDS: This product is an FDA regulated device and not subject to reporting requirements.

**US STATE REGULATIONS** 

CALIFORNIA PROPOSITION 65: This product may contain a chemical known to the State of California to cause cancer and/or reproductive

toxicity.

**INTERNATIONAL REGULATIONS** 

CANADIAN ENVIRONMENTAL

**PROTECTION ACT:** This product is a medical device and not subject to chemical notification requirements.

EUROPEAN INVENTORY OF EXISTING COMMERCIAL CHEMICAL SUBSTANCES

(EINECS): This product is a medical device and not subject to chemical notification requirements.

#### **SECTION 16: OTHER INFORMATION**

#### **FULL TEXT OF H STATEMENTS REFERRED TO UNDER SECTION 3**

Acute Tox. Acute toxicity
Aquatic Acute Acute Acute aquatic toxicity
Aquatic Chronic Chronic Chronic aquatic toxicity
Carc. Carcinogenicity

Eye Irrit. Eye irritation

H241 Heating may cause a fire or explosion.

H301 Toxic if swallowed.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

H330 Fatal if inhaled. H332 Harmful if inhaled.

H335 May cause respiratory irritation.
H341 Suspected of causing genetic defects.

H350 May cause cancer.

H361 Suspected of damaging fertility or the unborn child.

H372 Causes damage to organs through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

Muta. Germ cell mutagenicity
Org. Perox. Organic peroxides
Repr. Reproductive toxicity
Skin Irrit. Skin irritation
Skin Sens. Skin sensitization

STOT RE Specific target organ toxicity – repeated exposure STOT SE Specific target organ toxicity – single exposure

#### NFPA RATING

Health Hazard 1
Fire Hazard 1
Reactivity Hazard 0

**PREPARATION INFORMATION:** This SDS was prepared in accordance with the requirements of the OSHA Hazard Communication Standard (29 CFR 1910.1200) and is to be used only for this product.

**DISCLAIMER:** To the best of our knowledge, the information contained herein is accurate. However, The Harry J. Bosworth Company does not assume any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown health hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

PREPARED BY: SS PAGE 4 OF 4