# **SAFETY DATA SHEETS**

# This SDS packet was issued with item:

071558162

# The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

071557990 071558006 071558014 071558022 071558030 071558048 071558055 071558063 071558113 071558121 071558139 071558147 071558154 071558170 071558188

# **Material Safety Data Sheet**

#### Section I. Product and Manufacturer Identification Product Name: PolvShok™ (Polvpur TPU 3370A-01) **Description: Custom Compounded Plastic Sheets** Item Numbers: 62900 - 62959 Distributed By: Buffalo Dental Mfg. Co., Inc., 129 Lafavette Dr., Svosset, NY 11791-0678 Information #: 516.496.7200

Last Revision: Mar. 27, 2000 Issue Date: Feb. 12, 2003 Prepared By: ARL

Emergency #: 516.496.7200

#### Section II. Hazardous Ingredients

Chemical Name: This product does not contain chemicals that are considered hazardous under 29 CFR 1910.1200 Does this product require reporting under SARA Title III? No Do the components of this product comply with TSCA? Yes

#### Section III. Hazards Identification

Primary routes of entry are ingestion of particles or inhalation of fumes from heating or dust from grinding. Ingestion is a low health risk because components are encapsulated within the material. Inhalation of dust is possible in a grinding area, and potential for exposure exceeding applicable PEL may exist. Ensure adequate ventilation (or respiratory protection) is in use for fumes or dust.

#### Section IV. First Aid Measures

The most probable injury associated with this product is thermal burns during handling. Hot plastic can stick to the skin and aggravate burns. If a burn occurs, cool the area as soon as possible. Use cool water, not ice. If plastic sticks to the skin do not remove, SEEK MEDICAL HELP. If dust should get in eves, use available evewash and seek medical attention. If excess dust or fumes are inhaled, seek medical attention. If particles are ingested seek medical help. Do not induce vomiting. SEEK MEDICAL HELP.

#### Section V. Fire Fighting Measures

The flash point of this material is over 400 degrees F. If a fire should occur, toxic fumes and gasses may be emitted. Wear selfcontained breathing apparatus when fighting a fire. Carbon Monoxide and other toxic substances may be in the air. Fire and explosion can occur from dust build-up. Use proper grounding and bonding techniques where dust concentrations are possible. Fight fires with water, CO2, or dry chemicals.

#### Section VI. Accidental Release Measures

This product as shipped to customers is non-hazardous. If a spill should occur, gather or sweep the material into proper containers and reuse or dispose according to applicable federal, state or local regulations. If product is spilled in open environment it can float into waterways. Fish and other wildlife may mistake it for food.

#### Section VII. Handling and Storage

This product is normally shipped in plastic baos. The plastic may burn in the presence of open flame. Do not weld or use open flame in areas where this product is being stored. Have proper fire fighting products and procedures available at all times.

#### Section VIII. Exposure Controls and Protective Equipment

Refer to the recommendations in Sections III, IV, and V.

#### Section IX. Physical and Chemical Properties

The product is shipped as sheets with a VOC content of less than 5 PPM. Density will vary depending on color and components from .85 to 1.5. Therefore the product can sink or float in water depending on the properties. The product is not soluble in water and is odorless at ambient temperature. During heating a slight plastic odor may be present. Use of localized ventilation recommended.

#### Section X. Stability and Reactivity

This product is stable and non-reactive. Hazardous decomposition of products can occur if overheated or ignited.

#### Section XI. Toxicological Information

The following chemicals are listed as known or suspected carcinogens per the National Toxicology Program (NTP), International Agency for Cancer Research (IARC), or California Proposition 65: Antimony Trioxide, Arsenic (Inorganic), Cadmium Compounds, Carbon Black, Chromium Compounds, Di(ethylhexyl) Pthalate, Lead Compounds, Nickel Compounds, or Crystalline Silica. If any of these chemicals are present in reportable weights within the product, they will be listed in Section II.

#### Section XII. Ecological Information

Refer to Section VI.

#### Section XIII. Disposal Measures

This product is non-hazardous as it arrives. If grinding occurs some of the components may present an environmental disposal problem. Refer to applicable federal, state, and local regulations.

Section XIV. Transportation Information

This product is not a regulated substance under Dept. of Transportation (DOT) regulations.

#### Section XV. Regulatory Information

Reference Section II.

#### Section XVI. Other

CAS = Chemical Abstract Number TSCA = Toxic Substance Control Act VOC = Volatile Organic Chemical

OSHA = Occupational Safety and Health Admin. SARA = Superfund Amendments & Reclamation Act TWA = Time Weighted Average N/E = Not Established

PEL = Permissible Exposure Limit PPM = Parts Per Million



# **Safety Data Sheet**

Issue Date 01-Dec-	2015 Revision Date: 01-Dec-2015	Version 1
	1. IDENTIFICATION	
Product Identifier		
Product Name	PolyShoK Mouthguard Material	
Other means of ident	ification_	
SDS #	SLI-001	
Recommended use	of the chemical and restrictions on use	
Recommended Use	Sheet resins to form mouth guards.	
Details of the supplie	er of the safety data sheet	
Supplier Address		
Sportsguard		
Laboratories, Inc.		
821 W. Main St.		
Kent, OH 44240		
Emergency Telephor	ne Number	
<b>Emergency Telephon</b>	ne	
	800-401-1776	
<b>Company Phone Nu</b>	mber 330-673-6932	
	800-401-1776	
	2. HAZARDS IDENTIFICATION	
Classification		

Classification

This chemical does not meet the hazardous criteria set forth by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200). However, this Safety Data Sheet (SDS) contains valuable information critical to the safe handling and proper use of this product. This SDS should be retained and available for employees and other users of this product.

Appearance Soft, pliable material

Physical State Solid

Odor Odorless

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	weight-%
Ethylene-Vinyl Acetate Copolymer Styrene Isoprene Butadiene Copolymer	24937-78-8	80 20

## 4. FIRST-AID MEASURES

#### First Aid Measures

 

 Eye Contact
 Rinse thoroughly with plenty of water, also under the eyelids.

 Skin Contact from skin. Cool rapidly with cold water. Get medical attention. Treat burns like thermal burns. Inhalation
 Do not attempt to remove material burns. No known hazardous effects. If symptoms occur, remove to fresh air.

 Ingestion
 None under normal use conditions.

Page 1/6

#### Most important symptoms and effects

Symptoms

May cause mechanical eye irritation. Inhalation of dust may cause mechanical irritation to the respiratory tract. Skin contact may cause mechanical irritation due to an abrasion. Fumes produced during thermal process may cause irritation.

#### Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat symptomatically.

#### 5. FIRE-FIGHTING MEASURES

#### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

Specific hazards arising from the chemical Toxic products of combustion.

Hazardous Combustion Products Carbon monoxide. Carbon dioxide (CO2). Vinyl acetate. Acetic acid.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions	Use personal protective equipment as required. For large spills, evacuate the hazard area of unprotected personnel. Spills maybe slippery.		
Environmental Precautions	See Section 12 for additional Ecological Information.		
Methods and material for contain	ment and cleaning up		
Methods for Containment	Prevent further leakage or spillage if safe to do so.		
Methods for Cleaning Up	Clean up spills immediatelyand place in appropriate containers.		
	7. HANDLING AND STORAGE		
Precautions for safe handling			
Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice.		
Conditions for safe storage, inclu	ding any incompatibilities		
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from sunlight Store away from heat, sparks, flame.		

Incompatible Materials None known based on information supplied.

Page 2/6

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

No exposure limits noted for ingredient(s)

Appropriate engineering controls

**Exposure Guidelines** 

Engineering ControlsNone under normal use conditions.Individual protection measures, such as personal protective equipmentEye/Face ProtectionWear safety glasses with side shields (or goggles). Wear face shield during thermal<br/>process.Skin and Body ProtectionWear a thermal insulating glove when handling molten product. Wear long-sleeved shirt,<br/>long pants, and shoes plus socks.Respiratory ProtectionUse in well-ventilated area.General Hygiene ConsiderationsHandle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical State Appearance Color

Property pH
Melting Point/Freezing Point
Boiling Point/Boiling Range
Flash Point
Evaporation Rate
Flammability (solid, gas)
Upper Flammability Limits
Lower Flammability Limit
Vapor Pressure
Vapor Density
Relative Density (Specific Gravity)
Water Solubility
Solubility in other solvents
Partition Coefficient
Autoignition Temperature
Decomposition Temperature
Kinematic Viscosity
Dynamic Viscosity
Explosive Properties
Oxidizing Properties

Solid Soft, pliable material Not determined

Values Not applicable Not applicable Not applicable Not applicable Not applicable Not determined Not applicable Not applicable Not applicable Not applicable Not applicable Insoluble in water Not determined No data available 260 °C / 500 °F No data available Not determined Not determined Not determined Not determined

Odor Odor Threshold Odorless Not determined

Remarks • Method

#### **10. STABILITY AND REACTIVITY**

#### Reactivity

Not reactive under normal conditions.

#### Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions None under normal processing. Hazardous Polymerization Hazardous polymerization does not occur. Conditions to Avoid Avoid direct sunlight. Heat, flames and sparks. Incompatible Materials None known based on information supplied. Hazardous Decomposition Products Carbon oxides. acetic acid. Vinyl acetate. **11. TOXICOLOGICAL INFORMATION** Information on likely routes of exposure Product Information Eye Contact Avoid contact with eyes. Skin Contact Under normal processing conditions, material is heated to elevated temperatures; contact with the material can cause thermal burns. Inhalation Avoid inhalation of dust. Ingestion Not expected to present a hazard by ingestion during prescribed use. **Component Information** Not available Information on physical, chemical and toxicological effects Symptoms Please see section 4 of this SDS for symptoms. Delayed and immediate effects as well as chronic effects from short and long-term exposure This product does not contain any carcinogens or potential carcinogens as listed byOSHA, Carcinogenicity IARC or NTP. Numerical measures of toxicity Not determined 12. ECOLOGICAL INFORMATION Ecotoxicity An environmental hazard cannot be excluded in the event of unprofessional handling or disposal Not available **Component Information** Persistence/Degradability Not determined Bioaccumulation This material is not expected to significantly bioaccumulate

Page 4/6

#### Mobility Not determined

#### Other adverse effects Not determined

13. DISPOSAL CONSIDERATIONS

#### Waste Treatment Methods

Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.

#### 14. TRANSPORT INFORMATION

Not regulated
Not regulated
Not regulated

#### **15. REGULATORY INFORMATION**

International Inventories

Not determined

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances

#### US Federal Regulations

SARA 313 Not determined

US State Regulations

U.S. State Right-to-Know Regulations Not determined

Page 5/6

New format

-----

#### Disclaimer

**Revision Note** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

Page 6/6