

SAFETY DATA SHEETS

This SDS packet was issued with item:

071709179

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

071008502 071707587 071707595 071707603 071707611 071707629 071707637 071707645 071707652 071707660
071707678 071708189 071708197 071708221 071708239 071708247 071708254 071708262 071708270 071708288
071708296 071708304 071708312 071708320 071708338 071708346 071708353 071708361 071708379 071708387
071708395 071708403 071708411 071708429 071708437 071708445 071708452 071708460 071708478 071708486
071708494 071708502 071708510 071708528 071708536 071708908 071708916 071708924 071708932 071708940
071708957 071708965 071708973 071708981 071708999 071709005 071709013 071709021 071709153 071709161
071709187 071709195 071709203 071709211 071709229 071709237 071709245 071709252 071709260 071709278
071709286 071709294 071709302 071709310 071709328 071709336 071709344 071709351 071709369 071709377
071709518 071709526 071709534 071709542 071709559 071709567 071709575 071709583 071709591 071709609
071709617 071709625 071709633 071709641 071709658 071709666 071709674 071709682 071709690 071709708
071709716 071709724 071709732 071709740 071709757 071709765 071709773 071709781 071709799 071709807
071709815 071709823 071709831 071709849

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 12.10.2017

Version number 5

Revision: 12.10.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** Esthet.X HD
- **Application:** Light curing composite
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
- **Application of the substance / the mixture** Dental filling material
- **Uses advised against** No further relevant information available.
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Dentsply DeTrey GmbH
De-Trey-Str. 1
D-78467 Konstanz
GERMANY
Tel.: +49-(0)7531-583-0
Fax: +49-(0)7531-583-104
email: KonstanzDEU.info-sdb@dentsplysirona.com
- **Further information obtainable from:**
 - Departement Research & Development for technical information
 - Departement Marketing & Sales for distribution of the safety data sheets
- **1.4 Emergency telephone number:** +49-(0)7531-583-0 8:00 - 17:00 (GMT + 1:00)

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**
Skin Irrit. 2 H315 Causes skin irritation.
Eye Irrit. 2 H319 Causes serious eye irritation.
Skin Sens. 1 H317 May cause an allergic skin reaction.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms**



GHS07

- **Signal word** Warning
- **Hazard-determining components of labelling:**
Urethane modified Bis-GMA dimethacrylate resin
2,2'-Ethylendioxydiethyldimethacrylat
Ethoxylated Bisphenol A Dimethacrylate
- **Hazard statements**
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H317 May cause an allergic skin reaction.
- **Precautionary statements**

P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves / eye protection / face protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 12.10.2017

Version number 5

Revision: 12.10.2017

Trade name: Esthet.X HD

(Contd. of page 1)

· **Additional information:**

As this product is a medical device in the meaning of Directive 93/42/EEC and intended for use by the end consumer and is applied in an invasive manner or body contact, it is exempt from the labelling requirements according to regulation 1272/2008.

· **2.3 Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· **3.2 Chemical characterisation: Mixtures**

· **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

CAS: 126646-17-1	Urethane modified Bis-GMA dimethacrylate resin ⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335	2.5-<10%
CAS: 109-16-0 EINECS: 203-652-6	2,2'-Ethylendioxydiethyldimethacrylat ⚠ Skin Sens. 1, H317	2.5-<10%
CAS: 24448-20-2	Ethoxylated Bisphenol A Dimethacrylate ⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335	2.5-<10%

· **Additional information** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· **4.1 Description of first aid measures**

· **After inhalation** Supply fresh air; consult doctor in case of complaints.

· **After skin contact** Immediately wash with water and soap and rinse thoroughly.

· **After eye contact**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· **After swallowing** If symptoms persist consult doctor.

· **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

· **Information for doctor** No further relevant information available.

· **4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

SECTION 5: Firefighting measures

· **5.1 Extinguishing media**

· **Suitable extinguishing agents**

CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· **For safety reasons unsuitable extinguishing agents** Water with full jet.

· **5.2 Special hazards arising from the substance or mixture** No further relevant information available.

· **5.3 Advice for firefighters**

· **Protective equipment:** No special measures required.

SECTION 6: Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures** Wear protective clothing.

· **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.

· **6.3 Methods and material for containment and cleaning up:**

Dispose contaminated material as waste according to item 13.

Pick up mechanically.

(Contd. on page 3)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 12.10.2017

Version number 5

Revision: 12.10.2017

Trade name: Esthet.X HD

(Contd. of page 2)

*Ensure adequate ventilation.***· 6.4 Reference to other sections***See Section 7 for information on safe handling**See Section 8 for information on personal protection equipment.**See Section 13 for disposal information.***SECTION 7: Handling and storage****· 7.1 Precautions for safe handling***Ensure good ventilation/exhaustion at the workplace.**Observe normal care for working with chemicals.***· Handling** *Product is intended for dental use only.***· Information about fire - and explosion protection:** *No special measures required.***· 7.2 Conditions for safe storage, including any incompatibilities****· Storage****· Requirements to be met by storerooms and receptacles:** *Store only in the original receptacle.***· Information about storage in one common storage facility:** *Not required.***· Further information about storage conditions:** *Keep receptacle tightly sealed.***· 7.3 Specific end use(s)** *No further relevant information available.***SECTION 8: Exposure controls/personal protection****· Additional information about design of technical facilities:** *No further data; see item 7.***· 8.1 Control parameters****· Ingredients with limit values that require monitoring at the workplace:***The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.***· Additional information:** *The lists valid during the making were used as basis.***· 8.2 Exposure controls****· Personal protective equipment****· General protective and hygienic measures***The usual precautionary measures are to be adhered to when handling chemicals.**Immediately remove all soiled and contaminated clothing**Wash hands before breaks and at the end of work.**Avoid contact with the eyes and skin.***· Respiratory protection:** *Not necessary if room is well-ventilated.***· Protection of hands:***Protective gloves.**The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.**Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation***· Material of gloves***The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.**Natural rubber, NR**Permeation: Level ≥ 1* *Recommended thickness of the material: ≥ 0.12 mm*

(Contd. on page 4)

GB

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 12.10.2017

Version number 5

Revision: 12.10.2017

Trade name: Esthet.X HD

(Contd. of page 3)

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles.

· **Body protection:** Protective work clothing.

SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form:	Pasty
Colour:	According to product specification
Odour:	Product specific
Odour threshold:	Not determined.

· **pH-value:** Not determined.

· **Change in condition**

Melting point/freezing point:	undetermined
Initial boiling point and boiling range:	Undetermined.

· **Flash point:** Not applicable

· **Flammability (solid, gaseous)** Not applicable.

· **Ignition temperature:** Not applicable

· **Decomposition temperature:** Not determined.

· **Auto-ignition temperature:** Product is not selfigniting.

· **Explosive properties:** Product does not present an explosion hazard.

· **Explosion limits:**

Lower:	Not determined.
Upper:	Not determined.

· **Vapour pressure:** Not determined.

· **Density at 20 °C:** 2.1 g/cm³

· **Relative density** Not determined.

· **Vapour density** Not determined.

· **Evaporation rate** Not determined.

· **Solubility in / Miscibility with**

Water: Not miscible or difficult to mix

· **Partition coefficient: n-octanol/water:** Not determined.

· **Viscosity:**

dynamic:	Not determined.
kinematic:	Not determined.

· **Solvent content:**

Organic solvents: 0.0 %

Solids content: 75.0 %

(Contd. on page 5)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 12.10.2017

Version number 5

Revision: 12.10.2017

Trade name: Esthet.X HD

(Contd. of page 4)

· 9.2 Other information

No further relevant information available.

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:**ATE (Acute Toxicity Estimate)**

Dermal	LD50	>26,144 mg/kg (mouse)
--------	------	-----------------------

CAS: 109-16-0 2,2'-Ethylendioxydiethylmethacrylat

Oral	LD50	>5,000 mg/kg (rat)
------	------	--------------------

Dermal	LD50	>2,000 mg/kg (mouse)
--------	------	----------------------

- **Primary irritant effect:**
- **Skin corrosion/irritation**
Causes skin irritation.
- **Serious eye damage/irritation**
Causes serious eye irritation.
- **Respiratory or skin sensitisation**
Repeated or prolonged contact with the not polymerized product may cause sensitization for acrylates / methacrylates.
May cause an allergic skin reaction.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

SECTION 12: Ecological information**· 12.1 Toxicity****· Aquatic toxicity:****CAS: 109-16-0 2,2'-Ethylendioxydiethylmethacrylat**

LC50/96h	16.4 mg/l (Fish acute toxicity study)
----------	---------------------------------------

EC50/72h	>100 mg/l (Pseudokirchnerella subcapitata)
----------	--

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.

(Contd. on page 6)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 12.10.2017

Version number 5

Revision: 12.10.2017

Trade name: Esthet.X HD

(Contd. of page 5)

- **Additional ecological information:**
- **General notes:**
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- **European waste catalogue**

18 01 06*	chemicals consisting of or containing hazardous substances
HP 4	Irritant - skin irritation and eye damage
HP 13	Sensitising

- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information

- | | |
|--|-----------------|
| · 14.1 UN-Number | Void |
| · ADR, ADN, IMDG, IATA | Void |
| · 14.2 UN proper shipping name | Void |
| · ADR, ADN, IMDG, IATA | Void |
| · 14.3 Transport hazard class(es) | Void |
| · ADR, ADN, IMDG, IATA | Void |
| · Class | Void |
| · 14.4 Packing group | Void |
| · ADR, IMDG, IATA | Void |
| · 14.5 Environmental hazards: | Not applicable. |
| · 14.6 Special precautions for user | Not applicable. |
| · 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code | Not applicable. |
| · UN "Model Regulation": | Void |

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

(Contd. on page 7)

GB

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 12.10.2017

Version number 5

Revision: 12.10.2017

Trade name: Esthet.X HD

(Contd. of page 6)

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

The attached safety data sheet covers the dangers and measures to be taken when large quantities of material are released, for example due to accidents during transport or storage by the dealer.

For quantities of material typically used in clinical practice, information necessary for safe use and storage of the product is given in the DFU.

· **Relevant phrases**

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

· **Department issuing SDS:** Research & Development

· **Contact:** HotLine for urgent technical support: +49-7531-583-350

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

· *** Data compared to the previous version altered.**

GB

MATERIAL SAFETY DATA SHEET

SECTION I – Product/Company Information

1.1 Product Trade Name: **Esthet•X[®] Improved Micro Matrix Restorative**
Compules[®] and Easy•Twist Syringe
1.2 Part (Item) Number: **630200 – 630499 All Package Configurations**
1.3 Division Name: **DENTSPLY Caulk**
1.4 Address: 38 West Clarke Avenue
City State Zip: Milford DE 19963 – 0359
Internet Address: **http://www.caulk.com**
1.5 Emergency Telephone Number: **(800) 424-9300 (Chemtrec)**
1.6 Telephone Number for Information: **(302) 422-4511 (8:00 AM – 4:30 PM Eastern Time)**
1.7 Date Prepared: **6/25/03**

SECTION II – Hazardous Ingredients/Identity Information

<u>Hazardous Components</u>	<u>OSHA PEL</u>	<u>ACGIH TLV</u>	<u>CAS #</u>	<u>Percent</u>
Titanium Dioxide	10 mg/m ³	10 mg/m ³	13463-67-7	< than 1 %
Silica Amorphous	3 mg/m ³	3 mg/m ³	67762-90-7	< than 3 %
Barium boron fluoroalumino silicate glass	N. E.	N. E.	65997-18-4	> than 70 %
Urethane modified Bis-GMA dimethacrylate	N. E.	N. E.	126646-17-1	< than 25 %

SECTION III – Physical/Chemical Characteristics

3.1 Boiling point: N. A. 3.6 Specific Gravity: 2.2 g/cm²
3.2 Vapor pressure: N. A. 3.7 Melting Point: N. E.
3.3 Vapor density: N. A. 3.8 Evaporation rate: N. A.
3.4 Solubility in water: Not Soluble
3.5 Appearance and odor: Various shades of viscous paste with sweet acrylic ester odor.

SECTION IV - Fire and Explosion Hazard Data

4.1 Flash point (method used): N. A.
4.2 Flammability (explosive limits): LEL: N. A. UEL: N. A.
4.3 Extinguishing media: Water spray, carbon dioxide, foam, or dry chemical.
4.4 Special fire fighting procedures: Firefighters should wear full protective clothing including a self contain breathing apparatus.
4.5 Unusual fire and explosion hazards: During a fire, irritating gas may be present from the decomposition of the dimethacrylate resins.

SECTION V – Reactivity Data

5.1 Stability: Unstable: Stable: X
5.2 Conditions to avoid (stability): Bright visible lights on paste, elevated temperatures above 50°C (122°F).
5.3 Incompatibility (materials to avoid): Strong oxidizing materials.
5.4 Hazardous decomposition or byproducts: Irritating gases, CO and CO₂
5.5 Hazardous polymerization: May occur: Will not occur: X
5.6 Conditions to avoid (polymerization): Elevated temperatures and oxidizing materials. Product is sensitive to visible light and will harden if exposed to visible light. Heat greater than 50°C.