SAFETY DATA SHEETS

This SDS packet was issued with item:

071806694

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

071806702

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

071705730 071705748 071705797 071706043

SAFETY DATA SHEET



Revision Date 05-Nov-2015 Version 1

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name Product code PETTIT HYDROCOAT ECO COPPER FREE MULTI-SEASON ABLATIVE PAINT - 1204 BLUE 1120400

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Restrictions on use Paint/Paint Related Material No information available

1.3 Details of the supplier of the safety data sheet

Supplier

Kop-Coat, Inc./ Pettit Marine Paint Marine Group 36 Pine Street Rockaway, NJ 07866 1-800-221-4466

1.4 Emergency telephone number

Emergency telephone number Chemtrec: +1 703-527-3887 ex-USA Chemtrec: 1-800-424-9300 USA

2. Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910.1200

Acute toxicity - Oral	Category 4
Serious eye damage/eye irritation	Category 1
Carcinogenicity	Category 1A

2.2 Label elements

Signal Word Danger

Hazard Statements Harmful if swallowed Causes serious eye damage May cause cancer



Precautionary Statements - Prevention

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Wear protective gloves/protective clothing/eye protection/face protection Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product

Precautionary Statements - Response

If exposed or concerned: Get medical advice/attention IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell Rinse mouth

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal Dispose of contents/container to an approved waste disposal plant

2.3. Other Hazards Hazards not otherwise classified (HNOC)

Not Applicable

2.4 Other information Not Applicable

Not Applicable

Unknown Acute Toxicity

< 1% of the mixture consists of ingredient(s) of unknown toxicity

3. Composition/Information on Ingredients

Substance

This product is a mixture. Health hazard information is based on its components. Not applicable **<u>Mixture</u>**

Chemical Name	CAS-No	Weight %
Barium Sulfate	7727-43-7	20 - 30
Titanium dioxide	13463-67-7	10 - 20
Zinc oxide	1314-13-2	5 - 10
Zinc pyrithione	13463-41-7	1 - 5
Tripropylene glycol monomethyl ether	25498-49-1	1 - 5
Calcined Kaolin	92704-41-1	1 - 5
POLYTETRAFLUOROETHYLENE	9002-84-0	1 - 5
C.I. Pigment Blue 15	147-14-8	1 - 5
Crystalline silica (Quartz) (Respirable)	14808-60-7	< 1

The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First aid measures

4.1 Description of first-aid measures

General advice	Show this safety data sheet to the doctor in attendance. When symptoms persist or in all cases of doubt seek medical advice.		
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Call a physician or poison control center immediately.		
Skin contact	Call a poison control center or doctor for treatment advice. Wash off immediately with plenty of water for at least 15 minutes. Remove contaminated clothing and shoes. Wash contaminated clothing before reuse.		
Inhalation	Move victim to fresh air. Apply artificial respiration if victim is not breathing. Call a physician or poison control center immediately.		
Ingestion	Call a physician or poison control center immediately. If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel. Gently wipe or rinse the inside of the mouth with water. Never give anything by mouth to an unconscious person.		
4.2 Most important symptoms and effects, both acute and delayed			
Symptoms	See Section 2.2, Label Elements and/or Section 11, Toxicological effects.		
4.3 Indication of any immediate medical attention and special treatment needed			
Notes to physician	There is no specific antidote for effects from overexposure to this material. Treat symptomatically.		

5. Fire-Fighting Measures

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, fog, Carbon dioxide (CO₂), foam or dry chemical. Water may be used to cool and prevent the rupture of containers that are exposed to the heat from a fire.

Unsuitable Extinguishing Media None known based on information supplied.

5.2 Special hazards arising from the substance or mixture

Special Hazard

Thermal decomposition can lead to release of irritating gases and vapors

Hazardous Combustion Products Possible formation of carbon oxides, nitrogen oxides, and hazardous organic compounds.

Explosion Data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

5.3 Advice for firefighters

Evacuate personnel to safe areas. Move non-burning material, as feasible, to a safe location as soon as possible. As in any fire, wear self-contained breathing apparatus and full protective gear. Thoroughly decontaminate all protective equipment after use. Use water spray to cool fire-exposed containers.

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

1120400 - HYDROCOAT ECO COPPER FREE MULTI-SEASON ABLATIVE PAINT - 1204 BLUE

Ensure adequate ventilation, especially in confined areas. Use personal protective equipment. Stop leak if you can do it without risk. Refer to protective measures listed in sections 7 and 8. Avoid exceeding of the given occupational exposure limits (see section 8). Personal protection needs must be evaluated based on information provided on this sheet and the special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred, and the training and the expertise of employees in the area responding to the spill.

6.2 Environmental precautions

Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. Prevent entry into waterways, sewers, basements or confined areas. See Section 12 for additional Ecological information.

6.3 Methods and materials for containment and cleaning up

Methods for Containment	Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. Clean contaminated surface thoroughly.

7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	Ensure adequate ventilation. Avoid contact with skin, eyes and clothing. Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling. Wash hands before breaks and immediately after handling the product. Remove and wash contaminated clothing before re-use. Do not eat, drink or smoke when using this product. Use according to package label instructions. Empty containers may retain product residue or vapor.
Hygiene measures	Remove and wash contaminated clothing before re-use. Do not eat, drink or smoke when using this product. Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and immediately after handling the product.
7.2 Conditions for safe storage, inc	luding any incompatibilities
Storage Conditions	Keep container tightly closed in a dry and well-ventilated place. Keep in properly labeled containers. Keep away from food, drink and animal feedingstuffs. Keep from freezing.
Materials to Avoid	No materials to be especially mentioned.

8. Exposure controls/personal protection

8.1 Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	British Columbia	Alberta	Quebec	Ontario TWAEV
Barium Sulfate 7727-43-7	TWA: 5 mg/m ³ inhalable fraction, particulate matter containing no asbestos and <1% crystalline silica	TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction	TWA: 10 mg/m ³ TWA: 3 mg/m ³	TWA: 10 mg/m ³	TWA: 10 mg/m³ TWA: 5 mg/m³	TWA: 10 mg/m ³
Titanium dioxide 13463-67-7	TWA: 10 mg/m ³	TWA: 15 mg/m ³ total dust	TWA: 10 mg/m ³ TWA: 3 mg/m ³	TWA: 10 mg/m ³	TWA: 10 mg/m ³	TWA: 10 mg/m ³
Zinc oxide 1314-13-2	STEL: 10 mg/m ³ respirable fraction TWA: 2 mg/m ³ respirable fraction	TWA: 5 mg/m ³ fume TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction	TWA: 2 mg/m ³ STEL: 10 mg/m ³	TWA: 2 mg/m ³ STEL: 10 mg/m ³	TWA: 10 mg/m ³ TWA: 5 mg/m ³ STEL: 10 mg/m ³	TWA: 2 mg/m ³ STEL: 10 mg/m ³
POLYTETRAFLUORO ETHYLENE 9002-84-0	-	-			TWA: 2.5 mg/m ³	

1120400 - HYDROCOAT ECO COPPER FREE MULTI-SEASON ABLATIVE PAINT - 1204 BLUE

C.I. Pigment Blue 15 147-14-8	TWA: 1 mg/m ³ Cu dust and mist	-			
Crystalline silica (Quartz) (Respirable) 14808-60-7	TWA: 0.025 mg/m ³ respirable fraction	: (30)/(%SiO2 + 2) mg/m ³ TWA total dust : (250)/(%SiO2 + 5) mppcf TWA respirable fraction : (10)/(%SiO2 + 2) mg/m ³ TWA respirable fraction	TWA: 0.025 mg/m ³	TWA: 0.1 mg/m ³	TWA: 0.10 mg/m ³

8.2 Appropriate engineering controls

Engineering Measures	None under normal use conditions. Ensure adequate ventilation, especially in confined areas. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction.	
8.3 Individual protection measures	s, such as personal protective equipment	
Eye/Face Protection	Safety glasses with side-shields.	
Skin and body protection	Remove and wash contaminated clothing before re-use. Wear protective gloves/ protective clothing.	
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn.	
Hygiene measures	See section 7 for more information	

9. Physical and chemical properties

<u>9.1 Information on basic physical a</u> Physical state Appearance Color Odor Odor Threshold	nd chemical properties Liquid Viscous liquid Blue Hydrocarbon-like No information available	
Property pH Melting/freezing point Boiling point/boiling range Flash Point Evaporation rate Flammability (solid, gas) Flammability Limits in Air upper flammability limit lower flammability limit Vapor pressure	<u>Values</u> > 98 °C / > 208 °F	RemarksMethodsNo information availableNo information available
Vapor density Specific Gravity Water solubility Solubility in other solvents Partition coefficient Autoignition temperature Decomposition temperature Viscosity, kinematic Viscosity, dynamic	1.627 > 21 mm2/s	No information available No information available No information available No information available No information available No information available
Explosive properties Oxidizing Properties <u>9.2 Other information</u> Volatile organic compounds (VOC) content Density	< 150 g/L 13.55 lb/gal	No information available No information available

10. Stability and Reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use

10.2 Chemical stability

Stable under normal conditions

10.3 Possibility of hazardous reactions

None under normal processing.

10.4 Conditions to Avoid

No information available.

10.5 Incompatible Materials

No materials to be especially mentioned.

10.6 Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating gases and vapors.

11. Toxicological information

11.1 Acute toxicity

Numerical measures of toxicity: Product Information

The following values are calculated based on chapter 3.1 of the GHS document

Unknown Acute Toxicity	< 1% of the mixture consists of ingredient(s) of unknown toxicity
Oral LD50	425.00 mg/kg
LC50 (Dust/Mist)	23.00 mg/l

Numerical measures of toxicity: Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Barium Sulfate 7727-43-7	> 5005 mg/kg (rat)	-	-
Titanium dioxide 13463-67-7	10000 mg/kg (Rat)	-	-
Zinc oxide 1314-13-2	5000 mg/kg (Rat)	-	-
Zinc pyrithione 13463-41-7	269 mg/kg (rat)	> 2000 mg/kg (rabbit)	= 1.03 mg/L (Rat) 4 h
Tripropylene glycol monomethyl ether 25498-49-1	3184 mg/kg (Rat)	= 15440 mg/kg (Rabbit)	-
Calcined Kaolin 92704-41-1	2000 mg/kg (Rat)	-	-
Crystalline silica (Quartz) (Respirable) 14808-60-7	500 mg/kg (Rat)	-	_

11.2 Information on toxicological effects

Skin corrosion/irritation

Product Information • No information available <u>Component Information</u> • No information available

Eye damage/irritation <u>Product Information</u> • No information available Component Information

No information available

Respiratory or skin sensitization

Product Information • No information available <u>Component Information</u> • No information available

Germ cell mutagenicity

Product Information • No information available <u>Component Information</u> • No information available

Carcinogenicity

Product Information

• The table below indicates whether each agency has listed any ingredient as a carcinogen

Component Information

· Contains a known or suspected carcinogen

Chemical Name	ACGIH	IARC	NTP	OSHA
Titanium dioxide 13463-67-7	-	Group 2B	-	
Crystalline silica (Quartz) (Respirable) 14808-60-7	A2	Group 1	Known	

Reproductive toxicity

Product Information

No information available

- Component Information
- No information available

STOT - single exposure

No information available

STOT - repeated exposure

No information available

Other adverse effects

Product Information • No information available <u>Component Information</u>

No information available

Aspiration hazard

Product InformationNo information available

Component Information

No information available

12. Ecological information

12.1 Toxicity

Ecotoxicity

No information available

33.0618005 % of the mixture consists of components(s) of unknown hazards to the aquatic environment

Ecotoxicity effects

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
Tripropylene glycol monomethyl ether 25498-49-1	-	LC50: 96 h Pimephales promelas 11619 mg/L static	EC50: 48 h Daphnia magna 10 mg/L
Calcined Kaolin 92704-41-1	EC50: 72 h Desmodesmus subspicatus 100 mg/L	LC50: 96 h Oncorhynchus mykiss 100 mg/L semi-static	EC50: 48 h Daphnia magna 1 mg/L

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

Discharge into the environment must be avoided

Chemical Name	log Pow
C.I. Pigment Blue 15 147-14-8	6.6

12.4 Mobility in soil

No information available.

12.5 Other adverse effects

No information available

13. Disposal Considerations

13.1 Waste treatment methods

Disposal should be in accordance with applicable regional, national and local laws and regulations.

14. Transport Information			
DOT	Not regulated		
MEX	no data available		
IMDG Proper shipping name	UN3082, Environmentally hazardous substance, liquid, n.o.s. (Tralopyril, zinc pyrithione), 9, PG III, Marine Pollutant		
IATA Proper shipping name	UN3082, Environmentally hazardous substance, liquid, n.o.s. (Tralopyril, zinc pyrithione), 9, PG III		

15. Regulatory information

15.1 International Inventories

TSCA	Complies
DSL	-
EINECS/ELINCS	-
ENCS	-
IECSC	-
KECL	-
PICCS	-
AICS	-
NZIOC	-

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL - Canadian Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIOC - New Zealand Inventory of Chemicals

15.2 U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	SARA 313 - Threshold Values %
Barium Sulfate 7727-43-7	1.0
Zinc oxide 1314-13-2	1.0
Zinc pyrithione 13463-41-7	1.0
Tripropylene glycol monomethyl ether 25498-49-1	1.0
C.I. Pigment Blue 15 147-14-8	1.0

15.3 Pesticide Information

U.S. EPA Pesticide Information

EPA Pesticide Registration Number 60061-137

EPA Statement

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

EPA Pesticide Label

DANGER. Causes substantial but temporary eye injury. Causes skin irritation. May pose an aspiration pneumonia hazard.

15.4 U.S. State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:

Chemical Name	California Prop. 65
Titanium dioxide - 13463-67-7	Carcinogen
Crystalline silica (Quartz) (Respirable) - 14808-60-7	Carcinogen
Acetaldehyde - 75-07-0	Carcinogen
Cadmium - 7440-43-9	Carcinogen Developmental Male Reproductive
Lead - 7439-92-1	Carcinogen Developmental Female Reproductive Male Reproductive
METHANOL - 67-56-1	Developmental
Acrylamide - 79-06-1	Carcinogen Developmental Male Reproductive

16. Other information

NFPA
HMIS

Health Hazard

Instability 0

d	2	Flammability	1

Health Hazard 2* Flammability 1 Physical Hazard 0

Physical and chemical hazards -Personal protection X

Legend:

ACGIH (American Conference of Governmental Industrial Hygienists) Ceiling (C) DOT (Department of Transportation) EPA (Environmental Protection Agency) IARC (International Agency for Research on Cancer) International Air Transport Association (IATA)

1120400 - HYDROCOAT ECO COPPER FREE MULTI-SEASON ABLATIVE PAINT - 1204 BLUE

International Maritime Dangerous Goods (IMDG) NIOSH (National Institute for Occupational Safety and Health) NTP (National Toxicology Program) OSHA (Occupational Safety and Health Administration of the US Department of Labor) PEL (Permissible Exposure Limit) Reportable Quantity (RQ) Skin designation (S*) STEL (Short Term Exposure Limit) TLV® (Threshold Limit Value) TWA (time-weighted average)

Revision Date

05-Nov-2015

Revision Note No information available Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet