

SAFETY DATA SHEETS

This SDS packet was issued with item:

071905926

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

071906411

MATERIAL SAFETY DATA SHEET

CETYLITE® INDUSTRIES, INC.

9051 River Road
Pennsauken, NJ 08110
Phone: 856-665-6111

Date Prepared: 11/11/11

Hazard Rating (NFPA 704)

Health	1	0=Least
Fire	3	1=Slight
Reactivity	0	2=Moderate
Special	none	3=High
		4=Extreme

SECTION 1 - IDENTIFICATION

PRODUCT NAME: ZAROSEN® OR VARNAL® (Item #0800, 0801)

**MAIN HAZARDOUS
CHEMICAL INGREDIENTS**

**OSHA
PEL**

**ACGIH
TLV**

CAS #

SDA-23A (Specially denatured alcohol)
Manila Copal

1000ppm*
none

1000ppm*
none

64-17-5
9000-14-0

Note: Substances listed as hazardous ingredients are those identified as being present at a concentration of 1% or greater, or 0.1% if the substance is classified and listed as a potential carcinogen by OSHA Hazard Communication Standard.

SECTION 2 - PHYSICAL DATA

BOILING POINT: 173°F*

SOLUBILITY IN WATER: Not

determined.

VAPOR PRESSURE: 44.6mm Hg @ 68°F*

MELTING POINT: N/A

VAPOR DENSITY (air=1): 1.59*

EVAPORATION RATE: Not determined.

SPECIFIC GRAVITY (H₂O=1): 0.815@60°F*

APPEARANCE AND ODOR: Amber liquid; alcohol odor.

Note: Mixture not tested as a whole.

SECTION 3 - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT:

60°F*

FLAMMABLE LIMITS:

LFL-3.3%*

UFL-19%*

EXTINGUISHING MEDIA:

Dry chemical; alcohol foam; carbon dioxide.

FIRE AND EXPLOSION HAZARDS:

Flammable. Fire Hazard.

FIRE FIGHTING EQUIPMENT:

Keep container cool with water spray. If a leak or spill has not ignited, use water spray to dilute or disperse the vapors. Wear positive-pressure, self-contained breathing apparatus.

*for SDA-23A

SECTION 4 - REACTIVITY DATA

STABILITY: (conditions to avoid) Stable under normal storage conditions.

INCOMPATIBILITY: (specific materials to avoid) Oxidizing agents.

HAZARDOUS DECOMPOSITION PRODUCTS: Carbon monoxide(in fire).

HAZARDOUS POLYMERIZATION: Will not occur.

SECTION 5 - ENVIRONMENTAL AND DISPOSAL INFORMATION

ACTION TO TAKE FOR SPILLS/LEAKS: Contain spilled material. Transfer to secure containers. Where necessary, collect using absorbent media.

DISPOSAL METHOD: All recovered material should be handled in conformance with applicable laws and regulations.

SECTION 6 - HEALTH HAZARD DATA (Symptoms of Overexposure)

EYE: May cause irritation.

SKIN CONTACT: May cause irritation and skin defatting.

INGESTION: Can cause depression of central nervous system, nausea.

INHALATION: Can cause headache, drowsiness and respiratory tract irritation.

SYSTEMIC AND OTHER EFFECTS: None reported. IARC has reported a relationship between drinking alcohol beverages and cancer of the oral cavity, pharynx, esophagus and liver.

SECTION 7 - FIRST AID

EYES: Irrigate immediately with water for at least 15 minutes. Get immediate medical attention.

SKIN: Wash off with water. Get immediate medical attention.

INGESTION: If conscious drink water or milk. Call a physician.

INHALATION: Remove to fresh air. Get immediate medical attention.

SECTION 8 - HANDLING PRECAUTIONS

EXPOSURE GUIDELINE(S): OSHA PEL; 1000 ppm for ethanol.

VENTILATION: Good general ventilation should be adequate.

RESPIRATORY PROTECTION: If respiratory irritation is experienced, use an approved air-purifying respirator with organic vapor cartridge.

SKIN PROTECTION: Use impervious gloves when prolonged or repeated contact could occur. Wash contaminated clothing before reuse.

EYE PROTECTION: Use safety glasses with side shields.

SECTION 9 - ADDITIONAL INFORMATION

SPECIAL PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: Preferred storage is an approved flammable liquids storage room or cabinet. At a minimum store in a cool, dry, well ventilated place away from incompatible materials. Keep container tightly closed when not in use. Avoid repeated skin contact and eye exposure. Do not permit eating, drinking or smoking near material.

EPA-EPCRA - Section 313 (Listed Chemicals): NONE

STATE:

California Proposition 65-WARNING. This product can contain chemicals known to the State of California to cause cancer or birth defects or other reproductive harm.

— Ethyl Alcohol (when in alcoholic beverages)

DISCLAIMER:

The information herein given was derived solely from the Main Hazardous Chemical Ingredients MSDS's on file at the time of this MSDS preparation. The information is given in good faith but no warranty, express or implied to the accuracy, completeness or adequacy of the information contained in this MSDS is made. We assume no warranties of fitness or liability from the use of this product. Since the conditions for use, handling, storage and disposal of this product are beyond Cetylite control, users should make their own investigations to determine the suitability of the information for their particular purposes. Users assume liability for damage, or expense arising out of product's improper use. Various Federal, State or Provincial agencies may have specific regulations concerning the transportation, handling, storage, use or disposal of this product which may not be reflected in this MSDS. The user should review these regulations to ensure full compliance.

**SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION**

1.1 Trade Name (as labeled):	Zarosen Cavity Varnish
Synonyms:	N/A
CAS No:	Mixture
1.2 Product Use:	Various uses.
1.3 Company Name:	Cetylite
Company Address:	9051 River Road
Company Address Cont:	Pennsauken, NJ 08110
Business Phone:	(800) 257-7740 or (856) 665-6111
Website:	www.cetylite.com
1.4 Emergency Telephone Number:	(800) 257-7740
Date of Current Revision:	March 8, 2017
Date of Last Revision:	December 26, 2013

SECTION 2 - HAZARD IDENTIFICATION

EMERGENCY OVERVIEW: This product is a clear light amber colored liquid with an alcohol odor. May be irritating to the eyes, skin and respiratory system. May cause central nervous system depression. Irritating to the digestive tract. This product is a Flammable liquid with a flash point >13°C (55.4°F)
The Environmental effects of this product have not been investigated. Release of this product is anticipated to have adverse effects in the aquatic environment.

US DOT Symbols:**EU and GHS Symbols:**

Signal Word:

Danger!

2.1 CLASSIFICATION OF SUBSTANCE OR MIXTURE IN ACCORDANCE WITH 29 CFR 1200 (OSHA HCS) AND THE EUROPEAN UNION DIRECTIVES:

This product does meet the definition of a hazardous substance or preparation as defined by 29 CFR 1910. 1200 or the European Union Council Directives 67/548/EEC, 1999/45/EC, 1272/2008/EC and subsequent Directives.

EU HAZARD CLASSIFICATION OF INGREDIENTS PER DIRECTIVE 1272/2008/EC:

Index Number:

EC# 200-578-6 Annex VI Index# 603-002-00-5

EC# 200-662-2 Annex VI Index# 606-001-00-8

EC# 231-791-2 This substance are not classified in the Annex VI of Directive 67/548/EEC

EC# 232-527-9 This substance are not classified in the Annex VI of Directive 67/548/EEC

Substances not listed either individually or in group entries must be self classified.

Components Contributing to Classification: Ethyl Alcohol, Acetone, Copal Resin**2.2 Label Elements:****GHS Hazard Classifications:**

Flammable Liquid Category 2
Eye Irritation Category 2
Skin Irritant Category 2
STOT SE Category 3 (Central Nervous System)
H225: Highly flammable liquid and vapor
H319: Causes serious eye irritation
H315: Causes skin irritation
H336: May cause drowsiness or dizziness

Hazard Statements:**Prevention Statements:**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233: Keep container tightly closed.
P240 Ground/Bond container and receiving equipment.
P241 Use explosion-proof electrical/ventilating/lighting equipment.
P242 Use only non-sparking tools.

Response Statements:

P243 Take precautionary measures against static discharge.
 P261: Avoid breathing dust/fume/gas/mist/vapours/spray.
 P264: Wash hands thoroughly after handling
 P271: Use only outdoors or in a well-ventilated area.
 P280: Wear protective gloves/protective clothing/eye protection/face protection
 P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
 P337+P313: If eye irritation persists: Get medical advice/attention.
 P302+ P352 IF ON SKIN: Wash with plenty of water.
 P332+P313 If skin irritation occurs: Get medical advice/ attention.
 P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 P312: Call a POISON CENTER/doctor if you feel unwell.
 P370+P378: In case of fire use water, foam, dry chemical, carbon dioxide or halon to extinguish.
 P362+P364 Take off contaminated clothing and wash it before reuse.
 P405: Store locked up.
 P403+P233+P235: Store in well-ventilated place. Keep container tightly closed. Keep cool.
 P501 Dispose of contents/container in accordance with local/regional/ national/international regulations.

Storage Statements:**Disposal Statements:****2.3 Other Hazards:**

None Applicable

SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Ingredients:	WT%	CAS No.	EINECS No.	Hazard Classification
Ethyl Alcohol	80 – 90%	64-17-5	200-578-6	H225 FLAMMABLE LIQUID CAT 2
Acetone	1 – 10%	67-64-1	200-662-2	H225 FLAMMABLE LIQUID CAT 2, H319: EYE IRRITATION CAT 2, H336: STOT SE CAT 3 (CENTRAL NERVOUS SYSTEM)
Water	1 – 10%	7732-18-5	231-791-2	NOT CLASSIFIED
Copal Resin	1 – 10%	9000-14-0	232-527-9	H319: EYE IRRITATION CAT 2, H336: STOT SE CAT 3 (CENTRAL NERVOUS SYSTEM)

Balance of other ingredients are non-hazardous or less than 1% in concentration (or 0.1% for carcinogens, reproductive toxins, or respiratory sensitizers).

Note: All WHMIS required information is included in appropriate sections based on the ANSI Z400.1-2010 format. This product has been classified in accordance with the hazard criteria of the CPR and the SDS contains all the information required by the CPR, EU Directives and the Japanese Industrial Standard JIS Z 7250:2000

SECTION 4 - FIRST AID MEASURES**4.1 Description of First Aid Measures:****Eye Contact:**

If product enters the eyes, flush with plenty of water or eye wash solution for several minutes. Remove contacts if present and easy to do. Seek medical attention if irritation persists.

Skin Contact:

Wash skin thoroughly with soap and water after handling. Seek medical attention if irritation develops and persists.

Inhalation:

If breathing becomes difficult, remove victim to fresh air. If necessary, use artificial respiration to support vital functions. Seek medical attention.

Ingestion:

If product is swallowed, call physician or poison center immediately. If professional advice is not available, do not induce vomiting. Never induce vomiting or give diluents (milk or water) to someone who is unconscious, having convulsions, or who cannot swallow. Seek medical advice. Take a copy of the label and/or SDS with the victim to the health professional.

Medical Conditions Generally Aggravated by Exposure:

Pre-existing skin, eye or respiratory problems may be aggravated by prolonged contact.

Cetylite

Varnal Cavity Varnish

4.2 Symptoms and Effects Both Acute and Delayed:

Exposure to skin or eyes may cause damage.

4.3 Recommendations to Physicians:

Treat symptoms and eliminate overexposure.

SECTION 5 - FIRE FIGHTING MEASURES

5.1 Fire Extinguishing Materials:

Use the following fire extinguishing materials:

Water Spray: No **Carbon Dioxide:** Yes

Foam: Yes **Dry Chemical:** Yes

Halon: Yes **Other:** Any "C" Class

5.2 Unusual Fire and Explosion Hazards:

Above flash point, vapor-air mixtures are explosive within flammable limits noted above. Vapors can flow along surfaces to distant ignition source and flash back. Contact with strong oxidizers may cause fire. Sealed containers may rupture when heated. This material may produce a floating fire hazard. Sensitive to static discharge.

Explosive Sensitivity to Mechanical Impact:




No

Explosive Sensitivity to Static Discharge:

Yes

- Incipient fire responders should wear eye protection.
- Structural firefighters must wear Self-Contained Breathing Apparatus (SCBA) and full protective equipment.
- Isolate materials not yet involved in the fire and protect personnel. Move containers from fire area if this can be done without risk; otherwise, cool with carefully applied water spray.
- If possible, prevent run-off water from entering storm drains, bodies of water, or other environmentally sensitive areas.

5.3 Special Fire-Fighting Procedures:

NFPA RATING SYSTEM		HMIS RATING SYSTEM	
<div>Flammability</div> <div>Health</div> <div>Reactivity</div> <div>Other</div> <div></div>		HAZARDOUS MATERIAL IDENTIFICATION SYSTEM	
		HEALTH HAZARD (BLUE)	3
		FLAMMABILITY HAZARD (RED)	3
		PHYSICAL HAZARD (YELLOW)	0
PROTECTIVE EQUIPMENT			
EYES	RESPIRATORY	HANDS	BODY
	See Sect 8		See Sect 8
For Routine Industrial Use and Handling Applications			
Hazard Scale: 0 = Minimum 1 = Slight 2 = Moderate 3 = Serious 4 = Severe * = Chronic Hazard			

SECTION 6 - ACCIDENTAL RELEASE MEASURES (STEPS FOR SPILLS)

6.1 Personal Precautions, Protective Equipment and Emergency Procedures:

Use cautious judgment when cleaning up spill. Wear suitable protective clothing, gloves, and eye/face protection.

6.2 Environmental Precautions:

Construct a dike to prevent spreading. Keep out of sewers, storm drains, surface waters, and soils.

6.3 Spill and Leak Response:

Small Spills:

- Collect material via broom or mop. Place in tightly sealed container for proper disposal. Approach spill areas with caution.
- If liquid was introduced, create a dike or trench to contain material. Soak up with absorbent material such as clay, sand or other suitable non-reactive material.

Large Spills:

- Place in leak-proof containers. Seal tightly for proper disposal.
- Dispose of in accordance with U.S. Federal, State, and local hazardous waste disposal regulations and those of Canada and its Provinces, those of Australia, Japan and EU Member States (see Section 13, Disposal Considerations).

SECTION 7 - HANDLING AND STORAGE

7.1 Precautions for Safe Handling:

To prevent eye contact under the foreseeable conditions of use, wear appropriate safety eyewear. When handling, do not eat, drink, or smoke. Wash thoroughly after handling. Do not handle or store near heat, sparks, or flame.

7.2 Storage and Handling Practices:

Keep away from incompatible materials. Keep container closed when not in use and store in well ventilated area.

7.3 Specific Uses:

Various uses.

SECTION 8 - EXPOSURE CONTROL/PERSONAL PROTECTION

8.1 Exposure Parameters:

<u>Ingredients</u>	<u>CAS No.</u>	<u>OSHA PEL</u>	<u>NIOSH PEL</u>
Ethyl Alcohol	64-17-5	1000 ppm	1000 ppm
Acetone	67-64-1	500 ppm	1000 ppm
Water	7732-18-5	Not Listed	Not Listed
Copal Resin	9000-14-0	Not Listed	Not Listed

8.2 Exposure Controls:

Ventilation and Engineering Controls:

The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132), or standards of EU member states (including EN 149 for respiratory PPE, and EN 166 for face/eye protection), and those of Japan. Please reference applicable regulations and standards for relevant details.

Respiratory Protection:

Use with adequate ventilation to ensure exposure levels are maintained below the limits provided above.

Maintain airborne contaminant concentrations below guidelines listed above, if applicable. If necessary, use only respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29 CFR 1910.134), equivalent U.S. State standards, Canadian CSA Standard Z94.4-93, the European Standard EN149, or EU member states.

Safety glasses or goggles are recommended.

Eye Protection:

If necessary, refer to U.S. OSHA 29 CFR 1910.133, Canadian Standards, and the European Standard EN166, Australian Standards, or relevant Japanese Standards.

Hand Protection:

Chemical resistant gloves are recommended to prevent skin contact. If necessary, refer to U.S. OSHA 29 CFR 1910.138, the European Standard DIN EN 374, the appropriate Standards of Canada, Australian Standards, or relevant Japanese Standards.

Body Protection:

Use body protect appropriate to task being performed. If necessary, refer to appropriate Standards of Canada, or appropriate Standards of the EU, Australian Standards, or relevant Japanese Standards. If a hazard of injury to the feet exists due to falling objects, rolling objects, where objects may pierce the soles of the feet or where employee's feet may be exposed to electrical hazards, use foot protection, as described in U.S. OSHA 29 CFR 1910.136.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on Basic Physical and Chemical Properties:

Appearance (Physical State and Color): Clear light amber colored liquid with an alcohol odor.

Odor: Alcohol odor

Odor Threshold: No data available

pH: No data available

Melting/Freezing Point: No data available

Boiling Point: 173°F

Cetylite

Varnal Cavity Varnish

Flash Point: >13°C (55.4°F)

Evaporation Rate: No data available

Flammability (Solid; Gas): No data available

Upper/Lower Flammability or Explosion Limits: UEL 19%/LEL 3.3%

Vapor Pressure (mm Hg @ 20°C (68° F): 44.6 mmHg

Vapor Density: 1.59

Relative Density: Not Available

Specific Gravity: 0.815

Solubility in Water: No data available

Weight per Gallon: No data available

Partition Coefficient (n-octanol/water): No data available

Auto-Ignition Temperature: >363°C (685°F)

Decomposition Temperature: No data available

Viscosity: No data available

9.2 Other Information:

No data available

SECTION 10 - STABILITY AND REACTIVITY

10.1 Reactivity:

This product is not reactive.

10.2 Stability:

Stable under conditions of normal storage and use.

10.3 Possibility of Hazardous Reactions:

Not identified.

10.4 Conditions to Avoid:

Contact with incompatible materials.

10.5 Incompatible Substances:

Strong oxidizing agents.

10.6 Hazardous Decomposition Products:

When heated to decomposition this product may contain carbon monoxide; carbon dioxide; and other toxic materials.

SECTION 11 - TOXICOLOGICAL INFORMATION

11.1 Information on Toxicological Effects:

Toxicity Data:

CAS# 64-17-5

Oral LD50 Rat: 7060 mg/kg

CAS# 67-64-1

Oral LD50 Rat: 5800 mg/kg

Acute toxicity	Based on available data, the classification criteria are not met
Skin corrosion / irritation	Skin Irritant Category 2
Serious eye damage / irritation	Eye Irritation Category 2
Respiratory or skin sensitization	Based on available data, the classification criteria are not met
Germ cell mutagenicity	Based on available data, the classification criteria are not met
Carcinogenicity	Based on available data, the classification criteria are not met
Reproductive toxicity	Based on available data, the classification criteria are not met
STOT-single exposure	STOT SE Category 3 (Central Nervous System)
STOT-repeated exposure	Based on available data, the classification criteria are not met
Aspiration hazard	Based on available data, the classification criteria are not met

Routes of Exposure:

Symptoms of Overexposure by Route of Exposure:

The most significant routes of overexposure for this product are by contact with skin or eyes, ingestion or inhalation. The symptoms of overexposure are described in the following paragraphs.

Acute:

Inhalation: Inhalation of vapors may cause irritation of the upper respiratory system.

Skin Contact: Contact with skin may cause skin irritation with local redness.

Eye Contact: Vapors and direct contact to the eyes may be irritating.

Ingestion: Swallowing may result in irritation or burns of the mouth, throat and gastrointestinal system.

Chronic: None known

Target Organs:

Acute: Skin, Eyes, Respiratory System

Chronic: None known

Suspected Cancer Agent:

One or more of the ingredients are found on the following lists:
FEDERAL OSHA Z LIST, NTP, CAL/OSHA, IARC and therefore is considered to be, or suspected to be a cancer-causing agent by these agencies.

Irritancy:

64-17-5 Ethanol in alcoholic beverages: Group 1 Carcinogenic to humans

Contact with this product can be irritating to exposed skin, eyes and respiratory system.

Sensitization to the Product:

This product is not expected to cause respiratory sensitization.

Germ Cell Mutagenicity:

This product does not contain ingredients that are suspected to be a germ cell mutagenic.

Reproductive Toxicity:

This product is not expected to be a human reproductive toxicant.

SECTION 12 - ECOLOGICAL INFORMATION**12.1 Toxicity:**

No specific data available on this product.

12.2 Persistence and Degradability:

No specific data available on this product.

12.3 Bioaccumulative Potential:

No specific data available on this product.

12.4 Mobility in Soil:

No specific data available on this product.

12.5 Results of PBT and vPvB Assessment:

No specific data available on this product.

12.6 Other Adverse Effects:

No data available.

12.7 Water Endangerment Class:

At present, there are no ecotoxicological assessments for this product.

SECTION 13 - DISPOSAL CONSIDERATIONS**13.1 Waste Treatment Methods:**

Waste disposal must be in accordance with appropriate U.S. Federal, State, and local regulations, those of Australia, EU Member States and Japan.

13.2 EU Waste Code:

Not determined

SECTION 14 - TRANSPORTATION INFORMATION**14.1 U.S. Department of Transportation (DOT) Shipping Regulations:**

This product is classified (per 49 CFR 172.101) by the U.S. Department of Transportation, as follows.

UN Identification Number:

UN1170

Proper Shipping Name:

Ethanol Solutions

Hazard Class Number and Description:

Flammable Liquid Class 3

Packing Group:

PGII

DOT Label(s) Required:

Flammable Liquid Class 3

North American Emergency Response Guidebook Number:

127

14.2 Environmental Hazards:**Marine Pollutant:**

None of the ingredients are classified by the DOT as a Marine Pollutant (as defined by 49 CFR 172.101, Appendix B)

14.3 Special Precaution for User:

None

14.4 International Air Transport Association Shipping Information (IATA):

This product is not considered as dangerous goods.

14.5 International Maritime Organization Shipping Information (IMO):

This product is not considered as dangerous goods.

SECTION 15 - REGULATORY INFORMATION**15.1 Safety, Health and Environmental Regulations Specific for the Substance or Mixture:****United States Regulations:****U.S. SARA Reporting Requirements:**

The components of this product are not subject to the reporting requirements of Sections 302, 304, and 313 of Title III of the Superfund Amendments and Reauthorization Act. None known

U.S. SARA 311/312:

Acute Health: Yes; Chronic Health: Yes; Fire: Yes; Reactivity: No

U.S. SARA 313: None known**U.S. CERCLA Reportable Quantity:** None known

U.S. TSCA Inventory Status:

The components of this product are listed on the TSCA Inventory or are exempted from listing.

Other U.S. Federal Regulations:

None known

California Safe Drinking Water and Toxic Enforcement Act (Proposition 65): This product does not contain ingredients on the Proposition 65 Lists.

15.2 Canadian Regulations:**Canadian DSL/NDSL Inventory Status:**

Components are DSL Listed, NDSL Listed and/or are exempt from listing

Other Canadian Regulations:

Not applicable

Canadian Environmental Protection Act (CEPA) Priorities Substances Lists:

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all of the information required by those regulations.

Canadian WHMIS Classification and Symbols:

Classified per WHMIS 2015 Controlled Product Regulations.

15.3 European Economic Community Information:

This product meets the definition of a hazardous substance or preparation as defined by the European Union Council Directives 67/548/EEC, 1999/45/EC, 1272/2008/EC and subsequent Directives. See Section 2 for Details.

Chemical Safety Assessment:

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

15.4 Australian Information for Product:

Components of this product are listed on the International Chemical Inventory list.

15.5 Japanese Information for Product:

Japanese Minister of International Trade and Industry (MITI) Status: The components of this product are not listed as Class I specified Chemical Substances, Class II Specified Chemical Substances, or Designated Chemical Substances by the Japanese MITI.

15.6 International Chemical Inventories:

Listing of the components on individual country Chemical Inventories is as follows:

Australian Inventory of Chemical Substances (AICS): Listed

Korean Existing Chemicals List (ECL): Listed

Japanese Existing National Inventory of Chemical Substances (ENCS): Listed

Philippines Inventory of Chemicals and Chemical Substances (PICCS): Listed

U.S. TSCA: Listed

SECTION 16 - ADDITIONAL INFORMATION

Prepared By: Chris Eigbrett (MSDS to GHS Compliance)

Date of Printing: March 8, 2017

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of the need that information is current, applicable and suited to the circumstances of use. This safety sheet cannot cover all possible situations which the user may experience during processing. Each aspect of your operation should be examined to determine if, or where, additional precautions may be necessary. All health and safety information contained in this bulletin should be provided to your employees or customers. Cetylite assumes no responsibility for injury to vendee or third party person proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, Cetylite assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Compliance with all applicable federal, state, and local laws and local regulations remains the responsibility of the user.

Revision History:

December 26, 2013 - Document creation.

March, 8 2017 - Updated template with *corrected GHS elements and added data elements for EU compliance.*

END OF SDS SHEET